


April 2021 edition

TECHNOLOGY. DYNAMISM. PEOPLE.



iMiCUBE

We are people who believe in quality, innovation and sustainability as essential values in business, as guides to behaviour and as the real substance of any modern vision. These are the values we rely on to inform the everyday conduct of our work, with the deep conviction that espousing them does not invite the risk being unprepared for an already imminent future, with its need for interaction, speed and mutual satisfaction between customer and supplier, who, now more than ever, are partners in the challenge for competitiveness.

These are the values of our present and our past, rooted in **the story of an enterprise begun by Mario Milani in 1929** and carried forward by Gianni Milani. It was the latter who, in 1972, had the illuminated idea of the innovative importance of plastic containers as a tool to help businesses manage space more rationally.

Now the third generation will write the next chapter of this story with iMilani CEO Roberto Milani, who envisioned this new business venture as a natural consequence of the need to enter the market with a streamlined, "open space and open mind" production process. Alongside him will be Gianluca Marzano, who, having gained valuable experience as COO of Fami, is also CEO of iMilani today.

iMilani is therefore eager to face the challenge of the present as a modern and reliable player, ready to accommodate the demands of the industrial world and of the wider community. Regarding the latter, it pursues 100% environmentally friendly policies and positions itself as an eco-sustainable company that prioritises the use of recycled and recyclable materials, within a controlled and fully internal production chain.

iMilani wants to serve customers with product lines tailored to their needs. It has thus come up with the "iMiCUBE" line, a series of boxes and containers with a wide usage spectrum and the "iMiLOG" line, a range of specialised containers designed exclusively for use with automatic systems, whether they are stacker cranes or mini-shuttles.

iMilani is ready.



Roberto Milani
CEO

Gianluca Marzano
CEO



iMiLOG

3

In addition to offering a wide range of boxes and containers, as well as accessories such as pallets and covers, iMilani also provides expertise in logistics automation.

In this regard, the **iMiLOG** specialist division can provide its technical staff for advice and the implementation of specific systems, using either the dedicated **SPACE** series or boxes and trays made to specific customer requirements.

iMiLOG works with leading manufacturers of logistics automation nationally and in Europe.

To request assistance from our technicians, send an email to automation@imilog.it

Our boxes are integrated with the systems of:

AUTOMHA

cassioli
AUTOMATIC MATERIAL HANDLING

CUBAR

DEMATIC


Ferretto Group
on, just one provider

FRETOR
DROVEDANI GROUP

JUNGHEINRICH

Logico


MECALUX

TCL
LIVING LOGISTICS

trascar
AUTOMATION and LOGISTICS

zancaner
Handling Electronics & More
innovative
italian
ideas

iMilani



MATERIAL: POLYPROPYLENE AT ITS BEST

5

TOP QUALITY POLYPROPYLENE AND POLYPROPYLENE FOR FOOD PRODUCTS



PP

Top quality polypropylene is a non-toxic, odourless plastic that is resistant to solvents and acids. It can be washed and sterilised and is water-resistant and non-hygroscopic. Its chemical and mechanical properties make it perfect for the manufacture of boxes and containers, ideal for handling in automatic warehouses.

Food safety

Polypropylene for food use is a material that conforms to current EU legislation governing the characteristics of packaging and containers for contact with food. This plastic material is very widespread in the food industry, from product preparation and packaging to storage and shipment.



ECOGREEN



Ecogreen is an environmentally friendly solution that gives new life to recycled plastic, derived from the re-use of post-consumption plastic waste.

CONDUCTIVE POLYPROPYLENE – ESD



Conductive polypropylene is a high-quality plastic, perfect for protection against electrostatic discharges. Boxes made from conductive polypropylene are perfect for storing and transporting sensitive electrical components.

FIREPROOF POLYPROPYLENE CLASS VO

PP VO

Fireproof polypropylene, replicable in different colours, prevents fire risks in automated warehouses and is a viable alternative where the use of traditional fire sprinkler systems is not possible.

ECOLOGY AND SUSTAINABILITY.

BECAUSE THE EARTH IS THE MOST IMPORTANT VESSEL OF ALL


ALESSIA ZECCHINI

APNEA WORLD CHAMPION
WORLD RECORD HOLDER



The planet is the biggest home we have. The home that someone tomorrow will live in without even having anticipated it. It is a home open to anyone. It is perfect. That's how we find it, and how we should leave when we finally go. Or even better than we found it. We want to make the same commitment also when our plastic product reaches the end of its life, meaning after 450 years. Environmental protection is a priority, not an option.

And we don't just mean our surrounding environment, but also, and above all, that expanse of water so vast that it covers over 70% of the Earth's surface: the sea.



The iMilani commitment to recycling of post-consumption household plastic, involves the processing of more than 1200 tons per year: a little contribution towards a "Plastic-free Sea".

But we should not view plastic as a demon, but rather as we would the clay of the ancients, lending itself to man's imagination and taking on forms and applications useful to us in everyday life, giving rein to the imaginative project, "Plastic-free Sea".

innovative
italian
ideas

iMilani



Impact test
with pendulum.

MATERIAL CHARACTERISATION DEPARTMENT

THE RAW MATERIAL AT THE CENTRE OF OUR ATTENTION

When materials arrive at our company, the first thing they see are our laboratories. Each new arrival is carefully checked and certified according to our strict quality standards, with composition tests and mechanical, thermal and functional tests. Only materials that pass these tests are placed in our silos.

When the products have been moulded and the plastic has stabilised, this is the time for further tests: bottom bending and box structure resilience. Only after this process takes place products are released from the plant and sent to customers.

MELT FLOW TESTER

This is a testing machine that determines the Melt Flow Rate of plastic, in other words the fluidity properties of the raw material in accordance with ASTM and ISO international standards.

This value is extremely important during the raw material transformation phase, because thermoplastic materials are processed under pressure and at a certain temperature. The ability of these melted materials to flow under pressure at a certain temperature is essential to the science and technology behind polymers.



Melt Flow Tester.

TRACTION TEST

During the product design phase, we need to optimise the usage of materials in order to create items that are strong, but also light and rigid at the same time. Two of the reference properties are elasticity and resistance to traction. The traction test is carried out using two vices that secure the extremities of specifically-shaped test pieces and subject them to traction. The test result is a value indicating the breakage or yield load of the raw material. When suitably measured with an extensometer, the test piece also provides the traction elasticity module. The machine is designed to carry out tests on a wide range of test pieces in accordance with ASTM and ISO international standards.

IMPACT TEST WITH PENDULUM

For users of the materials, impact resistance is one of the most important properties. It provides an efficient assessment of the cost/performance ratio during product development and quality control.

Because components might yield when subjected to a force that is lesser than the critical breakage force, it is necessary to accurately determine the propagation of fractures following an impact. The pendulum machine is designed to carry out Charpy and Izod type tests on a wide range of test pieces in accordance with ASTM and ISO international standards.


MOULD DEPARTMENT

THE MOST INNOVATIVE
INJECTION
MOULDING IS MADE
IN IMILANI

**18 injection** moulds operating on **3 shifts**.

From the moulding of small parts to boxes sized 800 x 600 mm. The moulds are designed for the application

of labels with an IML In-Mould Labelling system. This is used both for customisation and the application of barcodes, on-machine weighing and tolerance testing.



THE PROCESS

The mixture of various "grains" and colours is heated until a homogeneous and mouldable paste is achieved. This is then inserted into the mould to create a product in the desired shape: a box, a finishing element or a mechanical part. The presses and moulds are connected via silos, rollers, testing positions, and

technical and commercial information systems making up the company's control and value chain. At the end of the process each product is tested and checked to ensure that there are no imperfections. The product is delivered to the customer only if it is just perfect.

OUR COLOURS

12



PP	2X	PP	05	PP	1C	PP	HE	PP	24
<input checked="" type="checkbox"/>	signal yellow RAL 1003	<input checked="" type="checkbox"/>	yellow RAL 1021	<input checked="" type="checkbox"/>	melon yellow RAL 1028	<input checked="" type="checkbox"/>	signal orange RAL 2010	<input checked="" type="checkbox"/>	deep orange RAL 2011
PP	2N	PP	1G	PP	03	PP	JV	PP	3Z
<input checked="" type="checkbox"/>	carmine RAL 3002	<input checked="" type="checkbox"/>	ruby red RAL 3003	<input checked="" type="checkbox"/>	red RAL 3020	<input checked="" type="checkbox"/>	signal purple RAL 4008	<input checked="" type="checkbox"/>	telemagenta RAL 4010
PP	04	PP	XB	PP	3P	PP	27	PP	IG
	blue PANTONE 660C		turquoise PANTONE 2925C	<input checked="" type="checkbox"/>	aqua blue RAL 5021	<input checked="" type="checkbox"/>	signal blue RAL 5005		sapphire blue RAL 5003
PP	QD	PP	JW	PP	43	PP	2F	PP	02
<input checked="" type="checkbox"/>	leaf green RAL 6002	<input checked="" type="checkbox"/>	plastic green RAL 6011	<input checked="" type="checkbox"/>	yellowish green RAL 6018	<input checked="" type="checkbox"/>	light green RAL 6027		green RAL 6032
PP	1B	PP	XL	PP	08	PP	01	PP	07
<input checked="" type="checkbox"/>	signal grey RAL 7004		anthracite grey RAL 7016	<input checked="" type="checkbox"/>	light grey RAL 7035	<input checked="" type="checkbox"/>	grey RAL 7046		black RAL 9011

Colours on request +7%

PERSONALISED MARKING

Steel insert integrated into the mould
Embossed marking

Hot foil printing with printing plate

Available in all colours



INDEX

14

AUTOMOTIVE



- R - KLT 16
- RL - KLT 24
- 1421 - KLT 32
- ODETTE 34
- MATS 40
- SAFELID 42
- MOTION 46

128

SPACE SAVER



- KRONOS 130
- DELTA 136
- MINERVA 142

220

STEEL



- FOX 222
- QUICK 236
- FRAME 256
- PICK 266
- SQUARE 276

50

LOGISTICS



- ATHENA 52
- ATHENA LIGHT 110
- CONTAINER 114
- PALLET & LID 120

148

C - PARTS



- COMPAT 150
- PRACTIBOX 160
- RK 180
- ZEUS 202
- HOLDER 208

AUTOMOTIVE

14



R-IKLT



RL-IKLT



ODETTE

16

24

34



MATS

40




SAFELID

42



46

MOTION



The R-KLT series, created within the VDA - German Association of the Automotive Industry project, is ideally applied in the automotive industry, facilitating the movement of goods between the components industries and car manufacturers.

Good resistance to oils, various automated handling options, tough ergonomic handles, a high level of safety and strength and a reinforced bottom to withstand heavy loads.

BOTTOMS

300 x 200




400 x 300



600 x 400



label holders
on both sides




slot




iMiCUBE


17

hand grip



300 mm + 300 mm





300 x 200 mm H 147 mm

	ARTICLE	WALLS		BOTTOM		HANDLES	GR.	PACKAGING	UNIT PRICE €	
		Closed	Perforated	Closed	Perforated					
A	KL 3215 51IG	■		■		■	570	16	256	3,37
B	KL LI35 51IG						91	8	1280	2,44
ARTICLE ON REQUEST										
A	KL 3215 5207	■		■	■	■	638	16	256	6,31
B	KL LI35 5207						102	8	1280	4,61
ACCESSORIES										
C	KL PROT 5100						25	8		0,94

DATASHEET

A	
Stacked edge height	132 mm
Usable stacked height / with lid	127 mm / 116 mm
Usable internal dimensions	243 x 161 x 142H mm
Volume	5.3 litres
Pieces per pack / pallet	16 256
Package dimensions	620 x 420 x 563H mm
Pallet dimensions	1200 x 800 x 227H mm

B	
Lid	300 x 200 mm
Pieces per pack. / dimension	8 / 300 x 200 x 150H mm
Pieces per pallet / dimension	1280 / 1200 x 800 x 1000H mm

C	
Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST


Minimum order 200 boxes
 Delivery guaranteed within 6 weeks



A

Closed bottom
Load capacity
20 kg

B





C

Dimensions

400 x 300 mm H 147 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed Perforated	Closed Perforated Reinforced	Closed Open		Qty. per pack Qty. per pallet	
	A KL 4315 51IG	■		■ ■	1290	8 128	6,89
	B KL LI45 51IG				279	4 640	3,26
ARTICLE ON REQUEST							
	A KL 4315 5207	■		■ ■	1445	8 128	12,88
	B KL LI45 5207				312	4 640	5,08
ACCESSORIES							
	C KL PROT 5100				25	8	0,94

A



B



C



A

Stacked edge height	132 mm
Usable stacked height / with lid	110 mm / 98 mm
Usable internal dimensions	345 x 264 x 124H mm
Volume	10 litres
Pieces per pack / pallet	8 128
Package dimensions	620 x 420 x 563H mm
Pallet dimensions	1200 x 800 x 2277H mm

B

Lid	400 x 300 mm
Pieces per pack. / dimension	4 / 400 x 300 x 100H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000H mm

C

Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order 200 boxes
 Delivery guaranteed within 6 weeks

400 x 300 mm H 280 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed Perforated	Closed Perforated Reinforced	Closed Open		Qty. per pack. Qty. per pallet	
A	KL 4329 51IG	■		■ ■	1850	4 64	9,72
B	KL LI45 51IG				279	4 640	3,26
ARTICLE ON REQUEST							
A	KL 4329 5207	■		■ ■	2072	4 64	18,17
B	KL LI45 5207				312	4 640	5,08
ACCESSORIES							
C	KL PROT 5100				25	8	0,94

DATASHEET


A	
Stacked edge height	265 mm
Usable stacked height / with lid	243 mm/ 231 mm
Usable internal dimensions	345 x 264 x 257H mm
Volume	22 litres
Pieces per pack / pallet	4 64
Package dimensions	620 x 420 x 565H mm
Pallet dimensions	1200 x 800 x 2285H mm

B	
Lid	400 x 300 mm
Pieces per pack. / dimension	4 / 400 x 300 x 100H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000H mm

C	
Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order 200 boxes
 Delivery guaranteed within 6 weeks



Dimensions

600 x 400 mm H 147 mm

ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
	Closed Perforated	Closed Perforated Reinforced	Closed Open		Qty. per pack Qty. per pallet	
A KL 6415 51IG	■		■	2100	4 64	11,66
B KL LI65 51IG				680	4 240	4,54
ARTICLE ON REQUEST						
A KL 6415 5207	■		■ ■	2352	4 64	21,81
B KL LI65 5207				762	4 240	9,05
ACCESSORIES						
C KL PROT 5100				25	8	0,94

A



Reinforced
bottom
Load capacity
20 kg

B



C



A

Stacked edge height	132 mm
Usable stacked height / with lid	110 mm/ 98 mm
Usable internal dimensions	543 x 363 x 124H mm
Volume	22 litres
Pieces per pack / pallet	4 64
Package dimensions	620 x 420 x 563H mm
Pallet dimensions	1200 x 800 x 2277H mm

B

Lid	600 x 400 mm
Pieces per pack. / dimension	4 / 600 x 400 x 100H mm
Pieces per pallet / dimension	240 / 1200 x 800 x 1000H mm

C

Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order 200 boxes
 Delivery guaranteed within 6 weeks

600 x 400 mm H 280 mm


	ARTICLE	WALLS		BOTTOM		HANLES	GR.	PACKAGING	UNIT PRICE €	
		Closed	Perforated	Closed	Perforated					
A	KL 6429 51IG	■			■ ■		2970	2	32	16,56
B	KL LI65 51IG						680	4	240	4,54
ARTICLE ON REQUEST										
A	KL 6429 5207	■			■ ■		3326	2	32	30,96
B	KL LI65 5207						762	4	240	9,05
ACCESSORIES										
C	KL PROT 5100					25	8		0,94	

DATASHEET

A	
Stacked edge height	265 mm
Usable stacked height / with lid	243 mm/ 231 mm
Usable internal dimensions	543 x 363 x 257H mm
Volume	48 litres
Pieces per pack / pallet	2 32
Package dimensions	620 x 420 x 565H mm
Pallet dimensions	1200 x 800 x 2285H mm
B	
Lid	600 x 400 mm
Pieces per pack. / dimension	4 / 600 x 400 x 100H mm
Pieces per pallet / dimension	240 / 1200 x 800 x 1000H mm
C	
Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order 200 boxes
 Delivery guaranteed within 6 weeks



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



T
E
K
L
R
L



The RL-KLT series, created within the VDA - German Association of the Automotive Industry project, is ideally applied in the automotive industry, facilitating the movement of goods between the components industries and car manufacturers.

Good resistance to oils, various automated handling options, tough ergonomic handles, high level of safety and strength, smooth surface for silent transport on belts, perforations in bottom for water drainage.

BOTTOMS

300 x 200



400 x 300



600 x 400



label holders on both sides



hand grip



holes for water drainage

stackable lower edge



slot for vertical bracing

Smooth bottom

stackable upper edge


label holder

centring hole

ergonomic handle

stable gripping surface for extraction in autom. warehouses.

guides for frontal handling



innovative
italian
ideas

iMilani



300 x 200 mm H 147 mm

	ARTICLE	WALLS		BOTTOM		HANDLES	GR.	PACKAGING	UNIT PRICE €	
		Closed	Perforated	Closed	Perforated					
A	KL 3147 5127	■		■		■	570	16	256	3,37
B	KL LI35 5127						91	8	1280	2,44
ARTICLE ON REQUEST										
A	KL 3147 5207	■		■	■	■	638	16	256	6,31
B	KL LI35 5207						102	8	1280	4,61
ACCESSORIES										
C	KL PROT 5100					25	8		0,94	

DATASHEET


A	
Stacked edge height	132 mm
Usable stacked height / with lid	127 mm / 116 mm
Usable internal dimensions	243 x 161 x 142H mm
Volume	5.3 litres
Pieces per pack / pallet	16 256
Package dimensions	620 x 420 x 563H mm
Pallet dimensions	1200 x 800 x 227H mm

B	
Lid	300 x 200 mm
Pieces per pack. / dimension	8 / 300 x 200 x 150H mm
Pieces per pallet / dimension	1280 / 1200 x 800 x 1000H mm

C	
Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order 200 boxes
 Delivery guaranteed within 6 weeks



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

400 x 300 mm H 147 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed Perforated	Closed Perforated Reinforced	Closed Open			
 A	KL 4147 5127	■	■	■	1080	8 128	5,58
 B	KL LI45 5127				279	4 640	3,26
ARTICLE ON REQUEST							
 A	KL 4147 5207	■	■	■	1210	8 128	10,42
 B	KL LI45 5207				312	4 640	5,08
ACCESSORIES							
 C	KL PROT 5100				25	8	0,94

APerforated bottom
Load capacity
20 kg**B****C****A**

Stacked edge height	132 mm
Usable stacked height / with lid	127 mm / 116 mm
Usable internal dimensions	346 x 262 x 142H mm
Volume	10 litres
Pieces per pack / pallet	8 128
Package dimensions	620 x 420 x 563H mm
Pallet dimensions	1200 x 800 x 2277H mm

B

Lid	400 x 300 mm
Pieces per pack. / dimension	4 / 400 x 300 x 100H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000H mm

C

Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUESTMinimum order 200 boxes
Delivery guaranteed within 6 weeks

400 x 300 mm H 280 mm

	ARTICLE	WALLS		BOTTOM		HANDLES	GR.	PACKAGING	UNIT PRICE €	
		Closed	Perforated	Closed	Perforated					
A	KL 4280 5127	■			■	■	1700	4	64	7,98
B	KL LI45 5127						279	4	640	3,26
ARTICLE ON REQUEST										
A	KL 4280 5207	■		■	■	■	1904	4	64	14,92
B	KL LI45 5207						312	4	640	5,08
ACCESSORIES										
C	KL PROT 5100						25	8		0,94

DATASHEET


A	
Stacked edge height	265 mm
Usable stacked height / with lid	260 mm/ 249 mm
Usable internal dimensions	346 x 262 x 275H mm
Volume	22 litres
Pieces per pack / pallet	4 64
Package dimensions	620 x 420 x 565H mm
Pallet dimensions	1200 x 800 x 2285H mm

B	
Lid	400 x 300 mm
Pieces per pack. / dimension	4 / 400 x 300 x 100H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000H mm

C	
Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order 200 boxes
 Delivery guaranteed within 6 weeks



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 147 mm

ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
	Closed Perforated	Closed Perforated Reinforced	Closed Open		Qty. per pack Qty. per pallet	
A KL 6147 5127	■	■	■	1820	4 64	9,35
B KL LI65 5127				680	4 240	4,54
ARTICLE ON REQUEST						
A KL 6147 5207	■	■	■	2038	4 64	17,48
B KL LI65 5207				762	4 240	9,05
ACCESSORIES						
C KL PROT 5100				25	8	0,94


A

Perforated bottom
Load capacity
20 kg

B



C



A

Stacked edge height	132 mm
Usable stacked height / with lid	127 mm / 116 mm
Usable internal dimensions	543 x 358 x 142H mm
Volume	25 litres
Pieces per pack / pallet	4 64
Package dimensions	600 x 400 x 563H mm
Pallet dimensions	1200 x 800 x 2277H mm

B

Lid	600 x 400 mm
Pieces per pack. / dimension	4 / 600 x 400 x 100H mm
Pieces per pallet / dimension	240 / 1200 x 800 x 1000H mm

C

Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUESTMinimum order 200 boxes
Delivery guaranteed within 6 weeks

600 x 400 mm H 280 mm

ARTICLE	WALLS		BOTTOM		HANDLES	GR.	PACKAGING	UNIT PRICE €	
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open	Qty. per pack.	Qty. per pallet
A KL 6280 5127	■			■	■	2670	2	32	13,65
B KL LI65 5127						680	4	240	4,54
ARTICLE ON REQUEST									
A KL 6280 5207	■		■	■	■	2990	2	32	25,52
B KL LI65 5207						762	4	240	9,05
ACCESSORIES									
C KL PROT 5100						25	8		0,94

DATASHEET


A	
Stacked edge height	265 mm
Usable stacked height / with lid	260 mm/ 249 mm
Usable internal dimensions	543 x 358 x 275H mm
Volume	48 litres
Pieces per pack / pallet	2 32
Package dimensions	600 x 400 x 565H mm
Pallet dimensions	1200 x 800 x 2285H mm

B	
Lid	600 x 400 mm
Pieces per pack. / dimension	4 / 600 x 400 x 100H mm
Pieces per pallet / dimension	240 / 1200 x 800 x 1000H mm

C	
Semi-opaque label protection	150 x 67H mm
Pieces per pack	8

ARTICLES ON REQUEST

Minimum order 200 boxes
 Delivery guaranteed within 6 weeks




iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



iMiCUBE

32



1000 x 400 mm H 214 mm

ARTICLE	WALLS		BOTTOM		HANDLES		GR.	PACKAGING	UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed			
A KL 1421 5127	■				■	■	4000	9	33
								Qty. per pack.	20,16
								Qty. per pallet	



A

Reinforced
bottom
Load capacity
20 kg



DATASHEET

A

Stacked edge height	199 mm
Usable stacked height / with lid	177 mm
Usable internal dimensions	935 x 345 x 191H mm
Volume	63 litres
Pieces per pack / pallet	9 33
Package dimensions	1200 x 1000 x 782H mm
Pallet dimensions	1200 x 1000 x 2354h mm



ODETTE





The distinctive yellow-coloured boxes of the Odette series were designed and built under the "Odette" project (Organisation for Data Exchange by Tele Transmission in Europe). The organisation's membership includes a number of important Italian and international companies, operating in particular in the automotive industry.

The "Odette" boxes came into being thanks to close cooperation with European car makers. The "Odette" project was launched Europe-wide in 1985 to create harmonised standards for containers for the handling and transport of small volumes or amounts.

BOTTOM

reinforced bottom




iMiCUBE


35

PICKING


picking from above



picking from below



side picking



innovative
italian
ideas

iMilani

Dimensions

300 x 200 mm H 147 mm

ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
	Closed Perforated	Closed Perforated Reinforced	Closed Perforated Reinforced	600 110	16 256 8 1440	7,36 2,34
	ACCESSORIES					
					8	0,66
A OD 4950 5105	■	■				
B OD 32SE 5105						
C OD BEAM 0099						

A**B****C**

DATASHEET

A

Stacked edge height	132 mm
Usable stacked height / with lid	118 mm / 107 mm
Usable internal dimensions	235 x 161 x 133H mm
Volume	4.6 litres
Pieces per pack / pallet	16 256
Package dimensions	620 x 420 x 563H mm
Pallet dimensions	1200 x 800 x 2277H mm

B

Lid	300 x 200 mm
Pieces per pack. / dimension	8 / 300 x 200 x 160H mm
Pieces per pallet / dimension	1440 / 1200 x 800 x 1000H mm

C

Metal document holder rod	
Pieces per pack	8

400 x 300 mm H 214 mm

ARTICLE	WALLS		BOTTOM		HANDLES	GR.	PACKAGING	UNIT PRICE €	
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open	Qty. per pack.	Qty. per pallet
A OD 4930 5105	■				■ ■			1740	6 88 10,95
B OD 43SE 5105								240	6 640 3,45
ACCESSORIES									
C OD BEAM 0099								8	0,56

ODETTE 4930

iMiCUBE

37

DATASHEET

A	
Stacked edge height	199 mm
Usable stacked height / with lid	185 mm / 174 mm
Usable internal dimensions	335 x 261 x 200H mm
Volume	15.8 litres
Pieces per pack / pallet	6 88
Package dimensions	620 x 420 x 632H mm
Pallet dimensions	1200 x 800 x 2354H mm

B	
Lid	400 x 300 mm
Pieces per pack. / dimension	6 / 400 x 300 x 120H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000H mm

C	
Metal document holder rod	
Pieces per pack	8



B



C

Dimensions

600 x 400 mm H 214 mm

ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
	Closed Perforated	Closed Perforated Reinforced	Closed Perforated Reinforced			
A OD 4910 5105	■		■	2820	3 44	17,29
B OD 64SE 5105				500	3 320	6,05
ACCESSORIES						
C OD BEAM 0099					8	0,66

A



Reinforced bottom
Load capacity
20 kg



B



C



A

Stacked edge height	199 mm
Usable stacked height / with lid	185 mm / 174 mm
Usable internal dimensions	535 x 361 x 200H mm
Volume	34.8 litres
Pieces per pack / pallet	3 44
Package dimensions	620 x 420 x 632H mm
Pallet dimensions	1200 x 800 x 2354H mm

B

Lid	600 x 400 mm
Pieces per pack. / dimension	3 / 600 x 400 x 60H mm
Pieces per pallet / dimension	320 / 1200 x 800 x 1000H mm

C

Metal document holder rod	
Pieces per pack	8

DATASHEET

600 x 400 mm H 314 mm

ARTICLE	WALLS		BOTTOM		HANDLES	GR.	PACKAGING	UNIT PRICE €	
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open	Qty. per pack.	Qty. per pallet
A OD 4900 5105	■				■ ■			4020	3 40
B OD 64SE 5105								500	3 320
ACCESSORIES									
C OD BEAM 0099								8	0,56

DATASHEET

A	
Stacked edge height	299 mm
Usable stacked height / with lid	285 mm / 274 mm
Usable internal dimensions	535 x 361 x 300H mm
Volume	53 litres
Pieces per pack / pallet	3 40
Package dimensions	620 x 420 x 648H mm
Pallet dimensions	1200 x 800 x 2369H mm

B	
Lid	600 x 400 mm
Pieces per pack. / dimension	3 / 600 x 400 x 60H mm
Pieces per pallet / dimension	320 / 1200 x 800 x 1000H mm

C	
Metal document holder rod	
Pieces per pack	8



MATS



CLIP

All parts can be joined and removed quickly and easily by means of the special galvanised clip system.



SAFETY

The linear and corner connecting ramps increase safety for operators using trolleys, ease the rolling of wheels and improve visual characteristics for accident prevention.




WIRING

The non-slip mats are suitable for the totally safe housing of electric cables laid on the floor.

ANTI-SLIP

The particular pattern in relief on the upper part has a non-slip design, ensuring maximum grip even when wet.



These mats are made of PE-LD (low density polyethylene) and are suitable especially in engineering workshops, metal processing industries, washing installations, food industries, warehouses, bathing facilities, campsites, wardrobes, etc.

The summary results of testing in the Plastics Centre of Southern Germany were as follows: the mats showed good floor adherence both in no-load and full-load conditions; they did not form bevels (which may cause the user to stumble) or large gaps. Also, they remain equally usable in damp conditions as they have a raised surface.

800 x 400 mm H 25 mm**MATS**

ARTICLE	CLOSED WALKING SURFACE	PERFORATED WALKING SURFACE	GR.	PACKAGING	UNIT PRICE €
				Qty. per pack.	Qty. per pallet
CA 0804A 4101	■		1968	4	105
CA 0804A 4106	■		1968	4	105
A CA 0804A 4107	■		1968	4	105
CA 0804A 4207	■		2339	4	105
CA 0804B 4101		■	1979	4	105
B CA 0804B 4106		■	1979	4	105
CA 0804B 4107		■	1979	4	105
ACCESSORIES					
C CA 0401A 4105	■		240	20	
CA 0401A 4207	■		269	20	
D CA 0101A 4105	■		68	10	
CA 0101A 4207	■		69	10	
E CA CLIP				10	0,15



A




B



C



D



E

DATASHEET**A - CLOSED NON-SLIP MAT**

Dimensions	800 x 400 x 25H mm
Walking surface	without slots
Pieces per pack / pallet	4 105
Package dimensions	800 x 400 x 100H mm
Pallet dimensions	1200 x 800 x 1025H mm

B - PERFORATED NON-SLIP MAT

Dimensions	800 x 400 x 25H mm
Walking surface	with slots
Pieces per pack / pallet	4 105
Package dimensions	800 x 400 x 100H mm
Pallet dimensions	1200 x 800 x 1025H mm

C - LINEAR CONNECTING RAMP FOR MAT

Dimensions	400 x 120 x 25H mm
Pieces per pack	20

D - CORNER CONNECTING RAMP FOR MAT

Dimensions	120 x 120 x 25H mm
Pieces per pack	10

E - GALVANISED CONNECTION CLIP

Pieces per pack	10
-----------------	----

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



S A F E L I D



SafeLid is the safest, most versatile and affordable way to secure loads during transport. Available in 3 sizes – 800x600 mm, 1200x800 mm and 1200x1000 m – SafeLid can be supplemented with security seals, thus ensuring load

inaccessibility. Also, there is no longer any need to use stretch film, thus increasing savings in time, cost and environmental protection.

LOAD SAFETY

extendible belt extraction



positioning of fixing hook



load securing with ratchet handle



iMiCUBE

43

COMPONENTS

ratchet handle



lifting handle



extendible belt



SEAL



innovative
italian
ideas

iMilani



800 x 600 mm H 93 mm**1200 x 800 mm H 118 mm****1200 x 1000 mm H 100 mm**

ARTICLE	2 SHORT SIDE STRAPS	2 LONG SIDE STRAPS	2 STRAPS ATTACHABLE ON EITHER SIDE	GR.	PACKAGING	UNIT PRICE €	
					Qty. per pack.	Qty. per pallet	
A SL 0806 5107	■			6150	1	60	104,36
B SL 1208 5107		■	■	10930	1	25	144,39
C SL 1210 5107		■	■	9930	1	25	152,94



A



B



C

DATASHEET

A

Dimensions	822 x 618 x 93H mm
Stacked edge height	62.5 mm
Maximum load weight	2000 kg
Operating temperature	-20°C / +40°C
Strap length	2000 mm
Pieces per pack / pallet	1 60
Package dimensions	850 x 650 x 120H mm
Pallet dimensions	1200 x 800 x 1980H mm

B

Dimensions	1222 x 822 x 118H mm
Stacked edge height	71 mm
Maximum load weight	2000 kg
Operating temperature	-20°C / +40°C
Strap length	2000 mm
Pieces per pack / pallet	1 25
Package dimensions	1260 x 860 x 150H mm
Pallet dimensions	1250 x 850 x 1950H mm

C

Dimensions	1227 x 1027 x 100H mm
Stacked edge height	71 mm
Maximum load weight	2000 kg
Operating temperature	-20°C / +40°C
Strap length	2000 mm
Pieces per pack / pallet	1 25
Package dimensions	1260 x 1060 x 130H mm
Pallet dimensions	1250 x 1100 x 1930H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



MOTION



Motion is a trolley made of high-impact polypropylene and can be stacked when not in use.

A simple coupling system means you can create rows of trolleys with a single movement.

Available with black nylon wheels as standard.

Blue non-marking wheels, shown on this page, are available on request.

With the use of a top lid, it is also suitable for the transport of Delta boxes, stably and safely.

To facilitate the transport of multiple trolleys, a height-adjustable telescopic drawbar is provided.

COUPLING SYSTEM

The MOTION coupling system gives the option of connecting trolleys both on the short and long sides, enabling the user to shift more loads together or to prepare them for transport.



iMiCUBE

47

STACKING

The special design of the MOTION supporting surface allows trolleys to be stacked safely and stably, with cross-positioning of the various levels.



SWIVEL WHEELS

The MOTION trolley is equipped with 4 black nylon swivel wheels as standard, 100 mm in diameter. Upon request, it is also possible to have TPR 75 mm diameter wheels in non-marking material, as shown in the photo to the left, to help maintain the appearance of resin flooring.



BARCODE AND LOGO

A customisation option is available for a logo to be applied by hot marking on the sides of the MOTION trolley.

There is also provision for 2 protected areas on each side of the MOTION trolley for the application of barcode labels or tags; they can be supplied together with the trolleys in accordance with the customer's specifications.





Motion combination with Kronos



Motion combination with Minerva



Motion combination with KLT



Motion combination with Delta



Motion combination with Odette



Motion combination with Athena

594 x 396 mm H 173 mm

ARTICLE	NYLON WHEELS DIAM. 100 MM	GR.	PACKAGING	UNIT PRICE €
			Qty. per pack.	Qty. per pallet
A MO 64NY 5107	■	3540	1	64

ACCESSORIES

1 MO HELM			1		89,04	
2 DE 64SE 5101		960	1	160	8,68	
2 DE 64SE 51XB		960	1	160	8,68	
3 MI 64SE 5101		1000	1	160	7,27	
3 MI 64SE 51XB		1000	1	160	7,27	



A



1



2
3

DATASHEET

A

Dimensions	594 x 396 x 173H mm
Cross-stacked inter-axle pitch	75 mm
In-line stacked inter-axle pitch	135 mm
Height from ground	117 mm
Type of wheels	4 swivel wheels
Wheel material as a standard	black nylon
Wheel diameter	100 mm
Wheel upper plate	in galvanised steel
Maximum No. of stacked units	1 +15 trolleys
Load capacity kg	250
Pieces per pack / pallet	1 64
Pallet dimensions	1200 x 800 x 1500H mm

1

Height-adjustable telescopic drawbar

2 - 3

Lid for use with Delta/Minerva box	600 x 400 mm
Pieces per pack	1
Package dimensions	620 x 420 x 100H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

LOGISTICS

50



ATHENA

52



ATHENA LIGHT

110

PALLET & LID



120

CONTAINER



114

ATHENA



The variety of materials and sizes of the Athena series of boxes make them suitable for use in all sectors, with optimal adaptability to storage and distribution requirements. They are stackable with and without lids and conform to euro-pallet sizes.

Edges and reinforcements are designed to give the boxes structural strength to withstand the heaviest

loads. The bottoms and walls of the boxes can be closed or perforated.

The handles can also be in open or closed mode. The varied composition of these elements permits a wide range of solutions and does not exclude the option of customised solutions.

HANDLES

open handle



closed handle



WALLS

closed walls



perforated walls



iMiCUBE

53

LONG side wall with window



SHORT side wall with window




BOTTOMS


closed bottom




reinforced bottom



perforated bottom



800x600 mm
bottom for accessories



with crossbars



with feet



with wheels



LIDS

hinged



with handles



sliding



iMiCUBE

54



Use of the lid does not exclude the option of stacking the boxes

CLOSING CLIPS

The lid of the Athena series box in the version with hinges and with handles can be closed with a sliding fastener in nylon.



closing with lead



PARTITIONED BOXES



Partitions offer a systematic way to divide Athena series boxes into two or more compartments, depending on the solution chosen. A handy dust LID is available in transparent polystyrene, fitted with a lifting grip.



COMB DIVIDERS




To organise and protect particularly delicate articles or materials that must not come into contact with other products during handling and storage, the box can be partitioned by means of comb dividers.

They are of plastic or ESD construction and are available in five heights; the dividers feature slots positioned 20 mm apart, allowing the systematic and variable subdivision of the interior space of the boxes according to the user's needs.

Dividers can be made to measure to satisfy any requirement.

INTERMEDIATE SHELF

Made of plastic, the intermediate shelf acts as a separator if the box has to be divided into more than one layer. The side grooves on the lid facilitate gripping and removal.



DOCUMENT HOLDER SPRING

The Document holder spring snaps onto the long or short side of the Athena box and can be used to secure transport notes or other documents.





200 x 150 mm H 150 mm

	ARTICLE	WALLS		BOTTOM		HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open	Qty. per pack. Qty. per pallet
A	AT 2115A 5101	■		■			■		298 24 480 2,88
	AT 2115A 51XB	■		■			■		298 24 480 2,88
ARTICLE ON REQUEST									
	AT 2115A 5207	■		■			■		334 24 480 3,93
A	AT 2115A 5401	■		■			■		311 24 480 2,30
	AT 2115A 5900	■		■			■		298 24 480 2,88



A

Closed bottom
Load capacity 10 kg



DATASHEET

A

Stacked edge height	139 mm
Usable stacked height	135 mm
Usable internal dimensions	158 x 109 x 146 H mm
Volume	2.7 litres
Pieces per pack / pallet	24 480
Package dimensions	620 x 420 x 448 H mm
Pallet dimensions	1200 x 800 x 2246 H mm

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

A

Smooth bottom
Load capacity 15 kg

1

2

3

Dimensions
300 x 200 mm H 120 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	
A ECOGREEN	AT 3212A 5101	■		■		■	4,32
	AT 3212A 51XB	■		■		■	4,32
	AT 3212A 5401	■		■		■	3,55
ARTICLE ON REQUEST							
A	AT 3212A 5207	■		■		■	6,14
	AT 3212A 5900	■		■		■	4,32
ACCESSORIES							
1 ECOGREEN	AT 32HG 5101					150	10 2560 2,44
	AT 32HG 51XB					150	10 2560 2,44
	AT 32HG 5401					157	10 2560 2,12
2	SPRING 0099	Document holder spring				10	0,31
3	AT LOCK 8113	Pair closing clips				10	0,31
ACCESSORY ON DEMAND							
1	AT 32HG 5207					168	10 2560 3,06
	AT 32HG 5900					150	10 2560 2,44

A

Stacked edge height	109 mm
Usable stacked height / with lid	105 mm / 107 mm
Usable internal dimensions	259 x 160 x 116 H mm
Volume	5 litres
Pieces per pack / pallet	16 320
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

1

Hinged lid	300 x 200 mm
Pieces per package / dimension	10/300 x 200 x 100 mm
Pieces per pallet / dimension	2560/1200x800x1000H mm

2

Document holder spring	
Pieces per pack	10

3

Pair closing clips	
Pieces per pack	10

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

300 x 200 mm H 170 mm

	ARTICLE	WALLS		BOTTOM		HANDLES	GR.	PACKAGING	UNIT PRICE €	
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open	Qty. per pack.	Qty. per pallet
A	AT 3217A 5101	■		■			■		616	12 224
	AT 3217A 51XB	■		■			■		616	12 224
	AT 3217A 5401	■		■			■		644	12 224
ARTICLE ON REQUEST										
A	AT 3217A 5207	■		■		■			690	12 224
	AT 3217A 5900	■		■		■			616	12 224
ACCESSORIES										
1	AT 32HG 5101						150	10	2560	2,44
	AT 32HG 51XB						150	10	2560	2,44
	AT 32HG 5401						157	10	2560	2,12
2	SPRING 0099	Document holder spring					10			0,31
	3 AT LOCK 8113	Pair closing clips					10			0,31
ACCESSORY ON DEMAND										
1	AT 32HG 5207						168	10	2560	3,06
	AT 32HG 5900						150	10	2560	2,44

DATASHEET

A	
Stacked edge height	159 mm
Usable stacked height / with lid	155 mm/ 157 mm
Usable internal dimensions	259 x 160 x 166 H mm
Volume	7 litres
Pieces per pack / pallet	12 224
Package dimensions	620 x 420 x 508 H mm
Pallet dimensions	1200 x 800 x 2387 H mm

1

Hinged lid	300 x 200 mm
Pieces per package / dimension	10/300 x 200 x 100 mm
Pieces per pallet / dimension	2560/1200x800x1000 mm

2

Document holder spring	
Pieces per pack	10

3

Pair closing clips	
Pieces per pack	10

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeksSmooth bottom
Load capacity 15 kg

A

59

1

2

3

innovative
italian
ideas

Dimensions

400 x 300 mm H 55 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed	Perforated				
A	AT 4305A 5101	■	■	■	488	20 400	4,65
A	AT 4305A 51XB	■	■	■	488	20 400	4,65
ARTICLE ON REQUEST							
	AT 4305A 5207	■	■	■	547	20 400	7,65
ECOGREEN	A AT 4305A 5401	■	■	■	510	20 400	3,72
	AT 4305A 5900	■	■	■	488	20 400	4,65

A

Closed bottom
Load capacity 15 kg



A

Stacked edge height	44 mm
Usable stacked height / with lid	40 mm/ 42 mm
Usable internal dimensions	355 x 255 x 51 H mm
Volume	3.8 litres
Pieces per pack / pallet	20 400
Package dimensions	620 x 420 x 471 H mm
Pallet dimensions	1200 x 800 x 2361 H mm

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

Dimensions

400 x 300 mm H 55 mm

	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING	UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
1	AT 43SE 5101	■			322	10	480	3,26
	AT 43SE 51XB	■			322	10	480	3,26
	AT 43SE 5207	■			361	10	480	4,74
	AT 43HG 5101		■		340	10	640	3,26
	AT 43HG 51XB		■		340	10	640	3,26
2	AT 43HG 5207		■		381	10	640	4,74
	AT 43HG 5401		■		355	10	640	2,69
	AT 43HG 5900		■		340	10	640	3,26
3	AT LOCK 8113	Pair closing clips			10			0,31
	ARTICLE ON REQUEST							
1	AT 43SE 5401	■			336	10	480	2,69
	AT 43SE 5900	■			322	10	480	3,26



1



2

DATASHEET

1

Separate lid	400 x 300 mm
Pieces per pack./dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	480 / 1200 x 800 x 1000 H mm



3

2

Hinged lid	400 x 300 mm
Pieces per pack./dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000 H mm



3

Pair closing clips	
Pieces per pack	10

ARTICLES ON REQUEST

Minimum order 200 pieces
 Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

A

Closed bottom
Load capacity 15 kg



Dimensions

400 x 300 mm H 75 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed Perforated	Closed Perforated Reinforced	Closed Open			
	A AT 4308A 5101	■	■	■	516	14 280	5,34
	AT 4308A 51XB	■	■	■	516	14 280	5,34
ARTICLE ON REQUEST							
	AT 4308A 5207	■	■	■	578	14 280	8,14
	A AT 4308A 5401	■	■	■	540	14 280	4,27
	AT 4308A 5900	■	■	■	516	14 280	5,34

DATASHEET

A

Stacked edge height	64 mm
Usable stacked height / with lid	60 mm/ 62 mm
Usable internal dimensions	355 x 255 x 71 H mm
Volume	6 litres
Pieces per pack / pallet	14 280
Package dimensions	620 x 420 x 479 H mm
Pallet dimensions	1200 x 800 x 2401 H mm

400 x 300 mm H 75 mm

	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING	UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
1	AT 43SE 5101	■			322	10	480	3,26
	AT 43SE 51XB	■			322	10	480	3,26
	AT 43SE 5207	■			361	10	480	4,74
	AT 43HG 5101		■		340	10	640	3,26
	AT 43HG 51XB		■		340	10	640	3,26
2	AT 43HG 5207		■		381	10	640	4,74
	AT 43HG 5401		■		355	10	640	2,69
	AT 43HG 5900		■		340	10	640	3,26
	AT 43SL 5101			■	328	10	480	4,04
3	AT 43SL 51XB			■	328	10	480	4,04
	AT 43SL 5207			■	367	10	480	6,51
4	SPRING 0099	Document holder spring			10			0,31
5	AT LOCK 8113	Pair closing clips			10			0,31
	ARTICLE ON REQUEST							
1	AT 43SE 5401	■			336	10	480	2,69
	AT 43SE 5900	■			322	10	480	3,26
3	AT 43SL 5900			■	328	10	480	4,04



1



2



3



4



5

DATASHEET

1

Separate lid	400 x 300 mm
Pieces per pack./dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	480 / 1200 x 800 x 1000 H mm

2

Hinged lid	400 x 300 mm
Pieces per pack./dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000 H mm

3

Sliding lid	400 x 300 mm
Pieces per pack./dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	480 / 1200 x 800 x 1000 H mm

4

Document holder spring	
Pieces per pack	10

5

Pair closing clips	
Pieces per pack	10

ARTICLES ON REQUEST

Minimum order 200 pieces
 Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

A

Closed bottom
Load capacity 15 kg

C

Reinforced bottom
Load capacity 20 kg

H

Perforated bottom
Load capacity 15 kg

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

400 x 300 mm H 120 mm

ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	
AT 4312A 5101	■		■		■	782
AT 4312A 51XB	■	■	■	■	■	782
AT 4312A 5207	■	■	■	■	■	876
AT 4312A 5401	■	■	■	■	■	817
AT 4312C 5101	■		■	■	■	876
AT 4312C 51XB	■		■	■	■	876
AT 4312H 5101	■		■	■	■	736
AT 4312H 51XB	■		■	■	■	736
ARTICLE ON REQUEST						
A AT 4312A 5900	■	■	■	■	■	782
AT 4312C 5207	■		■	■	■	981
C AT 4312C 5401	■		■	■	■	915
AT 4312C 5900	■		■	■	■	876
AT 4312H 5207	■		■	■	■	824
ECOGREEN C AT 4312H 5401	■		■	■	■	769
AT 4312H 5900	■		■	■	■	736

A

Stacked edge height	109 mm
Usable stacked height / with lid	105 mm / 107 mm
Usable internal dimensions	355 x 255 x 116 H mm
Volume	10 litres
Pieces per pack / pallet	8 160
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

C

Stacked edge height	109 mm
Usable stacked height / with lid	92 mm / 96 mm
Usable internal dimensions	355 x 255 x 105 H mm
Volume	10 litres
Pieces per pack / pallet	8 160
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

H

Stacked edge height	109 mm
Usable stacked height / with lid	105 mm / 107 mm
Usable internal dimensions	355 x 255 x 116 H mm
Volume	10 litres
Pieces per pack / pallet	8 160
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

ARTICLES ON REQUEST

Minimum order 200 pieces
 Delivery guaranteed within 6 weeks

Dimensions

400 x 300 mm H 120 mm

	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING	UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
1	AT 43SE 5101	■			322	10	480	3,26
	AT 43SE 51XB	■			322	10	480	3,26
	AT 43SE 5207	■			361	10	480	4,74
	AT 43HG 5101		■		340	10	640	3,26
	AT 43HG 51XB		■		340	10	640	3,26
2	AT 43HG 5207		■		381	10	640	4,74
	AT 43HG 5401		■		355	10	640	2,69
	AT 43HG 5900		■		340	10	640	3,26
	AT 43SL 5101			■	328	10	480	4,04
3	AT 43SL 51XB			■	328	10	480	4,04
	AT 43SL 5207			■	367	10	480	6,51
4	SPRING 0099	Document holder spring			10			0,31
5	AT LOCK 8113	Pair closing clips			10			0,31
	ARTICLE ON REQUEST							
1	AT 43SE 5401	■			336	10	480	2,69
	AT 43SE 5900	■			322	10	480	3,26
3	AT 43SL 5900			■	328	10	480	4,04



1



2



3



4



5

DATASHEET

1

Separate lid	400 x 300 mm
Pieces per pack./dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	480 / 1200 x 800 x 1000 H mm

2

Hinged lid	400 x 300 mm
Pieces per pack./dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000 H mm

3

Sliding lid	400 x 300 mm
Pieces per pack./dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	480 / 1200 x 800 x 1000 H mm

4

Document holder spring	
Pieces per pack	10

5

Pair closing clips	
Pieces per pack	10

ARTICLES ON REQUEST

Minimum order 200 pieces
 Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

400 x 300 mm H 170 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed Perforated	Closed Perforated Reinforced	Closed Open		Qty. per pack Qty. per pallet	
A	AT 4317A 5101	■	■	■	1042	6 112	7,57
	AT 4317A 51XB	■	■	■	1042	6 112	7,57
	AT 4317A 5207	■	■	■	1167	6 112	12,44
ECOGREEN	AT 4317A 5401	■	■	■	1089	6 112	6,29
C	AT 4317C 5101	■	■	■	1108	6 112	8,88
	AT 4317C 51XB	■	■	■	1108	6 112	8,88
ARTICLE ON REQUEST							
A	AT 4317A 5900	■	■	■	1042	6 112	7,57
	AT 4317C 5207	■	■	■	1241	6 112	12,91
ECOGREEN	AT 4317C 5401	■	■	■	1158	6 112	7,10
	AT 4317C 5900	■	■	■	1108	6 112	8,88

A

Closed bottom
Load capacity 15 kg

C

Reinforced bottom
Load capacity 20 kg

A

Stacked edge height	159 mm
Usable stacked height / with lid	155 mm / 157 mm
Usable internal dimensions	355 x 255 x 166 H mm
Volume	15 litres
Pieces per pack / pallet	6 112
Package dimensions	620 x 420 x 508 H mm
Pallet dimensions	1200 x 800 x 2387 H mm

C

Stacked edge height	159 mm
Usable stacked height / with lid	142 mm / 146 mm
Usable internal dimensions	355 x 255 x 155 H mm
Volume	15 litres
Pieces per pack / pallet	6 112
Package dimensions	620 x 420 x 508 H mm
Pallet dimensions	1200 x 800 x 2387 H mm

DATASHEET

400 x 300 mm H 170 mm

	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING	UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
1	AT 43SE 5101	■			322	10	480	3,26
	AT 43SE 51XB	■			322	10	480	3,26
	AT 43SE 5207	■			361	10	480	4,74
	AT 43HG 5101		■		340	10	640	3,26
	AT 43HG 51XB		■		340	10	640	3,26
2	AT 43HG 5207	■			381	10	640	4,74
	AT 43HG 5401	■			355	10	640	2,69
	AT 43HG 5900		■		340	10	640	3,26
	AT 43SL 5101			■	328	10	480	4,04
3	AT 43SL 51XB			■	328	10	480	4,04
	AT 43SL 5207			■	367	10	480	6,51
4	SPRING 0099	Document holder spring			10			0,31
5	AT LOCK 8113	Pair closing clips			10			0,31
6	AT LH43 5107	Label holders			10			0,81
7	LB 14581 0425	A4 sheet with 4 labels			25			0,15
	ARTICLE ON REQUEST							
1	AT 43SE 5401	■			336	10	480	2,69
	AT 43SE 5900	■			322	10	480	3,26
3	AT 43SL 5900			■	328	10	480	4,04

DATASHEET

Separate lid	400 x 300 mm
1	Pieces per pack. / dimens. 10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens. 480 / 1200 x 800 x 1000 H mm
Hinged lid	400 x 300 mm
2	Pieces per pack. / dimens. 10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens. 640 / 1200 x 800 x 1000 H mm
Sliding lid	400 x 300 mm
3	Pieces per pack. / dimens. 10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens. 480 / 1200 x 800 x 1000 H mm
Document holder spring	
4	Pieces per pack 10
Pair closing clips	
5	Pieces per pack 10
Label holders	150 x 85 H mm
6	Pieces per pack 10
A4 sheet with 4 labels	145 x 81 mm
7	Pieces per pack 25

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

A

Closed bottom
Load capacity 15 kg

**B**

Closed bottom
Load capacity 15 kg

**D**

Reinforced bottom
Load capacity 20 kg



Dimensions

400 x 300 mm H 220 mm

	ARTICLE	WALLS		BOTTOM		HANDLES		GR.	PACKAGING	UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed			
	AT 4322A 5101	■		■			■	1284	4	80
	AT 4322A 51XB	■		■			■	1284	4	80
	AT 4322A 5207	■		■			■	1438	4	80
	AT 4322A 5401	■		■			■	1342	4	80
	AT 4322B 5101	■		■			■	1230	4	80
	AT 4322B 51XB	■		■			■	1230	4	80
	AT 4322D 5101	■			■		■	1330	4	80
	AT 4322D 51XB	■			■		■	1330	4	80
ARTICLE ON REQUEST										
	A AT 4322A 5900	■		■			■	1284	4	80
	AT 4322B 5207	■		■			■	1378	4	80
	AT 4322B 5900	■		■			■	1230	4	80
	AT 4322D 5207	■			■		■	1490	4	80
	AT 4322D 5900	■			■		■	1230	4	80

DATASHEET

A

Stacked edge height	209 mm
Usable stacked height / with lid	205 mm/ 207 mm
Usable internal dimensions	355 x 255 x 216 H mm
Volume	20 litres
Pieces per pack / pallet	4 80
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

B

Stacked edge height	209 mm
Usable stacked height / with lid	205 mm/ 207 mm
Usable internal dimensions	355 x 255 x 216 H mm
Volume	20 litres
Pieces per pack / pallet	4 80
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

D

Stacked edge height	209 mm
Usable stacked height / with lid	192 mm/ 196 mm
Usable internal dimensions	355 x 255 x 205 H mm
Volume	20 litres
Pieces per pack / pallet	4 80
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

400 x 300 mm H 220 mm

	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING	UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
1	AT 43SE 5101	■			322	10	480	3,26
	AT 43SE 51XB	■			322	10	480	3,26
	AT 43SE 5207	■			361	10	480	4,74
	AT 43HG 5101		■		340	10	640	3,26
	AT 43HG 51XB		■		340	10	640	3,26
2	AT 43HG 5207	■			381	10	640	4,74
	AT 43HG 5401	■			355	10	640	2,69
	AT 43HG 5900		■		340	10	640	3,26
	AT 43SL 5101			■	328	10	480	4,04
3	AT 43SL 51XB			■	328	10	480	4,04
	AT 43SL 5207			■	367	10	480	6,51
4	SPRING 0099	Document holder spring			10			0,31
5	AT LOCK 8113	Pair closing clips			10			0,31
6	AT LH43 5107	Label holders			10			0,81
7	LB 14581 0425	A4 sheet with 4 labels			25			0,15
	ARTICLE ON REQUEST							
1	AT 43SE 5401	■			336	10	480	2,69
	AT 43SE 5900	■			322	10	480	3,26
3	AT 43SL 5900			■	328	10	480	4,04

DATASHEET

Separate lid	400 x 300 mm
1	Pieces per pack. / dimens. 10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens. 480 / 1200 x 800 x 1000 H mm
Hinged lid	400 x 300 mm
2	Pieces per pack. / dimens. 10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens. 640 / 1200 x 800 x 1000 H mm
Sliding lid	400 x 300 mm
3	Pieces per pack. / dimens. 10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens. 480 / 1200 x 800 x 1000 H mm
Document holder spring	
4	Pieces per pack 10
Pair closing clips	
5	Pieces per pack 10
Label holders	150 x 85 H mm
6	Pieces per pack 10
A4 sheet with 4 labels	145 x 81 mm
7	Pieces per pack 25

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

400 x 300 mm H 325 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed Perforated	Closed Perforated Reinforced	Closed Open			Qty. per pack Qty. per pallet
	AT 4332A 5101	■	■	■	1852	2 56	11,97
	AT 4332A 51XB	■	■	■	1852	2 56	11,97
	AT 4332A 5207	■	■	■	2074	2 56	22,49
	AT 4332A 5401	■	■	■	1935	2 56	9,58
	AT 4332B 5101	■	■	■	1728	2 56	11,97
	AT 4332B 51XB	■	■	■	1728	2 56	11,97
ARTICLE ON REQUEST							
	A AT 4332A 5900	■	■	■	1852	2 56	11,97
	AT 4332B 5207	■	■	■	1935	2 56	22,49
	AT 4332B 5900	■	■	■	1728	2 56	11,97

A

Closed bottom
Load capacity 15 kg

B

Closed bottom
Load capacity 15 kg

DATASHEET

A

Stacked edge height	314 mm
Usable stacked height / with lid	310 mm/ 312 mm
Usable internal dimensions	355 x 255 x 321 H mm
Volume	30 litres
Pieces per pack / pallet	2 56
Package dimensions	620 x 420 x 345 H mm
Pallet dimensions	1200 x 800 x 2359 H mm

B

Stacked edge height	314 mm
Usable stacked height / with lid	310 mm/ 312 mm
Usable internal dimensions	355 x 255 x 321 H mm
Volume	30 litres
Pieces per pack / pallet	2 56
Package dimensions	620 x 420 x 345 H mm
Pallet dimensions	1200 x 800 x 2359 H mm

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

400 x 300 mm H 325 mm

	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING	UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
1	AT 43SE 5101	■			322	10	480	3,26
	AT 43SE 51XB	■			322	10	480	3,26
	AT 43SE 5207	■			361	10	480	4,74
	AT 43HG 5101		■		340	10	640	3,26
	AT 43HG 51XB		■		340	10	640	3,26
2	AT 43HG 5207		■		381	10	640	4,74
	AT 43HG 5401		■		355	10	640	2,69
	AT 43HG 5900		■		340	10	640	3,26
	AT 43SL 5101			■	328	10	480	4,04
3	AT 43SL 51XB			■	328	10	480	4,04
	AT 43SL 5207			■	368	10	480	6,51
4	SPRING 0099	Document holder spring			10			0,31
5	AT LOCK 8113	Pair closing clips			10			0,31
6	AT LH43 5107	Label holders			10			0,81
7	LB 14581 0425	A4 sheet with 4 labels			25			0,15
	ARTICLE ON REQUEST							
1	AT 43SE 5401	■			337	10	480	2,69
	AT 43SE 5900	■			322	10	480	3,26
3	AT 43SL 5900			■	328	10	480	4,04

DATASHEET

Separate lid	400 x 300 mm
1	Pieces per pack. / dimens. 10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens. 480 / 1200 x 800 x 1000 H mm
Hinged lid	400 x 300 mm
2	Pieces per pack. / dimens. 10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens. 640 / 1200 x 800 x 1000 H mm
Sliding lid	400 x 300 mm
3	Pieces per pack. / dimens. 10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens. 480 / 1200 x 800 x 1000 H mm
Document holder spring	
4	Pieces per pack 10
Pair closing clips	
5	Pieces per pack 10
Label holders	150 x 85 H mm
6	Pieces per pack 10
A4 sheet with 4 labels	145 x 81 mm
7	Pieces per pack 25

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

1



2



3



4



ARTICLE	1 PARTITION	2 PARTITIONS	4 PARTITIONS	GR.	PACKAGING	UNIT PRICE €	
					Qty. per pack	Qty. per pallet	
ECOGREEN 1 AT 43S1 5207	■			246	20	320	3,59
ECOGREEN 1 AT 43S1 5407	■			230	20	320	2,40
ECOGREEN 2 AT 43S2 5207		■		263	20	320	4,03
ECOGREEN 2 AT 43S2 5407		■		246	20	320	2,61
ECOGREEN 3 AT 43S4 5207			■	291	20	320	4,11
ECOGREEN 3 AT 43S4 5407			■	272	20	320	2,85
4 AT LID4 6896 Transparent lid				118	20		2,41



Subdivision with 1 and 2 compartments



Subdivision with 1 and 4 compartments



Subdivision with 2 and 4 compartments

1

Partitioned box 1 partition	256 x 178 x 90 H mm
Pieces per pack / pallet	20 320
Package dimensions	565 x 375 x 460 H mm
Pallet dimensions	1200 x 800 x 1990 H mm

2

Partitioned box 2 partitions	256 x 178 x 90 H mm
Pieces per pack / pallet	20 320
Package dimensions	565 x 375 x 460 H mm
Pallet dimensions	1200 x 800 x 1990 H mm

3

Partitioned box 4 partitions	256 x 178 x 90 H mm
Pieces per pack / pallet	20 320
Package dimensions	565 x 375 x 460 H mm
Pallet dimensions	1200 x 800 x 1990 H mm

4

Transparent polystyrene lid	
Pieces per pack / pallet	20
Package dimensions	265 x 195 x 180 H mm

400 x 300 mm

	ARTICLE	H 45	H 70	H 90	H 120	H 180	GR.	PACKAGING	UNIT PRICE €
								Qty. per pack.	Qty. per pallet
1	DI 25545 5101	■						10	1,00
	DI 25545 5207	■						10	1,55
	DI 35545 5101	■						10	1,06
	DI 35545 5207	■						10	1,87
2	DI 25570 5101		■					10	1,11
	DI 25570 5207		■					10	2,18
	DI 35570 5101		■					10	1,26
	DI 35570 5207		■					10	2,57
3	DI 25590 5101			■				10	1,26
	DI 25590 5207			■				10	2,57
	DI 35590 5101			■				10	1,48
	DI 35590 5207			■				10	3,23
4	DI 25512 5101				■			10	1,58
	DI 25512 5207				■			10	3,23
	DI 35512 5101				■			10	1,89
	DI 35512 5207				■			10	4,09
5	DI 25518 5101					■		10	2,02
	DI 25518 5207					■		10	4,72
	DI 35518 5101					■		10	2,50
	DI 35518 5207					■		10	6,08
6	DI 43SHT 5101							10	3,01
	DI 43SHT 5207							10	7,95



1



2



3



4



5



6

**DATASHEET**

1	Comb divider 255 x 45 H mm per box 400 x 300 x 75H mm	10 items
	Comb divider 355 x 45 H mm per box 400 x 300 x 75H mm	10 items

2	Comb divider 255 x 70 H mm per box 400 x 300 x 120H mm	10 items
	Comb divider 355 x 70 H mm per box 400 x 300 x 120H mm	10 items

3	Comb divider 255 x 90 H mm per box 400 x 300 x 120H mm	10 items
	Comb divider 355 x 90 H mm per box 400 x 300 x 120H mm	10 items

4	Comb divider 255 x 120 H mm per box 400 x 300 x 170H mm	10 items
	Comb divider 355 x 120 H mm per box 400 x 300 x 170H mm	10 items

5	Comb divider 255 x 180 H mm per box 400 x 300 x 220H mm	10 items
	Comb divider 355 x 180 H mm per box 400 x 300 x 220H mm	10 items

6	Intermediate partition shelf 355 x 255 mm	10 items
---	---	----------

Dimensions

600 x 400 mm H 75 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed	Perforated				
	AT 6408A 5101	■	■		1312	7 140	8,54
	AT 6408A 51XB	■	■		1312	7 140	8,54
A	AT 6408A 5207	■	■	■	1469	7 140	15,54
ECOGREEN	AT 6408A 5401	■	■	■	1371	7 140	6,83
	AT 6408A 5900	■	■	■	1312	7 140	8,54

A

Closed bottom
Load capacity 20 kg



A

Stacked edge height	64 mm
Usable stacked height / with lid	60 mm/ 62 mm
Usable internal dimensions	555 x 355 x 71 H mm
Volume	10 litres
Pieces per pack / pallet	7 140
Package dimensions	620 x 420 x 479 H mm
Pallet dimensions	1200 x 800 x 2401 H mm

DATASHEET

Dimensions

600 x 400 mm H 75 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
1	AT 64SE 5101	■		720	10	240
	AT 64SE 51XB	■		720	10	240
	AT 64SE 5207	■		806	10	240
	AT 64HG 5101		■	700	10	320
	AT 64HG 51XB		■	700	10	320
2	AT 64HG 5207		■	784	10	320
	AT 64HG 5401		■	732	10	320
	AT 64HG 5900		■	700	10	320
3	SPRING 0099	Document holder spring		10		0,31
4	AT LOCK 8113	Pair closing clips		10		0,31
	ARTICLE ON REQUEST					
1	AT 64SE 5401	■		752	10	240
	AT 64SE 5900	■		720	10	240



DATASHEET

1

Separate lid	600 x 400 mm
Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm

2

Hinged lid	600 x 400 mm
Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm

3

Document holder spring	
Pieces per pack	10

4

Pair closing clips	
Pieces per pack	10

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 120 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed	Perforated				Qty. per pack
				Closed	Perforated	Reinforced	Qty. per pallet
	AT 6412A 5101	■		■	■	■	1636
	AT 6412A 51XB	■		■	■	■	1636
A	AT 6412A 5207	■		■	■	■	1832
	AT 6412A 5401	■		■	■	■	1710
	AT 6412A 5900	■		■	■	■	1636
	AT 6412C 5101	■			■	■	1690
	AT 6412C 51XB	■			■	■	1690
C	AT 6412C 5207	■			■	■	1893
	AT 6412C 5401	■			■	■	1766
	AT 6412C 5900	■			■	■	1690

A

 Closed bottom
 Load capacity 20 kg

C

 Reinforced bottom
 Load capacity 30 kg

A

Stacked edge height	109 mm
Usable stacked height / with lid	105 mm / 107 mm
Usable internal dimensions	555 x 355 x 116 H mm
Volume	20 litres
Pieces per pack / pallet	4 80
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

C

Stacked edge height	109 mm
Usable stacked height / with lid	92 mm / 96 mm
Usable internal dimensions	555 x 355 x 105 H mm
Volume	20 litres
Pieces per pack / pallet	4 80
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

CONTINUED ON NEXT PAGE

>>

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

Dimensions

600 x 400 mm H 120 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
1	AT 64SE 5101	■		720	10	240
	AT 64SE 51XB	■		720	10	240
	AT 64SE 5207	■		806	10	240
	AT 64HG 5101		■	700	10	320
	AT 64HG 51XB		■	700	10	320
2	AT 64HG 5207		■	784	10	320
	AT 64HG 5401		■	732	10	320
	AT 64HG 5900		■	700	10	320
3	SPRING 0099	Document holder spring		10		0,31
4	AT LOCK 8113	Pair closing clips		10		0,31
	ARTICLE ON REQUEST					
1	AT 64SE 5401	■		752	10	240
	AT 64SE 5900	■		720	10	240



DATASHEET

1

Separate lid	600 x 400 mm
Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm

2

Hinged lid	600 x 400 mm
Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm

3

Document holder spring	
Pieces per pack	10

4

Pair closing clips	
Pieces per pack	10

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 120 mm

ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Qty. per pack Qty. per pallet
AT 6412G 5101	■	■	■	■	■	1624 4 80 9,88
AT 6412G 51XB	■	■	■	■	■	1624 4 80 9,88
G AT 6412G 5207	■	■	■	■	■	1819 4 80 18,48
ECOGREEN AT 6412G 5401	■	■	■	■	■	1697 4 80 8,41
AT 6412G 5900	■	■	■	■	■	1624 4 80 9,88
AT 6412H 5101	■	■	■	■	■	1460 4 80 9,88
AT 6412H 51XB	■	■	■	■	■	1460 4 80 9,88
H AT 6412H 5207	■	■	■	■	■	1635 4 80 18,48
ECOGREEN AT 6412H 5401	■	■	■	■	■	1526 4 80 8,41
AT 6412H 5900	■	■	■	■	■	1460 4 80 9,88

G

 Closed bottom
Load capacity 20 kg

H

 Perforated bottom
Load capacity 15 kg

G

Stacked edge height	109 mm
Usable stacked height / with lid	105 mm / 107 mm
Usable internal dimensions	555 x 355 x 116 H mm
Volume	20 litres
Pieces per pack / pallet	4 80
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

H

Stacked edge height	109 mm
Usable stacked height / with lid	105 mm / 107 mm
Usable internal dimensions	555 x 355 x 116 H mm
Volume	20 litres
Pieces per pack / pallet	4 80
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

<< CONTINUED ON PREVIOUS PAGE

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

Dimensions

600 x 400 mm H 120 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
1	AT 64SE 5101	■		720	10	240
	AT 64SE 51XB	■		720	10	240
	AT 64SE 5207	■		806	10	240
	AT 64HG 5101		■	700	10	320
	AT 64HG 51XB		■	700	10	320
2	AT 64HG 5207		■	784	10	320
	AT 64HG 5401		■	732	10	320
	AT 64HG 5900		■	700	10	320
3	SPRING 0099	Document holder spring		10		0,31
4	AT LOCK 8113	Pair closing clips		10		0,31
	ARTICLE ON REQUEST					
1	AT 64SE 5401	■		752	10	240
	AT 64SE 5900	■		720	10	240



DATASHEET

1

Separate lid	600 x 400 mm
Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm

2

Hinged lid	600 x 400 mm
Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm

3

Document holder spring	
Pieces per pack	10

4

Pair closing clips	
Pieces per pack	10

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 170 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed Perforated	Closed Perforated Reinforced	Closed Open		Qty. per pack Qty. per pallet	
A	AT 6417A 5101	■	■	■	2134	3 56	12,14
	AT 6417A 51XB	■	■	■	2134	3 56	12,14
	AT 6417A 5207	■	■	■	2390	3 56	22,69
ECOGREEN	AT 6417A 5401	■	■	■	2230	3 56	10,01
C	AT 6417C 5101	■	■	■	2266	3 56	13,12
	AT 6417C 51XB	■	■	■	2266	3 56	13,12
ARTICLE ON REQUEST							
A	AT 6417A 5900	■	■	■	2134	3 56	12,14
	AT 6417C 5207	■	■	■	2538	3 56	26,51
ECOGREEN	AT 6417C 5401	■	■	■	2368	3 56	10,49
	AT 6417C 5900	■	■	■	2266	3 56	13,12

A

Closed bottom
Load capacity 20 kg

C

Reinforced bottom
Load capacity 30 kg

A

Stacked edge height	159 mm
Usable stacked height / with lid	155 mm / 157 mm
Usable internal dimensions	555 x 355 x 166 H mm
Volume	30 litres
Pieces per pack / pallet	3 56
Package dimensions	620 x 420 x 508 H mm
Pallet dimensions	1200 x 800 x 2387 H mm

C

Stacked edge height	159 mm
Usable stacked height / with lid	142 mm / 146 mm
Usable internal dimensions	555 x 355 x 155 H mm
Volume	30 litres
Pieces per pack / pallet	3 56
Package dimensions	620 x 420 x 508 H mm
Pallet dimensions	1200 x 800 x 2387 H mm

DATASHEET

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

600 x 400 mm H 170 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
1	AT 64SE 5101	■		720	10	240
	AT 64SE 51XB	■		720	10	240
	AT 64SE 5207	■		806	10	240
	AT 64HG 5101		■	700	10	320
	AT 64HG 51XB		■	700	10	320
2	AT 64HG 5207		■	784	10	320
	AT 64HG 5401		■	732	10	320
	AT 64HG 5900		■	700	10	320
3	SPRING 0099	Document holder spring		10		0,31
4	AT LOCK 8113	Pair closing clips		10		0,31
5	AT LH64 5107	Label holders		10		0,90
6	LB 21081 0325	A4 sheet with 3 labels		25		0,22
7	AT DI17 0199	Galvanised divider with pair of supports		1		13,84
	ARTICLE ON REQUEST					
1	AT 64SE 5401	■		752	10	240
	AT 64SE 5900	■		720	10	240



DATASHEET

1	Separate lid	600 x 400 mm
2	Pieces per pack. / dimens.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm
3	Hinged lid	600 x 400 mm
4	Pieces per pack. / dimens.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm
5	Document holder spring	
6	Pieces per pack	10
7	Pair closing clips	
8	Pieces per pack	10
9	Label holders	215 x 85 H mm
10	Pieces per pack	10
11	A4 sheet with 3 labels	210 x 81 H mm
12	Pieces per pack	25
13	Galv. divider w/pair of supports	145 H mm
14	Pieces per pack	1

ARTICLES ON REQUEST

Minimum order 200 pieces
 Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 220 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed	Perforated		Closed	Open	Qty. per pack Qty. per pallet
	AT 6422A 5101	■			■	2586	2 40 15,75
A	AT 6422A 51XB	■	■		■	2586	2 40 15,75
ECOGREEN	AT 6422A 5401	■	■		■	2702	2 40 12,60
	AT 6422B 5101	■	■		■	2518	2 40 15,75
B	AT 6422B 51XB	■	■		■	2518	2 40 15,75
	ARTICLE ON REQUEST						
A	AT 6422A 5207	■	■	■	■	2896	2 40 29,46
	AT 6422A 5900	■	■	■	■	2586	2 40 15,75
B	AT 6422B 5207	■	■	■	■	2820	2 40 29,46
	AT 6422B 5900	■	■	■	■	2518	2 40 15,75

A



Closed bottom
Load capacity 20 kg



B



Closed bottom
Load capacity 20 kg



A

Stacked edge height	209 mm
Usable stacked height / with lid	205 mm/ 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 litres
Pieces per pack / pallet	2 40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

B

Stacked edge height	209 mm
Usable stacked height / with lid	205 mm/ 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 litres
Pieces per pack / pallet	2 40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

DATASHEET

CONTINUED ON NEXT PAGE

>>

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

600 x 400 mm H 220 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
1	AT 64SE 5101	■		720	10	240
	AT 64SE 51XB	■		720	10	240
	AT 64SE 5207	■		806	10	240
	AT 64HG 5101		■	700	10	320
	AT 64HG 51XB		■	700	10	320
2	AT 64HG 5207		■	784	10	320
	AT 64HG 5401		■	732	10	320
	AT 64HG 5900		■	700	10	320
3	SPRING 0099	Document holder spring		10		0,31
4	AT LOCK 8113	Pair closing clips		10		0,31
5	AT LH64 5107	Label holders		10		0,90
6	LB 21081 0325	A4 sheet with 3 labels		25		0,22
7	AT DI22 0199	Galvanised divider with pair of supports		1		15,47
	ARTICLE ON REQUEST					
1	AT 64SE 5401	■		752	10	240
	AT 64SE 5900	■		720	10	240



DATASHEET

1	Separate lid	600 x 400 mm
2	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm
3	Hinged lid	600 x 400 mm
4	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm
5	Document holder spring	
6	Pieces per pack	10
7	Pair closing clips	
8	Pieces per pack	10
9	Label holders	215 x 85 H mm
10	Pieces per pack	10
11	A4 sheet with 3 labels	210 x 81 H mm
12	Pieces per pack	25
13	Galv. divider w/pair of supports	195 H mm
14	Pieces per pack	1


ARTICLES ON REQUEST

Minimum order 200 pieces
 Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 220 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed Perforated	Closed Perforated Reinforced	Closed Open			Qty. per pack Qty. per pallet
	D AT 6422D 5101	■	■	■	2800	2 40	16,64
	D AT 6422D 51XB	■	■	■	2800	2 40	16,64
	S AT 6422S 5101	■	■	■	2424	2 40	15,75
	S AT 6422S 51XB	■	■	■	2424	2 40	15,75
ARTICLE ON REQUEST							
	D AT 6422D 5207	■	■	■	3136	2 40	33,27
	D AT 6422A 5900	■	■	■	2800	2 40	16,64
	S AT 6422S 5207	■	■	■	2715	2 40	29,46
	S AT 6422S 5900	■	■	■	2424	2 40	15,75

D

Reinforced bottom
Load capacity 30 kg

S

Perforated bottom
Load capacity 15 kg

D

Stacked edge height	209 mm
Usable stacked height / with lid	192 mm/ 196 mm
Usable internal dimensions	555 x 355 x 205 H mm
Volume	40 litres
Pieces per pack / pallet	2 40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

S

Stacked edge height	209 mm
Usable stacked height / with lid	205 mm/ 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 litres
Pieces per pack / pallet	2 40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

DATASHEET

<< CONTINUED ON PREVIOUS PAGE

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

600 x 400 mm H 220 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
1	AT 64SE 5101	■		720	10	240
	AT 64SE 51XB	■		720	10	240
	AT 64SE 5207	■		806	10	240
	AT 64HG 5101		■	700	10	320
	AT 64HG 51XB		■	700	10	320
2	AT 64HG 5207		■	784	10	320
	AT 64HG 5401		■	732	10	320
	AT 64HG 5900		■	700	10	320
3	SPRING 0099	Document holder spring		10		0,31
4	AT LOCK 8113	Pair closing clips		10		0,31
5	AT LH64 5107	Label holders		10		0,90
6	LB 21081 0325	A4 sheet with 3 labels		25		0,22
7	AT DI22 0199	Galvanised divider with pair of supports		1		15,47
	ARTICLE ON REQUEST					
1	AT 64SE 5401	■		752	10	240
	AT 64SE 5900	■		720	10	240



DATASHEET

1	Separate lid	600 x 400 mm
2	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm
3	Hinged lid	600 x 400 mm
4	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm
5	Document holder spring	
6	Pieces per pack	10
7	Pair closing clips	
8	Pieces per pack	10
9	Label holders	215 x 85 H mm
10	Pieces per pack	10
11	A4 sheet with 3 labels	210 x 81 H mm
12	Pieces per pack	25
13	Galv. divider w/pair of supports	195 H mm
14	Pieces per pack	1

ARTICLES ON REQUEST

Minimum order 200 pieces
 Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

AClosed bottom
Load capacity 20 kg**B**Closed bottom
Load capacity 20 kg**D**Reinforced bottom
Load capacity 30 kg

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 280 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	
	AT 6428A 5101	■		■		■	2866
A	AT 6428A 51XB	■		■		■	2866
	AT 6428A 5401	■		■		■	2995
	AT 6428B 5101	■		■		■	2762
B	AT 6428B 51XB	■		■		■	2762
	AT 6428D 5101	■			■	■	2968
D	AT 6428D 51XB	■			■	■	2968
	ARTICLE ON REQUEST						
A	AT 6428A 5207	■		■		■	3210
	AT 6428A 5900	■		■		■	2866
B	AT 6428B 5207	■		■		■	3093
	AT 6428B 5900	■		■		■	2762
D	AT 6428D 5207	■			■	■	3324
	AT 6428D 5900	■			■	■	2968

A

Stacked edge height	269 mm
Usable stacked height / with lid	265 mm/ 267 mm
Usable internal dimensions	555 x 355 x 276 H mm
Volume	53 litres
Pieces per pack / pallet	2 32
Package dimensions	620 x 420 x 569 H mm
Pallet dimensions	1200 x 800 x 2313 H mm

B

Stacked edge height	269 mm
Usable stacked height / with lid	265 mm/ 267 mm
Usable internal dimensions	555 x 355 x 276 H mm
Volume	53 litres
Pieces per pack / pallet	2 32
Package dimensions	620 x 420 x 569 H mm
Pallet dimensions	1200 x 800 x 2313 H mm

D

Stacked edge height	269 mm
Usable stacked height / with lid	252 mm/ 256 mm
Usable internal dimensions	555 x 355 x 265 H mm
Volume	53 litres
Pieces per pack / pallet	2 32
Package dimensions	620 x 420 x 569 H mm
Pallet dimensions	1200 x 800 x 2313 H mm

ARTICLES ON REQUEST

Minimum order 200 pieces
 Delivery guaranteed within 6 weeks

600 x 400 mm H 280 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
1	AT 64SE 5101	■		720	10	240
	AT 64SE 51XB	■		720	10	240
	AT 64SE 5207	■		806	10	240
	AT 64HG 5101		■	700	10	320
	AT 64HG 51XB		■	700	10	320
2	AT 64HG 5207		■	784	10	320
	AT 64HG 5401		■	732	10	320
	AT 64HG 5900		■	700	10	320
3	SPRING 0099	Document holder spring		10		0,31
4	AT LOCK 8113	Pair closing clips		10		0,31
5	AT LH64 5107	Label holders		10		0,90
6	LB 21081 0325	A4 sheet with 3 labels		25		0,22
	ARTICLE ON REQUEST					
1	AT 64SE 5401	■		752	10	240
	AT 64SE 5900	■		720	10	240



DATASHEET

1	Separate lid	600 x 400 mm
1	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm

2	Hinged lid	600 x 400 mm
2	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm

3	Document holder spring	
	Pieces per pack	10

4	Pair closing clips	
	Pieces per pack	10

5	Label holders	215 x 85 H mm
	Pieces per pack	10

6	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per pack	25

ARTICLES ON REQUEST

Minimum order 200 pieces
 Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 325 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed Perforated	Closed Perforated Reinforced	Closed Open			
	AT 6432A 5101	■	■	■	3170	3 40	20,50
	AT 6432A 51XB	■	■	■	3170	3 40	20,50
A	AT 6432A 5207	■	■	■	3550	3 40	36,09
	AT 6432A 5401	■	■	■	3313	3 40	16,40
	AT 6432A 5900	■	■	■	3170	3 40	20,50
B	AT 6432B 5101	■	■	■	3228	3 40	20,50
	AT 6432B 51XB	■	■	■	3228	3 40	20,50
	ARTICLE ON REQUEST						
	AT 6432B 5207	■	■	■	3615	3 40	36,09
	AT 6432B 5900	■	■	■	3228	3 40	20,50

A

Closed bottom
Load capacity 20 kg

B

Closed bottom
Load capacity 20 kg

DATASHEET

A

Stacked edge height	314 mm
Usable stacked height / with lid	310 mm/ 312 mm
Usable internal dimensions	555 x 355 x 321 H mm
Volume	60 litres
Pieces per pack / pallet	3 40
Package dimensions	620 x 420 x 670 H mm
Pallet dimensions	1200 x 800 x 2410 H mm

B

Stacked edge height	314 mm
Usable stacked height / with lid	310 mm/ 312 mm
Usable internal dimensions	555 x 355 x 321 H mm
Volume	60 litres
Pieces per pack / pallet	3 40
Package dimensions	620 x 420 x 670 H mm
Pallet dimensions	1200 x 800 x 2410 H mm

CONTINUED ON NEXT PAGE

>>

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

600 x 400 mm H 325 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
1	AT 64SE 5101	■		720	10	240
	AT 64SE 51XB	■		720	10	240
	AT 64SE 5207	■		806	10	240
	AT 64HG 5101		■	700	10	320
	AT 64HG 51XB		■	700	10	320
2	AT 64HG 5207		■	784	10	320
	AT 64HG 5401		■	732	10	320
	AT 64HG 5900		■	700	10	320
3	SPRING 0099	Document holder spring		10		0,31
4	AT LOCK 8113	Pair closing clips		10		0,31
5	AT LH64 5107	Label holders		10		0,90
6	LB 21081 0325	A4 sheet with 3 labels		25		0,22
	ARTICLE ON REQUEST					
1	AT 64SE 5401	■		752	10	240
	AT 64SE 5900	■		720	10	240



DATASHEET

Separate lid	600 x 400 mm
1 Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm

Hinged lid	600 x 400 mm
2 Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm

Document holder spring	
3 Pieces per pack	10

Pair closing clips	
4 Pieces per pack	10

Label holders	215 x 85 H mm
5 Pieces per pack	10

A4 sheet with 3 labels	210 x 81 H mm
6 Pieces per pack	25

ARTICLES ON REQUEST

Minimum order 200 pieces
 Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 325 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	
	D AT 6432D 5101	■		■	■	■	3500 3 40 21,55
	D AT 6432D 51XB	■		■	■	■	3500 3 40 21,55
	R AT 6432R 5101	■	■	■		■	2968 3 40 20,50
	R AT 6432R 51XB	■	■	■		■	2968 3 40 20,50
ARTICLE ON REQUEST							
	D AT 6432D 5207	■		■	■	■	3920 3 40 39,91
	D AT 6432D 5900	■		■	■	■	3500 3 40 21,55
	R AT 6432R 5207	■	■	■		■	3324 3 40 36,09
	R AT 6432R 5900	■	■	■		■	2968 3 40 20,50

D

Reinforced bottom
Load capacity 30 kg

R

Closed bottom
Load capacity 20 kg

D

Stacked edge height	314 mm
Usable stacked height / with lid	297 mm/ 301 mm
Usable internal dimensions	555 x 355 x 310 H mm
Volume	60 litres
Pieces per pack / pallet	3 40
Package dimensions	620 x 420 x 670 H mm
Pallet dimensions	1200 x 800 x 2410 H mm

R

Stacked edge height	314 mm
Usable stacked height / with lid	310 mm/ 312 mm
Usable internal dimensions	555 x 355 x 321 H mm
Volume	60 litres
Pieces per pack / pallet	3 40
Package dimensions	620 x 420 x 670 H mm
Pallet dimensions	1200 x 800 x 2410 H mm

DATASHEET

<< CONTINUED ON PREVIOUS PAGE

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ARTICLES ON REQUEST

Minimum order 200 pieces
 Delivery guaranteed within 6 weeks

600 x 400 mm H 325 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
1	AT 64SE 5101	■		720	10	240
	AT 64SE 51XB	■		720	10	240
	AT 64SE 5207	■		806	10	240
	AT 64HG 5101		■	700	10	320
	AT 64HG 51XB		■	700	10	320
2	AT 64HG 5207		■	784	10	320
	AT 64HG 5401		■	732	10	320
	AT 64HG 5900		■	700	10	320
3	SPRING 0099	Document holder spring		10		0,31
4	AT LOCK 8113	Pair closing clips		10		0,31
5	AT LH64 5107	Label holders		10		0,90
6	LB 21081 0325	A4 sheet with 3 labels		25		0,22
	ARTICLE ON REQUEST					
1	AT 64SE 5401	■		752	10	240
	AT 64SE 5900	■		720	10	240



DATASHEET

1	Separate lid	600 x 400 mm
1	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm

2	Hinged lid	600 x 400 mm
2	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm

3	Document holder spring	
	Pieces per pack	10

4	Pair closing clips	
	Pieces per pack	10

5	Label holders	215 x 85 H mm
	Pieces per pack	10

6	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per pack	25

ARTICLES ON REQUEST

Minimum order 200 pieces
 Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 430 mm

	ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
		Closed Perforated	Closed Perforated Reinforced	Closed Open			Qty. per pack Qty. per pallet
	AT 6443B 5101	■	■	■	3752	1 20	26,32
	AT 6443B 51XB	■	■	■	3752	1 20	26,32
	AT 6443R 5101	■	■	■	3502	1 20	26,17
	AT 6443R 51XB	■	■	■	3502	1 20	26,17
ARTICLE ON REQUEST							
	AT 6443B 5207	■	■	■	4202	1 20	46,93
	AT 6443B 5900	■	■	■	3752	1 20	26,32
	AT 6443R 5207	■	■	■	3922	1 20	48,94
	AT 6443R 5900	■	■	■	3502	1 20	26,17

B

Closed bottom
Load capacity 20 kg

R

Closed bottom
Load capacity 20 kg

B

Stacked edge height	419 mm
Usable stacked height / with lid	415 mm/ 417 mm
Usable internal dimensions	555 x 355 x 426 H mm
Volume	90 litres
Pieces per pack / pallet	1 20
Package dimensions	620 x 450 x 450 H mm
Pallet dimensions	1200 x 800 x 2256 H mm

R

Stacked edge height	419 mm
Usable stacked height / with lid	415 mm/ 417 mm
Usable internal dimensions	555 x 355 x 426 H mm
Volume	90 litres
Pieces per pack / pallet	1 20
Package dimensions	620 x 450 x 450 H mm
Pallet dimensions	1200 x 800 x 2256 H mm

DATASHEET

CONTINUED ON NEXT PAGE

>>

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

Dimensions

600 x 400 mm H 430 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
1	AT 64SE 5101	■		720	10	240
	AT 64SE 51XB	■		720	10	240
	AT 64SE 5207	■		806	10	240
	AT 64HG 5101		■	700	10	320
	AT 64HG 51XB		■	700	10	320
2	AT 64HG 5207		■	784	10	320
	AT 64HG 5401		■	732	10	320
	AT 64HG 5900		■	700	10	320
3	SPRING 0099	Document holder spring		10		0,31
4	AT LOCK 8113	Pair closing clips		10		0,31
5	AT LH64 5107	Label holders		10		0,90
6	LB 21081 0325	A4 sheet with 3 labels		25		0,22
	ARTICLE ON REQUEST					
1	AT 64SE 5401	■		752	10	240
	AT 64SE 5900	■		720	10	240



DATASHEET

Separate lid	600 x 400 mm
1 Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm

Hinged lid	600 x 400 mm
2 Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm

Document holder spring	
3 Pieces per pack	10

Pair closing clips	
4 Pieces per pack	10

Label holders	215 x 85 H mm
5 Pieces per pack	10

A4 sheet with 3 labels	210 x 81 H mm
6 Pieces per pack	25

ARTICLES ON REQUEST

Minimum order 200 pieces
 Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

600 x 400 mm H 430 mm

ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
	Side window 400 mm	Side window 600 mm	Closed	Perforated	Reinforced	Qty. per pack Qty. per pallet
 U	AT 6443U 5101	■	■	■	■	3746 1 20 26,17
	AT 6443U 51XB	■	■	■	■	3746 1 20 26,17
 V	AT 6443V 5101	■	■	■	■	3626 1 20 26,17
	AT 6443V 51XB	■	■	■	■	3626 1 20 26,17
ARTICLE ON REQUEST						
 U	AT 6443U 5207	■	■	■	■	4196 1 20 48,94
	AT 6443U 5900	■	■	■	■	3746 1 20 26,17
 V	AT 6443V 5207	■	■	■	■	4061 1 20 48,94
	AT 6443V 5900	■	■	■	■	3626 1 20 26,17

UClosed bottom
Load capacity 20 kg**V**Closed bottom
Load capacity 20 kg

DATASHEET

U

Stacked edge height	419 mm
Usable stacked height / with lid	415 mm / 417 mm
Usable internal dimensions	555 x 355 x 426 H mm
Size of the opening	262 mm x 184 H mm
Volume	90 litres
Pieces per pack / pallet	1 20
Package dimensions	620 x 450 x 450 H mm
Pallet dimensions	1200 x 800 x 2256 H mm

V

Stacked edge height	419 mm
Usable stacked height / with lid	415 mm / 417 mm
Usable internal dimensions	555 x 355 x 426 H mm
Size of the opening	464 mm x 182 H mm
Volume	90 litres
Pieces per pack / pallet	1 20
Package dimensions	620 x 450 x 450 H mm
Pallet dimensions	1200 x 800 x 2256 H mm

<< CONTINUED ON PREVIOUS PAGE

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ARTICLES ON REQUEST

Minimum order 200 pieces
 Delivery guaranteed within 6 weeks

600 x 400 mm H 430 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
1	AT 64SE 5101	■		720	10	240
	AT 64SE 51XB	■		720	10	240
	AT 64SE 5207	■		806	10	240
	AT 64HG 5101		■	700	10	320
	AT 64HG 51XB		■	700	10	320
2	AT 64HG 5207		■	784	10	320
	AT 64HG 5401		■	732	10	320
	AT 64HG 5900		■	700	10	320
3	SPRING 0099	Document holder spring		10		0,31
4	AT LOCK 8113	Pair closing clips		10		0,31
5	AT LH64 5107	Label holders		10		0,90
6	LB 21081 0325	A4 sheet with 3 labels		25		0,22
	ARTICLE ON REQUEST					
1	AT 64SE 5401	■		752	10	240
	AT 64SE 5900	■		720	10	240



DATASHEET

1	Separate lid	600 x 400 mm
1	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm

2	Hinged lid	600 x 400 mm
2	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm

3	Document holder spring	
	Pieces per pack	10

4	Pair closing clips	
	Pieces per pack	10

5	Label holders	215 x 85 H mm
	Pieces per pack	10

6	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per pack	25

ARTICLES ON REQUEST

Minimum order 200 pieces
 Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

1



2



3



4



5



	ARTICLE	1 PARTITION	2 PARTITIONS	4 PARTITIONS	GR.	PACKAGING	UNIT PRICE €
1	AT 64S1 5207 <small>ECOGREEN</small>	■			459	10 160	6,44
	AT 64S1 5407 <small>ECOGREEN</small>	■			428	10 160	3,59
2	AT 64S2 5207 <small>ECOGREEN</small>		■		493	10 160	7,04
	AT 64S2 5407 <small>ECOGREEN</small>		■		460	10 160	3,82
3	AT 64S4 5207 <small>ECOGREEN</small>			■	524	10 160	7,65
	AT 64S4 5407 <small>ECOGREEN</small>			■	489	10 160	4,06
4	AT 64S0 5207 <small>ECOGREEN</small>	■			322	20 320	5,27
	AT 64S0 5407 <small>ECOGREEN</small>	■			345	20 320	2,95
5	AT LID6 6896 <small>Transparent lid</small>				20		3,92



Subdivision with 1 and 2 compartments



Subdivision with 1 and 4 compartments



Subdivision with 2 and 4 compartments

1	Partition box 1 partition Pieces per pack / pallet Package dimensions Pallet dimensions	357 x 278 x 90 H mm 10 160 565 x 375 x 460 H mm 1200 x 800 x 1990 H mm
---	--	---

2	Partition box 2 partitions Pieces per pack / pallet Package dimensions Pallet dimensions	357 x 278 x 90 H mm 10 160 565 x 375 x 460 H mm 1200 x 800 x 1990 H mm
---	---	---

3	Partition box 4 partitions Pieces per pack / pallet Package dimensions Pallet dimensions	357 x 278 x 90 H mm 10 160 565 x 375 x 460 H mm 1200 x 800 x 1990 H mm
---	---	---

4	Partition box 1 partition Pieces per pack / pallet Package dimensions Pallet dimensions	277 x 177 x 99 H mm 20 320 565 x 375 x 460 H mm 1200 x 800 x 1990 H mm
---	--	---

5	Transparent polystyrene lid Pieces per pack Package dimensions	20 365 x 295 x 180 H mm
---	--	----------------------------

600 x 400 mm

	ARTICLE	H 45	H 70	H 90	H 120	H 180	GR.	PACKAGING	UNIT PRICE €
								Qty. per pack.	Qty. per pallet
1	DI 35545 5101	■						10	1,06
1	DI 35545 5207	■						10	1,87
1	DI 55545 5101	■						10	1,40
1	DI 55545 5207	■						10	2,66
2	DI 35570 5101		■					10	1,26
2	DI 35570 5207		■					10	2,57
2	DI 55570 5101		■					10	1,73
2	DI 55570 5207		■					10	3,82
3	DI 35590 5101			■				10	1,48
3	DI 35590 5207			■				10	3,23
3	DI 55590 5101			■				10	1,98
3	DI 55590 5207			■				10	4,72
4	DI 35512 5101				■			10	1,89
4	DI 35512 5207				■			10	4,09
4	DI 55512 5101				■			10	2,55
4	DI 55512 5207				■			10	6,08
5	DI 35518 5101					■		10	2,50
5	DI 35518 5207					■		10	6,08
5	DI 55518 5101					■		10	3,35
5	DI 55518 5207					■		10	8,79
6	DI 64SHT 5101							10	5,84
6	DI 64SHT 5207							10	16,91



1



2



3



4



5



6

**DATASHEET**

1	Comb divider 355 x 45 H mm per box 600 x 400 x 75H mm	10 items
1	Comb divider 555 x 45 H mm per box 600 x 400 x 75H mm	10 items

2	Comb divider 355 x 70 H mm per box 600 x 400 x 120H mm	10 items
2	Comb divider 555 x 70 H mm per box 600 x 400 x 120H mm	10 items

3	Comb divider 355 x 90 H mm per box 600 x 400 x 120H mm	10 items
3	Comb divider 555 x 90 H mm per box 600 x 400 x 120H mm	10 items

4	Comb divider 355 x 120 H mm per box 600 x 400 x 170H mm	10 items
4	Comb divider 555 x 120 H mm per box 600 x 400 x 170H mm	10 items

5	Comb divider 355 x 180 H mm per box 600 x 400 x 220H mm	10 items
5	Comb divider 555 x 180 H mm per box 600 x 400 x 220H mm	10 items

6	Intermediate partition shelf 555 x 355 mm	10 items
---	---	----------

Box for non-conforming material



400 x 300 mm H 220 mm
600 x 400 mm H 120 mm
600 x 400 mm H 220 mm
600 x 400 mm H 320 mm

ARTICLE	WALLS		BOTTOM		HANDLES	GR.	PACKAGING		UNIT PRICE €	
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open	Qty per pack.	Qty per pallet	
A AT 4322A ISO	■		■		■	■		4	80	10,94
B AT 6412A ISO	■		■		■	■		4	80	13,17
C AT 6422A ISO	■		■		■	■		2	40	21,01
D AT 6432A ISO	■		■		■	■		3	40	27,33
ACCESSORIES										
1 AT 43HG ISO										10 640 4,35
2 AT 64HG ISO										10 320 8,63

DATASHEET

Dimensions	400 x 300 x 220 H mm
A Pieces per pack. / dimens.	4 / 620 x 420 x 449 H mm
Pieces per pallet / dimens.	80 / 1200 x 800 x 2251 H mm
Dimensions	600 x 400 x 120 H mm
B Pieces per pack. / dimens.	4 / 620 x 420 x 467 H mm
Pieces per pallet / dimens.	80 / 1200 x 800 x 2341 H mm
Dimensions	600 x 400 x 220 H mm
C Pieces per pack. / dimens.	2 / 620 x 420 x 449 H mm
Pieces per pallet / dimens.	40 / 1200 x 800 x 2251 H mm
Dimensions	600 x 400 x 325 H mm
D Pieces per pack. / dimens.	3 / 620 x 420 x 670 H mm
Pieces per pallet / dimens.	40 / 1200 x 800 x 2410 H mm
Hinged lid dim.	400 x 300 mm
1 Pieces per pack. / dimens.	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimens.	640 / 1200 x 800 x 1000 H mm
Hinged lid	600 x 400 mm
2 Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm



A



B



C



D



1




2

C

Reinforced bottom
Load capacity 60 kg




1



Order 4 feet

2



Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on
the page opposite



Accessories supplied mounted
When fitted with wheels, the boxes are not stackable

Dimensions

800 x 600 mm H 120 mm

ARTICLE	WALLS		BOTTOM		HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open	Qty. per pack	Qty. per pallet	
AT 8612C 5101	■				■	■		3458	4 40	25,39
AT 8612C 51XB	■				■	■		3458	4 40	25,39
AT 8612C 5207	■				■	■		3873	4 40	42,44
ARTICLE ON REQUEST										
AT 8612C 5401	■				■	■		3614	4 40	20,31
AT 8612C 5900	■				■	■		3458	4 40	25,39
ACCESSORIES										
AT FEET 5101								136	1	3,02
AT FEET 51XB								136	1	3,02
AT FEET 5207								152	1	3,63
AT FEET 5401								142	1	2,72
AT FEET 5900								136	1	3,02
AT RUNN 5101								382	1	4,03
AT RUNN 51XB								382	1	4,03
AT RUNN 5207								428	1	5,64
AT RUNN 5401								400	1	3,63
AT RUNN 5900								382	1	4,03
AT WRCT 100									1	15,01
AT WRCT 125									1	16,02

All accessories include fixing screws when required

C

Stacked edge height	105 mm
Usable stacked height / with lid	86 mm/ 93 mm
Usable internal dimensions	755 x 555 x 101 H mm
Volume	49 litres
Pieces per pack / pallet	4 40
Package dimensions	820 x 620 x 455H mm
Pallet dimensions	1200 x 800 x 2265 H mm

1

Feet with fixing screws	100 H mm
Pieces per pack	1

2

Crossbar	25 H mm
Pieces per pack	1

3

Swivel wheel in rubber	diameter 100/125 mm
Pieces per pack	1

DATASHEET

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

800 x 600 mm H 120 mm

ARTICLE	SEPARATE LID	GR.	PACKAGING	UNIT PRICE €
			Qty. per pack.	Qty. per pallet
AT 86SE 5101	■	1978	5	60
1 AT 86SE 51XB	■	1978	5	60
AT 86SE 5207	■	2215	5	60
2 SPRING 0099	Document holder spring		10	0,31
3 AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1	17,50
4 AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1	18,55
5 AT WRCF 100	Swivel wheel in rubber D. 100 mm		1	12,82
6 AT WRCF 125	Swivel wheel in rubber D. 125 mm		1	13,39
7 AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1	17,17
8 AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1	18,90
AT WNCF 100	Fixed wheel in nylon D. 100 mm		1	13,03
AT WNCF 125	Fixed wheel in nylon D. 125 mm		1	14,46
AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1	20,78
AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1	14,16
ARTICLE ON REQUEST				
1 AT 86SE 5401	■	2067	5	60
AT 86SE 5900	■	1978	5	60



All accessories include fixing screws when required

DATASHEET


1	Separate lid	800 x 600 mm
1	Pieces per pack / pallet	5 60
1	Package dimensions	800 x 600 x 150 H mm
1	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
2	Pieces per pack	10
3	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
3	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
4	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
4	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
5	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
5	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
6	Fixed wheel in nylon diameter 100 mm - footprint 128 mm H	
6	Fixed wheel in nylon diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
8	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	

ARTICLES ON REQUEST


Minimum order 200 pieces
Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

C




1



Order 4 feet

2



Order 2 crossbars

3

Order 4 wheels
AT WRCT 100/125
or alternatively those on
the page opposite

Accessories supplied mounted

Dimensions

800 x 600 mm H 170 mm

ARTICLE	WALLS		BOTTOM		HANDLES	GR.	PACKAGING	UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open	Qty. per pack
AT 8617C 5101	■				■	■	3804	3 28 27,33
AT 8617C 51XB	■				■	■	3804	3 28 27,33
AT 8617C 5207	■				■	■	4260	3 28 46,25
ARTICLE ON REQUEST								
AT 8617C 5401	■				■	■	3975	3 28 21,86
AT 8617C 5900	■				■	■	3804	3 28 27,33
ACCESSORIES								
AT FEET 5101							136	1 3,02
AT FEET 51XB							136	1 3,02
AT FEET 5207							152	1 3,63
AT FEET 5401							142	1 2,72
AT FEET 5900							136	1 3,02
AT RUNN 5101							382	1 4,03
AT RUNN 51XB							382	1 4,03
AT RUNN 5207							428	1 5,64
AT RUNN 5401							400	1 3,63
AT RUNN 5900							382	1 4,03
AT WRCT 100							1	15,01
AT WRCT 125							1	16,02

All accessories include fixing screws when required

C

Stacked edge height	155 mm
Usable stacked height / with lid	136 mm / 143 mm
Usable internal dimensions	755 x 555 x 151 H mm
Volume	69 litres
Pieces per pack / pallet	3 28
Package dimensions	820 x 620 x 500H mm
Pallet dimensions	1200 x 800 x 2335 H mm

1

Feet with fixing screws	100 H mm
Pieces per pack	1

2

Crossbar	25 H mm
Pieces per pack	1

3

Swivel wheel in rubber	diameter 100/125 mm
Pieces per pack	1

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

800 x 600 mm H 170 mm

	ARTICLE	SEPARATE LID	GR.	PACKAGING	UNIT PRICE €
				Qty. per pack.	Qty. per pallet
1	AT 86SE 5101	■	1978	5	10,47
1	AT 86SE 51XB	■	1978	5	10,47
1	AT 86SE 5207	■	2215	5	21,54
2	SPRING 0099	Document holder spring		10	0,31
3	AT LH64 5107	Label holders		10	0,90
4	LB 21081 0325	A4 sheet with 3 labels		25	0,22
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm	1		17,50
5	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm	1		18,55
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm	1		12,82
6	AT WRCF 125	Swivel wheel in rubber D. 125 mm	1		13,39
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm	1		17,17
7	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm	1		18,90
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm	1		13,03
8	AT WNCF 125	Fixed wheel in nylon D. 125 mm	1		14,46
9	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm	1		20,78
10	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm	1		14,16
	ARTICLE ON REQUEST				
1	AT 86SE 5401	■	2067	5	8,37
1	AT 86SE 5900	■	1978	5	10,47

All accessories include fixing screws when required

DATASHEET

1	Separate lid	800 x 600 mm
1	Pieces per pack / pallet	5 60
1	Package dimensions	800 x 600 x 150 H mm
1	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
2	Pieces per pack	10
3	Label holders	215 x 85 H mm
3	Pieces per pack	10
4	A4 sheet with 3 labels	210 x 81 H mm
4	Pieces per pack	25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
5	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
6	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
7	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm - footprint 128 mm H	
8	Fixed wheel in nylon diameter 125 mm - footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks




C

Reinforced bottom
Load capacity 60 kg




1



Order 4 feet

2



Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on
the page opposite

Accessories supplied mounted

Dimensions

800 x 600 mm H 220 mm

ARTICLE	WALLS		BOTTOM		HANDLES	GR.	PACKAGING	UNIT PRICE €	
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open	Qty. per pack	Qty. per pallet
AT 8622C 5101	■				■	■		4588	2 20 28,26
C AT 8622C 51XB	■				■	■		4588	2 20 28,26
AT 8622C 5207	■				■	■		5138	2 20 54,42
ARTICLE ON REQUEST									
ECOGREEN ECOGREEN	AT 8622C 5401	■			■	■		4795	2 20 22,60
C	AT 8622C 5900	■			■	■		4588	2 20 28,26
ACCESSORIES									
AT FEET 5101								136	1 3,02
AT FEET 51XB								136	1 3,02
1 AT FEET 5207								152	1 3,63
AT FEET 5401								142	1 2,72
AT FEET 5900								136	1 3,02
AT RUNN 5101								382	1 4,03
AT RUNN 51XB								382	1 4,03
2 AT RUNN 5207								428	1 5,64
AT RUNN 5401								400	1 3,63
AT RUNN 5900								382	1 4,03
AT WRCT 100								1	15,01
3 AT WRCT 125								1	16,02

All accessories include fixing screws when required

C

Stacked edge height	205 mm
Usable stacked height / with lid	186 mm / 193 mm
Usable internal dimensions	755 x 555 x 201 H mm
Volume	90 litres
Pieces per pack / pallet	2 20
Package dimensions	820 x 620 x 445H mm
Pallet dimensions	1200 x 800 x 2215 H mm

1

Feet with fixing screws	100 H mm
Pieces per pack	1

2

Crossbar	25 H mm
Pieces per pack	1

3

Swivel wheel in rubber	diameter 100/125 mm
Pieces per pack	1

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

800 x 600 mm H 220 mm

ARTICLE	SEPARATE LID	GR.	PACKAGING	UNIT PRICE €
			Qty. per pack.	Qty. per pallet
AT 86SE 5101	■	1978	5	10,47
1 AT 86SE 51XB	■	1978	5	10,47
AT 86SE 5207	■	2215	5	21,54
2 SPRING 0099	Document holder spring	10		0,31
3 AT LH64 5107	Label holders	10		0,90
4 LB 21081 0325	A4 sheet with 3 labels	25		0,22
5 AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm	1		17,50
6 AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm	1		18,55
AT WRCF 100	Swivel wheel in rubber D. 100 mm	1		12,82
AT WRCF 125	Swivel wheel in rubber D. 125 mm	1		13,39
AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm	1		17,17
AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm	1		18,90
AT WNCF 100	Fixed wheel in nylon D. 100 mm	1		13,03
AT WNCF 125	Fixed wheel in nylon D. 125 mm	1		14,46
9 AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm	1		20,78
10 AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm	1		14,16
ARTICLE ON REQUEST				
AT 86SE 5401	■	2067	5	8,37
1 AT 86SE 5900	■	1978	5	10,47

All accessories include fixing screws when required

DATASHEET


1	Separate lid	800 x 600 mm
1	Pieces per pack / pallet	5 60
1	Package dimensions	800 x 600 x 150 H mm
1	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
2	Pieces per pack	10
3	Label holders	215 x 85 H mm
3	Pieces per pack	10
4	A4 sheet with 3 labels	210 x 81 H mm
4	Pieces per pack	25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
5	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
6	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
7	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm - footprint 128 mm H	
8	Fixed wheel in nylon diameter 125 mm - footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	

ARTICLES ON REQUEST


Minimum order 200 pieces
Delivery guaranteed within 6 weeks



C




1



Order 4 feet

2



Order 2 crossbars

3

Order 4 wheels
AT WRCT 100/125
or alternatively those on
the page opposite

Accessories supplied mounted

Dimensions

800 x 600 mm H 320 mm

ARTICLE	WALLS		BOTTOM		HANDLES	GR.	PACKAGING	UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open	Qty. per pack
AT 8632C 5101	■				■	■	5422	2 14 32,07
AT 8632C 51XB	■				■	■	5422	2 14 32,07
AT 8632C 5207	■				■	■	6072	2 14 61,48
ARTICLE ON REQUEST								
AT 8632C 5401	■				■	■	5665	2 14 25,65
AT 8632C 5900	■				■	■	5422	2 14 32,07
ACCESSORIES								
AT FEET 5101							136	1 3,02
AT FEET 51XB							136	1 3,02
AT FEET 5207							152	1 3,63
AT FEET 5401							142	1 2,72
AT FEET 5900							136	1 3,02
AT RUNN 5101							382	1 4,03
AT RUNN 51XB							382	1 4,03
AT RUNN 5207							428	1 5,64
AT RUNN 5401							400	1 3,63
AT RUNN 5900							382	1 4,03
AT WRCT 100							1	15,01
AT WRCT 125							1	16,02

All accessories include fixing screws when required

C

Stacked edge height	310 mm
Usable stacked height / with lid	291 mm / 298 mm
Usable internal dimensions	755 x 555 x 306 H mm
Volume	130 litres
Pieces per pack / pallet	2 14
Package dimensions	820 x 620 x 655H mm
Pallet dimensions	1200 x 800 x 2335 H mm

1

Feet with fixing screws	100 H mm
Pieces per pack	1

2

Crossbar	25 H mm
Pieces per pack	1

3

Swivel wheel in rubber	diameter 100/125 mm
Pieces per pack	1

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

800 x 600 mm H 320 mm

ARTICLE	SEPARATE LID	GR.	PACKAGING	UNIT PRICE €
			Qty. per pack.	Qty. per pallet
AT 86SE 5101	■	1978	5	10,47
1 AT 86SE 51XB	■	1978	5	10,47
AT 86SE 5207	■	2215	5	21,54
2 SPRING 0099	Document holder spring	10		0,31
3 AT LH64 5107	Label holders	10		0,90
4 LB 21081 0325	A4 sheet with 3 labels	25		0,22
5 AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm	1		17,50
6 AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm	1		18,55
AT WRCF 100	Swivel wheel in rubber D. 100 mm	1		12,82
AT WRCF 125	Swivel wheel in rubber D. 125 mm	1		13,39
7 AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm	1		17,17
AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm	1		18,90
8 AT WNCF 100	Fixed wheel in nylon D. 100 mm	1		13,03
AT WNCF 125	Fixed wheel in nylon D. 125 mm	1		14,46
9 AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm	1		20,78
10 AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm	1		14,16
ARTICLE ON REQUEST				
1 AT 86SE 5401	■	2067	5	8,37
AT 86SE 5900	■	1978	5	10,47

All accessories include fixing screws when required

DATASHEET

1	Separate lid	800 x 600 mm
1	Pieces per pack / pallet	5 60
1	Package dimensions	800 x 600 x 150 H mm
1	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
2	Pieces per pack	10
3	Label holders	215 x 85 H mm
3	Pieces per pack	10
4	A4 sheet with 3 labels	210 x 81 H mm
4	Pieces per pack	25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
5	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
6	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
7	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm - footprint 128 mm H	
8	Fixed wheel in nylon diameter 125 mm - footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks




C

Reinforced bottom
Load capacity 60 kg




1



Order 4 feet

2



Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on
the page opposite

Accessories supplied mounted

Dimensions

800 x 600 mm H 430 mm

ARTICLE	WALLS		BOTTOM		HANDLES	GR.	PACKAGING	UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open	Qty. per pack
								Qty. per pallet
AT 8643C 5101	■				■	■	6238	1 10 37,09
AT 8643C 51XB	■				■	■	6238	1 10 37,09
AT 8643C 5207	■				■	■	6986	1 10 67,05
ARTICLE ON REQUEST								
AT 8643C 5401	■				■	■	6518	1 10 29,67
AT 8643C 5900	■				■	■	6238	1 10 37,09
ACCESSORIES								
AT FEET 5101							136	1 3,02
AT FEET 51XB							136	1 3,02
AT FEET 5207							152	1 3,63
AT FEET 5401							142	1 2,72
AT FEET 5900							136	1 3,02
AT RUNN 5101							382	1 4,03
AT RUNN 51XB							382	1 4,03
AT RUNN 5207							428	1 5,64
AT RUNN 5401							400	1 3,63
AT RUNN 5900							382	1 4,03
AT WRCT 100							1	15,01
AT WRCT 125							1	16,02

All accessories include fixing screws when required

C

Stacked edge height	415 mm
Usable stacked height / with lid	396 mm/ 403 mm
Usable internal dimensions	755 x 555 x 411 H mm
Volume	175 litres
Pieces per pack / pallet	1 10
Package dimensions	820 x 620 x 450H mm
Pallet dimensions	1200 x 800 x 2240 H mm

1

Feet with fixing screws	100 H mm
Pieces per pack	1

2

Crossbar	25 H mm
Pieces per pack	1

3

Swivel wheel in rubber	diameter 100/125 mm
Pieces per pack	1

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

800 x 600 mm H 430 mm

ARTICLE	SEPARATE LID	GR.	PACKAGING	UNIT PRICE €
			Qty. per pack.	Qty. per pallet
AT 86SE 5101	■	1978	5	10,47
1 AT 86SE 51XB	■	1978	5	10,47
AT 86SE 5207	■	2215	5	21,54
2 SPRING 0099	Document holder spring	10		0,31
3 AT LH 64 5107	Label holders	10		0,90
4 LB 21081 0325	A4 sheet with 3 labels	25		0,22
5 AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm	1		17,50
6 AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm	1		18,55
AT WRCF 100	Swivel wheel in rubber D. 100 mm	1		12,82
AT WRCF 125	Swivel wheel in rubber D. 125 mm	1		13,39
AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm	1		17,17
AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm	1		18,90
AT WNCF 100	Fixed wheel in nylon D. 100 mm	1		13,03
AT WNCF 125	Fixed wheel in nylon D. 125 mm	1		14,46
9 AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm	1		20,78
10 AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm	1		14,16
ARTICLE ON REQUEST				
AT 86SE 5401	■	2067	5	8,37
1 AT 86SE 5900	■	1978	5	10,47

All accessories include fixing screws when required

DATASHEET



1	Separate lid	800 x 600 mm
1	Pieces per pack / pallet	5 60
1	Package dimensions	800 x 600 x 150 H mm
1	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
2	Pieces per pack	10
3	Label holders	215 x 85 H mm
3	Pieces per pack	10
4	A4 sheet with 3 labels	210 x 81 H mm
4	Pieces per pack	25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
5	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
6	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
7	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm - footprint 128 mm H	
8	Fixed wheel in nylon diameter 125 mm - footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks



iMiCUBE
109



innovative
italian
ideas



ATHENA LIGHT



The Athena Light box series has been designed and built in alignment with new techniques for the warehousing and transport of a wide range of materials. Lightweight and manageable, the boxes are available in grey or turquoise polypropylene.

Unlike the Athena series, they are available only in the 600 x 400 x 220H mm size and have larger holes, allowing for greater ventilation and visibility of the product.

HANDLES

open handle



closed handle



WALLS

closed walls



perforated walls




BOTTOMS

closed bottom



perforated bottom



LIDS

hinged



with handle



closing clips



closure with seal



The lid of the Athena Light series box in the version with hinges and with handles can be closed with a sliding fastener in nylon.

comb dividers
and intermediate shelf



Document holder spring



Refer to the Athena section
on page 97

The Document holder spring snaps onto the long or short side of the Athena Light box and can be used to secure transport notes or other documents.

A

Closed bottom
Load capacity 20 kg



B

Closed bottom
Load capacity 20 kg



S

Perforated bottom
Load capacity 15 kg



Dimensions

600 x 400 mm H 220 mm

ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
	Closed Perforated	Closed Perforated Reinforced	Closed Open			
AL 6422A 5101	■	■	■	1960	2 40	11,95
A AL 6422A 51XB	■	■	■	1960	2 40	11,95
AL 6422A 5207	■	■	■	2195	2 40	23,16
AL 6422B 5101	■	■	■	1950	2 40	11,95
B AL 6422B 51XB	■	■	■	1950	2 40	11,95
AL 6422S 5101	■	■	■	1476	2 40	10,64
S AL 6422S 51XB	■	■	■	1476	2 40	10,64
ARTICLE ON REQUEST						
ECOGREEN AL 6422A 5401	■	■	■	2048	2 40	9,56
A AL 6422A 5900	■	■	■	1960	2 40	11,95
AL 6422B 5207	■	■	■	2184	2 40	23,16
B AL 6422B 5900	■	■	■	1950	2 40	11,95
S AL 6422S 5207	■	■	■	1653	2 40	23,16
AL 6422S 5900	■	■	■	1476	2 40	10,64

A

Stacked edge height	206 mm
Usable stacked height / with lid	201 mm / 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 litres
Pieces per pack / pallet	2 40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

B

Stacked edge height	206 mm
Usable stacked height / with lid	201 mm / 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 litres
Pieces per pack / pallet	2 40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

S

Stacked edge height	206 mm
Usable stacked height / with lid	201 mm / 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 litres
Pieces per pack / pallet	2 40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

ARTICLES ON REQUEST

Minimum order 200 pieces
Delivery guaranteed within 6 weeks

600 x 400 mm H 220 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
1	AT 64SE 5101	■		720	10	240
	AT 64SE 51XB	■		720	10	240
	AT 64SE 5207	■		806	10	240
	AT 64HG 5101		■	700	10	320
	AT 64HG 51XB		■	700	10	320
2	AT 64HG 5207		■	784	10	320
	AT 64HG 5401		■	731	10	320
	AT 64HG 5900		■	700	10	320
3	SPRING 0099	Document holder spring		10		0,31
4	AT LOCK 8113	Pair closing clips		10		0,31
	ARTICLE ON REQUEST					
1	AT 64SE 5401	■		752	10	240
	AT 64SE 5900	■		720	10	240



Comb dividers on page 97 Athena section

DATASHEET


	Separate lid	600 x 400 mm
1	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm
	Hinged lid	600 x 400 mm
2	Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm
3	Document holder spring	
	Pieces per pack	10
4	Pair closing clips	
	Pieces per pack	10



ARTICLES ON REQUEST

Minimum order 200 pieces
 Delivery guaranteed within 6 weeks

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



iMiCUBE
114

CONTAINER



Injection moulded container in High Density Polyethylene (HDPE), also suitable for food use. Fully recyclable material, initial melting guarantee and certification. Easy to clean and impervious to rust; insensitive to weight changes on contact with water.

Highly resistant to UV and infrared rays, high and low temperatures, acids and alkalis. Designed to be stackable, thus facilitating storage and handling operations.

VERSIONS

with 4 feet



iMiCUBE

115

with 2 skids



with 4 wheels



ACCESSORIES

separate lid



bar handle



innovative
italian
ideas

iMilani



Dimensions

1000 x 640 mm H 655 mm


1165 x 790 mm H 800 mm

ARTICLE	4 FEET	6 FEET WITH SKIDS	VIRGIN PE-HD	REGENERATED PE-HD	KG	PACKAGING	UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
A CN 1006FJ 4001	■		■		14.3	1	6	76,34 PE-HD
A CN 1006FJ 4007	■			■	14.3	1	6	54,54 R-PE
B CN 1107FJ 4001	■		■		25	1	3	146,76 PE-HD
B CN 1107FJ 4007	■			■	25	1	3	107,82 R-PE
C CN 1107SJ 4001		■	■		26.2	1	3	158,84 PE-HD
C CN 1107SJ 4007		■		■	26.2	1	3	119,98 R-PE

Raw material for black articles: Regenerated High Density Polyethylene




A



A

B



C

DATASHEET

A - CONTAINER WITH 4 FEET

Dimensions	1000 x 640 x 655H mm
Internal dimensions	925 x 580 x 520H mm
Load capacity	150 kg
Volume	280 litres
Pieces per pack / pallet	1 6



B

B - CONTAINER WITH 4 FEET

Dimensions	1165 x 790 x 800H mm
Internal dimensions	1100 x 735 x 650H mm
Load capacity	250 kg
Volume	520 litres
Pieces per pack / pallet	1 3



C


C - CONTAINER WITH 2 CROSSBARS

Dimensions	1165 x 790 x 800H mm
Internal dimensions	1100 x 735 x 650H mm
Load capacity	250 kg
Volume	520 litres
Pieces per pack / pallet	1 3

Dimensions

**1000 x 640 mm H 790/815 mm
1165 x 790 mm H 935/960 mm**

ARTICLE	WHEEL DIAMETER 100 MM	WHEEL DIAMETER 125 MM	OPTIONAL BAR HANDLE ATTACHMENT	WEIGHT WITHOUT WHEELS KG	PACKAGING	UNIT PRICE €
A CN 1006R1J 4001	■		■	14.3	1 6	150,40
A CN 1006R2J 4001		■	■	14.3	1 6	155,22
B CN 1107R1J 4001	■		■	25.0	1 3	219,73
B CN 1107R2J 4001		■	■	25.0	1 3	221,18



A	
Dimensions with wheels diam. 100 mm	1000 x 640 x 790H mm
Dimensions with wheels diam. 125 mm	1000 x 640 x 815H mm
Internal dimensions	925 x 580 x 520H mm
Wheels without brake	4
Load capacity	150 kg
Volume	280 litres
Pieces per pack / pallet	1 6

B	
Dimensions with wheels diam. 100 mm	1165 x 790 x 935H mm
Dimensions with wheels diam. 125 mm	1165 x 790 x 960H mm
Internal dimensions	1100 x 735 x 650H mm
Wheels without brake	4
Load capacity	250 kg
Volume	520 litres
Pieces per pack / pallet	1 3

Dimensions


1200 x 1000 mm H 760 mm

ARTICLE	4 FEET	9 FEET WITH 3 SKIDS	VIRGIN PE-HD	REGENERATED PE-HD	KG	PACKAGING	UNIT PRICE €
						Qty. per pack.	Qty. per pallet
A CN 1210BJ 4001	■	■			38,5	1	3 228,65 

 Special container for collecting used batteries

Lid to be ordered separately

ARTICLE	FOR CONTAINER CN121...	FOR CONTAINER CN100 ...	FOR CONTAINER CN110 ...	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
1 CN CV12 4001	■			7000	1	57,17 
2 CN CV10 4001		■		1700	1	30,16 
3 CN CV11 4001			■	3100	1	45,23 
CN HAND480001		■			1	52,88
4 CN HAND670001			■		1	56,24



2



3



4



A - CONTAINER COLLECTION OF USED BATTERIES WITH 3 CROSSBARS

Dimensions	1200 x 1000 x 760H mm
Internal dimensions	1120 x 920 x 600H mm
Load capacity	450 kg
Volume	610 litres
Pieces per pack / pallet	1  3

1 - LID FOR COLLECTION OF USED BATTERIES

Nominal dimensions	1200 x 1000 mm
Pieces per pack / pallet	1 

2 - LID

Nominal dimensions	1000 x 640 mm
Pieces per pack / pallet	1 

3 - LID

Nominal dimensions	1165 x 790
Pieces per pack / pallet	1 

4 - TRANSPORT HANDLES

Length	480 mm / 670 mm
Pieces per pack / pallet	1 



PALLET & LID



The pallet was invented over 80 years ago, in the form of a simple wooden structure to be placed under material to facilitate handling.

Since then, much progress has been made, not only as regards vehicles but also in materials and geometrical research to make pallets endlessly reusable, easy to wash and producible in sustainable materials.

For increased load retention and safety, goods placed on pallets can be protected with the use of lids, of thermoforming or injection moulding construction.

PALLET K SERIES

This is a pallet with a new-generation monolithic structure without seams or joints, designed to improve the entire logistics process. It facilitates mechanical and manual handling and has been tested to ISO 8611-1991 standards.

It has excellent resistance to falls and is highly tolerant to twisting and pressure exerted from top to bottom and vice versa.

Made of 100% recyclable black polypropylene. The grid support surface facilitates cleaning.

Can be customised with hot marking, barcodes and RFID.



iMiCUBE

121

PALLET J SERIES

Injection moulded pallet in High Density Polyethylene (HDPE) also suitable for food use, made of fully recyclable material, initial melting guarantee and certification.

Easy to clean and impervious to rust, insensitive to weight changes on contact with water.

Highly resistant to UV and infrared rays, high and low temperatures, acids and alkalis.

Can be customised with hot marking, barcodes and RFID.



PALLET M SERIES

Made from recycled polyethylene, fully environmentally-friendly.

The M Series pallets can be inserted one inside the other, thanks to their specially designed feet.

It is available for light and medium loads. The light-load model is nevertheless very durable and can also be used as a disposable pallet.

The honeycomb structure surface of the medium-load model makes it suitable also for intensive use.

Both versions can be customised with hot marking, barcodes and RFID.



LIDS

Available in 800x1200 mm and 1000x1200 mm sizes, they are made of high density polyethylene in the thermoforming version, which is lighter and more manageable, while polypropylene is used for the injection version.

Easily cleaned and reusable, they can be customised with hot marking, barcodes and RFID.




innovative
italian
ideas

iMilani

Dimensions

1200 x 800 mm
1200 x 1000 mm

ARTICLE	ATHENA ATHENA LIGHT KRONOS	RL-KLT R-KLT	ODETTE	KG	PACKAGING	UNIT PRICE €
				17.3	1 Qty. per pack.	66,17
A PA 1208EK 5107 B PA 1210IK 5107		■	■	17.9	1 Qty. per pallet	62,05

**A - PALLET WITH FLUSH EDGE**

Dimensions	1200 x 800 x 160H mm
Static load capacity	5000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 15

B - PALLET WITH RIM

Dimensions	1200 x 1000 x 150H mm
Static load capacity	5000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 15

DATASHEET


Dimensions

1200 x 800 mm
1200 x 1000 mm

ARTICLE	ATHENA ATHENA LIGHT KRONOS	RL-KLT R-KLT	ODETTE	KG	PACKAGING	UNIT PRICE €
D PA 1208FJ 5100			General use	12.3	1 Qty. per pack.	72,43 Qty. per pallet
E PA 1210FJ 5100			General use	15.1	1 Qty. per pack.	87,57 Qty. per pallet
F PA 1208HJ 5100	■	■		14.5	1 Qty. per pack.	114,87 Qty. per pallet
G PA 1210HJ 5100	■	■		17.0	1 Qty. per pack.	134,68 Qty. per pallet
H PA 1208LJ 5100	■			14.0	1 Qty. per pack.	114,87 Qty. per pallet
I PA 1210LJ 5100	■			16.9	1 Qty. per pack.	134,68 Qty. per pallet



D
E



DATASHEET

D - PALLET WITHOUT RIM

Dimensions	1200 x 800 x 145H mm
Static load capacity	4000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 15

E - PALLET WITHOUT RIM

Dimensions	1200 x 1000 x 145H mm
Static load capacity	4000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 15



F
G

F - G PALLET WITH HIGH SECTION OUTER EDGE IN GALVANISED STEEL - FOR R-KLT RL-KLT - ODETTE

Dimensions	1200 x 800/1000 x 145H mm
Static load capacity	4000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 15



H
I

H - I PALLET WITH LOW SECTION OUTER EDGE IN GALVANISED STEEL - FOR ATHENA - ATHENA LIGHT - KRONOS

Dimensions	1200 x 800/1000 x 145H mm
Static load capacity	4000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 15



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Dimensions

1200 x 800 mm
1200 x 1000 mm

ARTICLE	NESTABLE	HEXAGONAL MESH	SQUARE MESH	KG	PACKAGING	UNIT PRICE €
A PA 1208LM 5107	■		■	4.8	1 66	15,25
B PA 1210LM 5107	■		■	6.9	1 60	21,14

Raw materials: Regenerated High Density Polyethylene



A	
Dimensions	1200 x 800 x 135H mm
Static load capacity	1500 kg
Dynamic load capacity	600 kg
Pieces per pack / pallet	1 66



B	
Dimensions	1200 x 1000 x 135H mm
Static load capacity	1500 kg
Dynamic load capacity	600 kg
Pieces per pack / pallet	1 60

Dimensions



800 x 600 mm
1200 x 800 mm
1200 x 1000 mm

ARTICLE	NESTABLE	HEXAGONAL MESH	SQUARE MESH	KG	PACKAGING	UNIT PRICE €
C PA 0806AM 5107	■	■		3,2	1 60	12,32
D PA 1208AM 5107	■	■		8,1	1 55	27,30
E PA 1210AM 5107	■	■		9,25	1 60	31,05

Raw materials: Regenerated High Density Polyethylene



C



D

E

DATASHEET

C

Dimensions	800 x 600 x 140H mm
Static load capacity	3000 kg
Dynamic load capacity	600 kg
Pieces per pack / pallet	1 60



D

D

Dimensions	1200 x 800 x 140H mm
Static load capacity	4000 kg
Dynamic load capacity	1200 kg
Pieces per pack / pallet	1 55



E

E

Dimensions	1200 x 1000 x 140H mm
Static load capacity	4000 kg
Dynamic load capacity	1200 kg
Pieces per pack / pallet	1 60

Dimensions

1200 x 800 mm
1200 x 1000 mm

ARTICLE	THERMOFORMING	INJECTION	GR	PACKAGING		UNIT PRICE €
				QTY. per pack.	QTY. per pallet	
A	CV 1208C3 5107	■	4275	1	50	53,72
B	CV 1210C3 5107	■	4980	1	141	57,09



THERMOFORMED LIDS

A

Nominal dimensions	1200 x 800 mm
Height space when in use	40 mm
Pieces per pack / pallet	1 50
Pallet dimensions	1250 x 850 x 1050H mm

B

Nominal dimensions	1200 x 1000 mm
Height space when in use	40 mm
Pieces per pack / pallet	1 141
Pallet dimensions	1230 x 1035 x 1170H mm

DATASHEET

1200 x 800 mm
1200 x 1000 mm

ARTICLE	THERMOFORMING	INJECTION	GR	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
C CV 1208SC 5107		■	5770	1	20	57,64 
D CV 1210SH 5107		■	7390	1	20	64,12 



C



D

DATASHEET

C

Nominal dimensions	1200 x 800 mm
Height space when in use	20 mm
Pieces per pack / pallet	1 20
Pallet dimensions	1250 x 850 x 960H mm

D - LID FOR USE SPECIFICALLY WITH R-KLT / RL-KLT / ODETTE

Nominal dimensions	1200 x 1000 mm
Height space when in use	20 mm
Pieces per pack / pallet	1 20
Pallet dimensions	1250 x 1050 x 960H mm

 LID OF INJECTION MANUFACTURE

128


SPACE SAVER



130

KRONOS

MINERVA



142

DELTA



136

KRONOS



KRONOS foldable boxes have been designed and manufactured to significantly reduce the overall space occupied when not in use and during transport of empties. Their volume reduction of up to 75% therefore leads to high savings in storage and transport costs. KRONOS foldable boxes are equipped with a sturdy stacking edge and ribbed outer walls at the highest stress points: these structural features give the boxes extra durability over time.

Lightweight and manageable, they adapt perfectly to normalised pallets. Their flat bottoms allow use on all types of roller beds, thus giving great flexibility also in internal handling.

The short sides are supplied with handy label holders and comfort handles for easy grip; the handles can be closed with the use of special casings.

WALLS



handle closure casing



When used with the lid, the box can be fastened shut with disposable seals that are also customisable: the seals are applied on the two-flap lid and on the opening mechanism positioned on the two short sides of the box.

iMiCUBE

131

FOLDABILITY


400 x 300 x 220H mm



600 x 400 x 220H mm



600 x 400 x 320H mm





400 x 300 mm H 220 mm

ARTICLE	WALLS		BOTTOM		HANDLES		GR.	PACKAGING	UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open	Qty. per pack.	Qty. per pallet
B KR 4322B 51XB	■		■			■	1510	10	240
ACCESSORIES									
1 KR 43HG 51XB						277	5	700	2,85
2 KR PLUG 5125						18	10		0,27
3 KR SEAL 5113						500			0,08

Closed bottom
Load capacity 20 kg

1



2



3



DATASHEET

B

Height closed	80 mm
Stacked edge height closed	72 mm
Stacked edge height open	212 mm
Usable stacked height / with lid	202 mm / 202 mm
Usable internal dimensions	354 x 256 x 216H mm
Maximum stacking load capacity	160 kg
Volume	20 litres
Pieces per pack / pallet	10 240
Package dimensions	620 x 420 x 388H mm
Pallet dimensions	1200 x 800 x 2318H mm

1

Lid	400 x 300 mm
Pieces per pack. / dimension	5 / 410 x 180 x 150H mm
Pieces per pallet / dimension	700 / 1200 x 800 x 870H mm

2

Handle closure casing	
Pieces per pack	10

3

Disposable security seal	
Pieces per pack	500

THE LIDS ARE SUPPLIED SEPARATELY

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

BClosed bottom
Load capacity 20 kg**1****2****3**

Dimensions

600 x 400 mm H 220 mm

ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	
KR 6422B 51XB	■		■		■	2192
ACCESSORIES						
1 KR 64HG 51XB					590	5 350 4,52
2 KR PLUG 5125					18	10 0,27
3 KR SEAL 5113					500	0,08

DATASHEET

B

Height closed	80 mm
Stacked edge height closed	72 mm
Stacked edge height open	212 mm
Usable stacked height / with lid	202 mm/ 202 mm
Usable internal dimensions	554 x 356 x 216H mm
Maximum stacking load capacity	160 kg
Volume	40 litres
Pieces per pack / pallet	5 120
Package dimensions	620 x 420 x 388H mm
Pallet dimensions	1200 x 800 x 2318H mm

1

Lid	600 x 400 mm
Pieces per pack. / dimension	5 / 610 x 250 x 150H mm
Pieces per pallet / dimension	350 / 1200 x 800 x 870H mm

2

Handle closure casing	
Pieces per pack	10

3

Disposable security seal	
Pieces per pack	500

THE LIDS ARE SUPPLIED SEPARATELY

600 x 400 mm H 320 mm

ARTICLE	WALLS		BOTTOM		HANDLES		GR.	PACKAGING	UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open	Qty. per pack.	Qty. per pallet
B KR 6432B 51XB	■		■			■	2780	5	120
ACCESSORIES									
1 KR 64HG 51XB							590	5	350
2 KR PLUG 5125							18	10	
3 KR SEAL 5113							500		0,08

Closed bottom
Load capacity 20 kgiMiCUBE
135

1



2



3



DATASHEET

B

Height closed	80 mm
Stacked edge height closed	72 mm
Stacked edge height open	312 mm
Usable stacked height / with lid	302 mm / 302 mm
Usable internal dimensions	554 x356 x 316H mm
Maximum stacking load capacity	160 kg
Volume	60 litres
Pieces per pack / pallet	5 120
Package dimensions	620 x 420 x 388H mm
Pallet dimensions	1200 x 800 x 2318H mm

1

Lid	600 x 400 mm
Pieces per pack. / dimension	5 / 610 x 250 x 150H mm
Pieces per pallet / dimension	350 / 1200 x 800 x 870H mm

2

Handle closure casing	
Pieces per pack	10

3

Disposable security seal	
Pieces per pack	500

THE LIDS ARE SUPPLIED SEPARATELY

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



Boxes in the Delta series have a truncated cone structure, allowing for stable and safe stacking at full load. When empty they can be inserted one inside the other, resulting in a 70% reduction in volume.

These properties make them perfect for maximising warehouse space and transport space. They are particularly useful in shipment returns when empty or when packaging must take up the least possible space.



DELTA

SAFETY



With the separate or hinged two-flap lids, the box can be fastened shut with dedicated disposable seals as well with commercially available nylon ties.

In addition to these, straps can be used both on the short and long sides, with containment points provided to prevent unauthorised removal of the straps.

STACKING



By shifting the pair of yellow supports towards the inside or the outside, the boxes can be stacked and interlocked.

In the version with the two-flap lid, you can stack the boxes and interlock them. Stacking with the lids open ensures geometrical consistency of the battery of boxes.

TRANSPORT

The wedges on the edges of short sides ensure the stability of the box in the event of accidental interruptions during the advance of automatic rollers and conveyor belts.

The external surface of the bottom has a smooth frame and rounded edge, for a silent impact on conveyor system rollers. Additionally, the surface of the central part is designed for increased adherence, ideal for safe transport over flat surfaces and conveyor belt ramps in ascent and descent.



iMiCUBE

138



600 x 400 mm H 225 mm
600 x 400 mm H 230 mm
600 x 400 mm H 240 mm

Version A

Version I

Version Z

	ARTICLE	BOTTOM WALLS HANDLES	SUPPORTS FOR STACKING	HINGED LID	GR.	PACKAGING	UNIT PRICE €	
		Closed			Qty. per pack.	Qty. per pallet		
A	DE 6422A 5101	■			1706	5	136	 PP
	DE 6422A 51XB	■			1706	5	136	 PP
I	DE 6422I 5101	■	■		1922	5	136	 PP
	DE 6422I 51XB	■	■		1922	5	136	 PP
Z	DE 6422Z 5101	■		■	2606	5	104	 PP
	DE 6422Z 51XB	■		■	2606	5	104	 PP
ACCESSORIES								
1	DE 64SE 5101				960	1	160	 PP
	DE 64SE 51XB				960	1	160	 PP
2	DE SEAL 5113				500		0,08	 PP
ARTICLE ON REQUEST								
A	DE 6422A 5900	■			1706	5	136	 PP
I	DE 6422I 5900	■	■		1922	5	136	 PP
Z	DE 6422Z 5900	■		■	2606	5	104	 PP
1	DE 64SE 5900				960	1	160	 PP

DATASHEET

A - I

Stacked edge height	50 mm
Usable height with lid	215 mm
Usable internal dimensions at the base	500 x 330 x 220H mm
Volume	38 litres
Pieces per pack / pallet	5 136
Package dimensions	620 x 420 x 445H mm
Pallet dimensions	1220 x 800 x 2025H mm

Z

Stacked edge height	90 mm
Usable height with lid	215 mm
Usable internal dimensions at the base	500 x 330 x 220H mm
Volume	38 litres
Pieces per pack / pallet	5 104
Package dimensions	630 x 510 x 520H mm
Pallet dimensions	1300 x 1000 x 2015H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30H mm
Pieces per pallet / dimension	160 / 1220 x 800 x 1000H mm

2

Disposable security seal	
Pieces per pack	500

ARTICLES ON REQUEST

Minimum order 200 boxes
 Delivery guaranteed within 6 weeks



iMiCUBE

139

Closed bottom load capacity 20 kg



Closed bottom Load capacity 20 kg



Closed bottom Load capacity 20 kg



1




2

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

iMiCUBE

140


A

Closed bottom
Load capacity 20 kg

I

Closed bottom
Load capacity 20 kg

Z

Closed bottom
Load capacity 20 kg

1



2



Dimensions

Version A

600 x 400 mm H 325 mm

Version I

600 x 400 mm H 330 mm

Version Z

600 x 400 mm H 340 mm

	ARTICLE	BOTTOM WALLS HANDLES	SUPPORTS FOR STACKING	HINGED LID	GR.	PACKAGING	UNIT PRICE €
		Closed				Qty. per pack. Qty. per pallet	
	A DE 6432A 5101	■			2270	4 80	14,89
	A DE 6432A 51XB	■			2270	4 80	14,89
	I DE 6432I 5101	■	■		2486	4 80	18,94
	I DE 6432I 51XB	■	■		2486	4 80	18,94
	Z DE 6432Z 5101	■		■	3170	4 76	25,27
	Z DE 6432Z 51XB	■		■	3170	4 76	25,27
ACCESSORIES							
	1 DE 64SE 5101				960	1 160	8,68
	1 DE 64SE 51XB				960	1 160	8,68
	2 DE SEAL 5113					500	0,08
ARTICLE ON REQUEST							
	A DE 6432A 5900	■			2270	4 80	14,89
	I DE 6432I 5900	■	■		2486	4 80	18,94
	Z DE 6432Z 5900	■		■	3170	4 76	25,27
	1 DE 64SE 5900				960	1 160	8,68

A - I

Stacked edge height	80 mm
Usable height with lid	315 mm
Usable internal dimensions at the base	500 x 330 x 320H mm
Volume	58 litres
Pieces per pack / pallet	4 80
Package dimensions	620 x 420 x 585H mm
Pallet dimensions	1220 x 800 x 1995H mm

Z

Stacked edge height	120 mm
Usable H.	315 mm
Usable internal dimensions at the base	500 x 330 x 320H mm
Volume	58 litres
Pieces per pack / pallet	4 76
Package dimensions	630 x 510 x 645H mm
Pallet dimensions	1300 x 1000 x 2200H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30H mm
Pieces per pallet / dimension	160 / 1220 x 800 x 1000H mm

2

Disposable security seal	
Pieces per pack	500

ARTICLES ON REQUEST

Minimum order 200 boxes
Delivery guaranteed within 6 weeks

DATASHEET

Dimensions

600 x 400 mm H 425 mm

Version A

600 x 400 mm H 430 mm

Version I

600 x 400 mm H 440 mm

Version Z

	ARTICLE	BOTTOM WALLS HANDLES	SUPPORTS FOR STACKING	HINGED LID	GR.	PACKAGING	UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
A	DE 6442A 5101	■			2890	3	64	19,19 
	DE 6442A 51XB	■			2890	3	64	19,19 
I	DE 6442I 5101	■	■		3106	3	64	23,25 
	DE 6442I 51XB	■	■		3106	3	64	23,25 
Z	DE 6442Z 5101	■		■	3790	3	56	29,53 
	DE 6442Z 51XB	■		■	3790	3	56	29,53 
	ACCESSORIES							
1	DE 64SE 5101				960	1	160	8,68 
	DE 64SE 51XB				960	1	160	8,68 
2	DE SEAL 5113				500			0,08 
	ARTICLE ON REQUEST							
A	DE 6442A 5900	■			2890	3	64	19,19 
I	DE 6442I 5900	■	■		3106	3	64	23,25 
Z	DE 6442Z 5900	■		■	3790	3	56	29,53 
1	DE 64SE 5900				960	1	160	8,68 

DATASHEET

A - I

Stacked edge height	100 mm
Usable height with lid	415 mm
Usable internal dimensions at the base	500 x 330 x 420H mm
Volume	74 litres
Pieces per pack / pallet	3 64
Package dimensions	620 x 420 x 605H mm
Pallet dimensions	1220 x 800 x 2075H mm

Z

Stacked edge height	140 mm
Usable height with lid	415 mm
Usable internal dimensions at the base	500 x 330 x 420H mm
Volume	74 litres
Pieces per pack / pallet	3 56
Package dimensions	630 x 510 x 650H mm
Pallet dimensions	1300 x 1000 x 2085H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30H mm
Pieces per pallet / dimension	160 / 1220 x 800 x 1000H mm

2

Disposable security seal	
Pieces per pack	500

ARTICLES ON REQUEST

Minimum order 200 boxes
Delivery guaranteed within 6 weeks

iMiCUBE

141

A

Closed bottom
Load capacity 20 kgClosed bottom
Load capacity 20 kg

Z

Closed bottom
Load capacity 20 kg

1



2



MINERVA



Boxes in the MINERVA series have a truncated cone structure, allowing for stable and safe stacking at full load. When empty they can be inserted one inside the other, resulting in a 60% reduction in volume.

These properties make them perfect for maximising warehouse space and transport space. They are particularly useful in shipment returns when empty or when packaging must take up the least possible space.

HANDLES

open handle



WALLS

closed walls



BOTTOMS

closed bottom



perforated walls



perforated bottom



iMiCUBE

143

The Minerva series boxes have asymmetrical wall geometry. This characteristic means that, without having to use the lid, you can create a stack when they are empty, or when they are full by simply rotating the box by 180°; they can thus be nested when empty or stacked when full.

When the separate lid is used, however, stacking of the full box does not require any rotation.

Boxes stacked with lid



Boxes stacked without lid





600 x 400 mm H 200 mm

ARTICLE	WALLS		BOTTOM		HANDLES	GR.	PACKAGING	UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open	Qty. per pack. Qty. per pallet
MI 6420B 5101	■		■			■	1650	6 128 10,36
B MI 6420B 51XB	■		■			■	1650	6 128 10,36
MI 6420B 5900	■		■			■	1650	6 128 10,36
MI 6420S 5101	■		■			■	1502	6 128 10,36
S MI 6420S 51XB	■		■			■	1502	6 128 10,36
MI 6420S 5900	■		■			■	1502	6 128 10,36
ACCESSORIES								
MI 64SE 5101						1000	1 160	7,27
1 MI 64SE 51XB						1000	1 160	7,27
MI 64SE 5900						1000	1 160	7,27
2 SPRING 0099							10	0,31
3 MI LOCK 0099							10	0,25

MINERVA 6420**iMiCUBE
145****B**Closed bottom
Load capacity 20 kg**S**Perforated bottom
Load capacity 20 kg**1****2****3****DATASHEET****B - S**

Stacked edge height	60 mm
Usable stacked height / with lid	178 mm/ 195 mm
Usable internal dimensions	453 x 336 x 197H mm
Volume	32 litres
Pieces per pack / pallet	6 128
Package dimensions	620 x 420 x 520H mm
Pallet dimensions	1200 x 800 x 2210H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30H mm
Pieces per pack. / dimension	160 / 1230 x 820 x 950H mm

2

Labels and document holder spring	
Pieces per pack	10

3

Lid holder spring	
Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

MINERVA 6430

iMiCUBE

146

B

Closed bottom
Load capacity 20 kg



S

Perforated bottom
Load capacity 20 kg



1



2



3



Dimensions

600 x 400 mm H 300 mm

ARTICLE	WALLS	BOTTOM	HANDLES	GR.	PACKAGING	UNIT PRICE €
	Closed	Perforated				
MI 6430B 5101	■	■	■	2432	4 88	15,58
B MI 6430B 51XB	■	■	■	2432	4 88	15,58
MI 6430B 5900	■	■	■	2432	4 88	15,58
MI 6430S 5101	■	■	■	2294	4 88	15,58
S MI 6430S 51XB	■	■	■	2294	4 88	15,58
MI 6430S 5900	■	■	■	2294	4 88	15,58
ACCESSORIES						
MI 64SE 5101				1000	1 160	7,27
1 MI 64SE 51XB				1000	1 160	7,27
MI 64SE 5900				1000	1 160	7,27
2 SPRING 0099					10	0,31
3 MI LOCK 0099					10	0,25

DATASHEET

B - S

Stacked edge height	86 mm
Usable stacked height / with lid	272 mm / 295 mm
Usable internal dimensions	453 x 336 x 297H mm
Volume	50 litres
Pieces per pack / pallet	4 88
Package dimensions	620 x 420 x 578H mm
Pallet dimensions	1200 x 800 x 2256H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30H mm
Pieces per pack. / dimension	160 / 1230 x 820 x 950H mm

2

Labels and document holder spring	
Pieces per pack	10

3

Lid holder spring	
Pieces per pack	10

600 x 400 mm H 400 mm

ARTICLE	WALLS		BOTTOM		HANDLES	GR.	PACKAGING	UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open	Qty. per pack. Qty. per pallet
MI 6440B 5101	■		■			■	2865	3 60 19,91
B MI 6440B 51XB	■		■			■	2865	3 60 19,91
MI 6440B 5900	■		■			■	2865	3 60 19,91
MI 6440S 5101	■		■			■	2654	3 60 19,91
S MI 6440S 51XB	■		■			■	2654	3 60 19,91
MI 6440S 5900	■		■			■	2654	3 60 19,91
ACCESSORIES								
MI 64SE 5101						1000	1 160	7,27
1 MI 64SE 51XB						1000	1 160	7,27
MI 64SE 5900						1000	1 160	7,27
2 SPRING 0099							10	0,31
3 MI LOCK 0099							10	0,25

DATASHEET**B - S**

Stacked edge height	117 mm
Usable stacked height / with lid	372 mm / 395 mm
Usable internal dimensions	453 x 336 x 397H mm
Volume	70 litres
Pieces per pack / pallet	3 60
Package dimensions	620 x 420 x 654H mm
Pallet dimensions	1200 x 800 x 2188H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30H mm
Pieces per pack. / dimension	160 / 1230 x 820 x 950H mm

2

Labels and document holder spring	
Pieces per pack	10

3

Lid holder spring	
Pieces per pack	10

Closed bottom
Load capacity 20 kgPerforated bottom
Load capacity 20 kg**1****2****3**

C-PARTS



COMPAT

150



PRACTIBOX

160

R|K



ZEUS

COMPAT



The Compat container series is the ideal solution to any storage problems in the warehouse, workshop or on assembly lines. They allow you to have the contents always at hand and in full view, making them easily extractable.

These containers can be stacked stably and safely and the material is just as easily accessible even when they are one on top of the other.

BOTTOMS

smooth bottom



ribbed bottom



bottom ribbed at 45°
with crossbar



CROSSBAR



The largest containers are equipped with a frontal crossbar that helps prevent any deformation of the side walls due to large loads and to facilitate grip.

HANDLES



Lifting and transport are aided by convenient handles that allow for quick grip even with gloves.

SIDE REINFORCEMENT



Lateral reinforcement on the bottom allows the containers to be stacked safely even when fully loaded.

ACCESSORIES



The containers can be divided longitudinally and transversely for load units with multiple products inside them.





Practical transparent doors protect against dust.



Internal partition with removable boxes

	ARTICLE	SMOOTH BOTTOM	SIZE 01	SIZE 0	GR.	PACKAGING	UNIT PRICE €	
		Closed						
	CO Z001 5101	■	■		18	100	-	0,43
	CO Z001 5102	■	■		18	100	-	0,43
A	CO Z001 5103	■	■		18	100	-	0,43
	CO Z001 5104	■	■		18	100	-	0,43
	CO Z001 5105	■	■		18	100	-	0,43
	CO Z000 5101	■		■	38	98	-	0,65
	CO Z000 5102	■		■	38	98	-	0,65
B	CO Z000 5103	■		■	38	98	-	0,65
	CO Z000 5104	■		■	38	98	-	0,65
	CO Z000 5105	■		■	38	98	-	0,65
	CO Z000 5207	■		■	43	98	-	1,29
C	LB 4911 8001	■		■	1			1,43



A	
Volume	0.08 litres
Pieces per pack	100
Package dimensions	350 x 270 x 170H mm

B	
Volume	0.25 litres
Pieces per pack	98
Package dimensions	470 x 300 x 350H mm

Sheet of 80 labels for size 0	49 x 11H mm
-------------------------------	-------------

Size 1 - Size 2

	ARTICLE	SMOOTH BOTTOM	SIZE1	SIZE 2	GR.	PACKAGING	UNIT PRICE €
		Closed				Qty per pack	Qty per pallet
	CO C001 5101	■	■		78	50	1750
	CO C001 5102	■	■		78	50	1750
	CO C001 5103	■	■		78	50	1750
A	CO C001 5104	■	■		78	50	1750
	CO C001 5105	■	■		78	50	1750
	CO C001 5401	■	■		82	50	1750
	CO C001 5207	■	■		87	50	1750
	CO C002 5101	■		■	214	54	1080
	CO C002 5102	■		■	214	54	1080
	CO C002 5103	■		■	214	54	1080
B	CO C002 5104	■		■	214	54	1080
	CO C002 5105	■		■	214	54	1080
	CO C002 5207	■		■	240	54	1080
	CO C002 5401	■		■	224	54	1080
	CO C1S2 5407		■		40	25	-
c	CO C1S2 5207		■		45	25	-
	CO C2S2 5407		■		100	25	-
	CO C2S2 5207		■		112	25	-
	CO C1S4 5407		■		50	25	-
D	CO C1S4 5207		■		56	25	-
	CO C2S4 5407		■		120	25	-
	CO C2S4 5207		■		134	25	-
E	LB 7520 3601		■		1		1,29
	LB 10433 1601		■		1		1,14

DATASHEET

A

Volume	1 litre
Pieces per pack / pallet	50 1750
Package dimensions	520 x 350 x 370H mm
Pallet dimensions	1300 x 1000 x 2000H mm

B

Volume	3.8 litre
Pieces per pack / pallet	54 1080
Package dimensions	720 x 460 x 500H mm
Pallet dimensions	1450 x 1200 x 2100H mm

C


Divider 2 compartments for size 1	
Divider 2 compartments for size 2	

D

Divider 4 compartments for size 1	
Divider 4 compartments for size 2	

E

Sheet of 36 labels for size 1	75 x 20H mm
Sheet of 16 labels for size 2	104 x 33H mm




iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


Size 3A2 - Size 3 - Size 3L5

	ARTICLE	RIBBED BOTTOM	SIZE 3A2	SIZE 3	SIZE 3L5	GR.	PACKAGING	UNIT PRICE €
							Qty. per pack	Qty. per pallet
	CO C3A2 5101	■	■				598	21 252
	CO C3A2 5102	■	■				598	21 252
	CO C3A2 5103	■	■				598	21 252
	A CO C3A2 5104	■	■				598	21 252
	CO C3A2 5105	■	■				598	21 252
	CO C3A2 5401	■	■				625	21 252
	CO C3A2 5207	■	■				670	21 252
	CO C003 5101	■		■			784	15 180
	CO C003 5102	■		■			784	15 180
	CO C003 5103	■		■			784	15 180
	B CO C003 5104	■		■			784	15 180
	CO C003 5105	■		■			784	15 180
	CO C003 5401	■		■			819	15 180
	CO C003 5207	■		■			878	15 180
	CO Z3L5 5101	■			■		1074	14 112
	CO Z3L5 5102	■			■		1074	14 112
	CO Z3L5 5103	■			■		1074	14 112
	CO Z3L5 5104	■			■		1074	14 112
	CO Z3L5 5105	■			■		1074	14 112
	CO Z3L5 5105	■			■		1074	14 112


A

Ribbed bottom
Load capacity 15 kg

B

Ribbed bottom
Load capacity 20 kg

C

Ribbed bottom
Load capacity 20 kg

A

Volume	9.4 litres
Pieces per pack / pallet	21 252
Package dimensions	360 x 640 x 980H mm
Pallet dimensions	1300 x 1000 x 2000H mm

B

Volume	12.5 litres
Pieces per pack / pallet	15 180
Package dimensions	360 x 640 x 980H mm
Pallet dimensions	1300 x 1000 x 2000H mm

C

Volume	19 litres
Pieces per pack / pallet	14 112
Package dimensions	710 x 960 x 480H mm
Pallet dimensions	1450 x 1000 x 2100H mm

DATASHEET

Size 3A2 - Size 3 - Size 3L5

	ARTICLE	SIZE 3A2	SIZE 3	SIZE 3L5	GR.	PACKAGING	UNIT PRICE €
						Qty. per pack	Qty. per pallet
A	CD C3A2 0099	■			200	1	4,63
	CD C003 0099		■		300	1	4,75
	CD Z3L5 0099			■	250	1	4,25
	CD C3A2 7107	■			108	10	1,63
B	CD C003 7107		■		160	10	2,14
	CD Z3L5 7107			■	114	10	1,95
C	CW C3A2 6896	■			28	10	1,19
	CW C003 6896		■		40	10	1,25
D	LH C000 0099	■	■		100	1	2,64
E	LB 7731 1801	■		■		1	0,98
	LB 7742 1201		■			1	0,88



A



B



C



D



E

DATASHEET

A

Galvanised longit. divider size 3A2	302 x 105H mm
Galvanised longit. divider size 3	307 x 160H mm
Galvanised longit. divider size 3L5	326 x 115H mm
Pieces per pack	1

B

Plastic longit. divider size 3A2	300 x 105H mm
Plastic longit. divider size 3	305 x 160H mm
Plastic longit. divider size 3L5	325 x 105H mm
Pieces per pack	10

C

Dust cover size 3A2	
Dust cover size 3	
Pieces per pack	10

D




Inclined galvanised tag holder for size 3 - 3A2	100 x 67 mm
Pieces per pack	1

E

Sheet of 18 labels for size 3A2 - 3L5	77 x 31 mm
Sheet of 12 labels for size 3	77 x 42 mm
Pieces per pack	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	RIBBED BOTTOM	SIZE 4A2	SIZE 4	SIZE 4A5	GR.	PACKAGING	UNIT PRICE €	
							Qty. per pack	Qty. per pallet	
	CO C4A2 5101	■	■				1222	14 112	8,24
	CO C4A2 5102	■	■				1222	14 112	8,24
	A CO C4A2 5103	■	■				1222	14 112	8,24
	CO C4A2 5104	■	■				1222	14 112	8,24
	CO C4A2 5105	■	■				1222	14 112	8,24
	CO C004 5101	■		■			1335	10 80	9,33
	CO C004 5102	■		■			1335	10 80	9,33
	CO C004 5103	■		■			1335	10 80	9,33
	B CO C004 5104	■		■			1335	10 80	9,33
	CO C004 5105	■		■			1335	10 80	9,33
	CO C004 5401	■		■			1395	10 80	7,97
	CO C004 5207	■		■			1495	10 80	16,76
	CO C4A5 5101	■			■		1874	6 48	11,37
	CO C4A5 5102	■			■		1874	6 48	11,37
	C CO C4A5 5103	■			■		1874	6 48	11,37
	CO C4A5 5104	■			■		1874	6 48	11,37
	CO C4A5 5105	■			■		1874	6 48	11,37

**ECOGREEN****A**

Volume	20 litres
Pieces per pack / pallet	14 112
Package dimensions	640 x 520 x 900H mm
Pallet dimensions	1300 x 1000 x 2150H mm

B

Volume	28 litres
Pieces per pack / pallet	10 80
Package dimensions	640 x 520 x 980H mm
Pallet dimensions	1300 x 1000 x 2150H mm

C

Volume	42 litres
Pieces per pack / pallet	6 48
Package dimensions	640 x 520 x 900H mm
Pallet dimensions	1300 x 1000 x 2150H mm

Size 4A2 - Size 4 - Size 4A5

ARTICLE	SIZE 4A2	SIZE 4	SIZE 4A5	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack	
					Qty. per pallet	
A CD C4A2 0099	■			360	1	5,63
A CD C004 0099		■		500	1	5,87
CD C4A5 0099			■	540	1	7,00
B CD C004 7107	■			236	10	2,95
B CD C4A5 7107		■		390	10	4,11
C CD C004 0199	■			368	1	6,61
D CW C004 6896	■			66	10	1,48
D CW C4A5 6896		■		92	10	2,06
E LH C000 0099		■	■	100	1	2,64
F LB 7731 1801	■				1	0,98
LB 7742 1201		■	■		1	0,88

DATASHEET

A	
Galvanised longit. divider size 4A2	457 x 120Hmm
Galvanised longit. divider size 4	426 x 160H mm
Galvanised longit. divider size 4A5	460 x 249Hmm
Pieces per pack	✉ 1

B	
Plastic longit. divider size 4	460 x 160H mm
Plastic longit. divider size 4A5	460 x 250Hmm
Pieces per pack	✉ 10

C	
Pair of galvanised transverse dividers size 4	
Pieces per pack	✉ 1

D	
Dust cover size 4	
Dust cover size 4A5	
Pieces per pack	✉ 10

E	
Inclined galvanised tag holder for size 4 - 4A5	100 x 67 mm
Pieces per pack	✉ 1

F	
Sheet 18 labels for size 4A2	77 x 31 mm
Sheet 12 labels for size 4 - 4A5	77 x 42 mm
Pieces per pack	✉ 1



A



B



C



D





E



F

	ARTICLE	RIBBED BOTTOM A 45°	SIZE 5P4	SIZE 5	GR.	PACKAGING	UNIT PRICE €	
						Qty. per pack	Qty. per pallet	
	CO Z5P4 5101	■	■			3370	18 42	21,35
	CO Z5P4 5102	■	■			3370	18 42	21,35
A	CO Z5P4 5103	■	■			3370	18 42	21,35
	CO Z5P4 5104	■	■			3370	18 42	21,35
	CO Z5P4 5105	■	■			3370	18 42	21,35
	CO Z005 5101	■		■		4378	12 28	27,00
	CO Z005 5102	■		■		4378	12 28	27,00
B	CO Z005 5103	■		■		4378	12 28	27,00
	CO Z005 5104	■		■		4378	12 28	27,00
	CO Z005 5105	■		■		4378	12 28	27,00



A	
Volume	63 litres
Pieces per pack / pallet	18 42
Package dimensions	1400 x 1100 x 1050H mm
Pallet dimensions	1400 x 1100 x 2100H mm

B	
Volume	88 litres
Pieces per pack / pallet	12 28
Package dimensions	1450 x 1000 x 1050H mm
Pallet dimensions	1450 x 1000 x 2100H mm

Size 5P4 - Size 5

	ARTICLE	SIZE 5P4	SIZE 5	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
A	CS Z5P4 0199	■		1420	1	8,85
	CS Z005 0199		■	1750	1	9,64
B	CD Z5P4 0099	■		680	1	6,16
	CD Z005 0099		■	1000	1	7,23
C	LH Z000 0099	■	■	150	1	2,96
D	LB 12739 1001	■	■		1	1,06
E	LB 18985 0301	■	■		1	0,47
ZE Z002 5101	■	■	■	264	54	1080
ZE Z002 5102	■	■	■	264	54	1080
F	ZE Z002 5103	■	■	264	54	1080
	ZE Z002 5104	■	■	264	54	1080
	ZE Z002 5105	■	■	264	54	1080

DATASHEET

A	Galvanised longit. divider size 5P4 with pair of galvanised transverse supports	473 x 215H mm
	Galvanised longit. divider size 5 with pair of galvanised transverse supports	654 x 214H mm
	Pieces per pack	1 set
B	Galvanised longit. divider size 5P4	473 x 215H mm
	Galvanised longit. divider size 5	654 x 214H mm
	Pieces per pack	1
C	Inclined galvanised tag holder for size 5P4 - 5	128 x 90 mm
	Pieces per pack	1
D	Sheet 10 upper labels for size 5P4- 5	127 x 39 mm
	Pieces per pack	1
E	Sheet 3 lower labels for size 5P4- 5	189 x 85 mm
	Pieces per pack	1
F	Box for division into 6 compartments size 5P4 and into 8 compartments size 5	200 x 140 x 130H mm
	Volume	88 litres
	Pieces per pack / pallet	54 1080
	Package dimensions	640 x 460 x 500H mm
	Pallet dimensions	1400 x 1100 x 1660H mm



A



B



C



D



E



F



PRACTIBOX



The Practibox series of drawer units consists of grey ABS structures and high mechanical strength drawers in transparent polystyrene.

Available in models of different depth and height, they share a standard 600 mm width that allows stacking in a wide range of combinations.

DRAWERS



The drawers, made in high mechanical strength transparent polystyrene, are housed in the ABS container, designed to be positioned on Practibox shelves and in trolleys or fixed to the wall with anchor bolts.

STACKING



Practibox drawer units are available in different depths and heights but have a standard width of 600 mm. This features means that modules of the same depth or lesser depth can be stacked, allowing a wide range of combinations.

TILTED OPENING



Equipped with a handy tilting door opening, Practibox drawer units offer excellent access to the product.







ORDER



Equipped with a practical handle, Practibox drawer units meet the most varied needs.

Module width 600 mm

ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING	UNIT PRICE €	
					Qty. per pack	Qty. per pallet	
 A PR 9077 0001	600	69	77	9	2	468	11,45
LB 03510 0901					10		0,78
 B PR 6112 0001	600	98	112	6	2	216	13,99
LB 05315 0601					10		0,54
 C PR 5164 0001	600	141	164	5	1	120	22,26
LB 08022 0501					10		0,43
 D PR 4206 0001	600	174	206	4	1	80	29,26
LB 08028 0401					10		0,58
 E PR 3240 0001	600	209	240	3	1	56	34,34
LB 12134 0301					10		0,42
 F PR 2353 0001	600	311	353	2	1	30	64,24
LB 12150 0201					10		0,28

**A - 9 drawers**

Pieces per pack / pallet	2	468
Package dimensions	610 x 155 x 95H mm	
Pallet dimensions	1300 x 1000 x 1600H mm	
LB035100901	Sheet of 9 labels included	

B - 6 drawers

Pieces per pack / pallet	2	216
Package dimensions	610 x 210 x 125H mm	
Pallet dimensions	1300 x 1000 x 1600H mm	
LB053150601	Sheet of 6 labels included	

C - 5 drawers

Pieces per pack / pallet	1	120
Package dimensions	610 x 155 x 175H mm	
Pallet dimensions	1300 x 1000 x 2000H mm	
LB080220501	Sheet of 5 labels included	

D - 4 drawers

Pieces per pack / pallet	1	80
Package dimensions	610 x 155 x 175H mm	
Pallet dimensions	1300 x 1000 x 2000H mm	
LB080280401	Sheet of 4 labels included	

E - 3 drawers

Pieces per pack / pallet	1	56
Package dimensions	610 x 225 x 255H mm	
Pallet dimensions	1300 x 1000 x 2000H mm	
LB121340301	Sheet of 3 labels included	


F - 2 drawers

Pieces per pack / pallet	1	30
Package dimensions	610 x 325 x 365H mm	
Pallet dimensions	1300 x 1000 x 2000H mm	
LB121500201	Sheet of 2 labels included	

DATASHEET

Module width 610 mm

ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
					Qty. per pack	Qty. per pallet	
A PR D050 015 0301	610	174	500	15	1	-	99,11
B PR D050 0001	610	150	500	-	1	-	33,60
C PRT BOX 5104	350	200	465	18	1	-	56,51
PR ST90 0099	600				1	-	1,70
PR ST61 0099	600				1	-	1,70
D PR ST51 0099	600				1	-	1,70
PR ST42 0099	600				1	-	1,70
PR ST32 0099	600				1	-	1,70
PR ST23 0099	600				1	-	1,97



DATASHEET

A

Bench frame with drawers	1x PR D050 0001
	1x PR 6112 0001
Drawers set	1x PR 5164 0001
	1x PR 4206 0001



A

B

Bench frame without drawers	1x PR D050 0001
-----------------------------	-----------------



B

C

Top Box case	18 drawers type PR 6112 0001
--------------	------------------------------



C

D

Galvanised stop for PR 9077...	1x PR ST90 0099
Galvanised stop for PR 6112...	1x PR ST61 0099
Galvanised stop for PR 5164...	1x PR ST51 0099
Galvanised stop for PR 4206...	1x PR ST42 0099
Galvanised stop for PR 3240...	1x PR ST32 0099
Galvanised stop for PR 2353...	1x PR ST23 0099



Release system




Galvanised stops



D

Module width 600 mm

ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING	UNIT PRICE €	
					Qty. per pack		
A PR F030 0001	600	28	300	-	1	-	15,89
B PR F030 036 0101	600	78	308	36	1	-	61,68
C PR F030 021 0201	600	107	300	21	1	-	55,32
D PR F030 010 0101	600	150	328	10	1	-	60,41
					Qty. per pallet		



A	
Rear panel	1x PR F030 0001
B	
Rear panel	1x PR F030 0001
Drawers set	4x PR 9077 0001



C	
Rear panel	1x PR F030 0001
Drawers set	1x PR 9077 0001
D	
Rear panel	1x PR F030 0001
Drawers set	2x PR 5164 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


Module width 600 mm

ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
					Qty. per pack	Qty. per pallet	
A PR F050 0001	600	28	500	-	1	-	18,44
B PR F050 054 0101	600	78	500	54	1	-	87,13
C PR F050 036 0201	600	107	500	36	1	-	83,32
D PR F050 015 0301	600	183	500	15	1	-	83,95




iMiCUBE

165



A



B



C



D

DATASHEET

A

Rear panel	1x PR F050 0001
------------	-----------------

B

Rear panel	1x PR F050 0001
Drawers set	6x PR 9077 0001

C




Rear panel	1x PR F050 0001
Drawers set	2x PR 9077 0001
	3x PR 6112 0001

D

Rear panel	1x PR F050 0001
	1x PR 6112 0001
Drawers set	1x PR 5164 0001
	1x PR 4206 0001

Module width 600 mm

ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING	UNIT PRICE €	
					Qty. per pack	Qty. per pallet	
A PR F065 0001	600	28	650	-	1	-	23,10
B PR F065 072 0101	600	78	650	72	1	-	114,68
C PR F065 039 0201	600	107	650	39	1	-	104,51
D PR F065 028 0201	600	150	664	28	1	-	109,59



A	
Rear panel	1x PR F065 0001
B	
Rear panel	1x PR F065 0001




C	
Rear panel	1x PR F065 0001
Drawers set	1x PR 9077 0001
D	
Rear panel	1x PR F065 0001
Drawers set	3x PR 6112 0001
	2x PR 5164 0001

DATASHEET

Module width 600 mm

ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
					Qty. per pack	Qty. per pallet	
A PR F100 0001	600	41	1000	-	1	-	29,82
B PR F100 084 0201	600	113	1022	84	1	-	168,47
C PR F100 054 0101	600	113	1008	54	1	-	155,75
D PR F100 029 0401	600	224	1000	29	1	-	165,92
E PR DBAS 0001	600	300	100		1		36,03



A



B



C



D



E





DATASHEET

A	
Rear panel	1 x PR F100 0001
B	
Rear panel	1 x PR F100 0001
Drawers set	6 x PR 9077 0001
	5 x PR 6112 0001
C	
Rear panel	1 x PR F100 0001
Drawers set	9 x PR 6112 0001
D	
Rear panel	1 x PR F100 0001
	2 x PR 6112 0001
Drawers set	2 x PR 5164 0001
	1 x PR 4206 0001
	1 x PR 3240 0001
E	
Optional base for shelf	1 x PR DBAS 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm

ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING	UNIT PRICE €	
					Qty. per pack		
A PR F150 0001	600	41	1500	-	1	-	34,65
B PR F150 123 0201	600	113	1500	123	1	-	235,63
C PR F150 084 0101	600	113	1568	84	1	-	230,54
D PR F150 064 0501	600	224	1540	64	1	-	243,90
E PR DBAS 0001	600	300	100	-	1	-	36,03
					Qty. per pallet		




A	
Rear panel	1 x PR F150 0001

B	
Rear panel	1 x PR F150 0001
Drawers set	9 x PR 9077 0001
	7 x PR 6112 0001

C	
Rear panel	1 x PR F150 0001
Drawers set	14 x PR 6112 0001

D	
Rear panel	1 x PR F150 0001
Drawers set	2 x PR 9077 0001
	4 x PR 6112 0001
	3 x PR 5164 0001
	1 x PR 4206 0001
	1 x PR 3240 0001



E	
Optional base for shelf	1 x PR DBAS 0001



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm

ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
					Qty. per pack	Qty. per pallet	
A PR F175 0001	600	41	1750	-	1	-	39,15
B PR F175 132 0201	600	113	1750	132	1	-	270,65
C PR F175 099 0201	600	113	1750	99	1	-	260,47
D PR F175 066 0501	600	224	1750	66	1	-	271,92
E PR DBAS 0001	600	300	100		1		36,03



A



B



C



D




E

DATASHEET

A	
Rear panel	1 x PR F175 0001
B	
Rear panel	1 x PR F175 0001
Drawers set	8 x PR 9077 0001
	10 x PR 6112 0001
C	
Rear panel	1 x PR F175 0001
Drawers set	1 x PR 9077 0001
	15 x PR 6112 0001
D	
Rear panel	1 x PR F175 0001
	1 x PR 9077 0001
Drawers set	6 x PR 6112 0001
	2 x PR 5164 0001
	2 x PR 4206 0001
	1 x PR 3240 0001
E	
Optional base for shelf	1 x PR DBAS 0001

Module width 600 mm

ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING	UNIT PRICE €	
					Qty. per pack		
A PR F195 0001	600	41	1950	-	1	-	39,61
B PR F195144 0201	600	113	1960	144	1	-	299,10
C PR F195100 0301	600	156	1950	100	1	-	297,19
D PR F195 043 0401	600	326	1989	43	1	-	330,26
E PR DBAS 0001	600	300	100	-	1	-	36,03
					Qty. per pallet		

**DATASHEET****A**

Rear panel	1 x PR F195 0001
------------	------------------

B

Rear panel	1 x PR F195 0001
Drawers set	8 x PR 9077 0001
	12 x PR 6112 0001

C

Rear panel	1 x PR F195 0001
	3 x PR 9077 0001
Drawers set	8 x PR 6112 0001
	5 x PR 5164 0001

D

Rear panel	1 x PR F195 0001
	6 x PR 5164 0001
Drawers set	2 x PR 4206 0001
	1 x PR 3240 0001
	1 x PR 2353 0001

E



Optional base for shelf	1 x PR DBAS 0001
-------------------------	------------------

Module width 600 mm - Module depth 325 mm

ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
					Qty. per pack	Qty. per pallet	
A PR D150 0001	600	325	1500	-	1	-	68,60
B PR D150 114 0201	600	325	1500	114	1	-	258,13
C PR D150 078 0101	600	325	1556	78	1	-	250,50
D PR D150 058 0501	600	325	1528	58	1	-	263,86

iMiCUBE

171



A



B



C



D





DATASHEET

A	
Rear panel with base	1 x PR D150 0001
B	
Rear panel with base	1 x PR D150 0001
Drawers set	8 x PR 9077 0001
	7 x PR 6112 0001
C	
Rear panel with base	1 x PR D150 0001
Drawers set	13 x PR 6112 0001
D	
Rear panel with base	1 x PR D150 0001
	2 x PR 9077 0001
	3 x PR 6112 0001
Drawers set	3 x PR 5164 0001
	1 x PR 4206 0001
	1 x PR 3240 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm - Module depth 325 mm

ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING	UNIT PRICE €	
					Qty. per pack	Qty. per pallet	
A PR D175 0001	600	325	1750	-	1	-	71,01
B PR D175 112 0301	600	325	1786	112	1	-	296,15
C PR D175 062 0501	600	325	1750	62	1	-	295,52
D PR D175 057 0301	600	325	1770	57	1	-	295,52




A	
Rear panel with base	1 x PR F175 0001

B	
Rear panel with base	1 x PR D175 0001
	6 x PR 9077 0001
Drawers set	8 x PR 6112 0001
	2 x PR 5164 0001

C	
Rear panel with base	1 x PR D175 0001
	2 x PR 9077 0001
Drawers set	3 x PR 6112 0001
	3 x PR 5164 0001
	2 x PR 4206 0001
	1 x PR 3240 0001

D	
Rear panel with base	1 x PR D175 0001
	5 x PR 6112 0001
Drawers set	3 x PR 5164 0001
	3 x PR 4206 0001




DATASHEET

Module width 600 mm - Module depth 325 mm

ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
					Qty. per pack	Qty. per pallet	
A PR D195 0001	600	325	1950	-	1	-	72,39
B PR D195 117 0401	600	325	1950	117	1	-	318,52
C PR D195 066 0501	600	325	1950	66	1	-	326,15
D PR D195 061 0301	600	325	1976	61	1	-	326,15

iMiCUBE

173



A



B



C




D

DATASHEET

A	
Rear panel with base	1 x PR D195 0001
B	
Rear panel with base	1 x PR D195 0001
Drawers set	6 x PR 9077 0001
	9 x PR 6112 0001
	1 x PR 5164 0001
	1 x PR 4206 0001
C	
Rear panel with base	1 x PR D195 0001
Drawers set	2 x PR 9077 0001
	3 x PR 6112 0001
	3 x PR 5164 0001
	3 x PR 4206 0001
	1 x PR 3240 0001
D	
Rear panel with base	1 x PR D195 0001
Drawers set	5 x PR 6112 0001
	3 x PR 5164 0001
	4 x PR 4206 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.




The Practibox swivel shelf consists of a 360° swivel base that houses 4 Practibox drawer unit holder frames, available in 3 different heights. Capacious, robust, practical – characteristics that make it usable in both large and small spaces.

The swivel base must be fixed to the floor



ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING	UNIT PRICE €
A PR R186 260 0401	900	900	1865	260	1 -	1.472,58
B PR R161 0001	900	900	1615	-	1 -	515,05
C PR R186 0001	900	900	1865	-	1 -	532,58
D PR R206 0001	900	900	2065	-	1 -	534,88



A

Swivel structure with 4 frames	1 x PR R186 0001
	2 x PR 9077 0001
Drawers set	18 x PR 6112 0001
	22 x PR 5164 0001
	6 x PR 4206 0001

B

Swivel structure with 4 frames	1 x PR R161 0001
--------------------------------	------------------

C

Swivel structure with 4 frames	1 x PR R186 0001
--------------------------------	------------------

D

Swivel structure with 4 frames	1 x PR R206 0001
--------------------------------	------------------

MICUBE

175





Cabinets with removable frames - Extractable frame holder 400 kg

ARTICLE	WIDTH	DEPTH	HEIGHT	USABLE FRAME HEIGHT	PACKAGING		UNIT PRICE €
					Qty. per pack	Qty. per pallet	
A PR COOL 5001	1073	705	2000	-	1	-	811,84
B PR COOL 7001	1481	705	2000	-	1	-	912,78
C PR COOO 0401	-	705	1900	1765	1	-	526,21
D PR FIX 0099	-	-	-	-	2	-	5,77


iMiCUBE
177

DATASHEET

A					
Cabinet for extractable frames with lock					PR COOL 5001
Usable cabinet width mm					967
B					
Cabinet for extractable frames with lock					PR COOL 7001
Usable cabinet width mm					1375
C					
Removable frame capacity 400 kg					PR COOO 0401
D					
Pair of anchor bolts for fixing a side unit					
PR FIX 0099					
Drawer unit	A	B*	C	Q.ty H1	Q.ty H2
PR 2353 ...	330.5	650	352	2	2
PR 3240 ...	228.5	445	241	3	3
PR 4206 ...	203.5	380	207	4	4
PR 5164 ...	177.5	315	164	5	5
PR 6112 ...	126.5	225	112	7	8
PR 9077 ...	101.5	170	77	10	11

* see usable width of cabinets without removable frames

* see useful width of cabinets without drawers




The cabinet must be fixed to the floor

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Compositions with and without drawers – Extractable frame 400 kg

ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
					Qty. per pack	Qty. per pallet	
A PR C41L 5401	1073	705	2000	-	1	-	2.853,01
B PR C41L 720 5401	1073	705	2000	720	1	-	4.532,05
C PR C32L 5401	1073	705	2000	-	1	-	2.342,73
D PR C32L 380 5401	1073	705	2000	380	1	-	3.652,89
E PR C33L 5401	1073	705	2000	-	1	-	2.342,73
F PR C33L 344 5401	1073	705	2000	344	1	-	3.675,78



The cabinet must be fixed to the floor

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

A

Cabinet with 4 extractable frames with lock | 1 x PR C41L 5401

B

Cabinet with 4 extractable frames with lock | 1 x PR C41L 5401

Drawers set | 120 x PR 6112 001

C

Cabinet with 3 extractable frames with lock | 1 x PR C32L 5401

D

Cabinet with 3 extractable frames with lock | 1 x PR C32L 5401

Drawers set | 30 x PR 6112 001

| 40 x PR 5164 001

E

Cabinet with 3 extractable frames with lock | 1 x PR C33L 5401

F

Cabinet with 3 extractable frames with lock | 1 x PR C33L 5401

| 30 x PR 6112 001

Drawers set | 20 x PR 5164 001




| 16 x PR 4206 001

Compositions with and without drawers – Extractable frame 400 kg

ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
					Qty. per pack	Qty. per pallet	
A PR C51L 7401	1481	705	2000	-	1	-	3.464,23
B PR C51L 900 7401	1481	705	2000	900	1	-	5.563,03
C PR C42L 7401	1481	705	2000	-	1	-	2953,94
D PR C42L 480 7401	1481	705	2000	480	1	-	4.709,30
E PR C31L 7401	1481	705	2000	-	1	-	2.443,63
F PR C31L 192 7401	1481	705	2000	192	1	-	3.847,92

DATASHEET

A		
Cabinet with 5 extractable frames with lock		1 x PR C51L 7401
B		
Cabinet with 5 extractable frames with lock		1 x PR C51L 7401
Drawers set		150 x PR 6112 001
C		
Cabinet with 4 extractable frames with lock		1 x PR C42L 7401
D		
Cabinet with 4 extractable frames with lock		1 x PR C42L 7401
Drawers set		30 x PR 6112 001
		60 x PR 5164 001
E		
Cabinet with 3 extractable frames with lock		1 x PR C31L 7401
F		
Cabinet with 3 extractable frames with lock		1 x PR C31L 7401
Drawers set		48 x PR 4206 001




The cabinet must be fixed to the floor

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Everything in order and clearly visible for flexible and functional storage: this is the result of the design and construction of the RK series of polypropylene boxes and their dedicated shelving system.

Available in eleven different sizes to meet every

need, the drawers are ideal for spare parts dealers on account of their resistance to oils and their internal divisibility.



WALLS



Made of top quality polypropylene, the RK boxes have walls strengthened with special ribbing to protect against shocks.

LABELS



Fitted with label holders available in various sizes proportionate to the size of the boxes to which they are applied.

HANDLES



A special handle can be supplied on request for easy lifting and transportation of the RK boxes.

BOTTOMS

smooth bottom



DIVIDERS



Made of transparent polystyrene, the dividers allow the inside of the boxes to be partitioned into several compartments.

	ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING	UNIT PRICE €
		Closed				Qty. per pack Qty. per pallet	
 	RK 3012 5104	■	4	1	340	32 512	3,51
	A RK 3012 5207	■	4	1	380	32 512	6,56
 	RK 3012 5401	■	4	1	374	32 512	2,81
 	RK 3016 5104	■	4	1	370	24 384	3,87
	B RK 3016 5207	■	4	1	414	24 384	5,54
 	RK 3016 5401	■	4	1	387	24 384	3,10



A	
Usable internal dimensions	257 x 95 x 97H mm
Pieces per pack / pallet	32  512
Package dimensions	970 x 310 x 385H mm
Pallet dimensions	1300 x 1000 x 1700H mm

B	
Usable internal dimensions	257 x 136 x 97H mm
Pieces per pack / pallet	24  384
Package dimensions	970 x 310 x 390H mm
Pallet dimensions	1300 x 1000 x 1700H mm

Depth 300 mm - Width 120 - 160 mm

ARTICLE	DESCRIPTION	GR.	PACKAGING	UNIT PRICE €
			Qty. per pack.	Qty. per pallet
D	Handle facilitated grip for width 120 mm	16	1	0,57
		18	1	0,46
		19	1	1,07
D	Handle facilitated grip for width 160 mm	18	1	0,57
		20	1	0,96
		19	1	0,46
E	Divider for width 120 mm	25	1	0,86
		22	1	0,57
E	Divider for width 160 mm	32	1	0,96
		28	1	0,65
F	RK D300 0099 Galvanised longitudinal divider	200	1	2,48
G	LB 08024 2401 Divider label 120 mm		1	2,25
G	LB 12124 1601 Divider label 160 mm		1	1,49
H	LB 08142 1201 Front Label for L = 120 mm		1	1,57
H	LB 12144 0801 Front Label for L = 160 mm		1	2,08



D



E



F



G



H

DATASHEET

D

Handle for RK 3012	70 x 90H mm
Handle for RK 3016	110 x 90H mm

E

Galvanised transverse divider size 3012	100 x 90H mm
Galvanised transverse divider size 3016	145 x 90H mm

F

Galvanised longitudinal divider	268 x 88H mm
---------------------------------	--------------

G

Sheet of 24 labels for RK D120	80 x 24 mm
Sheet of 16 labels for RK D160	121 x 24 mm

H

Sheet of 12 labels for RK 3012	81 x 42 mm
Sheet of 8 labels for RK 3016	121 x 44 mm

	ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING	UNIT PRICE €	
		Closed				Qty. per pack	Qty. per pallet	
	RK 4012 5104	■	6	1	438	32	384	3,92
	A RK 4012 5207	■	6	1	491	32	384	7,34
	RK 4012 5401	■	6	1	458	32	384	3,14
	RK 4016 5104	■	6	1	448	24	288	4,28
	B RK 4016 5207	■	6	1	502	24	288	6,44
	RK 4016 5401	■	6	1	468	24	288	3,42
	RK 4024 5104	■	6	3	644	16	192	5,41
	C RK 4024 5207	■	6	3	721	16	192	10,11
	RK 4024 5401	■	6	3	673	16	192	4,32



A

Usable internal dimensions	357 x 95 x 97H mm
Pieces per pack / pallet	32 384
Package dimensions	970 x 415 x 400H mm
Pallet dimensions	1300 x 1000 x 1700H mm

B

Usable internal dimensions	357 x 136 x 97H mm
Pieces per pack / pallet	24 288
Package dimensions	970 x 415 x 400H mm
Pallet dimensions	1300 x 1000 x 1700H mm

C

Usable internal dimensions	357 x 215 x 97H mm
Pieces per pack / pallet	16 192
Package dimensions	970 x 415 x 400H mm
Pallet dimensions	1300 x 1000 x 1700H mm

Depth 400 mm - Width 120- 160 - 240 mm

ARTICLE	DESCRIPTION	GR.	PACKAGING	UNIT PRICE €
			Qty. per pack.	Qty. per pallet
RK H120 5104	Handle facilitated grip for width 120 mm	16	1	0,57
RK H120 5207		19	1	1,07
RK H120 6401		18	1	0,46
D RK H160 5104	Handle facilitated grip for width 160 mm	18	1	0,57
D RK H160 5207		20	1	0,96
RK H160 6401		19	1	0,46
RK H240 5104	Handle facilitated grip for width 240 mm	20	1	1,06
RK H240 5207		23	1	1,99
RK H240 6401		22	1	0,85
RK D120 5207	Divider for width 120 mm	25	1	0,86
RK D120 6896		22	1	0,57
E RK D160 5207	Divider for width 160 mm	32	1	0,96
RK D160 6896		28	1	0,65
RK D240 5207	Divider for width 240 mm	56	1	1,45
RK D240 6896		50	1	0,97
F RK D400 0099	Galvanised longitudinal divider	280	1	2,84
G LB 08024 2401	Divider label 120 mm		1	2,25
LB 12124 1601	Divider label 160- 240 mm		1	1,49
LB 08142 1201	Front Label for L = 120 mm		1	1,57
H LB 12144 0801	Front Label for L = 160 mm		1	2,08
LB 20043 0601	Front Label for L = 240 mm		1	1,57



D



E



F



G



H

DATASHEET

D

Handle for RK 4012	70 x 90H mm
Handle for RK 4016	110 x 90H mm
Handle for RK 4024	120 x 80H mm

E

Galvanised transverse divider size 4012	100 x 90H mm
Galvanised transverse divider size 4016	145 x 90H mm
Galvanised transverse divider size 4024	125 x 90H mm

F

Galvanised longitudinal divider	368 x 88H mm
---------------------------------	--------------

G

Sheet of 24 labels for RK D120	80 x 24 mm
Sheet of 16 labels for RK D160/RK D240	121 x 24 mm

H

Sheet of 12 labels for RK 4012	81 x 42 mm
Sheet of 8 labels for RK 4016	121 x 44 mm
Sheet of 6 labels for RK 4024	200 x 43 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



	ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING	UNIT PRICE €	
		Closed				Qty. per pack	Qty. per pallet	
	RK 5012 5104	■	8	1	528	32	256	4,41
	A RK 5012 5207	■	8	1	591	32	256	8,26
	RK 5012 5401	■	8	1	552	32	256	3,53
	RK 5016 5104	■	8	1	540	24	192	4,59
	B RK 5016 5207	■	8	1	605	24	192	7,27
	RK 5016 5401	■	8	1	564	24	192	3,67
	RK 5024 5104	■	8	3	766	16	128	6,03
	C RK 5024 5207	■	8	3	858	16	128	11,29
	RK 5024 5401	■	8	3	800	16	128	4,82

A	
Usable internal dimensions	457 x 95 x 97H mm
Pieces per pack / pallet	32 256
Package dimensions	970 x 515 x 390H mm
Pallet dimensions	1050 x 1000 x 1700H mm

B	
Usable internal dimensions	457 x 136 x 97H mm
Pieces per pack / pallet	24 192
Package dimensions	970 x 515 x 390H mm
Pallet dimensions	1050 x 1000 x 1700H mm

C	
Usable internal dimensions	457 x 215 x 97H mm
Pieces per pack / pallet	16 128
Package dimensions	970 x 515 x 390H mm
Pallet dimensions	1050 x 1000 x 1700H mm

Depth 500 mm - Width 120- 160 - 240 mm

ARTICLE	DESCRIPTION	GR.	PACKAGING	UNIT PRICE €
			Qty. per pack.	Qty. per pallet
RK H120 5104	Handle facilitated grip for width 120 mm	16	1	0,57
RK H120 5207		18	1	1,07
RK H120 6401		19	1	0,46
D RK H160 5104	Handle facilitated grip for width 160 mm	16	1	0,57
RK H160 5207		18	1	0,96
RK H160 6401		19	1	0,46
RK H240 5104	Handle facilitated grip for width 240 mm	20	1	1,12
RK H240 5207		22	1	2,11
RK H240 6401		23	1	0,90
RK D120 5207	Divider for width 120 mm	25	1	0,86
RK D120 6896		22	1	0,57
E RK D160 5207	Divider for width 160 mm	32	1	0,96
RK D160 6896		28	1	0,65
F RK D240 5207	Divider for width 240 mm	56	1	1,54
RK D240 6896		50	1	1,03
G LB 08024 2401	Galvanised longitudinal divider	360	1	3,28
LB 12124 1601	Divider label 120 mm		1	2,25
LB 08142 1201	Divider label 160- 240 mm		1	1,49
H LB 12144 0801	Front Label for L = 120 mm		1	1,57
LB 20043 0601	Front Label for L = 160 mm		1	2,08
	Front Label for L = 240 mm		1	1,57



D



E



F



G



H

DATASHEET

D

Handle for RK 5012	70 x 90H mm
Handle for RK 5016	110 x 90H mm
Handle for RK 5024	120 x 80H mm

E

Galvanised transverse divider size 5012	100 x 90H mm
Galvanised transverse divider size 5016	145 x 90H mm
Galvanised transverse divider size 5024	125 x 90H mm

F

Galvanised longitudinal divider	468 x 88H mm
---------------------------------	--------------

G

Sheet of 24 labels for RK D120	80 x 24 mm
Sheet of 16 labels for RK D160/RK D240	121 x 24 mm

H

Sheet of 12 labels for RK 5012	81 x 42 mm
Sheet of 8 labels for RK 5016	121 x 44 mm
Sheet of 6 labels for RK 5024	200 x 43 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 600 mm - Width 160 mm H 100

	ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING	UNIT PRICE €	
		Closed				Qty. per pack.	Qty. per pallet	
 	RK 6016 5104	■	10	1	662	24	192	4,94
	RK 6016 5207	■	10	1	741	24	192	9,24
	RK 6016 5401	■	10	1	692	24	192	3,95

**Depth 655 mm - Width 160 mm H 100**

	ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING	UNIT PRICE €	
		Closed				Qty. per pack.	Qty. per pallet	
	RK 6516 5207	■	11	1	816	24	192	8,94

Depth 434 mm - Width 140 mm H 80

	ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING	UNIT PRICE €	
		Closed				Qty. per pack.	Qty. per pallet	
 	RK 4314 5104	■	7	-	324	30	540	3,22

A

Usable internal dimensions	560 x 136 x 97H mm
Pieces per pack / pallet	24  192
Package dimensions	970 x 620 x 390H mm
Pallet dimensions	1300 x 1000 x 1700H mm

B

Usable internal dimensions	613 x 136 x 97H mm
Pieces per pack / pallet	24  192
Package dimensions	980 x 670 x 390H mm
Pallet dimensions	1300 x 1000 x 1700H mm

C

Usable internal dimensions	403 x 121 x 76H mm
Pieces per pack / pallet	30  540
Package dimensions	450 x 410 x 460H mm
Pallet dimensions	1300 x 1000 x 1530H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 600 mm - Width 160 mm

ARTICLE	DESCRIPTION	GR.	PACKAGING	UNIT PRICE €
			Qty. per pack.	Qty. per pallet
RK H160 5104	Handle facilitated grip for width 160 mm	16	1	0,57
D RK H160 5207		18	1	0,96
RK H160 6401		19	1	0,46
RK D140 6896	Divider for width 140 mm	22	1	0,65
E RK D160 5207	Divider for width 160 mm	32	1	0,96
RK D160 6896		28	1	0,65
F RK D600 0099	Galvanised longitudinal divider	420	1	3,56
G LB 8024 2401	Divider label 140 mm		1	2,25
LB 12124 1601	Divider label 160 mm		1	1,49
H LB 12144 0801	Front label for L=140/160 mm		1	2,08



DATASHEET

D	
Handle for RK 6016	120 x 90H mm
E	
Galvanised transverse divider size 4314	137 x 75H mm
Galvanised transverse divider size 6016	145 x 90H mm
F	
Galvanised longitudinal divider for RK6016	568 x 88H mm
G	
Sheet of 24 labels for RK D140	80 x 24 mm
Sheet of 16 labels for RK D160	121 x 24 mm
H	
Sheet of 8 labels for RK 4314-6016-6516	121 x 44 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 300 mm

A {



B {



C {



D {



ARTICLE	RK 3012	RK 3016		GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
A RK BX30 0001					1	83,25
B RK BX31 5104	16				1	179,49
C RK BX32 5104		12			1	157,11
D RK BX33 5104	8	6			1	168,30


Compositions complete with guides and rear stops

DATASHEET

A	
Box	1 x RK BX30 0001
B	
Box	1 x RK BX30 0001
Drawers set	16 x RK 3012 5104
C	
Box	1 x RK BX30 0001
Drawers set	12 x RK 3016 5104
D	
Box	1 x RK BX30 0001
Drawers set	8 x RK 3012 5104
	6 x RK 3016 5104

Depth 300 mm

ARTICLE	DESCRIPTION	GR.	PACKAGING	UNIT PRICE €
			Qty. per pack.	Qty. per pallet
I RK F300 0001	Plinth for RK-BOX depth 300		1	20,48
L RK RL30 0099	Guide for RK-BOX depth 300		1	2,64
M RK S500 0099	Galvanised front stop		1	1,35
RK S120 1099	Galvanised rear front 120 mm		1	0,49
N RK S160 2099	Galvanised rear front 160 mm		1	0,49



DATASHEET

I	Plinth for BX40	485 x 275 x 90H mm
L	Galvanised guides for BX40	400 mm
M	Galvanised stop for RK-BOX	485 mm
N	Galvanised rear stop	120 - 160 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



500 x 545 H - Depth 400 mm

ARTICLE	RK 4012	RK 4016	RK 4024	GR.	PACKAGING	UNIT PRICE €
A RK BX40 0001					Qty. per pack.	
B RK BX41 5104	16				Qty. per pallet	94,62
C RK BX42 5104		12				199,05
D RK BX43 5104	8	6				174,50
						186,77

Qty. per pack.
Qty. per pallet

Compositions complete with guides and rear stops



A

iMiCUBE
193



B



C



D

DATASHEET

A

Box	1 x RK BX40 0001
-----	------------------

B

Box	1 x RK BX40 0001
Drawers set	16 x RK 4012 5104

C

Box	1 x RK BX40 0001
Drawers set	12 x RK 4016 5104

D

Box	1 x RK BX40 0001
Drawers set	8 x RK 4012 5104
	6 x RK 4016 5104

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 400 mm

E



F



G



H



ARTICLE	RK 4012	RK4016	RK4024	GR.	PACKAGING	UNIT PRICE €
E RK BX44 5104			8	1		153,17
F RK BX45 5104	8		4	1		176,11
G RK BX46 5104		6	4	1		163,83
H RK BX47 5104	4	6	2	1		175,30

Compositions complete with guides and rear stops

DATASHEET

E

Box	1 x RK BX40 0001
Drawers set	8 x RK 4024 5104

F

Box	1 x RK BX40 0001
Drawers set	8 x RK 4012 5104
	4 x RK 4024 5104

G



Box	1 x RK BX40 0001
Drawers set	6 x RK 4016 5104
	4 x RK 4024 5104

H

Box	1 x RK BX40 0001
Drawers set	4 x RK 4012 5104
	6 x RK 4016 5104
	2 x RK 4024 5104

Depth 400 mm

ARTICLE	DESCRIPTION	GR.	PACKAGING	UNIT PRICE €
			Qty. per pack.	Qty. per pallet
I RK F400 0001	Plinth for RK-BOX depth 400		1	21,50
L RK RL40 0099	Guide for RK-BOX depth 400		1	2,77
M RK S500 0099	Galvanised stop for RK-BOX		1	1,35
RK S120 0099	Galvanised rear front 120 mm		1	0,49
N RK S160 0099	Galvanised rear front 160 mm		1	0,49



DATASHEET

I	Plinth for BX40	485 x 375 x 90H mm
---	-----------------	--------------------

L	Galvanised guides for BX40	400 mm
---	----------------------------	--------

M	Galvanised stop for RK-BOX	485 mm
---	----------------------------	--------


N	Galvanised rear stop	120 - 160 mm
---	----------------------	--------------

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



500 x 545 H - Depth 500 mm

ARTICLE	RK 5012	RK 5016	RK 5024	GR.	PACKAGING	UNIT PRICE €
A RK BX50 0001					Qty. per pack.	
B RK BX51 5104	16				Qty. per pallet	107,67
C RK BX52 5104		12				222,54
D RK BX53 5104	8	6				193,00
						207,77



Compositions complete with guides and rear stops



A	
Box	1x RK BX50 0001
B	
Box	1x RK BX50 0001
Drawers set	16 x RK 5012 5104
C	
Box	1x RK BX50 0001
Drawers set	12 x RK 5016 5104
D	
Box	1x RK BX50 0001
Drawers set	8 x RK 5012 5104
	6 x RK 5016 5104

500 x 545 H - Depth 500 mm

E**F****G****H**

E	RK BX54 5104				
F	RK BX55 5104	8		4	1
G	RK BX56 5104		6	4	1
H	RK BX57 5104	4	6	2	1

Compositions complete with guides and rear stops

ARTICLE	RK 5012	RK 5016	RK 5024	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	
					Qty. per pallet	
E	RK BX54 5104			8	1	162,37
F	RK BX55 5104	8		4	1	186,29
G	RK BX56 5104		6	4	1	182,88
H	RK BX57 5104	4	6	2	1	198,12

DATASHEET

E

Box	1 x RK BX50 0001
Drawers set	8 x RK 5024 5104

F

Box	1 x RK BX50 0001
Drawers set	8 x RK 5012 5104
	4 x RK 5024 5104

G



Box	1 x RK BX50 0001
Drawers set	6 x RK 5016 5104
	4 x RK 5024 5104

H

Box	1 x RK BX50 0001
Drawers set	4 x RK 5012 5104
	6 x RK 5016 5104
	2 x RK 5024 5104

Depth 500 mm

ARTICLE	DESCRIPTION	GR.	PACKAGING	UNIT PRICE €
			Qty. per pack.	Qty. per pallet
I RK F500 0001	Plinth for RK-BOX depth 500		1	0,69
L RK RL50 0099	Guide for RK-BOX depth 500		1	2,99
M RK S500 0099	Galvanised stop for RK-BOX		1	1,25
RK S120 0099	Galvanised rear front 120 mm		1	0,60
N RK S160 0099	Galvanised rear front 160 mm		1	0,60



DATASHEET

I	Plinth for BX40	485 x 375 x 90H mm
L	Galvanised guides for BX40	400 mm
M	Galvanised stop for RK-BOX	485 mm
N	Galvanised rear stop	120 - 160 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 600 mm

ARTICLE	RK6016			GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
 A RK BX60 0001					1	118,79
 B RK BX61 5104	12				1	210,61

Composition complete with guides and rear stops




A	
Box	1 x RK BX60 0001

B	
Box	1 x RK BX60 0001
Drawers set	12 x RK 6016 5104

DATASHEET

Depth 600 mm

ARTICLE	DESCRIPTION	GR.	PACKAGING	UNIT PRICE €
			Qty. per pack.	Qty. per pallet
I RK F600 0001	Plinth for RK-BOX depth 600		1	24,59
L RK RL60 0099	Guide for RK-BOX depth 600		1	3,28
M RK S500 0099	Galvanised stop for RK-BOX		1	1,35
RK S120 0099	Galvanised rear front 120 mm		1	0,49
N RK S160 0099	Galvanised rear front 160 mm		1	0,49



DATASHEET

I	Plinth for BX60	485 x 575 x 90H mm
L	Galvanised guides for BX60	600 mm
M	Galvanised stop for RK-BOX	485 mm
N	Galvanised rear stop	120 - 160 mm



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ZEUS



The Zeus box series meets the most exacting needs for goods containment, handling and storage. Manageable, lightweight and easy to clean thanks to a perfectly smooth interior, they have a sturdy edge

that allows stable and safe stacking. Stackability combined with high storage capacity results in ideal use of space.

BOTTOMS

smooth bottom



ribbed bottom



bottom ribbed at 45°
with crossbar



iMiCUBE

203

SIDE REINFORCEMENT



Lateral reinforcement on the bottom allows the boxes to be stacked safely even when fully loaded.

HANDLES - WALLS

closed handle closed walls



iMiCUBE

204



Size 701 - Size 702 - Size 272-2

	ARTICLE	SMOOTH BOTTOM	SIZE 701	SIZE 702	SIZE 272-2	GR.	PACKAGING	UNIT PRICE €
							Qty. per pack.	Qty. per pallet
A	ZE Z701 5101	■	■			66	50	1600
	ZE Z701 5102	■	■			66	50	1600
	ZE Z701 5103	■	■			66	50	1600
	ZE Z701 5104	■	■			66	50	1600
	ZE Z701 5105	■	■			66	50	1600
	ZE Z701 5207	■	■			74	50	1600
B	ZE Z702 5101	■		■		106	30	960
	ZE Z702 5102	■		■		106	30	960
	ZE Z702 5103	■		■		106	30	960
	ZE Z702 5104	■		■		106	30	960
	ZE Z702 5105	■		■		106	30	960
	ZE Z702 5207	■		■		119	30	960
C	ZE Z002 5101	■		■	264	54	1080	2,34
	ZE Z002 5102	■		■	264	54	1080	2,34
	ZE Z002 5103	■		■	264	54	1080	2,34
	ZE Z002 5104	■		■	264	54	1080	2,34
	ZE Z002 5105	■		■	264	54	1080	2,34
	ZE Z002 5207	■		■	296	54	1080	4,03

Size 701
144 x 91 x 70H mm



iMiCUBE
—
205



Size 702
144 x 139 x 70H mm



Size 272-2
211 x 148 x 126H mm



DATASHEET

A

Stacked edge height	65 mm
Usable stacked height / Volume	63 mm / 0.9 litres
Dimensions	144 x 91 x 70H mm
Usable internal dimensions	123 x 81 x 68H mm
Pieces per pack / pallet	50 1600
Package dimensions	470 x 300 x 350H mm
Pallet dimensions	1200 x 1000 x 1550H mm

B

Stacked edge height	65 mm
Usable stacked height / Volume	63 mm / 1.4 litres
Dimensions	144 x 139 x 70H mm
Usable internal dimensions	124 x 126 x 68H mm
Pieces per pack / pallet	30 960
Package dimensions	470 x 300 x 350H mm
Pallet dimensions	1200 x 1000 x 1550H mm

C

Stacked edge height	112 mm
Usable stacked height / Volume	110 mm / 3.6 litres
Dimensions	211 x 148 x 126H mm
Usable internal dimensions	187 x 125 x 124H mm
Pieces per pack / pallet	54 1080
Package dimensions	720 x 460 x 500H mm
Pallet dimensions	1450 x 1200 x 2100H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

A

Size 272-3A2
310 x 210 x 145H mm


B

Size 272-4A2
465 x 315 x 120H mm

C

Size 272 -4
465 x 315 x 200H mm

D

Size 272-3A2 - Size 272-4A2 - Size 272-4

	ARTICLE	RIBBED BOTTOM	SIZE 272-3A2	SIZE 272-4A2	SIZE 272-4	GR.	PACKAGING	UNIT PRICE €
							Qty. per pack	Qty. per pallet
A	ZE Z3A2 5101	■	■			522	21	252
	ZE Z3A2 5102	■	■			522	21	252
	ZE Z3A2 5103	■	■			522	21	252
	ZE Z3A2 5104	■	■			522	21	252
	ZE Z3A2 5105	■	■			522	21	252
B	ZE Z3A2 5207	■	■			585	21	252
	ZE Z4A2 5101	■		■		972	16	128
	ZE Z4A2 5102	■		■		972	16	128
	ZE Z4A2 5103	■		■		972	16	128
	ZE Z4A2 5104	■		■		972	16	128
C	ZE Z4A2 5105	■		■		972	16	128
	ZE Z4A2 5207	■		■		1089	16	128
	ZE Z004 5101	■			■	1270	10	80
	ZE Z004 5102	■			■	1270	10	80
	ZE Z004 5103	■			■	1270	10	80
D	ZE Z004 5104	■			■	1270	10	80
	ZE Z004 5105	■			■	1270	10	80
	ZE Z004 5207	■			■	1422	10	80
	LB 18292 0301			■		1		1,03
	LB 18985 0301				■	1		0,47

A

Stacked edge height	132 mm
Usable stacked height / Volume	130 mm / 8.7 litres
Dimensions	310 x 210 x 145H mm
Usable internal dimensions	284 x 184 x 142H mm
Pieces per pack / pallet	21 252
Package dimensions	360 x 640 x 980H mm
Pallet dimensions	1350 x 1100 x 2110H mm

B

Stacked edge height	107 mm
Usable stacked height / Volume	105 mm / 16.2 litres
Dimensions	465 x 315 x 120H mm
Usable internal dimensions	423 x 275 x 118H mm
Pieces per pack / pallet	16 128
Package dimensions	640 x 520 x 900H mm
Pallet dimensions	1300 x 1000 x 2150H mm

C

	183 mm
Usable stacked height / Volume	181 mm / 27 litres
Dimensions	465 x 315 x 200H mm
Usable internal dimensions	464 x 277 x 195H mm
Pieces per pack / pallet	10 80
Package dimensions	640 x 520 x 980H mm
Pallet dimensions	1300 x 1000 x 2150H mm

D

Sheet of 3 labels for size 272-4A2	182 x 92H mm
Sheet of 3 labels for size 272-4	189 x 85H mm

DATASHEET

Size 272-4A5 - Size 272-5

ARTICLE	RIBBED BOTTOM 45°	SIZE 272-4A5	SIZE 272-5	GR.	PACKAGING	UNIT PRICE €
					Qty. per pack.	Qty. per pallet
ZE Z4A5 5101	■	■		1824	6	48
ZE Z4A5 5102	■	■		1824	6	48
A ZE Z4A5 5103	■	■		1824	6	48
ZE Z4A5 5104	■	■		1824	6	48
ZE Z4A5 5105	■	■		1824	6	48
ZE Z005 5101	■		■	4355	3	28
ZE Z005 5102	■		■	4355	3	28
B ZE Z005 5103	■		■	4355	3	28
ZE Z005 5104	■		■	4355	3	28
ZE Z005 5105	■		■	4355	3	28
C LB 18985 0301		■	■	1		0,47



iMiCUBE
—
207

Size 272-4A5
465 x 315 x 300H mm

A

Ribbed bottom 45°
Load capacity 35 kg



Size 272-5
655 x 470 x 300H mm

B

Ribbed bottom 45°
Load capacity 35 kg



C

A	
Stacked edge height	285 mm
Usable stacked height / Volume	283 mm / 40.5 litres
Dimensions	465 x 315 x 300H mm
Usable internal dimensions	426 x 276 x 297H mm
Pieces per pack / pallet	6 48
Package dimensions	640 x 520 x 900H mm
Pallet dimensions	1300 x 1000 x 2150H mm

B	
Stacked edge height	278 mm
Usable stacked height / Volume	276 mm / 85 litres
Dimensions	655 x 470 x 300H mm
Usable internal dimensions	604 x 429 x 297H mm
Pieces per pack / pallet	3 28
Package dimensions	675 x 490 x 900H mm
Pallet dimensions	1300 x 1000 x 2150H mm

C	
Sheet of 3 labels for size 272-4A5 and 272-5	189 x 85H mm



HOLDER

RS

rigid with support



ARTICLE	DIMENSIONS MM	FOR LABEL FORMAT	PRICE € PACK. 10 PZ.
LH A414 RS	215 x 80 x 17 H	1/4 DIN A4 - 210 x 75	31,69
LH A500 RS	215 x 155 x 17 H	DIN A5 - 210 x 148	45,58

RA

rigid with adhesive



ARTICLE	DIMENSIONS MM	FOR LABEL FORMAT	PRICE € PACK. 10 PZ.
LH A700 RA	110 x 83	DIN A5 - 105 x 74	25,33
LH A414 RA	220 x 83	1/4 DIN A4 - 210 x 75	35,83
LH A500 RA	220 x 160	DIN A5 - 210 x 148	42,82

iMiCUBE

209

MI

soft insertion



ARTICLE	DIMENSIONS MM	FOR LABEL FORMAT MM	PRICE € PACK. 10 PZ.
LH A414 MI	210 x 80	1/4 DIN A4 - 210 x 75	9,75
LH A413 MI	210 x 100	1/3 DIN A4 - 210 x 99	10,81
LH A500 MI	210 x 147	DIN A5 - 210 x 148	13,04

MF

soft with slot



ARTICLE	DIMENSIONS MM	FOR LABEL FORMAT	PRICE € PACK. 10 PZ.
LH A414 MF	210 x 80	1/4 DIN A4 - 210 x 75	9,75

INSERTABLE LABEL FORMATS

DIN size in mm

DIN A7

110 x 83

1/4 DIN A4

210 x 75

1/3 DIN A4

210 x 99

DIN A5

210 x 160

ATHENA BOX SERIES



iMiCUBE

210

PART CODE ATHENA

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE
WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE

LABEL HOLDER WITH SUPPORT



ARTICLE
LH A414 RS

ARTICLE
LH A500 RS

EDGE	1/4 A4		EDGE	A5
	SHORT SIDE	LONG SIDE		
0	2		0	0
0	2		0	2
0	0		0	0
0	0		0	0
2	2		0	0
2	2		0	0
2	2		0	0
2	2		0	0
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
0	0		0	0
2	2		0	0
2	2		0	0
2	2		0	0
2	2		0	0
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	2		2	2
2	1		2	1
1	2		1	2
0	0		0	0
0	0		0	0
0	0		0	0
0	0		0	0
0	0		0	0
0	0		0	0

ATHENA BOX SERIES



LABEL HOLDER WITH ADHESIVE



ARTICLE
LH A414 RA

ARTICLE
LH A500 RA

ARTICLE
LH A700 RA

PART CODE ATHENA	ADHESIVE 1/4 A4		ADHESIVE A5		ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
AT 3212 A	0	0	0	0	0	0
AT 3217 A	0	0	0	0	2	2
AT 4305 A	0	0	0	0	0	0
AT 4308 A	0	0	0	0	0	0
AT 4312 A	0	0	0	0	0	0
AT 4312 C	0	0	0	0	0	0
AT 4312 P	0	0	0	0	0	0
AT 4317 A	0	2	0	0	2	2
AT 4317 C	0	2	0	0	2	2
AT 4322 A	0	2	0	1	2	2
AT 4322 B	0	2	0	1	2	2
AT 4322 D	0	2	0	1	2	2
AT 4332 A	0	2	0	2	2	2
AT 4332 B	0	2	0	2	2	2
AT 6408 A	0	0	0	0	0	0
AT 6412 A	0	0	0	0	0	0
AT 6412 C	0	0	0	0	0	0
AT 6412 G	0	0	0	0	0	0
AT 6412 H	0	0	0	0	0	0
AT 6417 A	1	2	0	0	2	2
AT 6417 C	1	2	0	0	2	2
AT 6422 A	2	2	0	2	2	2
AT 6422 B	2	2	0	2	2	2
AT 6422 D	2	2	0	2	2	2
AT 6422 S	0	0	0	0	0	0
AT 6428 A	2	2	2	2	2	2
AT 6428 B	2	2	2	2	2	2
AT 6428 D	2	2	2	2	2	2
AT 6432 A	2	2	2	2	2	2
AT 6432 B	2	2	2	2	2	2
AT 6432 D	2	2	2	2	2	2
AT 6432 R	0	0	0	0	0	0
AT 6443 B	2	1	2	0	2	2
AT 6443 R	0	0	0	0	0	0
AT 6443 V	2	1	2	0	2	2
AT 6443 U	2	1	1	0	2	2
AT 8612 C	0	0	0	0	0	0
AT 8617 C	2	2	0	0	2	2
AT 8622 C	2	2	0	0	2	2
AT 8632 C	2	2	2	2	2	2
AT 8643 W	2	2	2	2	2	2

ATHENA LIGHT BOX SERIES

iMiCUBE

212



PART CODE ATHENA
LIGHT

AL 6422 A	
AL 6422 B	
AL 6422 D	

ARTICLE

LH A414 RS

EDGE	1/4 A4	EDGE	A5
SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
2	2	2	2
2	2	2	2
2	2	2	2

ARTICLE

LH A500 RS



LABEL HOLDER WITH SUPPORT



ARTICLE
LH A414 RA

ARTICLE
LH A500 RA

ARTICLE
LH A700 RA

PART CODE ATHENA
LIGHT

AL 6422 A	1	0
AL 6422 B	1	0
AL 6422 S	0	0

ADHESIVE 1/4 A4

SHORT SIDE LONG SIDE

ADHESIVE A5

SHORT SIDE LONG SIDE

ADHESIVE A7

SHORT SIDE LONG SIDE



LABEL HOLDER WITH ADHESIVE



NOT APPLICABLE



NUMBER OF SIDES APPLICABLE
WITHOUT THE USE OF THE HANDLE



NUMBER OF SIDES APPLICABLE

ODETTE BOX SERIES



LABEL HOLDER WITH SUPPORT



PART CODE ODETTE
LH A414 RS

O D	4 9 5 0	0	2
O D	4 9 3 0	2	2
O D	4 9 1 0	2	2
O D	4 9 0 0	2	2

ARTICLE
LH A414 RS

EDGE	1/4 A4	EDGE	A5
SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
0	2	0	0
2	2	2	2

ARTICLE
LH A500 RS

iMiCUBE
213



LABEL HOLDER WITH ADHESIVE



ARTICLE
LH A414 RA

ADHESIVE		1/4 A4		ADHESIVE		A5	
SHORT SIDE	LONG SIDE						
0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	1
0	0	0	0	0	0	0	1
0	0	0	0	0	0	2	0

ARTICLE
LH A500 RA

ARTICLE
LH A700 RA

PART CODE ODETTE

O D	4 9 5 0	0	0
O D	4 9 3 0	0	0
O D	4 9 1 0	0	0
O D	4 9 0 0	0	0

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE
WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE

RL-KLT BOX SERIES

iMiCUBE

214



PART CODE RL-KLT

K L	3 1 4 7
K L	4 1 4 7
K L	4 2 8 0
K L	6 1 4 7
K L	6 2 8 0

ARTICLE
LH A414 RS

EDGE	1/4 A4
SHORT SIDE	LONG SIDE
0	2
2	2
2	2
2	2
2	2

ARTICLE
LH A500 RS

EDGE	A5
SHORT SIDE	LONG SIDE
0	0
0	0
2	2
0	0
2	2

LABEL HOLDER WITH ADHESIVE



PART CODE RL-KLT

K L	3 1 4 7
K L	4 1 4 7
K L	4 2 8 0
K L	6 1 4 7
K L	6 2 8 0

ARTICLE
LH A414 RA

ADHESIVE	1/4 A4
SHORT SIDE	LONG SIDE
0	0
0	0
0	1
0	0
1	0

ARTICLE
LH A500 RA

ADHESIVE	A5
SHORT SIDE	LONG SIDE
0	0
0	0
0	1
0	0
0	0

ARTICLE
LH A700 RA

ADHESIVE	A7
SHORT SIDE	LONG SIDE
0	1
0	1
2	2
0	2
2	2



NOT APPLICABLE



NUMBER OF SIDES APPLICABLE
WITHOUT THE USE OF THE HANDLE



NUMBER OF SIDES APPLICABLE

R-KLT BOX SERIES



LABEL HOLDER WITH SUPPORT



PART CODE R-KLT	ARTICLE LH A414 RS		ARTICLE LH A500 RS		iMiCube 215
	EDGE	1/4 A4	EDGE	A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	
K L 3 2 1 5	0	2	0	0	
K L 4 3 1 5	2	2	0	0	
K L 4 3 2 9	2	2	2	2	
K L 6 4 1 5	2	2	0	0	
K L 6 4 2 9	2	2	2	2	



LABEL HOLDER WITH ADHESIVE



PART CODE R-KLT	ARTICLE LH A414 RA		ARTICLE LH A500 RA		ARTICLE LH A700 RA	
	ADHESIVE	1/4 A4	ADHESIVE	A5	ADHESIVE	A7
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
K L 3 2 1 5	0	0	0	0	0	0
K L 4 3 1 5	0	0	0	0	0	0
K L 4 3 2 9	0	1	0	1	2	2
K L 6 4 1 5	0	0	0	0	0	0
K L 6 4 2 9	1	0	0	0	2	2

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE
WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE

innovative
italian
ideas

iMilani

MINERVA BOX SERIES

iMiCUBE

216



PART CODE MINERVA

MI 6420 B	MI 6420 S	MI 6430 B	MI 6430 S	MI 6440 B	MI 6440 S
-----------	-----------	-----------	-----------	-----------	-----------

ARTICLE
LH A414 RS

EDGE	1/4 A4	EDGE	A5
SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
0	0	0	0
0	0	0	0
0	2	0	0
0	2	0	0
0	2	0	0
0	2	0	0

ARTICLE
LH A500 RS

LABEL HOLDER WITH SUPPORT



PART CODE MINERVA

MI 6420 B	MI 6420 S	MI 6430 B	MI 6430 S	MI 6440 B	MI 6440 S
-----------	-----------	-----------	-----------	-----------	-----------

ARTICLE
LH A414 RA

ADHESIVE	1/4 A4
SHORT SIDE	LONG SIDE
0	2
0	0
0	2
0	0
0	2
0	0

ARTICLE
LH A500 RA

ADHESIVE	A5
SHORT SIDE	LONG SIDE
0	0
0	0
0	2
0	0
0	2
0	0

ARTICLE
LH A700 RA

ADHESIVE	A7
SHORT SIDE	LONG SIDE
2	2
0	0
2	2
0	0
2	2
0	0

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE

DELTA BOX SERIES



LABEL HOLDER WITH SUPPORT



ARTICLE
LH A414 RS

ARTICLE
LH A500 RS

iMiCUBE

217

PART CODE DELTA

DE 6422 A	0
DE 6432 A	0
DE 6442 A	0
DE 6422 B	0
DE 6432 B	0
DE 6442 B	0
DE 6422 C	0
DE 6432 C	0
DE 6442 C	0

ARTICLE
LH A414 RS

EDGE
SHORT SIDE LONG SIDE

0	0
0	2
0	2
0	0
0	2
0	2
0	0
0	0
0	0

ARTICLE
LH A500 RS

EDGE
SHORT SIDE LONG SIDE

0	0
0	0
0	0
0	0
0	0
0	0
0	0
0	0
0	0

LABEL HOLDER WITH ADHESIVE



ARTICLE
LH A700 RA

ADHESIVE

A7

SHORT SIDE	LONG SIDE
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2

ARTICLE
LH A500 RA

A5

SHORT SIDE	LONG SIDE
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2

ARTICLE
LH A414 RA

1/4 A4

SHORT SIDE	LONG SIDE
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2
2	2

PART CODE DELTA

DE 6422 A	2
DE 6432 A	2
DE 6442 A	2
DE 6422 B	2
DE 6432 B	2
DE 6442 B	2
DE 6422 C	2
DE 6432 C	2
DE 6442 C	2

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE

innovative
italian
ideas

iMilani

ZEUS BOX SERIES



iMiCUBE

218

LABEL HOLDER WITH ADHESIVE



ARTICLE
LH A414 RA

ARTICLE
LH A500 RA

ARTICLE
LH A700 RA

PART CODE ZEUS

Z E	Z 0 0 2
Z E	Z 3 A 2
Z E	Z 4 A 2
Z E	Z 0 0 4
Z E	Z 4 A 5
Z E	Z 0 0 5

ADHESIVE 1/4 A4

SHORT SIDE LONG SIDE

0	0
0	2
1	2
1	2
1	2
0	0

ADHESIVE A5

SHORT SIDE LONG SIDE

0	0
0	0
0	0
0	2
1	2
0	0

ADHESIVE A7

SHORT SIDE LONG SIDE

0	2
0	2
1	2
1	2
1	2
2	2



NOT APPLICABLE



NUMBER OF SIDES APPLICABLE

COMPAT BOX SERIES



LABEL HOLDER WITH ADHESIVE



PART CODE ZEUS
COMPAT

PART CODE ZEUS COMPAT	ARTICLE LH A414 RA		ARTICLE LH A500 RA		ARTICLE LH A700 RA	
	ADHESIVE SHORT SIDE	1/4 A4 LONG SIDE	ADHESIVE SHORT SIDE	A5 LONG SIDE	ADHESIVE SHORT SIDE	A7 LONG SIDE
C O C 0 0 1	0	0	0	0	0	0
C O C 0 0 2	0	0	0	0	0	2
C O C 3 A 2	0	2	0	0	0	2
C O C 0 0 3	0	2	0	2	0	2
C O Z 3 L 5	0	2	0	0	0	2
C O C 4 A 2	0	2	0	0	0	2
C O C 0 0 4	0	2	0	2	0	2
C O C A 4 5	0	2	0	2	1	2
C O Z 5 P 4	0	0	0	0	1	2
C O Z 0 0 5	0	0	0	0	1	2

iMiCUBE
219



NOT APPLICABLE



NUMBER OF SIDES APPLICABLE

220

STEEL



222

FOX



236

QUICK



FRAME



256



PICK

266



276

SQUARE



FOX

FOX trolleys are supplied complete with 2 shelves and Athena boxes or alternatively with 2 shelves and Compat containers.

Additional shelves complete with boxes and containers can be supplied separately.


Alternatively, FOX trolleys can also be ordered complete with 2 groups of Practibox tilting containers.

Again, the trolley can be supplemented by ordering additional shelves equipped as per the user's needs.

WIDTH

The FOX trolley series is available with a height of 1430 mm and 2 different widths:

- Free span shelves 657 mm for FOX 06 trolleys
- Free span shelves 955 mm for FOX 08 trolleys



iMiCUBE
223

SHELVES AND WHEELS



The tiltable shelves for FOX trolleys of length 955 mm and pitch 985 mm can be in 4 depths: 220, 320, 420 and 600 mm.

The tiltable shelves for FOX trolleys of length 657 mm and pitch 687 mm can be in 2 depths: 220 and 420 mm.

In addition to tilted shelves, the trolley is also configurable for fixed shelves for containers, with different depths available in both cases.

The trolleys are supplied as standard with mounted wheels and disassembled frame.

125 mm diameter rubber wheels, 2 fixed and 2 swivel with brakes, are supplied as standard.


ACCESSORIES




To make the best use of the trolley spaces, optional accessories are available such as Practibox containers and reinforcing cross supports.



ADJUSTMENTS

The perforated crosspiece base allows for adjustment of the uprights and the insertion of different types of boxes, giving maximum flexibility for installation of the smallest to the largest boxes.







Trolley dimensions

1023 x 613 mm H 1430 mm

Trolley dimensions

725 x 613 mm H 1430 mm



FOX

iMiCUBE







225

iMilani
innovative
italian
ideas



Trolley dimensions

1023 x 613 mm H 1430 mm




974 x 150 mm**974 x 205 mm****974 x 295 mm****Shelves COMPAT containers**

Fixed shelf in galvanised steel - capacity 25 kg - L = 974 mm

KIT consisting of

- Trolley 1023 x 613 x 1430H mm

- 2 identical shelves complete with containers

SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF ADDITIONAL SHELF WITH CONTAINERS €	
		L	P	H						
150	9	95	160/140	75	PP	FXT 00199 5101	291,33	FX 00199 5101	19,67	
						FXT 00199 5102	291,33	FX 00199 5102	19,67	
		SIZE 1				FXT 00199 5103	291,33	FX 00199 5103	19,67	
205	6	140	230/200	130	PP	FXT 00199 5104	291,33	FX 00199 5104	19,67	
						FXT 00199 5105	291,33	FX 00199 5105	19,67	
		SIZE 2				ECOGREEN	FXT 00199 5401	287,71	FX 00199 5401	17,86
295	4	200	350/300	200	PP	FXT 00269 5101	298,91	FX 00269 5101	23,47	
						FXT 00269 5102	298,91	FX 00269 5102	23,47	
		SIZE 2				FXT 00269 5103	298,91	FX 00269 5103	23,47	
						FXT 00269 5104	298,91	FX 00269 5104	23,47	
		SIZE 3				FXT 00269 5105	298,91	FX 00269 5105	23,47	
295	4	200	350/300	145	PP	ECOGREEN	FXT 00269 5401	295,48	FX 00269 5401	21,75
						FXT 00349 5101	321,66	FX 00349 5101	34,84	
		SIZE 3A2				FXT 00349 5102	321,66	FX 00349 5102	34,84	
						FXT 00349 5103	321,66	FX 00349 5103	34,84	
		SIZE 3A2				FXT 00349 5104	321,66	FX 00349 5104	34,84	
						FXT 00349 5105	321,66	FX 00349 5105	34,84	
						ECOGREEN	FXT 00349 5401	315,89	FX 00349 5401	31,96
						FXT 3A249 5101	315,72	FX 3A249 5101	31,87	
						FXT 3A249 5102	315,72	FX 3A249 5102	31,87	
						FXT 3A249 5103	315,72	FX 3A249 5103	31,87	
						FXT 3A249 5104	315,72	FX 3A249 5104	31,87	
						FXT 3A249 5105	315,72	FX 3A249 5105	31,87	
						ECOGREEN	FXT 3A249 5401	311,14	FX 3A249 5401	29,58







Load capacities are net and refer to evenly distributed loads.

The accessories and the materials stored in the truck must not protrude from the base of the truck.



Trolley dimensions

1023 x 613 mm H 1430 mm



955 x 220 mm - 955 x 320 mm**955 x 420 mm - 955 x 600 mm****ATHENA box shelves**


Tilttable shelf in galvanised steel - load capacity 50 kg - L = 955 mm

KIT consisting of

- Trolley 1023 x 613 x 1430H mm
- 2 identical shelves complete with boxes





SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm			FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF ADDITIONAL SHELF WITH BOXES €
			L	P	H						
4	220	3	300	200	120	300	PP	FXT3212A395101	343,71	FX3212A395101	45,87
							ECOGREEN	FXT3212A3951XB	343,71	FX3212A3951XB	45,87
		3	300	200	170		PP	FXT3212A395401	339,06	FX3212A395401	43,54
	320	3	300	200	120	300	PP	FXT3217A395101	346,06	FX3217A395101	47,04
							ECOGREEN	FXT3217A3951XB	346,06	FX3217A3951XB	47,04
		4	300	200	170		PP	FXT3217A395401	340,40	FX3217A395401	44,21
5	320	4	300	200	120	200	PP	FXT3212A495101	366,41	FX3212A495101	57,22
							ECOGREEN	FXT3212A4951XB	366,41	FX3212A4951XB	57,22
		4	300	200	170		PP	FXT3212A495401	360,22	FX3212A495401	54,12
							PP	FXT3217A495101	369,55	FX3217A495101	58,79
		4	300	200	170		PP	FXT3217A4951XB	369,55	FX3217A4951XB	58,79
							ECOGREEN	FXT3217A495401	362,00	FX3217A495401	55,01
	420	2	400	300	120	400	PP	FXT4312A295101	355,68	FX4312A295101	51,86
							ECOGREEN	FXT4312A2951XB	355,68	FX4312A2951XB	51,86
		2	400	300	170		PP	FXT4317A295401	351,27	FX4317A295401	49,65
							ECOGREEN	FXT4317A295101	362,09	FX4317A295101	55,06
		2	400	300	170		PP	FXT4317A2951XB	362,09	FX4317A2951XB	55,06
							ECOGREEN	FXT4317A295401	356,96	FX4317A295401	52,49
6	420	2	400	300	220	400	PP	FXT4322A295101	364,63	FX4322A295101	56,33
							ECOGREEN	FXT4322A2951XB	364,63	FX4322A2951XB	56,33
		2	400	300	220		PP	FXT4322A295401	359,92	FX4322A295401	53,98
							PP	FXT4312A395101	363,99	FX4312A395101	56,01
		3	400	300	120		PP	FXT4312A3951XB	363,99	FX4312A3951XB	56,01
							ECOGREEN	FXT4312A395401	357,38	FX4312A395401	52,70
	600	3	400	300	170	300	PP	FXT4317A395101	373,60	FX4317A395101	60,81
							PP	FXT4317A3951XB	373,60	FX4317A3951XB	60,81
		3	400	300	170		PP	FXT4317A395401	365,90	FX4317A395401	56,96
							PP	FXT4322A395101	377,41	FX4322A395101	62,72
		3	400	300	220		PP	FXT4322A3951XB	377,41	FX4322A3951XB	62,72
							ECOGREEN	FXT4322A395401	370,35	FX4322A395401	59,19
7	600	2	600	400	120	400	PP	FXT6412A295101	376,90	FX6412A295101	62,47
							ECOGREEN	FXT6412A2951XB	376,90	FX6412A2951XB	62,47
		2	600	400	170		PP	FXT6417A295401	371,01	FX6417A295401	59,52
							PP	FXT6417A295101	385,94	FX6417A295101	66,98
		2	600	400	170		PP	FXT6417A2951XB	385,94	FX6417A2951XB	66,98
							ECOGREEN	FXT6417A295401	377,41	FX6417A295401	62,72
	420	2	600	400	220	300	PP	FXT6422A295101	400,39	FX6422A295101	74,21
							PP	FXT6422A2951XB	400,39	FX6422A2951XB	74,21
		2	600	400	220		PP	FXT6422A295401	387,80	FX6422A295401	67,91
							PP	FXT8612C195101	388,16	FX8612C195101	68,09
		1	800	600	120	800	PP	FXT8612C1951XB	388,16	FX8612C1951XB	68,09
							ECOGREEN	FXT8612C195401	378,01	FX8612C195401	63,02
8	420	1	800	600	170		PP	FXT8617C195101	392,04	FX8617C195101	70,03
							PP	FXT8617C1951XB	392,04	FX8617C1951XB	70,03
		1	800	600	170		PP	FXT8617C195401	381,10	FX8617C195401	64,56
							PP	FXT8622C195101	393,91	FX8622C195101	70,97
		1	800	600	220		PP	FXT8622C1951XB	393,91	FX8622C1951XB	70,97
9	600	1	800	600	220	800	PP	FXT8622C195401	382,59	FX8622C195401	65,31

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.



Trolley dimensions

725 x 613 mm H 1430 mm



657 x 220 mm**657 x 420 mm****Shelves COMPAT containers**

Tilttable shelf in galvanised steel - load capacity 50 kg - L = 657 mm

KIT consisting of

- Trolley 725 x 613 x 1430H mm

- 2 identical shelves complete with containers

SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	KIT PRICE€IN €	CODE	PRICE OF ADDITIONAL SHELF WITH CONTAINERS €	
		L	P	H						
220	6	95	160/140	75		FXT 00166 5101	304,51	FX 00166 5101	37,18	
						FXT 00166 5102	304,51	FX 00166 5102	37,18	
						FXT 00166 5103	304,51	FX 00166 5103	37,18	
						FXT 00166 5104	304,51	FX 00166 5104	37,18	
						FXT 00166 5105	304,51	FX 00166 5105	37,18	
	4	SIZE 1				ECOGREEN 	FXT 00166 5401	302,09	FX 00166 5401	35,98
		140	230/200	130		FXT 00246 5101	307,52	FX 00246 5101	38,69	
						FXT 00246 5102	307,52	FX 00246 5102	38,69	
						FXT 00246 5103	307,52	FX 00246 5103	38,69	
						FXT 00246 5104	307,52	FX 00246 5104	38,69	
420	3	SIZE 2				ECOGREEN 	FXT 00246 5401	305,23	FX 00246 5401	37,55
		200	350/300	200		FXT 00336 5101	320,50	FX 00336 5101	45,18	
						FXT 00336 5102	320,50	FX 00336 5102	45,18	
						FXT 00336 5103	320,50	FX 00336 5103	45,18	
						FXT 00336 5104	320,50	FX 00336 5104	45,18	
	3	SIZE 3				ECOGREEN 	FXT 00336 5105	320,50	FX 00336 5105	45,18
		200	350/300	145		FXT 00336 5401	316,18	FX 00336 5401	43,01	
						FXT 3A236 5101	316,05	FX 3A236 5101	42,95	
						FXT 3A236 5102	316,05	FX 3A236 5102	42,95	
						FXT 3A236 5103	316,05	FX 3A236 5103	42,95	
420	3	SIZE 3A2				ECOGREEN 	FXT 3A236 5104	316,05	FX 3A236 5104	42,95
						FXT 3A236 5105	316,05	FX 3A236 5105	42,95	
						FXT 3A236 5401	312,62	FX 3A236 5401	41,23	





Load capacities are net and refer to evenly distributed loads.

The accessories and the materials stored in the truck must not protrude from the base of the truck.



Trolley dimensions

725 x 613 mm H 1430 mm



657 x 220 mm**657 x 420 mm****ATHENA box shelves**

Tilttable shelf in galvanised steel - load capacity 50 kg - L = 657 mm

KIT consisting of

- Trolley 725 x 613 x 1430H mm

- 2 identical shelves complete with boxes

SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm			FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF ADDITIONAL SHELF WITH BOXES €
			L	P	H						
220	1	2	300	200	120	300	PP	FXT 3212A26 5101	311,25	FX 3212A26 5101	40,56
							ECOGREEN	FXT 3212A26 51XB	311,25	FX 3212A26 51XB	40,56
		2	300	200	170	300	PP	FXT 3217A26 5401	308,15	FX 3217A26 5401	39,01
	2	2	300	200	170	300	PP	FXT 3217A26 5101	312,82	FX 3217A26 5101	41,34
							ECOGREEN	FXT 3217A26 51XB	312,82	FX 3217A26 51XB	41,34
		2	400	300	120	300	PP	FXT 4312A26 5101	315,69	FX 4312A26 5101	42,77
420	1	2	400	300	120	300	PP	FXT 4312A26 51XB	315,69	FX 4312A26 51XB	42,77
							ECOGREEN	FXT 4312A26 5401	311,28	FX 4312A26 5401	40,57
		2	400	300	170	300	PP	FXT 4317A26 5101	322,09	FX 4317A26 5101	45,97
	2	2	400	300	170	300	PP	FXT 4317A26 51XB	322,09	FX 4317A26 51XB	45,97
							ECOGREEN	FXT 4317A26 5401	316,96	FX 4317A26 5401	43,41
		2	400	300	220	300	PP	FXT 4322A26 5101	324,64	FX 4322A26 5101	47,24
	1	2	400	300	220	300	PP	FXT 4322A26 51XB	324,64	FX 4322A26 51XB	47,24
							ECOGREEN	FXT 4322A26 5401	319,93	FX 4322A26 5401	44,89
		1	600	400	120	600	PP	FXT 6412A16 5101	311,58	FX 6412A16 5101	40,71
	1	1	600	400	120	600	PP	FXT 6412A16 51XB	311,58	FX 6412A16 51XB	40,71
							ECOGREEN	FXT 6412A16 5401	308,63	FX 6412A16 5401	39,24
	1	1	600	400	170	600	PP	FXT 6417A16 5101	316,09	FX 6417A16 5101	42,97
							PP	FXT 6417A16 51XB	316,09	FX 6417A16 51XB	42,97
		1	600	400	170	600	PP	FXT 6417A16 5401	311,83	FX 6417A16 5401	40,84
	1	1	600	400	220	600	PP	FXT 6422A16 5101	323,32	FX 6422A16 5101	46,59
							PP	FXT 6422A16 51XB	323,32	FX 6422A16 51XB	46,59
		1	600	400	220	600	PP	FXT 6422A16 5401	317,02	FX 6422A16 5401	43,44


Load capacities are net and refer to evenly distributed loads.

The accessories and the materials stored in the truck must not protrude from the base of the truck.



Trolley dimensions

725 x 613 mm H 1430 mm



Rail total height

1200 mm - 280 mm

Usable insertion height of Practibox

1264 mm - 276 mm

KIT consisting of

- Trolley 725 x 613 x 1430H mm
- 2 pairs of rails height 1200
- 2 Practibox drawers
- 2 galvanised stops

 For each additional Practibox drawer unit, always order the relevant stops shown on page 163 position D

RAILS HEIGHT mm	PRACTIBOX RAILS	CODE	PRICE €
Total H.			
1200		FXRAIL12	14,94
Usable H.			
1264			
Total H.			
280			
Usable H.			
276		FXRAIL28	15,24
HEIGHT mm	PRACTIBOX DRAWER UNIT	NO. TILTING PIECES	PRICE € KIT
77		9	286,28
112		6	291,37
164		5	307,91
206		4	321,90
240		3	332,08
		CODE	PRICE € ADDITIONAL PRACTIBOX
		PR90770001	11,45
		PR61120001	13,99
		PR51640001	22,26
		PR42060001	29,26
		PR3240001	34,34



iMiCUBE
236

QUICK

QUICK shelf units are supplied complete with 2 shelves and Athena boxes or alternatively with 2 shelves and Compat containers.

Additional shelves complete with boxes and containers can be supplied separately.

QUICK shelf units make picking operations more efficient, reducing the frequency errors and providing high visibility of stocks.

STRUCTURE

The QUICK series shelf unit, with a height of 1817 mm, is available with two different solutions: single-sided and double-sided, allowing insertion of shelves on one or both sides.

double-sided frame with cross support




single-sided frame with cross support



iMiCUBE

237

SHELVES



The tiltable shelves for QUICK shelf units of length 955 mm and pitch 985 mm are available in 4 depths: 220 - 320 - 420 - 600 mm.

In addition to tilted shelves, the trolley is also configurable for fixed shelves for containers, with different depths available in both cases.

BOXES AND CONTAINERS

The slots in the uprights allow the use of different types of containers including COMPAT sizes 1/2/3/3A2/4/4A2 and ATHENA series boxes.

COMPAT



ATHENA



ADDITIONAL SHELF UNITS

With additional shelves it is possible to connect a new bay to the existing one, thus saving space and the cost of an additional upright and foot.



QUICK

iMiCUBE

238



Shelf unit dimensions

1065 x 542 mm H 1813mm

Shelf dimensions

1065 x 925 mm H 1813 mm



QUICK

iMiCUBE

239

iMilani
innovative
italian
ideas

Shelf unit dimensions

1065 x 542 mm H 1813mm



QUICK+COMPAT SINGLE SIDE

Shelves COMPAT containers


Fixed shelf in galvanised steel - capacity 25 kg - L = 974 mm

KIT consisting of

- Shelf unit 1065 x 542 x 1813H mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF ADDITIONAL SHELF WITH BOXES €
		L	P	H					
150	9	95	160/140	75		QUR 00199 5101	223,84	QU 00199 5101	19,67
		140	230/200	130		QUR 00199 5102	223,84	QU 00199 5102	19,67
		140	230/200	130		QUR 00199 5103	223,84	QU 00199 5103	19,67
		140	230/200	130		QUR 00199 5104	223,84	QU 00199 5104	19,67
		140	230/200	130		QUR 00199 5105	223,84	QU 00199 5105	19,67
	6	140	230/200	130		QUR 00199 5401	220,22	QU 00199 5401	17,86
		140	230/200	130		QUR 00269 5101	231,42	QU 00269 5101	23,47
		140	230/200	130		QUR 00269 5102	231,42	QU 00269 5102	23,47
		140	230/200	130		QUR 00269 5103	231,42	QU 00269 5103	23,47
		140	230/200	130		QUR 00269 5104	231,42	QU 00269 5104	23,47
205	4	200	350/300	200		QUR 00269 5105	231,42	QU 00269 5105	23,47
		200	350/300	200		QUR 00269 5401	227,98	QU 00269 5401	21,75
		200	350/300	200		QUR 00349 5101	254,17	QU 00349 5101	34,84
		200	350/300	200		QUR 00349 5102	254,17	QU 00349 5102	34,84
		200	350/300	200		QUR 00349 5103	254,17	QU 00349 5103	34,84
	4	200	350/300	200		QUR 00349 5104	254,17	QU 00349 5104	34,84
		200	350/300	200		QUR 00349 5105	254,17	QU 00349 5105	34,84
		200	350/300	200		QUR 00349 5401	248,40	QU 00349 5401	31,96
		200	350/300	145		QUR 3A249 5101	248,23	QU 3A249 5101	31,87
		200	350/300	145		QUR 3A249 5102	248,23	QU 3A249 5102	31,87
295	4	200	350/300	145		QUR 3A249 5103	248,23	QU 3A249 5103	31,87
		200	350/300	145		QUR 3A249 5104	248,23	QU 3A249 5104	31,87
		200	350/300	145		QUR 3A249 5105	248,23	QU 3A249 5105	31,87
	4	200	350/300	145		QUR 3A249 5401	243,65	QU 3A249 5401	29,58

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.



Shelf unit dimensions

985 x 542 mm H 1813mm

QUICK+COMPAT ADDITIONAL SINGLE SIDE

Shelves COMPAT containers

Fixed shelf in galvanised steel - capacity 25 kg - L = 974 mm

KIT consisting of

- Additional shelf unit 985 x 542 x 1813h mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
		L	P	H					
150	9	95	160/140	75	PP	QUE 00199 5101	159,99	QU 00199 5101	19,67
						QUE 00199 5102	159,99	QU 00199 5102	19,67
						QUE 00199 5103	159,99	QU 00199 5103	19,67
						QUE 00199 5104	159,99	QU 00199 5104	19,67
						QUE 00199 5105	159,99	QU 00199 5105	19,67
205	6	140	230/200	130	ECOGREEN PP	QUE 00199 5401	156,36	QU 00199 5401	17,86
						QUE 00269 5101	167,56	QU 00269 5101	23,47
						QUE 00269 5102	167,56	QU 00269 5102	23,47
						QUE 00269 5103	167,56	QU 00269 5103	23,47
						QUE 00269 5104	167,56	QU 00269 5104	23,47
						QUE 00269 5105	167,56	QU 00269 5105	23,47
295	4	200	350/300	200	ECOGREEN PP	QUE 00269 5401	164,13	QU 00269 5401	21,75
						QUE 00349 5101	190,31	QU 00349 5101	34,84
						QUE 00349 5102	190,31	QU 00349 5102	34,84
						QUE 00349 5103	190,31	QU 00349 5103	34,84
						QUE 00349 5104	190,31	QU 00349 5104	34,84
						QUE 00349 5105	190,31	QU 00349 5105	34,84
295	4	200	350/300	145	ECOGREEN PP	QUE 00349 5401	184,55	QU 00349 5401	31,96
						QUE 3A249 5101	184,38	QU 3A249 5101	31,87
						QUE 3A249 5102	184,38	QU 3A249 5102	31,87
						QUE 3A249 5103	184,38	QU 3A249 5103	31,87
						QUE 3A249 5104	184,38	QU 3A249 5104	31,87
						QUE 3A249 5105	184,38	QU 3A249 5105	31,87
						QUE 3A249 5401	179,80	QU 3A249 5401	29,58

Load capacities are net and refer to evenly distributed loads.

The accessories and the materials stored in the truck must not protrude from the base of the truck.

Shelf unit dimensions

1065 x 542 mm H 1813mm



QUICK+ATHENA SINGLE SIDE

ATHENA box shelves

Tilttable shelf in galvanised steel - load capacity 50 kg - L = 955 mm

KIT consisting of

- Shelf unit 1065 x 542 x 1813H mm

- 2 identical shelves complete with containers

SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm			FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
			L	P	H						
220		3	300	200	120	300	PP	QUR3212A395101	276,21	QU3212A395101	45,87
							ECOGREEN	QUR3212A3951XB	276,21	QU3212A3951XB	45,87
		3	300	200	170	300	PP	QUR3217A395101	271,57	QU3217A395101	43,54
							ECOGREEN	QUR3217A3951XB	278,57	QU3217A3951XB	47,04
		4	300	200	120	200	PP	QUR3212A495101	298,92	QU3212A495101	57,22
							ECOGREEN	QUR3212A4951XB	298,92	QU3212A4951XB	57,22
		4	300	200	170	200	PP	QUR3217A495101	292,73	QU3217A495101	54,12
							ECOGREEN	QUR3217A4951XB	292,73	QU3217A4951XB	54,12
		2	400	300	120	400	PP	QUR4312A295101	288,19	QU4312A295101	51,86
							ECOGREEN	QUR4312A2951XB	288,19	QU4312A2951XB	51,86
320		2	400	300	170	400	PP	QUR4317A295101	283,78	QU4317A295101	49,65
							ECOGREEN	QUR4317A2951XB	294,60	QU4317A2951XB	55,06
		2	400	300	220	400	PP	QUR4322A295101	297,14	QU4322A295101	56,33
							ECOGREEN	QUR4322A2951XB	292,43	QU4322A2951XB	53,98
		3	400	300	120	300	PP	QUR4312A395101	296,60	QU4312A395101	56,01
							ECOGREEN	QUR4312A3951XB	296,60	QU4312A3951XB	56,01
		3	400	300	170	300	PP	QUR4317A395101	306,10	QU4317A395101	60,81
							ECOGREEN	QUR4317A3951XB	298,40	QU4317A3951XB	56,96
		3	400	300	220	300	PP	QUR4322A395101	309,91	QU4322A395101	62,72
							ECOGREEN	QUR4322A3951XB	309,91	QU4322A3951XB	62,72
420		2	600	400	120	400	PP	QUR6412A295101	309,41	QU6412A295101	62,47
							ECOGREEN	QUR6412A2951XB	303,52	QU6412A2951XB	59,52
		2	600	400	170	400	PP	QUR6417A295101	318,45	QU6417A295101	66,98
							ECOGREEN	QUR6417A2951XB	318,45	QU6417A2951XB	66,98
		2	600	400	220	400	PP	QUR6422A295101	332,90	QU6422A295101	74,21
							ECOGREEN	QUR6422A2951XB	332,90	QU6422A2951XB	74,21
		1	800	600	120	800	PP	QUR8612C195101	320,67	QU8612C195101	68,09
							ECOGREEN	QUR8612C1951XB	310,52	QU8612C195101	63,02
		1	800	600	170	800	PP	QUR8617C195101	324,55	QU8617C195101	70,03
							ECOGREEN	QUR8617C1951XB	313,61	QU8617C195101	64,56
600		1	800	600	220	800	PP	QUR8622C195101	326,42	QU8622C195101	70,97
							ECOGREEN	QUR8622C1951XB	326,42	QU8622C195101	70,97
		1	800	600	220	800	PP	QUR8622C195401	315,10	QU8622C195401	65,31

Load capacities are net and refer to evenly distributed loads.

The accessories and the materials stored in the truck must not protrude from the base of the truck.



Shelf unit dimensions

985 x 542 mm H 1813mm

QUICK+ATHENA ADDITIONAL SINGLE SIDE ATHENA box shelves

Tilttable shelf in galvanised steel - load capacity 50 kg - L = 955 mm

KIT consisting of

- Additional shelf unit 985 x 542 x 1813h mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm			FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
			L	P	H						
220		3	300	200	120	300	PP	QUE3212A395101	212,36	QU3212A395101	45,87
							ECOGREEN	QUE3212A3951XB	212,36	QU3212A3951XB	45,87
		3	300	200	170	300	PP	QUE3217A395101	207,72	QU3217A395101	43,54
							ECOGREEN	QUE3217A3951XB	214,71	QU3217A3951XB	47,04
		4	300	200	120	200	PP	QUE3212A495101	235,07	QU3212A495101	57,22
							ECOGREEN	QUE3212A4951XB	235,07	QU3212A4951XB	57,22
		4	300	200	170	200	PP	QUE3217A495101	228,88	QU3217A495101	54,12
							ECOGREEN	QUE3217A4951XB	238,20	QU3217A4951XB	58,79
		2	400	300	120	400	PP	QUE4312A295101	224,34	QU4312A295101	51,86
							ECOGREEN	QUE4312A2951XB	224,34	QU4312A2951XB	51,86
320		2	400	300	170	400	PP	QUE4317A295101	219,93	QU4317A295101	49,65
							ECOGREEN	QUE4317A2951XB	230,74	QU4317A2951XB	55,06
		2	400	300	220	400	PP	QUE4322A295101	233,28	QU4322A295101	56,33
							ECOGREEN	QUE4322A2951XB	228,58	QU4322A2951XB	53,98
		3	400	300	120	300	PP	QUE4312A395101	232,65	QU4312A395101	56,01
							ECOGREEN	QUE4312A3951XB	232,65	QU4312A3951XB	56,01
		3	400	300	170	300	PP	QUE4317A395101	242,25	QU4317A395101	60,81
							ECOGREEN	QUE4317A3951XB	234,56	QU4317A3951XB	56,96
		3	400	300	220	300	PP	QUE4322A395101	246,07	QU4322A395101	62,72
							ECOGREEN	QUE4322A3951XB	239,01	QU4322A3951XB	59,19
420		2	600	400	120	400	PP	QUE6412A295101	245,56	QU6412A295101	62,47
							ECOGREEN	QUE6412A2951XB	245,56	QU6412A2951XB	62,47
		2	600	400	170	400	PP	QUE6417A295101	254,59	QU6417A295101	66,98
							ECOGREEN	QUE6417A2951XB	254,59	QU6417A2951XB	66,98
		2	600	400	220	400	PP	QUE6422A295101	269,05	QU6422A295101	74,21
							ECOGREEN	QUE6422A2951XB	256,46	QU6422A2951XB	67,91
		1	800	600	120	800	PP	QUE8612C195101	256,82	QU8612C195101	68,09
							ECOGREEN	QUE8612C1951XB	246,66	QU8612C1951XB	63,02
		1	800	600	170	800	PP	QUE8617C195101	260,70	QU8617C195101	70,03
							ECOGREEN	QUE8617C1951XB	260,70	QU8617C1951XB	70,03
600		1	800	600	220	800	PP	QUE8622C195101	262,56	QU8622C195101	70,97
							ECOGREEN	QUE8622C1951XB	262,56	QU8622C1951XB	70,97
		1	800	600	220	800	PP	QUE8622C195401	251,24	QU8622C195401	65,31
							ECOGREEN	QUE8622C195401			

Load capacities are net and refer to evenly distributed loads.

The accessories and the materials stored in the truck must not protrude from the base of the truck.

QUICK + COMPAT

iMiCUBE

248

iMilani
innovative
italian
ideas

Shelf unit dimensions

1065 x 925 mm H 1813mm



QUICK+COMPAT DOUBLE SIDE

Shelves COMPAT containers

Fixed shelf in galvanised steel - capacity 25 kg - L = 974 mm

KIT consisting of

- Shelf unit 1065 x 925 x 1813H mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €	
		L	P	H						
150	9	95	160/140	75		QU2R 00199 5101	243,82	QU 00199 5101	19,67	
		QU2R 00199 5102	243,82	QU 00199 5102	19,67					
		QU2R 00199 5103	243,82	QU 00199 5103	19,67					
		QU2R 00199 5104	243,82	QU 00199 5104	19,67					
		QU2R 00199 5105	243,82	QU 00199 5105	19,67					
	6	SIZE 1				ECOGREEN 	QU2R 00199 5401	240,20	QU 00199 5401	17,86
		QU2R 00269 5101	251,41	QU 00269 5101	23,47					
		QU2R 00269 5102	251,41	QU 00269 5102	23,47					
		QU2R 00269 5103	251,41	QU 00269 5103	23,47					
		QU2R 00269 5104	251,41	QU 00269 5104	23,47					
	4	140	230/200	130		QU2R 00269 5105	251,41	QU 00269 5105	23,47	
		SIZE 2				ECOGREEN 	QU2R 00269 5401	247,98	QU 00269 5401	21,75
		QU2R 00349 5101	274,16	QU 00349 5101	34,84					
		QU2R 00349 5102	274,16	QU 00349 5102	34,84					
		QU2R 00349 5103	274,16	QU 00349 5103	34,84					
		QU2R 00349 5104	274,16	QU 00349 5104	34,84					
		QU2R 00349 5105	274,16	QU 00349 5105	34,84					
		SIZE 3				ECOGREEN 	QU2R 00349 5401	268,39	QU 00349 5401	31,96
		200	350/300	200		QU2R 3A249 5101	268,22	QU 3A249 5101	31,87	
		QU2R 3A249 5102	268,22	QU 3A249 5102	31,87					
		QU2R 3A249 5103	268,22	QU 3A249 5103	31,87					
		QU2R 3A249 5104	268,22	QU 3A249 5104	31,87					
		QU2R 3A249 5105	268,22	QU 3A249 5105	31,87					
		SIZE 3A2				ECOGREEN 	QU2R 3A249 5401	263,64	QU 3A249 5401	29,58

Load capacities are net and refer to evenly distributed loads.

The accessories and the materials stored in the truck must not protrude from the base of the truck.



Shelf unit dimensions

985 x 925 mm H 1813 mm

QUICK+COMPAT ADDITIONAL DOUBLE SIDE

Shelves COMPAT containers

Fixed shelf in galvanised steel - capacity 25 kg - L = 974 mm

KIT consisting of

- Additional shelf unit 985 x 925 x 1813h mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
		L	P	H					
150	9	95	160/140	75		QU2E 00199 5101	169,93	QU 00199 5101	19,67
		QU2E 00199 5102	169,93	QU 00199 5102	19,67				
		QU2E 00199 5103	169,93	QU 00199 5103	19,67				
		QU2E 00199 5104	169,93	QU 00199 5104	19,67				
		QU2E 00199 5105	169,93	QU 00199 5105	19,67				
	6	ECOGREEN 	QU2E 00199 5401	166,30	QU 00199 5401	17,86			
		QU2E 00269 5101	177,51	QU 00269 5101	23,47				
		QU2E 00269 5102	177,51	QU 00269 5102	23,47				
		QU2E 00269 5103	177,51	QU 00269 5103	23,47				
		QU2E 00269 5104	177,51	QU 00269 5104	23,47				
205	6	QU2E 00269 5105	177,51	QU 00269 5105	23,47				
		ECOGREEN 	QU2E 00269 5401	174,07	QU 00269 5401	21,75			
		QU2E 00349 5101	200,26	QU 00349 5101	34,84				
		QU2E 00349 5102	200,26	QU 00349 5102	34,84				
		QU2E 00349 5103	200,26	QU 00349 5103	34,84				
	4	QU2E 00349 5104	200,26	QU 00349 5104	34,84				
		QU2E 00349 5105	200,26	QU 00349 5105	34,84				
		ECOGREEN 	QU2E 00349 5401	194,49	QU 00349 5401	31,96			
		QU2E 3A249 5101	194,32	QU 3A249 5101	31,87				
		QU2E 3A249 5102	194,32	QU 3A249 5102	31,87				
295	4	QU2E 3A249 5103	194,32	QU 3A249 5103	31,87				
		QU2E 3A249 5104	194,32	QU 3A249 5104	31,87				
		QU2E 3A249 5105	194,32	QU 3A249 5105	31,87				
	4	ECOGREEN 	QU2E 3A249 5401	189,74	QU 3A249 5401	29,58			

Load capacities are net and refer to evenly distributed loads.

The accessories and the materials stored in the truck must not protrude from the base of the truck.

Shelf unit dimensions

1065 x 925 mm H 1813 mm



QUICK+ATHENA DOUBLE SIDE

ATHENA box shelves

Tilttable shelf in galvanised steel - load capacity 50 kg - L = 955 mm

KIT consisting of

- Shelf unit 1065 x 925 x 1813H mm

- 2 identical shelves complete with containers

SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm			FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
			L	P	H						
220		3	300	200	120	300	PP	QU2R3212A395101	296,21	QU3212A395101	45,87
							ECOGREEN	QU2R3212A3951XB	296,21	QU3212A3951XB	45,87
		3	300	200	170	300	PP	QU2R3217A395101	291,56	QU3217A395101	43,54
							ECOGREEN	QU2R3217A3951XB	298,56	QU3217A3951XB	47,04
		4	300	200	120	200	PP	QU2R3212A495101	318,91	QU3212A495101	57,22
							ECOGREEN	QU2R3212A4951XB	318,91	QU3212A4951XB	57,22
		4	300	200	170	200	PP	QU2R3217A495101	312,72	QU3217A495401	54,12
							ECOGREEN	QU2R3217A4951XB	322,05	QU3217A4951XB	58,79
		2	400	300	120	400	PP	QU2R4312A295101	308,18	QU4312A295101	51,86
							ECOGREEN	QU2R4312A2951XB	308,18	QU4312A2951XB	51,86
320		2	400	300	170	400	PP	QU2R4317A295101	303,77	QU4317A295401	49,65
							ECOGREEN	QU2R4317A2951XB	314,59	QU4317A2951XB	55,06
		2	400	300	220	400	PP	QU2R4322A295101	317,13	QU4322A295101	52,49
							ECOGREEN	QU2R4322A2951XB	312,42	QU4322A295401	56,33
		3	400	300	120	300	PP	QU2R4312A395101	316,48	QU4312A395101	56,01
							ECOGREEN	QU2R4312A3951XB	316,48	QU4312A3951XB	56,01
		3	400	300	170	300	PP	QU2R4317A395101	326,09	QU4317A395101	60,81
							ECOGREEN	QU2R4317A3951XB	318,39	QU4317A395401	56,96
		3	400	300	220	300	PP	QU2R4322A395101	329,90	QU4322A395101	62,72
							ECOGREEN	QU2R4322A3951XB	322,84	QU4322A395401	59,19
420		2	600	400	120	400	PP	QU2R6412A295101	329,40	QU6412A295101	62,47
							ECOGREEN	QU2R6412A2951XB	329,40	QU6412A295401	62,47
		2	600	400	170	400	PP	QU2R6417A295101	338,43	QU6417A295101	66,98
							ECOGREEN	QU2R6417A2951XB	338,43	QU6417A2951XB	66,98
		2	600	400	220	400	PP	QU2R6422A295101	352,88	QU6422A295101	74,21
							ECOGREEN	QU2R6422A295401	340,29	QU6422A295401	67,91
		1	800	600	120	800	PP	QU2R8612C195101	340,65	QU8612C195101	68,09
							ECOGREEN	QU2R8612C1951XB	340,65	QU8612C195401	68,09
		1	800	600	170	800	PP	QU2R8617C195101	344,53	QU8617C195101	70,03
							ECOGREEN	QU2R8617C1951XB	344,53	QU8617C1951XB	70,03
600		1	800	600	220	800	PP	QU2R8622C195101	346,40	QU8622C195101	70,97
							ECOGREEN	QU2R8622C1951XB	346,40	QU8622C1951XB	70,97
		1	800	600	220	800	PP	QU2R8622C195401	335,08	QU8622C195401	65,31
							ECOGREEN	QU2R8622C195401	346,40	QU8622C195401	64,56

Load capacities are net and refer to evenly distributed loads.

The accessories and the materials stored in the truck must not protrude from the base of the truck.



Shelf unit dimensions

985 x 925 mm H 1813 mm

QUICK+ATHENA ADDITIONAL DOUBLE SIDE ATHENA box shelves

Tilttable shelf in galvanised steel - load capacity 50 kg - L = 955 mm

KIT consisting of

- Additional shelf unit 985 x 925 x 1813h mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm			FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
			L	P	H						
220		3	300	200	120	300	PP	QU2E3212A395101	222,31	QU3212A395101	45,87
							ECOGREEN	QU2E3212A3951XB	222,31	QU3212A3951XB	45,87
		3	300	200	170	300	PP	QU2E3217A395101	217,67	QU3217A395101	43,54
							ECOGREEN	QU2E3217A3951XB	224,67	QU3217A3951XB	47,04
		4	300	200	120	200	PP	QU2E3212A495101	245,02	QU3212A495101	57,22
							ECOGREEN	QU2E3212A4951XB	245,02	QU3212A4951XB	57,22
		4	300	200	170	200	PP	QU2E3217A495101	238,83	QU3217A495101	54,12
							ECOGREEN	QU2E3217A4951XB	248,16	QU3217A4951XB	58,79
		2	400	300	120	400	PP	QU2E4312A295101	234,29	QU4312A295101	51,86
							ECOGREEN	QU2E4312A2951XB	234,29	QU4312A2951XB	51,86
320		2	400	300	170	400	PP	QU2E4317A295101	229,88	QU4317A295101	49,65
							ECOGREEN	QU2E4317A2951XB	240,69	QU4317A2951XB	55,06
		2	400	300	220	400	PP	QU2E4322A295101	243,24	QU4322A295101	56,33
							ECOGREEN	QU2E4322A2951XB	243,24	QU4322A2951XB	56,33
		3	400	300	120	300	PP	QU2E4312A395101	242,59	QU4312A395101	56,01
							ECOGREEN	QU2E4312A3951XB	242,59	QU4312A3951XB	56,01
		3	400	300	170	300	PP	QU2E4317A395101	252,20	QU4317A395101	60,81
							ECOGREEN	QU2E4317A3951XB	252,20	QU4317A3951XB	60,81
		3	400	300	220	300	PP	QU2E4322A395101	256,01	QU4322A395101	62,72
							ECOGREEN	QU2E4322A3951XB	256,01	QU4322A3951XB	62,72
420		2	600	400	120	400	PP	QU2E6412A295101	255,50	QU6412A295101	62,47
							ECOGREEN	QU2E6412A2951XB	255,50	QU6412A2951XB	62,47
		2	600	400	170	400	PP	QU2E6417A295101	264,53	QU6417A295101	66,98
							ECOGREEN	QU2E6417A2951XB	264,53	QU6417A2951XB	66,98
		2	600	400	220	400	PP	QU2E6422A295101	278,99	QU6422A295101	74,21
							ECOGREEN	QU2E6422A2951XB	278,99	QU6422A2951XB	74,21
		1	800	600	120	800	PP	QU2E8612C195101	266,76	QU8612C195101	68,09
							ECOGREEN	QU2E8612C1951XB	266,76	QU8612C1951XB	68,09
600		1	800	600	170	800	PP	QU2E8617C195101	256,60	QU8617C195101	63,02
							ECOGREEN	QU2E8617C1951XB	270,64	QU8617C1951XB	70,03
		1	800	600	220	800	PP	QU2E8622C195101	272,50	QU8622C195101	70,97
							ECOGREEN	QU2E8622C1951XB	272,50	QU8622C1951XB	70,97
		1	800	600	120	800	PP	QU2E8612C195401	261,18	QU8612C195401	65,31
							ECOGREEN	QU2E8612C195401	259,70	QU8612C195401	64,56

Load capacities are net and refer to evenly distributed loads.

The accessories and the materials stored in the truck must not protrude from the base of the truck.

FRAME

The FRAME shelf unit is precisely sized to house Athena, Athena Light, Kronos, Odette, Compat and Zeus boxes.

There are two available heights: 1010 mm and 2010 mm.

The paired guides that support the box container are adjustable in height and have a pitch of 25 mm and maximum load capacity of 50 kg; boxes and

containers of the same width but with different depths and heights can be inserted in the same bay. The load capacity of the bay is 250 kg.

The modularity of the system allows the existing systems to be extended at any time without removal of the existing one.

UPPER SUPPORT SURFACE

The surfaces are fixed to the top of each bay and, as well as strengthening the shelf unit, act as dust covers and bearing surfaces.



iMiCUBE

257

SHELVES

The guides for the sliding of the boxes are fastened to the uprights and secured using the attachment clip. Adjustable height with 25 mm pitch.



SIDES

The sides are supplied mounted and have a lateral fissure with a pitch of 25 mm and are complete with legs for fixing to the ground.
Load capacity 250 kg.



PAIR OF RETAINING BRACKETS

The brackets are fixed to the sides of the uprights with four self-tapping screws to make the structure more stable.



Depth
400 mm

FRAME

iMiCUBE
258

Dimensions of this composition 1440x400x2010H mm



Front picking 300 mm
Depth 400 mm



Athena



Kronos





Odette



R-KLT



RL-KLT



DOUBLE BAY BASE WITH CROSS SUPPORT 2010 H	ADDITIONAL SINGLE BAY 2010 H	CROSS SUPPORT	SINGLE BAY BASE 1010 H	ADDITIONAL SINGLE BAY 1010 H	GALVANISED PAIR OF GUIDES	PAIR OF ANCHOR BOLTS M8X75
250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	1 CROSS SUPPORT EVERY 6 SINGLE BAYS	250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	50 kg LOAD CAPACITY PER PAIR OF GUIDES	REQUIREMENT FOR FIXING TO GROUND
USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm		USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	REAR END STOP	
FR2004099	FRE2004099	FRCROSS	FR1004099	FRE1004099	FRRAIL40	FRFIX
211,45 €	74,49 €	15,83 €	94,53 €	60,47 €	7,78 €	7,42 €

Note: fixing material consisting of 2 M8x75 mm expansion screws in steel for uncracked concrete floors equal to or greater than C20/25 class.

BOX HEIGHT	GUIDE PITCH HEIGHT	ATHENA	KRONOS	ODETTE	R-KLT	RL-KLT
55	75	■				
78	100	■				
120	150	■				
147	175			■	■	■
170	200	■				
220	250	■	■			
280	300			■	■	
320	350	■				

FRAME

iMiCUBE

260

Dimensions of this composition 1390x600x2010H mm



Depth

600 mm

Front picking 400 mm
Depth 600 mm



Athena



Athena Light



Kronos



Odette





R-KLT



RL-KLT

iMilani


innovative
italian
ideas



DOUBLE BAY BASE WITH CROSS SUPPORT 2010 H	ADDITIONAL SINGLE BAY 2010 H	CROSS SUPPORT	SINGLE BAY BASE 1010 H	ADDITIONAL SINGLE BAY 1010 H	GALVANISED PAIR OF GUIDES	PAIR OF ANCHOR BOLTS M8x75
250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	1 CROSS SUPPORT EVERY 6 SINGLE BAYS	250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	50 kg LOAD CAPACITY PER PAIR OF GUIDES	REQUIREMENT FOR FIXING TO GROUND
USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm		USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	REAR END STOP	
FR2006099	FRE2006099	FRCROSS	FR1006099	FRE1006099	FRRAIL60	FRFIX
229,17 €	81,80 €	15,83 €	103,87 €	67,53 €	10,01 €	7,42 €

Note: fixing material consisting of 2 M8x75 mm expansion screws in steel for uncracked concrete floors equal to or greater than C20/25 class.

BOX HEIGHT	GUIDE PITCH HEIGHT	ATHENA	ATHENA LIGHT	KRONOS	ODETTE	R-KLT	RL-KLT
78	100	■					
120	150	■					
147	175					■	■
170	200	■					
220	250	■		■	■		
280	300	■				■	■
320	350	■		■	■		
430	450	■					



Front picking 200 mm
Depth 350 mm





Compact



Zeus

Depth

350 mm

FRAME

iMiCUBE
263

DOUBLE BAY BASE WITH CROSS SUPPORT 2010 H	ADDITIONAL SINGLE BAY 2010 H	CROSS SUPPORT	SINGLE BAY BASE 1010 H	ADDITIONAL SINGLE BAY 1010 H	GALVANISED PAIR OF GUIDES	PAIR OF ANCHOR BOLTS M8X75
250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	1 CROSS SUPPORT EVERY 6 SINGLE BAYS	250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	50 kg LOAD CAPACITY PER PAIR OF GUIDES	REQUIREMENT FOR FIXING TO GROUND
USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm		USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	REAR END STOP	
FR2003599	FRE2003599	FRCROSS	FR1003599	FRE1003599	FRRAIL35	FRFIX
204,51 €	71,72 €	15,83 €	91,31 €	57,77 €	7,02 €	7,42 €

Note: fixing material consisting of 2 M8x75 mm expansion screws in steel for uncracked concrete floors equal to or greater than C20/25 class.

BOX HEIGHT	GUIDE PITCH HEIGHT	COMPAT	ZEUS
145	175	■	■
200	225	■	

innovative
italian
ideas

iMilani

Dimensions of this composition 1492x500x2010H mm



Depth
500 mm

Front picking 300 mm
Depth 500 mm





Compact



Zeus

Depth

500 mm

DOUBLE BAY BASE WITH CROSS SUPPORT 2010 H	ADDITIONAL SINGLE BAY 2010 H	CROSS SUPPORT	SINGLE BAY BASE 1010 H	ADDITIONAL SINGLE BAY 1010 H	GALVANISED PAIR OF GUIDES	PAIR OF ANCHOR BOLTS M8X75
250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	1 CROSS SUPPORT EVERY 6 SINGLE BAYS	250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	60 kg LOAD CAPACITY PER PAIR OF GUIDES	REQUIREMENT FOR FIXING TO GROUND
USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm		USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	REAR END STOP	
FR2005099	FRE2005099	FRCROSS	FR1005099	FRE1005099	FRRAIL50	FRFIX
217,93 €	76,85 €	15,83 €	97,98 €	62,77 €	8,91 €	7,42 €

Note: fixing material consisting of 2 M8x75 mm expansion screws in steel for uncracked concrete floors equal to or greater than C20/25 class.

BOX HEIGHT	GUIDE PITCH HEIGHT	COMPAT	ZEUS
120	150	■	■
145	175	■	■
200	225	■	■
300	325	■	■

PICK

PICK container holder cabinets are the ideal commercial and industrial storage solution for small parts and small items.


They consist of a steel sheet structure with height-adjustable shelves, which can be variable in number according to the user's needs.

They are compatible for insertion of Compat containers series size 1 or 2 and Practibox container series, from 3 to 9 tilting.

These cabinets can be supplied without door or with door and lock.

ADJUSTABLE SHELVES

THE cabinet can be partitioned with height-adjustable shelves, 25 mm in pitch, with insertion of as many shelves as needed.



iMiCUBE

267

CONTAINERS

The PICK cabinets can be fitted with Compat series containers in sizes 1 and 2, as well as the Practibox tilting drawer unit series, numbers 3 - 4 -5 - 6 - 9.



REAR STOP

A rear stop can be applied to the shelf to prevent the depthways displacement of container size 1



SAFETY

For safety purposes, PICK container holder cabinets must be fixed to the floor or wall.



innovative
italian
ideas

iMilani

Dimensions

700 x 270 H 1000 mm

Some examples of compositions possible
with PICK 100 cabinets

1



2



3



4



5



6



700 x 270 H 1000 mm

PICK 100



Cabinet load capacity 450 kg.

Cabinet available in the following colours:

grey RAL7000 - code 01
green RAL6011 - code 02
blue RAL5012 - code 04
grey RAL7035 - code 08

iMiCUBE
—
269

Other colours available on request.



RAL 7000 .01	RAL 6011 .02	RAL 5012 .04	RAL 7035 .08
-----------------	-----------------	-----------------	-----------------

Comp.	Hinged doors	Lock	Shelves	Compat size 1	Stops for containers	Compat size 2	Shelf load capacity kg	Cabinet colour	Article	Price €
1			8	54	9		50	blue 04	PK10001 04	256,23
2	■	■	8	54	9		50	blue 04	PK10011 04	355,44
3			6	24	4	12	50	blue 04	PK10002 04	223,05
4	■	■	6	24	4	12	50	blue 04	PK10012 04	322,25
5			5			24	50	blue 04	PK10003 04	205,58
6	■	■	5			24	50	blue 04	PK10013 04	304,78

Safety: for safety purposes, the container holder cabinets must be fixed to the floor or wall.

Dimensions

700 x 270 H 1655 mm

Some examples of compositions possible
with PICK 165 cabinets

1



2



3



700 x 270 H 1655 mm



iMiCUBE

271

Cabinet load capacity 500 kg.

Cabinet available in the following colours:

grey RAL7000 - code 01**green RAL6011** - code 02**blue RAL5012** - code 04**grey RAL7035** - code 08

Other colours available on request.



RAL 7000
.01

RAL 6011
.02

RAL 5012
.04

RAL 7035
.08

Comp.	Hinged doors	Lock	Shelves	Compat size 1	Stops for containers	Compat size 2	Shelf load capacity kg	Cabinet colour	Article	Price €
1			12	42	7	24	50	blue 04	PK 16501 04	344,17
2	■	■	12	42	7	24	50	blue 04	PK 16511 04	426,75
Comp.	Hinged doors	Lock	Practibox holder frame	Practibox PR 9077...	Practibox PR 6112...	Practibox PR 5164...	Practibox PR 4206...	Practibox PR 3240...	Article	Price €
3	■	■	1x1500H	2	4	3	1	1	PK 16512 04	478,13

Safety: for safety purposes, the container holder cabinets must be fixed to the floor or wall.

Some examples of compositions possible with PICK 200 cabinets

Dimensions

700 x 270 H 2000 mm

1



2



3



700 x 270 H 2000 mm

PICK 200



iMiCUBE

273

Cabinet load capacity 500 kg.

Cabinet available in the following colours:

grey RAL7000 - code 01**green RAL6011** - code 02**blue RAL5012** - code 04**grey RAL7035** - code 08

Other colours available on request.

RAL 7000
.01RAL 6011
.02RAL 5012
.04RAL 7035
.08

Comp.	Hinged doors	Lock	Shelves	Compat size 1	Stops for containers	Compat size 2	Shelf load capacity kg	Cabinet colour	Article	Price €
1			15	54	9	28	50	blue 04	PK 20001 04	417,97
2	■	■	15	54	9	28	50	blue 04	PK 20011 04	520,42
Comp.	Hinged doors	Lock	Practibox holder frame	Practibox PR 9077...	Practibox PR 6112...	Practibox PR 5164...	Practibox PR 4206...	Practibox PR 3240...	Article	Price €
3	■	■	1x1750H	1	6	2	2	1	PK 20012 04	506,16

Safety: for safety purposes, the container holder cabinets must be fixed to the floor or wall.

PICK

iMiCUBE
274

Empty cabinets for other configurations

Dimensions

700 x 270 H 1000/1650/2000 mm

1



H 1000 mm

2



3



H 1650 mm

4



5




H 2000 mm

6




iMilani

innovative
italian
ideas


700 x 270 H 1000/1650/2000 mm

When size 1 containers are inserted, the stop bracket on the shelf must be used.
Art. PK STOP - € 2,09

Galvanised steel shelf,
complete with 4 hooks
Art. PK SHELF - € 8,35



Practibox holder frame
for cabinets 2000 mm in
height, including fixing
screws
Art. PK FR20 01 - € 39,15



Practibox holder frame
for cabinets 1650 mm in
height, including fixing
screws
Art. PK FR16 01 - € 34,65

Cabinet load capacity 500 kg.

Cabinet available in the following colours:

grey RAL7000 - code 01
green RAL6011 - code 02
blue RAL5012 - code 04
grey RAL7035 - code 08

Other colours available on request.



2 HILTI anchor bolts suitable for
uncracked concrete floors
greater than or equal to C20/25 class
Recommended anchor bolt traction:
2.9 KN
Anchor bolt diameter: Ø 6 mm
Art. PK FIX - € 7,42



RAL 7000 .01 RAL 6011 .02 RAL 5012 .04 RAL 7035 .08

Comp.	Hinged doors	Lock	Shelves	Compat size 1	Stops for containers	Compat size 2	Load capacity of shelf kg	Cabinet colour	Article	Price €
1								blue 04	PK 10000 04	123,11
2	■	■						blue 04	PK 10010 04	222,31
3								blue 04	PK 16500 04	151,66
4	■	■						blue 04	PK 16510 04	234,24
5								blue 04	PK 20000 04	178,89
6	■	■						blue 04	PK 20010 04	281,33


Safety: for safety purposes, the container holder cabinets must be fixed to the floor or wall.

SQUARE

SQUARE shelf units are stackable and can be used to create complete wall shelving installations units, in accordance with available space.

SQUARE shelf units consist of steel structures in RAL7000 grey colour and 8 different configurations, for Zeus series boxes and Compat series containers.

The warehouse configurations of SQUARE shelf units can be easily modified since the individual compositions are monobloc structures – a solution that not only allows for rapid preparation of the area, but also imparts considerable strength even at full load.



DUST PROTECTION COVER

Use of the dust cover also protects the material from accidental loads.
Constructed in RAL7000 grey steel.



WORKTOP

iMiCUBE
277

The worktop allows the creation of comfortable, practical workstations for the distribution of materials.
Constructed in RAL7000 grey steel.



PLINTH

The plinth raises the shelf unit 85 mm from the ground, insulates it from the floor and prevents the bottom row of boxes/containers from touching the ground during extraction.
Constructed in RAL7000 grey steel.



CONTAINERS

Individual boxes/containers can be extracted easily and quickly and a special hook positioned at the front on the guides prevents total or accidental ejection.



size 3



size 4A5



size 272-4



size 272-4A5



size 4



size 5

COMPAT



size 272-5

ZEUS

SQUARE

iMiCUBE
278



size 3



1025 x 310 x 885H mm



1765 x 310 x 885H mm



size 4



size 272-4



1075 x 460 x 885H mm



1765 x 460 x 885H mm



size 4A5



size 272-4A5



1765 x 460 x 1300H mm



1765 x 460 x 1300H mm



size 5



size 272-5




1125 x 660 x 1180H mm



1670 x 660 x 1180H mm

FRAME STACKABILITY



iMiCUBE

279

Frame		Single frame load capacity kg	Box load capacity kg	Number of boxes / containers	Price € excluding containers	Frame	Single frame load capacity kg	Box load capacity kg	Number of boxes / containers	Price € excluding containers			
1 SQ16003	1 frame	960	60	16	206,33	5 SQ30004	1 frame	2400	80	30	370,6		
	2 frames stacked	960	60				2 frames stacked	2400	80				
	3 frames stacked	640	40				3 frames stacked	1500	50				
SQB1023	Plinth	1020 x 315 x 85H mm			49,96	SQB1764	Plinth	1765 x 465 x 85H mm			64,23		
SQC1023	Dust protection cover	1020 X 315 x 20H mm			24,00	SQC1764	Dust protection cover	1765 x 465 x 20H mm			31,40		
SQW1023	Worktop	1025 x 315 x 32H mm			37,17	SQW1774	Worktop	1770 x 465 x 32H mm			66,60		
2 SQ28003	1 frame	1680	60	28	306,68	6 SQ204A5	1 frame	1600	80	20	313,11		
	2 frames stacked	1680	60				2 frames stacked	1000	80				
	3 frames stacked	1120	40				3 frames stacked	1000	50				
SQB1763	Plinth	1765 x 315 x 85H mm			68,47	SQB1764	Plinth	1765 x 465 x 85H mm			64,23		
SQC1763	Dust protection cover	1765 x 315 x 20H mm			31,29	SQC1764	Dust protection cover	1765 x 465 x 20H mm			31,40		
SQW1773	Worktop	1770 x 315 x 32H mm			56,06	SQW1774	Worktop	1770 x 465 x 32H mm			66,60		
3 SQ12004	1 frame	1200	100	12	196,90	7 SQ06005	1 frame	1200	200	6	279,73		
	2 frames stacked	1200	100				2 frames stacked	1200	200				
	3 frames stacked	1200	100				3 frames stacked	1200	200				
SQB1074	Plinth	1070 x 465 x 85H mm			58,26	SQB1126	Plinth	1125 x 660 x 155H mm			88,90		
SQC1074	Dust protection cover	1070 x 465 x 20H mm			28,56	SQC1126	Dust protection cover	1120 x 665 x 30H mm			38,33		
SQW1074	Worktop	1075 x 465 x 32H mm			51,48								
4 SQ20004	1 frame	1600	80	20	278,53	8 SQ09005	1 frame	1800	200	9	376,26		
	2 frames stacked	1600	80				2 frames stacked	1800	200				
	3 frames stacked	160	80				3 frames stacked	1800	200				
SQB1764	Plinth	1765 x 465 x 85H mm			64,23	SQB1676	Plinth	1670 x 660 x 155H mm			113,76		
SQC1764	Dust protection cover	1765 x 465 x 20H mm			31,40	SQC1666	Dust protection cover	1667 x 665 x 30H mm			48,58		
SQW1774	Worktop	1770 x 465 x 32H mm			66,60								

GENERAL TERMS AND CONDITIONS OF SALE FOR IMILANI PRODUCTS

1. DEFINITIONS
 - 1.1. WITHIN THIS AGREEMENT, THE TERMS SPECIFIED BELOW SHALL HAVE THE FOLLOWING MEANING:
 - A) BUYER: ANY TRADER WHO PURCHASES OR PROPOSES TO PURCHASE FROM IMILANI THE PRODUCTS MARKETED BY IMILANI;
 - B) ORDER CONFIRMATION: REFERS TO THE DOCUMENT WITH WHICH IMILANI ACCEPTS A PROPOSAL;
 - C) INCOTERMS2010: INCOTERMS OF THE INTERNATIONAL CHAMBER OF COMMERCE, IN THE TEXT IN FORCE AT THE DATE OF FINALISING THE ORDER;
 - D) ORDER(S): MEANS THE CONTRACT, FORMED BY THE PROPOSAL SUBMITTED BY THE BUYER AND THE ORDER CONFIRMATION ISSUED BY IMILANI, WHICH REGULATES THE SUPPLY OF PRODUCTS;
 - E) PARTS: IMILANI AND THE BUYER;
 - F) PRODUCTS: GOODS COVERED BY A SALE OR SALE NEGOTIATION;
 - G) PROPOSAL(S): THE REQUEST(S) TO PURCHASE THE PRODUCTS SENT BY THE BUYER TO IMILANI.
2. FIELD OF APPLICATION
 - 2.1. THESE CONDITIONS OF SALE (HEREINAFTER THE "CONDITIONS") APPLY BETWEEN IMILANI SRL (HEREINAFTER "IMILANI") AND THE BUYER EVEN WHEN THEY HAVE NOT BEEN AGREED UPON OR REFERRED TO BY THE PARTIES.
 - 2.2. ANY EXCEPTIONS SHALL BE VALID ONLY IF CONTAINED IN SEPARATE DOCUMENTS SIGNED BY THE PARTIES.
 - 2.3. THE GENERAL TERMS AND CONDITIONS OF SALE ARE AN INTEGRAL PART OF ALL ORDERS, INCLUDING WHEN FINALISED BY TELEPHONE, VERBALLY, BY FAX, EMAIL OR INTERNET.
 - 2.4. IN THE EVENT OF DISCREPANCIES BETWEEN THE PROVISIONS REFERRED TO HEREIN AND THOSE CONTAINED IN THE ORDER, THE LATTER SHALL IN ANY CASE PREVAIL.
3. FINALISATION OF THE ORDER
 - 3.1. THE BUYER MAY SUBMIT PROPOSALS TO IMILANI EITHER DIRECTLY OR THROUGH AGENTS AND THEIR REPRESENTATIVES. HOWEVER, AN ORDER SHALL BE FINALISED ONLY AFTER AN ORDER CONFIRMATION HAS BEEN SENT BY IMILANI FOR EACH INDIVIDUAL PROPOSAL.
 - 3.2. IMILANI EXPRESSLY RESERVES THE RIGHT TO EVALUATE ANY PROPOSAL AND SHALL NOT BE BOUND TO THE ACCEPTANCE THEREOF.
 - 3.3. ANY SUPPLY OFFERS FROM IMILANI TO THE BUYER SHALL ONLY BE CONSIDERED FIRM AND IRREVOCABLE IF QUALIFIED AS SUCH IN WRITING BY IMILANI.
 - 3.4. THE REGISTERED OFFICES OF IMILANI SHALL ALWAYS BE THE PLACE OF FINALISATION OF THE ORDER, INCLUDING ORDERS THAT ARE FINALISED ELECTRONICALLY.
4. DELIVERY TERMS
 - 4.1. IMILANI SHALL DELIVER THE PRODUCTS EX-WORKS (EXW INCOTERMS2010). IF REQUESTED, IMILANI SHALL TAKE CARE OF THE TRANSPORTATION OF THE PRODUCTS, AT THE RISK, COST AND EXPENSE OF THE BUYER. THE PAYMENT OF TRANSPORT COSTS BY IMILANI SHALL NOT AFFECT THE RISKS OF THE SHIPMENT, WHICH SHALL CONTINUE TO BE BORNE BY THE BUYER AT THE LATEST UPON DELIVERY OF THE PRODUCTS TO THE FIRST CARRIER.
 - 4.2. THE DELIVERY OF THE PRODUCTS MUST TAKE PLACE BY THE DEADLINE SPECIFIED IN THE ORDER, CALCULATED IN WORKING DAYS. HOWEVER, THE DELIVERY DEADLINE IS PURELY INDICATIVE AND IS NOT AN ESSENTIAL TERM OF THE CONTRACT AND, IN ANY CASE, DOES NOT INCLUDE TRANSPORT TIME.
 - 4.3. UPON RECEIPT OF THE NOTICE OF GOODS READY FOR PICK-UP, THE BUYER MUST COLLECT THE PRODUCTS WITHIN A DEADLINE OF 10 (TEN) DAYS. SHOULD THE BUYER DEFAULT, THE PRODUCTS MAY BE STORED OUTDOORS, WITH IMILANI RELEASED FROM ANY LIABILITY, AND ALL GUARANTEES BEING FORFEITED IN FAVOUR OF IMILANI; THE BUYER SHALL BE CHARGED FOR ANY HANDLING AND STORAGE COSTS INCURRED BY IMILANI, WHICH MAY ALSO, AT ITS DISCRETION, HAVE THE PRODUCTS PLACED IN STORAGE AT THE BUYER'S EXPENSE.
 - 4.4. IMILANI SHALL BE ENTITLED TO ISSUE A REGULAR INVOICE WITHIN 10 (TEN) DAYS FROM THE NOTICE OF GOODS READY FOR PICK UP.
5. COMPLAINTS
 - 5.1. ANY COMPLAINTS REGARDING THE PACKAGING CONDITION, QUANTITY, NUMBER OR EXTERNAL CHARACTERISTICS OF THE PRODUCTS (APPARENT DEFECTS) MUST BE SUBMITTED TO IMILANI IN WRITING, UNDER PENALTY OF FORFEITURE, WITHIN 8 (EIGHT) BUSINESS DAYS FROM THE DATE OF RECEIPT OF THE PRODUCTS.
 - 5.2. ANY COMPLAINTS RELATING TO DEFECTS THAT CANNOT BE IDENTIFIED THROUGH DILIGENT CONTROL UPON RECEIPT (HIDDEN DEFECTS) MUST BE SUBMITTED TO IMILANI, UNDER PENALTY OF FORFEITURE, WITHIN 8 (EIGHT) DAYS FROM THE DATE OF DISCOVERY OF THE DEFECT AND REPORTED TO IMILANI IN THE MANNER PROVIDED UNDER THE WARRANTY CONDITIONS.
 - 5.3. IN NO CASE SHALL AGENTS, CUSTOMERS OR INTERMEDIARIES OF IMILANI HAVE THE POWER TO REPRESENT IMILANI OR TAKE ANY BINDING OBLIGATIONS ON BEHALF OF IMILANI VIS À VIS THE BUYER OR OTHER THIRD PARTIES. TO THIS END, ANY NOTICE RELATING TO FAULTS OR DEFECTS OF THE PRODUCTS SHALL BE INVALID AND INEFFECTIVE IF MADE TO AGENTS, CUSTOMERS OR INTERMEDIARIES OF IMILANI.
6. PRICES
 - 6.1. THE PRICES OF THE PRODUCTS SHALL BE THOSE SPECIFIED IN THE IMILANI PRICE LIST IN FORCE AT THE TIME THE ORDER IS FINALISED OR, IF THE PRODUCT IS NOT INCLUDED IN THE PRICE LIST OR THE PRICE LIST IS NOT AVAILABLE, THOSE SPECIFIED IN THE ORDER CONFIRMATION.
 - 6.2. UNLESS OTHERWISE AGREED, THE AFOREMENTIONED PRICES SHALL BE CALCULATED EX WORKS (EXW INCOTERMS2010). THESE PRICES DO NOT INCLUDE THE COSTS OF SPECIAL PACKAGING, SHIPPING AND TRANSPORT FROM IMILANI'S PREMISES, WHICH SHALL BE BORNE BY THE BUYER. UNLESS OTHERWISE AGREED, THE BUYER SHALL ALSO BEAR ALL EXPENSES, TAXES OR DUTIES INHERENT IN THE SALE OF THE PRODUCTS, INCLUDING THE COSTS OF ALL CUSTOMS FORMALITIES (AS WELL AS ANY DUTIES, TAXES AND OTHER OFFICIAL CHARGES TO BE PAID FOR EXPORTING THE PRODUCTS).
7. PAYMENT CONDITIONS
 - 7.1. WHERE THE TERMS OF PAYMENT ARE NOT SPECIFIED IN THE ORDER, THE PAYMENT MUST BE MADE WITHIN 30 DAYS FROM THE END OF MONTH INVOICE DATE, BY BANK TRANSFER. THE PAYMENT SHALL BE CONSIDERED PAID MADE WHEN THE SUM BECOMES AVAILABLE TO IMILANI AT ITS BANK IN ITALY.
 - 7.2. IF THE PARTIES AGREED ON AN ADVANCE PAYMENT WITHOUT FURTHER SPECIFICATIONS, IT IS ASSUMED THAT THE ADVANCE PAYMENT REFERS TO THE ENTIRE PRICE OF THE PRODUCTS INCLUDED IN THE SUPPLY ORDER.
 - 7.3. IF THE PARTIES HAVE AGREED ON PAYMENT BY DIRECT REMITTANCE, THIS SHALL BE DONE BY SWIFT TRANSFER – WITH FIXED VALUE DATE IN FAVOUR OF IMILANI ON THE DAY THE PAYMENT IS DUE – AT THE BANK SPECIFIED BY IMILANI.
 - 7.4. IN THE EVENT OF PAYMENT DELAYED UNTIL AFTER THE AGREED DATE, DEFAULT INTEREST AT THE STATUTORY RATE SHALL BE APPLIED TO THE BUYER. IN ADDITION, IMILANI SHALL BE REIMBURSED FOR ANY COSTS INCURRED IN THE RECOVERY OF SUMS NOT PROMPTLY PAID.
 - 7.5. THE BUYER IS NOT AUTHORISED TO MAKE ANY DEDUCTION FROM THE AGREED PRICE (E.G. IN CASE OF ALLEGED PRODUCT DEFECTS), WITHOUT PRIOR WRITTEN AGREEMENT WITH IMILANI.
8. FORCE MAJEURE
 - 8.1. BOTH THE BUYER AND IMILANI MAY SUSPEND THE PERFORMANCE OF THEIR CONTRACTUAL OBLIGATIONS WHEN SUCH PERFORMANCE BECOMES IMPOSSIBLE OR UNREASONABLY BURDENSONE DUE TO AN UNFORESEEABLE IMPEDIMENT NOT UNDER THEIR CONTROL, SUCH AS FOR EXAMPLE, STRIKES, BOYCOTTS, LOCKOUTS, FIRES, WARS, RIOTS AND REVOLUTIONS, REQUISITIONS, EMBARGOES OR INTERRUPTIONS IN ENERGY SUPPLY.
 - 8.2. THE PARTY WISHING TO INVOKE THIS CLAUSE MUST IMMEDIATELY INFORM THE OTHER IN WRITING THAT A FORCE MAJEURE CIRCUMSTANCE HAS OCCURRED AS WELL AS WHEN SUCH CIRCUMSTANCE NO LONGER EXISTS.
 - 8.3. IF THE SUSPENSION DUE TO FORCE MAJEURE LASTS MORE THAN EIGHT WEEKS, EACH PARTY SHALL HAVE THE RIGHT TO TERMINATE THE ORDER, SUBJECT TO 10 DAYS' NOTICE, TO BE CONVEYED TO THE OTHER IN WRITING.
9. CHANGE IN THE BUYER'S FINANCIAL SITUATION
 - 9.1. IMILANI SHALL BE ENTITLED TO SUSPEND THE FULFILMENT OF THE OBLIGATIONS ARISING FROM THE SUPPLY OF THE PRODUCTS IN THE EVENT THAT THE BUYER'S FINANCIAL SITUATION BECOMES SUCH AS TO SERIOUSLY ENDANGER THE BUYER'S PERFORMANCE OF ITS OWN OBLIGATIONS, UNLESS A SUITABLE GUARANTEE IS GIVEN.
10. APPLICABLE LAW AND JURISDICTION
 - 10.1. THE GENERAL TERMS AND CONDITIONS OF SALE AND THE ORDERS ENTERED INTO BETWEEN IMILANI AND THE BUYER SHALL BE GOVERNED BY ITALIAN LAW.
 - 10.2. FOR ANY DISPUTE REGARDING THE INTERPRETATION, PERFORMANCE, BREACH OR TERMINATION OF THESE GENERAL TERMS AND CONDITIONS OF SALE, THE COURT OF VICENZA SHALL HAVE EXCLUSIVE JURISDICTION, INCLUDING IN THE EVENT OF JOINDER OF PROCEEDINGS.
11. FINAL CLAUSES
 - 11.1. SHOULD ONE OF THE PARTIES FAIL TO TAKE LEGAL ACTION OR EXERCISE A RIGHT UNDER THESE GENERAL TERMS AND CONDITIONS OF SALE, SUCH ACQUIESCENT CONDUCT MAY NOT BE INTERPRETED AS A FINAL WAIVER TO TAKE SUCH LEGAL ACTION OR EXERCISE SUCH RIGHTS IN THE FUTURE.
 - 11.2. THE SALE OF PRODUCTS BY IMILANI TO THE BUYER DOES NOT GIVE THE LATTER ANY EXCLUSIVE TERRITORIAL RIGHT NOR DOES IT ALLOW THE BUYER TO TAKE ON THE STATUS OF DISTRIBUTOR OR RESELLER OF IMILANI.
 - 11.3. ANY COMMUNICATION FROM THE BUYER TO IMILANI IN RELATION TO THESE GENERAL TERMS AND CONDITIONS OF SALE MUST BE SENT TO THE FOLLOWING CERTIFIED E-MAIL ADDRESS: IMILANISRL@LEGALMAIL.IT. THE AFOREMENTIONED COMMUNICATIONS SHALL TAKE EFFECT UPON RECEIPT BY THE RECIPIENT.
12. PRIVACY
 - 12.1. IN ACCORDANCE WITH THE PROVISIONS OF LEGISLATIVE DECREE 196/03, BY ACCEPTING THIS CONTRACT, THE BUYER DECLARES THAT IT IS AWARE, AND EXPRESSLY AGREES, THAT ITS "PERSONAL DATA", PROVIDED (ALSO VERBALLY) BY ITSELF OR ACQUIRED DURING SALE TRANSACTIONS, IS KEPT WITH IMILANI IN ITS (PAPER, ELECTRONIC OR TELECOMMUNICATIONS) ARCHIVES AND PROCESSED AS PART OF THE CONDUCT OF BUSINESS ACTIVITIES OF IMILANI FOR MANAGEMENT PURPOSES, THE FULFILMENT OF LEGAL OBLIGATIONS, AND FOR STATISTICAL, COMMERCIAL, MARKETING, PROMOTIONAL AND CREDIT PROTECTION PURPOSES. SUCH DATA MAY ALSO BE: (A) DISCLOSED TO COMPANIES, ENTITIES, CONSORTIA OR ASSOCIATIONS RESPONSIBLE FOR CREDIT PROTECTION, (B) DISCLOSED/DISSEMINATED TO SUBSIDIARIES, PARENT COMPANIES OR ASSOCIATES ENGAGED IN COMMERCIAL, MARKET RESEARCH, MARKETING, MANAGEMENT OR IT MANAGEMENT ACTIVITIES; OR SUCH COMPANIES CAN BE GIVEN ACCESS TO THE AFOREMENTIONED ARCHIVES. IN RELATION TO THE PROCESSING OF SAID DATA, THE BUYER MAY EXERCISE THE RIGHTS INDICATED IN ART. 7 LEGISLATIVE DECREE 196/03 AND IMILANI HAS AN OBLIGATION TO COMMUNICATE WITHOUT DELAY ANY REQUESTS PURSUANT TO THAT ARTICLE. THE DATA CONTROLLER IS IMILANI IN THE PERSON OF ITS PRO-TEMPORE LEGAL REPRESENTATIVE. THE DATA CAN BE PROCESSED AT THE COMPANY'S REGISTERED OFFICES OR AT TAX CONSULTING FIRMS, AS WELL AS AT THE PREMISES OF ANY OTHER PROFESSIONALS THAT HAVE BEEN TASKED WITH PROCESSING THE ACCOUNTS AND ANY OTHER RELEVANT ASSIGNMENTS.
13. COMPLIANCE WITH LAW 231/2001
 - 13.1. THE BUYER ACKNOWLEDGES THAT IMILANI HAS ADOPTED AND IMPLEMENTED AN ORGANISATION, MANAGEMENT AND CONTROL MODEL PURSUANT TO LEGISLATIVE DECREE 231/01, WITH ITS CODE OF ETHICS AND DISCIPLINARY SYSTEM, DETAILS OF WHICH CAN BE VIEWED ON THE COMPANY WEBSITE WWW.IMILANI.IT. THE BUYER ENDORSES THE PRINCIPLES OF THE AFOREMENTIONED ORGANISATION, MANAGEMENT AND CONTROL MODEL AND ITS ANNEXES, AND UNDERTAKES TO COMPLY WITH ITS CONTENTS, PRINCIPLES AND PROCEDURES AND, IN GENERAL, TO REFRAIN FROM ANY CONDUCT THAT MAY CONSTITUTE ANY OF THE OFFENCES SPECIFIED IN ITALIAN LEGISLATIVE DECREE 231/01, AS AMENDED, AND INCLUDED IN THE AFOREMENTIONED ORGANISATION, MANAGEMENT AND CONTROL MODEL. THE BUYER ALSO UNDERTAKES TO COMPLY WITH AND TO ENSURE ITS EMPLOYEES' COMPLIANCE WITH ALL THE PRINCIPLES CONTAINED IN SAID DOCUMENTATION AND BEHAVIOURAL PROTOCOLS PROVIDED BY OUR ORGANISATION IN ACCORDANCE WITH LEGISLATIVE DECREE 231/2001 AND THE ANNEXES TO THIS CONTRACT. ANY BREACH OF THE RULES PROVIDED BY THE AFOREMENTIONED DOCUMENTS SHALL CONSTITUTE A SERIOUS BREACH OF CONTRACT.

iMilani

innovative
italian
ideas

iMilani srl

Via Capitano Alessio, 109
36027 Rosà (VI) — Italy

Tel +39 0424 583100
info@imilani.it
www.imilani.it



COBOTEC | 2D
ENGINEERING de experienta

📞 0213221238

✉️ office@cobotec.ro

🌐 www.cobotec.ro

CATTED Business Park Chitila -
Hala 11 Soseaua Centura
Bucuresti, Km 62 Chitila Jud Ilfov
Cod Postal 077045