

Plumbing Tools

PROMO20220412



NOGA
simply sophisticated

COBOTECH
ENGINEERING

All NOGA products meet the strict requirements of ISO 9001 and ISO 14001.

We invite you to visit our web site: www.noga.com for further information.

NOGA reserves the right to make changes in any of its products without prior notice.

© Copyright NOGA Engineering & Technology (2008) Ltd.

WARNINGS



- Blades are sharp and can cut.
- Blades can break causing flying shards.
- Sharp edges and flying shards can cause injury.
- Wear safety goggles (both user and bystanders).
- Do not pry or bend blades.
- Keep away from children.
- Do not regrind blades.

All rights reserved. No part of this publication may be reproduced, transcribed, stored in an electronic retrieval system, translated into any language or computer language, or be transmitted in any form whatsoever without the prior written consent of the publisher.



Plumbing Contents

SPIDER BURR 62

Spider Burr
Large Spider Burr

INNER - OUTER REAMER 63-64

Inner - Outer Reamer for Plastic
Inner - Outer Reamer for Steel
Inner - Outer Reamer for Soft Metals


DEBURRING TOOLS 65

Edge Off
Rapid Burr
Noga Burr 1, 3





Spider Burr



SELF ADJUSTING CHAMFERING TOOL

UNIQUE MECHANISM
ENABLES QUICK OUTER EDGE BURR REMOVAL
EXTREMELY FAST CHAMFERING ON EXTERNAL TUBES
IDEAL FOR THE OUTSIDE DIAMETER OF PLASTIC PIPES



EASY SET UP - the diameter of the Spider Burr automatically and quickly adjusts to the required outer circumference of the pipe.

Works on different plastic pipes and tubes such as UPVC, PVC, PP, PE, CPVC, ABS etc.

Working range: 75 - 110 mm (2½" - 4"), 110 - 160 mm (4" - 6").

Works best with standard electric/cordless drills - 14V and up.

For best performance run the drill at a low RPM.


Use the drill position setting.

Same blade is used for both models and is replaceable.



order no.	range		special price
PC2000	75 - 110 mm	2½" - 4"	72.32 EUR
PC3000	110 - 160 mm	4" - 6"	88.40 EUR
PC1100	Replacement blade		13.06 EUR

Deburring Tools



EDGE OFF EO1000

Disposable tool. A handy pocket clip is a standard feature of this tool.

INCLUDES: S10 blade mounted in an 8 mm painted hexagonal aluminum handle.

special price
3.58 EUR




RAPID BURR RB1000

Steel housing for long life of handle. The blade is replaceable.

INCLUDES: S10 blade mounted in an 12 mm painted hexagonal aluminum handle.

special price
5.95 EUR



NOGA BURR 1 & 3

Will do most of your deburring jobs.

NOGA BURR 1 - NB1100

special price
5.29 EUR




INCLUDES:
NB handle and S10 blade.

NOGA BURR 3 - NB3000

special price
7.99 EUR

INCLUDES:
NB handle
S10, S20 and S35 blades.



BLADES	order no.		incl. angle (degrees)	package weight (g)	package quantity	works best on:	special price
S10	BS1010		40	42	10	steel, aluminium and plastic	10.29 EUR
S20	BS2010	L/R 	60	43	10	brass and cast iron	10.29 EUR
S35	BS3510	L/R 	55	44	10	straight edges on most materials	11.28 EUR

L/R - for left and right hand users.

All blades are made of H.S.S. Hardness 62-64Rc.

NOGA
simply sophisticated

COBOTECH
ENGINEERING

Inner - Outer Reamer



FAST CHAMFERING UP TO 75 MM ON PLASTIC PC6000


Works on different plastic pipes and tubes such as UPVC, PVC, PP, PE, CPVC, ABS etc.

Working range: 25 - 75 mm ($3/4'' - 2\ 1/2''$).

Works best with standard electric/cordless drills - 14V and up.

For best performance run the drill at a low RPM.

Use the drill position setting.



PC6000



order no.	range			special price
PC6000	EXT.	25 - 75 mm	$3/4'' - 2\ 1/2''$	59.87 EUR
	INT.	40 - 75 mm	$1\ 1/4'' - 2\ 1/2''$	
PC6100	Replacement blade			13.96 EUR

Inner - Outer Reamer


INNER - OUTER REAMER FOR PLASTIC & SOFT METALS SP81005

Deburs both the inner and outer edges
of tubing.
Plastic body with 3 cutters.
Reamer for plastic and soft metals.



**special
price**
4.92 EUR

SP81005



order no.	range	
SP81005	4 - 42 mm	$\frac{5}{32}$ " - $1 \frac{21}{32}$ "


INNER - OUTER REAMER FOR STEEL SP8200

The multiple cutting edges of the
SP 8200 on interior cone allows for
fast, clean, inner reaming and outer
deburring / beveling of steel tubing.
Hardened steel construction.



**special
price**
78.35 EUR

SP8200



order no.	range	
SP8200	12 - 50 mm	$\frac{1}{2}$ " - 2"



Noga Engineering and Technology (2008) Ltd.
P.O.B. 55. Dora Industrial Park
Shlomi 2283200, Israel
Tel: 972-4-9808080
Fax: 972-4-9808638
E-mail: noga@noga.com
www.noga.com



Unic reprezentant in Romania:

Cobotec Engineering
CATTED Business Park Chitila
Hala 11 Soseaua Centura Bucuresti
Km 62 Chitila Jud Ilfov Cod Postal
077045
Tel: +40213221238
E-mail: office@cobotec.ro
www.noga.com