


THE FULL EXTENSION DRAWER REVOLUTION





FLEXA

TECHNICAL SPECIFICATIONS



1



Drawers and extensible shelves are supplied as standard with 100% total extensibility on high-strength ball bearings. The perforated bottom and the slotted walls with 17 mm pitch allow for easy insertion and fastening (through screws) of the metal partitions.

2

The doors are pre-set to be installed with either right-hand or left-hand opening. The cabinets are supplied with a cylinder lock complete with two keys. When the cabinet is provided with a door, both the cabinet lock and the door lock are provided with the same keys. In this way, only one key can be used for the cabinet.



3

CYLINDER LOCK

Supplied standard with cylinder lock and two keys.




4

FLEXA series cabinets can be fitted with a top shelf, consisting of an MDF top lined with a steel sheet covered with oil-proof rubber. Supplied in the same dimensions as the cabinets, these tops can be easily joined together to create a seamless surface (see example).

MDF SHELF APPLICATION



The cabinets can be fitted with a wide range of electrical and pneumatic systems complete with electric rollers, various types of outlets and voltage ratings, differential cutoff switches, winding units and compressed air fixed connectors. AVAILABLE ON REQUEST.



The closing bar also acts as an anti-tilt system when the drawer is extended. The drawer rear hook causes the bar (A) to rotate to its closed position. This prevents the operator from simultaneously opening multiple drawers, avoiding a dangerous weight shift to the outside.



A

B

Two types of handle can be fitted on FLEXA series cabinets. The pair of handles is applied to the 4-edge shelf, both frontally and laterally, and can also be turned downwards to reduce the trolley height by 38 mm (A). The single handle is applied to the cabinet side. This solution allows other types of cover to be fitted on the cabinet – such as multiplex shelves (B), available on request.



**STANDARD
RUBBER
WHEELS**



**NON-MARKING
RUBBER
WHEELS**



**ELASTIC
RUBBER
WHEELS**



**POLYURETHANE
WHEELS**



**NYLON
WHEELS**



● **ART. F DB 1090 52 04**
H = 1000 mm - 7 drawers

 METAL COLOURS



GREY
RAL 7000
.01



GREEN
RAL 6011
.02



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



FULL EXTENSION 100% = 70 kg



CYLINDER LOCK (KEY)
Supplied standard with cylinder lock
and two keys

KEY



SHELF/
DRAWER
CAPACITY



SHELF/
DRAWER
EXTENSION



CABINET
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 400 mm

2 drawers

100
200



SIDE LOCK

ART.



F DC 1030 51 04

70

100%

key

H 600 mm

4 drawers

75
75
150
200



ART.



F DB 1050 52 04

70

100%

key

H 700 mm

4 drawers

75
100
125
300



ART.




F DB 1060 51 04

70

100%

key



ART.				
F DB 1090 52 04		70	100%	key



door 575 mm *maximum capacity 50 kg

ART.				
F DC 1090 56 04		70	100%	key

SIDE LOCK

ART. F DB B560 02 EF

Dim. mm 564x675x920 H
Colour grey RAL 7000 + grey RAL 7035
PARTITIONING MATERIAL NOT INCLUDED



ART. F DB 1070 58 56

Dim. mm 564x600x930 H
Colour grey RAL 7000 + grey RAL 7035

H 820 mm



ART.				
F DB B550 02 04		70	100%	key

Cabinet capacity 235 kg - Cabinet height without wheels mm 660

H 920 mm



ART.				
F DB B560 02 04		70	100%	key

Cabinet capacity 235 kg - Cabinet height without wheels mm 760

H 1020 mm



*maximum capacity 50 kg

ART.				
F DB B570 01 04		70	100%	key

Cabinet capacity 235 kg - Cabinet height without wheels mm 860

H 1220 mm



ART.				
F DB B590 01 04		70	100%	key

Cabinet capacity 235 kg - Cabinet height without wheels mm 1060



2 standard rubber swivel wheels with brake Ø 125 mm
2 standard rubber fixed wheels Ø 125 mm

CONFIGURE YOUR CABINET

EMPTY CABINET



ART.		dim. mm	useful H mm	kg
F DC 1020 00 04		564x600x300 H	200	300
F DC 1030 00 04		564x600x400 H	300	400
Including cylinder lock and side bar				
F DB 1050 00 04		564x600x600 H	500	900
F DB 1060 00 04		564x600x700 H	600	900
F DB 1090 00 04		564x600x1000 H	900	900

Including central cylinder lock and anti-tilt rod

COVER TOPS SEE PAGE 351

CABINET PRE-SET FOR WHEELS FITTING



ART.		dim. mm	useful H mm
F DB 0550 00 04		564x675x660 H	500
F DB 0560 00 04		564x675x760 H	600
F DB 0570 00 04		564x675x860 H	700
F DB 0575 00 04		564x675x910 H	750
F DB 0590 00 04		564x675x1060 H	900

Cabinet pre-set for wheel fitting, complete with: wheel holder plate, 4-edgetop shelf coated in PVC, pair of steel handles covered with shock-proof rubber, 2-key cylinder lock, anti-tilt bar.



The handles can be mounted facing downwards - reducing the total height by 38 mm.

DRAWERS



ART.		usable dim. mm	front H mm	kg
F DB 8050 00 04		447x447x36 H	50	50
F DB 8075 00 04		447x447x61 H	75	70
F DB 8100 00 04		447x447x86 H	100	70
F DB 8125 00 04		447x447x111 H	125	70
F DB 8150 00 04		447x447x136 H	150	70
F DB 8200 00 04		447x447x186 H	200	70

Full extension 100%



It is mandatory to apply to all drawers inserted in the cabinets with wheels the individual drawer opening device ART. F DD 9400 00 07



RETRACTABLE SHELF

ART.		usable dim. mm	lateral H mm	kg
F DB 8000 00 04		435x475	-	70

Full retractable 100%



ADJUSTABLE SHELF

ART.		usable dim. mm	lateral H mm	kg
F DB 9100 01 04		505x460	55	70

Without extension system



PARTIAL HEIGHT REVERSIBLE DOOR

ART.		height (A) mm
F DB 9640 02 04		400+25
F DB 9642 02 04		425+25
F DB 9645 02 04		500+25
F DB 9649 02 04		575+25
F DB 9650 02 04		600+25

The door can be fitted both with left-hand and right-hand opening



It is not possible to insert the drawers behind the doors



TOTAL HEIGHT REVERSIBLE DOOR

ART.		height (A) mm
F DB 9645 01 04		500
F DB 9650 01 04		600

The door can be fitted both with left-hand and right-hand opening



STOP

ART. F DA 9698 00 99

To order with full height doors only.

PAIR OF PLINTHS

ART.	H mm
F RR 1608 00 07	130

Black colour RAL 9005



Application
PAIR OF PLINTHS




3-EDGE TOP SHELF

ART.	dim. mm	
F DB 9150 01 07	564x600x20 H	

PVC-coated shelf. Black colour



**OIL-PROOF
RUBBER
FINISHING**



MDF TOP SHELVES DIM. 565x600x31,5 mm H

ART.	finishes	for cabinet	
F UZ 3120 11 07	1 side profile	RH or LH final	
F UZ 3120 12 07	-	central	
F UZ 3120 13 07	2 side profiles	single	

MDF shelf with oil-proof top rubber coating. Black colour



**MDF SHELF
APPLICATION**



STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm	
C RG BAC11 100	100	160	128	
C RG BAC12 125	125	235	155	
C RG BAC13 150	150	280	180	



STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm	
C RG DAC11 100	100	160	128	
C RG DAC12 125	125	235	155	
C RG DAC13 150	150	280	180	



NYLON FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm	
C RN BAD10 100	100	310	128	
C RN BAD11 125	125	400	155	



NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm	
C RN DAD10 100	100	310	128	
C RN DAD11 125	125	400	155	



OTHER WHEELS
ON REQUEST

FIXING

CABINET-TO-CABINET FIXING SET

ART. F AG 9202 00 99

Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts
Drilling and hardware for fixing two overlapping cabinets

FLOOR FIXING SET

ART. F AG 9204 00 99


2 "HILTI" plugs for concrete floors $\geq$ to classes C20/25
Recommended traction of the plug: 2.9 kN
Plug diameter: Ø 6 mm



THE CABINETS MUST BE FIXED TO A FLOOR OR WALL. IF OVERLAPPING, THEY MUST BE FIXED EXCLUSIVELY TO WALLS AND THEIR CAPACITY DIVIDED BY TWO.

27x27 EH


PARTITIONING MATERIAL



ART. for front height mm

F FH 8405 02 00 50 – 300


Set including: 3 partitions 4 grooves, 6 partitions 3 grooves, 16 plain partitions 36 mm, 7 plain partitions 47 mm



ART. for front height mm

F FH 8405 03 00 50 – 300

Set including: 3 partitions 3 grooves, 6 partitions 2 grooves, 15 plain partitions 47 mm, 8 plain partitions 73 mm



ART. for front height mm

F FH 8405 04 00 50 – 300

Set including: 9 partitions 2 grooves, 18 plain partitions 73 mm



ART. for front height mm

F FH 8405 08 00 50

F FH 8407 08 00 75


F FH 8410 08 00 100 – 125

F FH 8415 08 00 150

F FH 8420 08 00 200 – 250

F FH 8430 08 00 300

Set including: 2 slotted partitions 455 mm, 3 plain partitions 149 mm



ART. for front height mm

F FH 8405 09 00 50


F FH 8407 09 00 75

F FH 8410 09 00 100 – 125

F FH 8415 09 00 150

F FH 8420 09 00 200 – 250

Set including: 2 slotted partitions 455 mm, 7 plain partitions 149 mm



ART. for front height mm

F FH 8405 13 00 50


F FH 8407 13 00 75

F FH 8410 13 00 100 – 125

F FH 8415 13 00 150

F FH 8420 13 00 200 – 250

Set including: 2 plain partitions 455 mm




ART. for front height mm

F FH 8405 17 00 50

F FH 8407 17 00 75

Set including: 8 plastic boxes 75x75 mm, 6 plastic boxes 150x75 mm, 4 plastic boxes 150x150 mm




ART. for front height mm

F FH 8405 18 00 50

F FH 8407 18 00 75

F FH 8410 18 00 100 – 125

Set including: 6 plastic boxes 150x75 mm, 6 plastic boxes 150x150 mm




ART. for front height mm

F FH 8605 19 00 50 – 300

Set including: 2 multiuse supports 440 mm

CONFIGURE A FAMI DRAWER WITH BETA TOOLS



ART. F FH 0807 50 07

Drawer pre-setting kit for Beta thermoformed trays consisting of:

no. 2 F HC 6071 00 07



no. 2 F HC 6471 00 07

no. 1 F HA 1121 00 99

1 unit = 1 Beta thermoformed tray (367x147 mm)

2 unit = 1 Beta thermoformed tray (367x294 mm)

EXAMPLES OF TERMOFORMED TRAY USE





● ART. F DF 1075 53 04
H = 850 mm - 6 drawers

METAL COLOURS



GREY
RAL 7000
.01



GREEN
RAL 6011
.02



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



FULL EXTENSION 100% = 70 kg



CYLINDER LOCK (KEY)
Supplied standard with cylinder lock
and two keys

KEY



SHELF/
DRAWER
CAPACITY



SHELF/
DRAWER
EXTENSION



CABINET
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 400 mm



SIDE LOCK

ART.



kg



F DG 1030 52 04

70

100%

key

H 600 mm



ART.



kg



F DF 1050 52 04

70

100%

key

H 700 mm



ART.



kg



F DF 1060 51 04

70

100%

key

H 700 mm



door 600 mm h

ART.



kg



F DF 1060 57 04

70

100%

key

H 1000 mm



ART.					
F DF 1090 52 04		70	100%	key	

H 1000 mm



ART.					
F DF 1090 54 04		70	100%	key	

H 820 mm



ART.				
F DF B550 02 04		70	100%	key

Cabinet capacity 225 kg - Cabinet height without wheels 660 mm

H 920 mm



ART.				
F DF B560 02 04		70	100%	key

Cabinet capacity 225 kg - Cabinet height without wheels 760 mm

H 1020 mm



ART.				
F DF B570 02 04		70	100%	key

Cabinet capacity 225 kg - Cabinet height without wheels 860 mm

H 1020 mm



ART.				
F DF B570 04 04		70	100%	key

Cabinet capacity 225 kg - Cabinet height without wheels 860 mm

1 flap door 300 mm



2 standard rubber swivel wheels with brake Ø 125 mm
2 standard rubber fixed wheels Ø 125 mm

CONFIGURE YOUR CABINET



EMPTY CABINET

ART.		dim. mm	useful H mm	kg
F DG 1030 00 04		717x600x400 H	300	400
Including cylinder lock and side bar				
F DF 1050 00 04		717x600x600 H	500	900
F DF 1060 00 04		717x600x700 H	600	900
F DF 1090 00 04		717x600x1000 H	900	900

Including central cylinder lock and anti-tilt rod



CABINET PRE-SET FOR WHEELS FITTING

ART.		dim. mm	useful H mm
F DF 0550 00 04		792x600x660 H	500
F DF 0560 00 04		792x600x760 H	600
F DF 0570 00 04		792x600x860 H	700

Cabinet pre-set for wheel fitting, complete with: wheel holder plate, 4-edge top shelf with coated in PVC, pair of steel handles covered with shock-proof rubber, 2-key cylinder lock, anti-tilt bar.



The handles can be mounted facing downwards - reducing the total height by 38 mm.

DRAWERS

ART.		usable dim. mm	front H mm	kg
F DF 8075 00 04		600x447x61 H	75	70
F DF 8100 00 04		600x447x86 H	100	70
F DF 8125 00 04		600x447x111 H	125	70
F DF 8150 00 04		600x447x136 H	150	70
F DF 8175 00 04		600x447x161 H	175	70
F DF 8200 00 04		600x447x186 H	200	70
F DF 8300 00 04		600x447x286 H	300	70

Full extension 100%




It is mandatory to apply to all drawers inserted in the cabinets with wheels the individual drawer opening device ART. F DD 9400 00 07



RETRACTABLE SHELF

ART.		usable dim. mm	lateral H mm	kg
F DF 8000 00 04		587x475	-	70

Full retractable 100%



ADJUSTABLE SHELF

ART.		usable dim. mm	lateral H mm	kg
F DF 9100 01 04		655x460	55	70

Without extension system




PARTIAL HEIGHT REVERSIBLE DOOR

ART.		height (A) mm
F DF 9640 02 04		400+25
F DB 9645 02 04		500+25
F DB 9650 02 04		600+25

The door can be fitted both with left-hand and right-hand opening



It is not possible to insert the drawers behind the doors



TOTAL HEIGHT REVERSIBLE DOOR

ART.		height (A) mm
F DF 9645 01 04		500
F DF 9650 01 04		600


The door can be fitted both with left-hand and right-hand opening



STOP

ART. F DA 9698 00 99

To order with full height doors only.



FLAP DOOR

ART.		H mm
F DF 9615 00 04		300

Full top lifting door with pair of guides



The top lifting door requires the use of an adjustable shelf ART. F DF 9100 01 04



4-EDGE TOP SHELF

ART.	dim. mm	
F DF 9940 01 07	717x600x22 H	

PVC coated shelf. Black colour



**OIL-PROOF
RUBBER
FINISHING**



MDF TOP SHELVES DIM. 718x600x31,5 mm H

ART.	finishes	for cabinet	
F UZ 3130 11 07	1 side profile	RH or LH final	
F UZ 3130 12 07	-	central	
F UZ 3130 13 07	2 side profiles	single	

MDF shelf with oil-proof top rubber coating. Black colour



**MDF SHELF
APPLICATION**



PERFORATED BACK PANEL

ART.		dim. mm	
M 30 PA71 00 00 00 04		708x65x718 H	

EXAMPLE OF PERFORATED PANEL WITH HOOKS/VISUAL BOX



2 ART. FAXVBCH00600001
1 ART. F BL 9541 00 00 (10 pz.)
1 ART. C MV 10 019



2 ART. FAXVBCH00900001
2 ART. FAXVBCH00600001
2 ART. FAXVBCH00500001



2 ART. FAXVBCH00600001
3 ART. FAXVBCH00500001



3 ART. FAXVBCH00600001
1 ART. FAXVBCH00500001
1 ART. FAXVBCH00400001



ART. M 00 PA71 00 00 F0 00
MDF OR MULTIPLEX TOP SHELF DRILLING
FOR PERFORATED PANEL FIXING -
INCLUDING SCREWS



ART. M 00 PA71 00 00 F1 00
DRILLED TOP SHELF WITH 3/4 EDGES FOR
PERFORATED PANEL FIXING -
INCLUDING SCREWS



ART. M 00 PA71 00 00 F2 00
PRE-SETTING KIT FOR VISUAL BOX
FIXING TO THE PERFORATED PANEL

STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm	
C RG BAC11 100	100	150	128	
C RG BAC12 125	125	225	155	
C RG BAC13 150	150	270	180	


STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm	
C RG DAC11 100	100	150	128	
C RG DAC12 125	125	225	155	
C RG DAC13 150	150	270	180	


NYLON FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm	
C RN BAD10 100	100	270	128	
C RN BAD11 125	125	270	155	


NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm	
C RN DAD10 100	100	270	128	
C RN DAD11 125	125	270	155	



OTHER WHEELS
ON REQUEST

PAIR OF PLINTHS

ART.	H mm	
F RR 1608 00 07	130	

Black colour RAL 9005



Application
PAIR OF PLINTHS

FIXING

CABINET-TO-CABINET FIXING SET

ART. F AG 9202 00 99

Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts
Drilling and hardware for fixing two overlapping cabinets

FLOOR FIXING SET

ART. F AG 9204 00 99

2 "HILTI" plugs for concrete floors $\geq$ to classes C20/25
Recommended traction of the plug: 2.9 kN
Plug diameter: $\varnothing$ 6 mm



THE CABINETS MUST BE FIXED TO A FLOOR OR WALL. IF OVERLAPPING, THEY MUST BE FIXED EXCLUSIVELY TO WALLS AND THEIR CAPACITY DIVIDED BY TWO.






ART. F DF B570 S1 FN

Dim. mm 794x600x982 H
Colour red RAL 3020 + black RAL 9005
BOXES, TOOLS AND PARTITIONING
MATERIAL NOT INCLUDED.

36x27 EH


PARTITIONING MATERIAL



ART. for front height mm

F FH 1005 15 00 50 – 300


Set including: 5 partitions 4 grooves, 6 partitions 3 grooves, 20 plain partitions 36 mm, 20 plain partitions 47 mm, 1 allen key tray



ART. for front height mm

F FH 1005 10 00 50 – 300


Set including: 9 partitions 4 grooves, 3 partitions 3 grooves, 36 plain partitions 36 mm, 12 plain partitions 47 mm



ART. for front height mm

F FH 1005 13 00 50 – 300

Set including: 6 partitions 3 grooves, 6 partitions 2 grooves, 18 plain partitions 47 mm, 12 plain partitions 73 mm



ART. for front height mm

F FH 1005 05 00 50

F FH 1007 05 00 75


F FH 1010 05 00 100 – 125

F FH 1015 05 00 150

F FH 1020 05 00 200 – 250

F FH 1030 05 00 300

Set including: 2 slotted partitions 455 mm, 3 plain partitions 200 mm



ART. for front height mm

F FH 1005 03 00 50


F FH 1007 03 00 75

F FH 1010 03 00 100 – 125

F FH 1015 03 00 150

F FH 1020 03 00 200 – 250

Set including: 3 slotted partitions 455 mm, 8 plain partitions 149 mm



ART. for front height mm

F FH 1005 01 00 50

F FH 1007 01 00 75


F FH 1010 01 00 100 – 125

F FH 1015 01 00 150

F FH 1020 01 00 200 – 250

F FH 1030 01 00 300

Set including: 2 plain partitions 610 mm




ART. for front height mm

F FH 1005 18 00 50

F FH 1007 18 00 75

Set including: 16 plastic boxes 75x75 mm, 8 plastic boxes 150x75 mm, 4 plastic boxes 150x150 mm




ART. for front height mm

F FH 1005 09 00 50

F FH 1007 09 00 75

F FH 1010 09 00 100 – 125

Set including: 12 plastic boxes 150x150 mm



ART. for front height mm


F FH 1005 16 00 50

F FH 1007 16 00 75

F FH 1010 16 00 100 – 125

Set including: 12 plastic boxes 150x75 mm, 6 plastic boxes 150x150 mm

CONFIGURE A FAMI DRAWER WITH BETA TOOLS



ART. F FH 1007 50 07

Drawer pre-setting kit for Beta thermoformed trays consisting of:

no. 2 F HC 6071 00 07





no. 3 F HC 6471 00 07

no. 1 F HA 1141 00 99

1 unit = 1 Beta thermoformed tray (367x147 mm)

2 unit = 1 Beta thermoformed tray (367x294 mm)

EXAMPLES OF THERMOFORMED TRAY USE





● **ART. F DL 1090 54 04**
H = 1000 mm – 7 drawers

METAL COLOURS



GREY
RAL 7000
.01



GREEN
RAL 6011
.02



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



FULL EXTENSION 100% = 50 kg



CYLINDER LOCK (KEY)
Supplied standard with cylinder lock
and two keys

KEY



SHELF/
DRAWER
CAPACITY



SHELF/
DRAWER
EXTENSION



CABINET
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 1000 mm



7 drawers

ART.				
F DL 1090 54 04		50	100%	key

H 1000 mm



8 drawers

ART.				
F DL 1090 55 04		50	100%	key

CONFIGURE YOUR CABINET



EMPTY CABINET


ART.		dim. mm	useful H mm	kg	
F DL 1090 00 04		1023x600x1000 H	900	900	



DRAWERS

ART.		usable dim. mm	front H mm	kg	
F DL 8075 00 04		906x447x61 H	75	50	
F DL 8100 00 04		906x447x86 H	100	50	
F DL 8150 00 04		906x447x136 H	150	50	
F DL 8175 00 04		906x447x161 H	175	50	
F DL 8200 00 04		906x447x186 H	200	50	

Full extension 100%



ADJUSTABLE SHELF

ART.		usable dim. mm	lateral H mm	kg	
F DL 9100 01 04		960x460	55	70	

Without extension system





3-EDGE TOP SHELF

ART.	dim. mm	
F DL 9150 01 07	1023x600x20 H	

PVC coated shelf. Black colour



OIL-PROOF
RUBBER
FINISHING



MDF TOP SHELF DIM. 1024x600x31,5 mm H

ART.	finishes	for cabinet	
F UZ 3140 11 07	1 side profile	RH or LH final	
F UZ 3140 12 07	-	central	
F UZ 3140 13 07	2 side profiles	single	

MDF shelf with oil-proof top rubber coating. Black colour



MDF SHELF
APPLICATION

PAIR OF PLINTH

ART.	H mm	
F RR 1608 00 07	130	

Black colour RAL 9005



Application
PAIR OF PLINTHS

FIXING

CABINET-TO-CABINET FIXING SET

ART. F AG 9202 00 99

Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts
Drilling and hardware for fixing two overlapping cabinets

FLOOR FIXING SET

ART. F AG 9204 00 99

2 "HILTI" plugs for concrete floors $\geq$ to classes C20/25
Recommended traction of the plug: 2.9 kN
Plug diameter: $\varnothing$ 6 mm




THE CABINETS MUST BE FIXED TO A FLOOR OR WALL.
IF OVERLAPPING, THEY MUST BE FIXED EXCLUSIVELY TO WALLS AND THEIR CAPACITY DIVIDED BY TWO.





54x27 EH


PARTITIONING MATERIAL



ART. for front height mm

F FH 4005 12 00 50 – 300


Set including: 6 partitions 4 grooves, 6 partitions 3 grooves, 6 partitions 2 grooves, 15 plain partitions 36 mm, 10 plain partitions 47 mm, 6 plain partitions 73 mm



ART. for front height mm

F FH 4005 15 00 50 – 300

Set including: 12 partitions 4 grooves, 6 partitions 3 grooves, 30 plain partitions 36 mm, 10 plain partitions 47 mm



ART. for front height mm

F FH 4005 01 00 50

F FH 4007 01 00 75


F FH 4010 01 00 100 – 125

F FH 4015 01 00 150 – 175

F FH 4020 01 00 200 – 250

F FH 4030 01 00 300

Set including: 2 plain partitions 914 mm



ART. for front height mm

F FH 4005 03 00 50


F FH 4007 03 00 75

F FH 4010 03 00 100 – 125

F FH 4015 03 00 150 – 175

F FH 4020 03 00 200 – 250

Set including: 5 slotted partitions 455 mm, 12 plain partitions 149 mm



ART. for front height mm

F FH 4005 04 00 50


F FH 4007 04 00 75

F FH 4010 04 00 100 – 125

F FH 4015 04 00 150 – 175

F FH 4020 04 00 200 – 250

Set including: 4 plain partitions 455 mm



ART. for front height mm

F FH 4005 05 00 50


F FH 4007 05 00 75

F FH 4010 05 00 100 – 125

F FH 4015 05 00 150 – 175

F FH 4020 05 00 200 – 250

Set including: 4 slotted partitions 455 mm, 2 plain partitions 149 mm, 3 plain partitions 200 mm




ART. for front height mm

F FH 4005 11 00 50

F FH 4007 11 00 75

F FH 4010 11 00 100 – 125

Set including: 18 plastic boxes 150x150 mm




ART. for front height mm

F FH 4005 13 00 50

F FH 4007 13 00 75

F FH 4010 13 00 100 – 125

Set including: 12 plastic boxes 150x75 mm, 12 plastic boxes 150x150 mm




ART. for front height mm

F FH 4005 16 00 50

F FH 4007 16 00 75

Set including: 20 plastic boxes 75x75 mm, 14 plastic boxes 150x75 mm, 6 plastic boxes 150x150 mm

CONFIGURE A FAMI DRAWER WITH BETA TOOLS



ART. F FH 4007 50 07







Drawer pre-setting kit for Beta thermoformed trays consisting of:
no. 4 F HC 6071 00 07
no. 4 F HC 6471 00 07
no. 1 F HA 2150 00 99

1 unit = 1 Beta thermoformed tray (367x147 mm)

2 unit = 1 Beta thermoformed tray (367x294 mm)

4 unit = 1 Beta thermoformed tray (367x588 mm)

EXAMPLES OF THERMOFORMED TRAY USE




FLEXA

CORNERS

602x600 mm



REAR VIEW



THESE CORNERS CAN ONLY BE USED WITH 600 mm DEEP CABINETS (27 EH), SERIE FLEXA



ART.



F DB 1090 R1 04

EXTERNAL RIGHT-HAND CORNER




ART.



F DB 1090 R2 04

RIGHT SIDE EXTERNAL CORNER CABINET WITH MDF TOP AND OIL-RESISTANT RUBBER COVER



THESE CORNERS CAN ONLY BE USED WITH 600 mm DEEP CABINETS (27 EH), SERIE FLEXA



ART.



F DB 1090 L1 04

EXTERNAL LEFT-HAND CORNER



ART.



F DB 1090 L2 04

LEFT SIDE EXTERNAL CORNER CABINET WITH
MDF TOP AND OIL-RESISTANT RUBBER COVER


FLEXA

602x600 mm

CORNERS



REAR VIEW



THESE CORNERS CAN ONLY BE USED WITH 600 mm DEEP CABINETS (27 EH), SERIE FLEXA



ART.



F DB 1090 L3 04

LEFT SIDE INTERNAL CORNER




ART.



F DB 1090 L4 04

LEFT SIDE INTERNAL CORNER CABINET WITH MDF TOP AND OIL-RESISTANT RUBBER COVER



THESE CORNERS CAN ONLY BE USED WITH 726 mm
DEEP CABINETS (36 EH), SERIE FLEXA



ART.



F DB 1090 R3 04

RIGHT SIDE INTERNAL CORNER



ART.



F DB 1090 R4 04

RIGHT SIDE INTERNAL CORNER CABINET WITH
MDF TOP AND OIL-RESISTANT RUBBER COVER