



## METAL COLOURS



GREY  
RAL 7000  
.01



GREEN  
RAL 6011  
.02



BLUE  
RAL 5012  
.04



GREY  
RAL 7035  
.08



GREY WHITE  
RAL 9002  
.1F



RUBY RED  
RAL 3003  
.1G



GENTIAN BLUE  
RAL 5010  
.34



PURE WHITE  
RAL 9010  
.35



ANTHRACITE GREY  
RAL 7016  
.39



BLUE CAPRI  
RAL 5019  
.48



● ART. M 23 A100 C0 10 AZ 04  
H = 1000 mm – 7 drawers

## PLASTIC COLOURS



DARK GREY  
.M0



MEDITERRANEAN  
BLUE .M1



SKY BLUE  
.M2



GLAMOUR RED  
.M3



RED CARPET  
.M4



JUICE ORANGE  
.M5



SUNNY YELLOW  
.M6



FOREST GREEN  
.M7

## KEY



SHELF/  
DRAWER  
CAPACITY



SHELF/  
DRAWER  
EXTENSION



CABINET  
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 400 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A040 C0 10 04 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A040 E2 10 04 04 |  | 50-75-100 | 100-96-92% | code |  |

H 400 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A040 C0 10 02 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A040 E2 10 02 04 |  | 50-75-100 | 100-96-92% | code |  |

H 600 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A060 C0 10 20 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A060 E2 10 20 04 |  | 50-75-100 | 100-96-92% | code |  |

H 600 mm



door 425 mm

depth 751 mm

| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A060 C0 10 17 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A060 T2 10 17 04 |  | 50-75-100 | 100-96-92% | code |  |

H 700 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A070 C0 10 49 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A070 E2 10 49 04 |  | 50-75-100 | 100-96-92% | code |  |

H 700 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A070 C0 10 35 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A070 E2 10 35 04 |  | 50-75-100 | 100-96-92% | code |  |

H 700 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A070 C0 10 32 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A070 E2 10 32 04 |  | 50-75-100 | 100-96-92% | code |  |

H 700 mm



door 425 mm

depth 751 mm

| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A070 C0 10 30 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A070 T2 10 30 04 |  | 50-75-100 | 100-96-92% | code |  |

H 800 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A080 C0 10 54 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A080 E2 10 54 04 |  | 50-75-100 | 100-96-92% | code |  |

H 800 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A080 C0 10 56 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A080 E2 10 56 04 |  | 50-75-100 | 100-96-92% | code |  |

H 800 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A080 C0 10 66 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A080 E2 10 66 04 |  | 50-75-100 | 100-96-92% | code |  |

H 800 mm



door 425 mm

depth 751 mm

| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A080 C0 10 57 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A080 T2 10 57 04 |  | 50-75-100 | 100-96-92% | code |  |

H 850 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A085 C0 10 93 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A085 E2 10 93 04 |  | 50-75-100 | 100-96-92% | code |  |

H 850 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A085 C0 10 91 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A085 E2 10 91 04 |  | 50-75-100 | 100-96-92% | code |  |

H 850 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A085 C0 10 95 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A085 E2 10 95 04 |  | 50-75-100 | 100-96-92% | code |  |

H 850 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A085 C0 10 99 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A085 T2 10 99 04 |  | 50-75-100 | 100-96-92% | code |  |

H 1000 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A100 C0 10 AZ 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A100 E2 10 AZ 04 |  | 50-75-100 | 100-96-92% | code |  |

H 1000 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 23 A100 C0 10 BD 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 23 A100 T2 10 BD 04 |  | 50-75-100 | 100-96-92% | code |  |



H 818 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 23 R060 S0 10 20 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 23 R060 P2 10 20 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 235 kg - Cabinet height without wheels mm 663

H 818 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 23 R060 S0 10 21 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 23 R060 P2 10 21 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 235 kg - Cabinet height without wheels mm 663

H 918 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 23 R070 S0 10 34 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 23 R070 P2 10 34 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 235 kg - Cabinet height without wheels mm 763

H 918 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 23 R070 S0 10 31 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 23 R070 P2 10 31 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 235 kg - Cabinet height without wheels mm 763



2 standard rubber swivel wheels with brake Ø 125 mm  
2 standard rubber fixed wheels Ø 125 mm

H 1018 mm



H 1018 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 23 R080 S0 10 63 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 23 R080 P2 10 63 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 235 kg - Cabinet height without wheels mm 863

| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 23 R080 S0 10 56 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 23 R080 P2 10 56 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 235 kg - Cabinet height without wheels mm 863

H 1068 mm



H 1068 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 23 R085 S0 10 94 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 23 R085 P2 10 94 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 235 kg - Cabinet height without wheels mm 913

| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 23 R085 S0 10 95 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 23 R085 P2 10 95 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 235 kg - Cabinet height without wheels mm 913



2 standard rubber swivel wheels with brake Ø 125 mm  
2 standard rubber fixed wheels Ø 125 mm

H 1218 mm



H 1218 mm



| ART.                  |  |  |  |  |  |
|-----------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|
| M 23 R100 S0 10 AY 04 |                                                                                   | 50-75-100                                                                         | 100-96-92%                                                                        | key                                                                               |  |
| M 23 R100 P2 10 AY 04 |                                                                                   | 50-75-100                                                                         | 100-96-92%                                                                        | code                                                                              |  |

Cabinet capacity 235 kg - Cabinet height without wheels mm 1063

| ART.                  |  |  |  |  |  |
|-----------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|
| M 23 R100 S0 10 AZ 04 |                                                                                     | 50-75-100                                                                           | 100-96-92%                                                                          | key                                                                                 |  |
| M 23 R100 P2 10 AZ 04 |                                                                                     | 50-75-100                                                                           | 100-96-92%                                                                          | code                                                                                |  |

Cabinet capacity 235 kg - Cabinet height without wheels mm 1063



2 standard rubber swivel wheels with brake Ø 125 mm  
2 standard rubber fixed wheels Ø 125 mm





ART. M 23 R080 P2 15 NM 39

## CONFIGURE YOUR CABINET

CHOOSE  
a height

CHOOSE  
a closure

CHOOSE  
a colour

|     |      |    |       |    |
|-----|------|----|-------|----|
| M23 | A040 | C5 | 10 00 | 01 |
|-----|------|----|-------|----|

### EMPTY CABINET



Cabinet load  
capacity 3100 kg

| M23 | HEIGHT                                 | CLOSURE                      | 10 00 | COLOUR      |
|-----|----------------------------------------|------------------------------|-------|-------------|
|     | A040 400 mm<br>(working dim. 300 mm)   | X0<br>no bar and no lock     |       | 01 RAL 7000 |
|     | A060 600 mm<br>(working dim. 500 mm)   | C5*<br>no lock               |       | 02 RAL 6011 |
|     | A070 700 mm<br>(working dim. 600 mm)   | KEY C0*<br>KEY cylinder lock |       | 1G RAL 3003 |
|     | A080 800 mm<br>(working dim. 700 mm)   | KEY C1*<br>KEY cylinder lock |       | 1F RAL 9002 |
|     | A085 850 mm<br>(working dim. 750 mm)   | KEY C2*<br>KEY cylinder lock |       | 48 RAL 5019 |
|     | A100 1000 mm<br>(working dim. 900 mm)  | E2*<br>CODE numerical code   |       | 39 RAL 7016 |
|     | A150 1500 mm<br>(working dim. 1400 mm) | T2*<br>CODE numerical code   |       | 04 RAL 5012 |
|     | A200 2000 mm<br>(working dim. 1900 mm) |                              |       | 08 RAL 7035 |
|     |                                        |                              |       | 35 RAL 9010 |
|     |                                        |                              |       | 34 RAL 5010 |

\*COMPLETE WITH VERTEBRATE BAR

LOCKS SEE PAGE 31

### EMPTY CABINET pre-set for wheels



| M23 | HEIGHT                                | CLOSURE                     | 10 00 | COLOUR      |
|-----|---------------------------------------|-----------------------------|-------|-------------|
|     | R060 663 mm<br>(working dim. 500 mm)  | KEY S0<br>KEY cylinder lock |       | 01 RAL 7000 |
|     | R070 763 mm<br>(working dim. 600 mm)  | KEY S1<br>KEY cylinder lock |       | 02 RAL 6011 |
|     | R080 863 mm<br>(working dim. 700 mm)  | KEY S2<br>KEY cylinder lock |       | 1G RAL 3003 |
|     | R085 913 mm<br>(working dim. 750 mm)  | P2<br>CODE numerical code   |       | 1F RAL 9002 |
|     | R100 1063 mm<br>(working dim. 900 mm) | A1<br>CODE numerical code   |       | 48 RAL 5019 |
|     |                                       |                             |       | 39 RAL 7016 |
|     |                                       |                             |       | 04 RAL 5012 |
|     |                                       |                             |       | 08 RAL 7035 |
|     |                                       |                             |       | 35 RAL 9010 |
|     |                                       |                             |       | 34 RAL 5010 |

COMPLETE WITH VERTEBRATE BAR, 4-EDGE SHELF WITH PVC TOP, PAIR OF HANDLES, PAIR OF PLATES FOOTPRINT  
Overall dim. mm 587x800



## FLEXIBLE EXTENSION DRAWERS

| ART. WITH Dark Grey plastic kit |  | ART. NO plastic kit* |  | Usable dim. mm | Front H mm | kg            |                  |  |
|---------------------------------|--|----------------------|--|----------------|------------|---------------|------------------|--|
| M 23 C050 0110 0F __            |  | M 23 C050 0100 0F __ |  | 447x600x31 H   | 50         | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 23 C075 0110 0F __            |  | M 23 C075 0100 0F __ |  | 447x600x56 H   | 75         | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 23 C100 0110 0F __            |  | M 23 C100 0100 0F __ |  | 447x600x81 H   | 100        | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 23 C125 0110 0F __            |  | M 23 C125 0100 0F __ |  | 447x600x106 H  | 125        | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 23 C150 0110 0F __            |  | M 23 C150 0100 0F __ |  | 447x600x131 H  | 150        | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 23 C200 0110 0F __            |  | M 23 C200 0100 0F __ |  | 447x600x181 H  | 200        | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 23 C250 0110 0F __            |  | M 23 C250 0100 0F __ |  | 447x600x231 H  | 250        | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 23 C300 0110 0F __            |  | M 23 C300 0100 0F __ |  | 447x600x281 H  | 300        | 50 - 75 - 100 | 100% - 96% - 92% |  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## TELESCOPIC EXTRACTION DRAWERS

| ART. WITH Dark Grey plastic kit |  | ART. NO plastic kit* |  | Usable dim. mm | Front H mm | kg  |      |  |
|---------------------------------|--|----------------------|--|----------------|------------|-----|------|--|
| M 23 C075 0110 0T __            |  | M 23 C075 0100 0T __ |  | 447x600x56 H   | 75         | 200 | 100% |  |
| M 23 C100 0110 0T __            |  | M 23 C100 0100 0T __ |  | 447x600x81 H   | 100        | 200 | 100% |  |
| M 23 C125 0110 0T __            |  | M 23 C125 0100 0T __ |  | 447x600x106 H  | 125        | 200 | 100% |  |
| M 23 C150 0110 0T __            |  | M 23 C150 0100 0T __ |  | 447x600x131 H  | 150        | 200 | 100% |  |
| M 23 C200 0110 0T __            |  | M 23 C200 0100 0T __ |  | 447x600x181 H  | 200        | 200 | 100% |  |
| M 23 C250 0110 0T __            |  | M 23 C250 0100 0T __ |  | 447x600x231 H  | 250        | 200 | 100% |  |
| M 23 C300 0110 0T __            |  | M 23 C300 0100 0T __ |  | 447x600x281 H  | 300        | 200 | 100% |  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

## PLASTIC KIT FOR EXTENSIBLE DRAWERS AND SHELVES



| PLASTIC COLOUR                                                                                         | ART.                  |  |
|--------------------------------------------------------------------------------------------------------|-----------------------|--|
|  MEDITERRANEAN BLUE | M 20 PLS1 00 00 00 M1 |  |
|  SKY BLUE           | M 20 PLS1 00 00 00 M2 |  |
|  GLAMOUR RED        | M 20 PLS1 00 00 00 M3 |  |
|  RED CARPET         | M 20 PLS1 00 00 00 M4 |  |
|  JUICY ORANGE       | M 20 PLS1 00 00 00 M5 |  |
|  SUNNY YELLOW       | M 20 PLS1 00 00 00 M6 |  |
|  FOREST GREEN       | M 20 PLS1 00 00 00 M7 |  |





## FLEXIBLE EXTENSIBLE SHELVES

| ART. WITH Dark Grey plastic kit | ART. NO Plastic kit*  | Usable dim. mm | Front H mm | kg            |                  |
|---------------------------------|-----------------------|----------------|------------|---------------|------------------|
| M 23 C057 0110 OF _ _           | M 23 C057 0100 OF _ _ | 447x600        | 70         | 50 - 75 - 100 | 100% - 96% - 92% |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## TELESCOPIC EXTENSIBLE SHELVES

| ART. WITH Dark Grey plastic kit | ART. NO Plastic kit*  | Usable dim. mm | Front H mm | kg  |      |
|---------------------------------|-----------------------|----------------|------------|-----|------|
| M 23 C057 0110 OT _ _           | M 23 C057 0100 OT _ _ | 447x600        | 70         | 200 | 100% |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## ADJUSTABLE SHELF

| ART.                   | Usable dim. mm | Total H mm | kg |
|------------------------|----------------|------------|----|
| M 23 PR25 00 00 01 _ _ | 504x631        | 60         | 70 |

CAN BE FITTED FRONTALLY TO THE VERTEBRATE BAR

## PLASTIC KIT FOR EXTENSIBLE DRAWERS AND SHELVES



| PLASTIC COLOURS    | ART.                  |
|--------------------|-----------------------|
| MEDITERRANEAN BLUE | M 20 PLS1 00 00 00 M1 |
| SKY BLUE           | M 20 PLS1 00 00 00 M2 |
| GLAMOUR RED        | M 20 PLS1 00 00 00 M3 |
| RED CARPET         | M 20 PLS1 00 00 00 M4 |
| JUICY ORANGE       | M 20 PLS1 00 00 00 M5 |
| SUNNY YELLOW       | M 20 PLS1 00 00 00 M6 |
| FOREST GREEN       | M 20 PLS1 00 00 00 M7 |



ART. M 23 A150 XO 14 NH AE

## HINGED DOORS WITH CYLINDER

### FULL HEIGHT HINGED DOORS - REVERSIBLE



| CABINET H mm | TYPE OF CLOSURE                | ART. WITH Dark Grey plastic kit | ART. NO Plastic kit*   |
|--------------|--------------------------------|---------------------------------|------------------------|
| 600          | <b>C0</b><br>KEY cylinder lock | M 20 P050 C0 10 00 _ _          | M 20 P050 C0 00 00 _ _ |
|              | <b>C1</b><br>KEY cylinder lock | M 20 P050 C1 10 00 _ _          | M 20 P050 C1 00 00 _ _ |
|              | <b>C2</b><br>KEY cylinder lock | M 20 P050 C2 10 00 _ _          | M 20 P050 C2 00 00 _ _ |
| 700          | <b>C0</b><br>KEY cylinder lock | M 20 P060 C0 10 00 _ _          | M 20 P060 C0 00 00 _ _ |
|              | <b>C1</b><br>KEY cylinder lock | M 20 P060 C1 10 00 _ _          | M 20 P060 C1 00 00 _ _ |
|              | <b>C2</b><br>KEY cylinder lock | M 20 P060 C2 10 00 _ _          | M 20 P060 C2 00 00 _ _ |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE RIGHT



PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK) OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

### PARTIAL HEIGHT HINGED DOORS - REVERSIBLE



| CABINET H mm | TYPE OF CLOSURE                | ART. WITH Dark Grey plastic kit | ART. NO Plastic kit*   |
|--------------|--------------------------------|---------------------------------|------------------------|
| 425          | <b>C0</b><br>KEY cylinder lock | M 20 P042 C0 10 01 _ _          | M 20 P042 C0 00 01 _ _ |
|              | <b>C1</b><br>KEY cylinder lock | M 20 P042 C1 10 01 _ _          | M 20 P042 C1 00 01 _ _ |
|              | <b>C2</b><br>KEY cylinder lock | M 20 P042 C2 10 01 _ _          | M 20 P042 C2 00 01 _ _ |
| 525          | <b>C0</b><br>KEY cylinder lock | M 20 P052 C0 10 01 _ _          | M 20 P052 C0 00 01 _ _ |
|              | <b>C1</b><br>KEY cylinder lock | M 20 P052 C1 10 01 _ _          | M 20 P052 C1 00 01 _ _ |
|              | <b>C2</b><br>KEY cylinder lock | M 20 P052 C2 10 01 _ _          | M 20 P052 C2 00 01 _ _ |
| 625          | <b>C0</b><br>KEY cylinder lock | M 20 P062 C0 10 01 _ _          | M 20 P062 C0 00 01 _ _ |
|              | <b>C1</b><br>KEY cylinder lock | M 20 P062 C1 10 01 _ _          | M 20 P062 C1 00 01 _ _ |
|              | <b>C2</b><br>KEY cylinder lock | M 20 P062 C2 10 01 _ _          | M 20 P062 C2 00 01 _ _ |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE RIGHT



# HINGED DOORS WITH NUMERICAL CODE

## FULL HEIGHT HINGED DOORS - RIGHT-HAND OPENING ONLY



| CABINET H mm | TYPE OF CLOSURE                     | ART. WITH Dark Grey plastic kit | ART. NO Plastic kit*   |
|--------------|-------------------------------------|---------------------------------|------------------------|
| 600          | <b>P5</b><br>CODE<br>numerical code | M 20 P050 P5 10 00 _ _          | M 20 P050 P5 00 00 _ _ |
| 700          | <b>P5</b><br>CODE<br>numerical code | M 20 P060 P5 10 00 _ _          | M 20 P060 P5 00 00 _ _ |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK) OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

## PARTIAL HEIGHT HINGED DOORS - REVERSIBLE



| DOOR FOOTPRINT H mm | TYPE OF CLOSURE                    | ART. WITH Dark Grey plastic kit | ART. NO Plastic kit*   |
|---------------------|------------------------------------|---------------------------------|------------------------|
| 425                 | <b>A4</b><br>handle without keypad | M 20 P042 A4 10 01 _ _          | M 20 P042 A4 00 01 _ _ |
| 525                 | <b>A4</b><br>handle without keypad | M 20 P052 A4 10 01 _ _          | M 20 P052 A4 00 01 _ _ |
| 625                 | <b>A4</b><br>handle without keypad | M 20 P062 A4 10 01 _ _          | M 20 P062 A4 00 01 _ _ |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH THE FOLLOWING CLOSURES:

USE THE **T2** LOCK FOR THE CABINET WITHOUT WHEELS

USE THE **A1** LOCK FOR THE CABINET WITH WHEELS

## REMOTE CONTROL



| ART.                  |                                     |
|-----------------------|-------------------------------------|
| M 00 VRC0 00 00 00 00 | Receiver module with remote control |
| M 00 VRC0 00 00 01 00 | Additional remote control           |

## PLASTIC KIT FOR HINGED DOORS



| PLASTIC COLOUR     | ART. KEY              | ART. CODE             |
|--------------------|-----------------------|-----------------------|
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 20 M1 | M 00 PLS0 00 00 21 M1 |
| SKY BLUE           | M 00 PLS0 00 00 20 M2 | M 00 PLS0 00 00 21 M2 |
| GLAMOUR RED        | M 00 PLS0 00 00 20 M3 | M 00 PLS0 00 00 21 M3 |
| RED CARPET         | M 00 PLS0 00 00 20 M4 | M 00 PLS0 00 00 21 M4 |
| JUICY ORANGE       | M 00 PLS0 00 00 20 M5 | M 00 PLS0 00 00 21 M5 |
| SUNNY YELLOW       | M 00 PLS0 00 00 20 M6 | M 00 PLS0 00 00 21 M6 |
| FOREST GREEN       | M 00 PLS0 00 00 20 M7 | M 00 PLS0 00 00 21 M7 |



## 3-EDGE TOP SHELF

| ART.                         | dim. mm      |  |
|------------------------------|--------------|--|
| <b>M 23 T023 AG 00 31 07</b> | 561x726x23 H |  |

Pvc coated shelf for SINGLE CABINET. Black colour



## 4-EDGE TOP SHELF

| ART.                         | dim. mm      |  |
|------------------------------|--------------|--|
| <b>M 23 T023 AG 00 41 07</b> | 561x726x23 H |  |

Pvc coated shelf for SINGLE CABINET. Black colour



## ART. M 00 T023 AG 00 F0 00

CABINET TOP SHELF DRILLING FOR 4-EDGE SHELF FIXING



## MULTIPLEX TOP SHELF

| ART.                         | dim. mm      |  |
|------------------------------|--------------|--|
| <b>M 23 T040 MU 00 01 00</b> | 561x726x40 H |  |

For SINGLE CABINET



## MDF TOP SHELF DIM. 561x726x32 mm H

| ART.                         | finishes       | for cabinet    |  |
|------------------------------|----------------|----------------|--|
| <b>M 23 T030 MD GM 21 07</b> | 1 side profile | RH or LH final |  |


MDF shelf with oil-proof top rubber coating. Black colour



## MDF TOP SHELF DIM. 561x726x32 mm H

| ART.                         | finishes | for cabinet |  |
|------------------------------|----------|-------------|--|
| <b>M 23 T030 MD GM 11 07</b> | -        | central     |  |

MDF shelf with oil-proof top rubber coating. Black colour



## MDF TOP SHELF DIM. 561x726x32 mm H

| ART.                         | finishes        | for cabinet |  |
|------------------------------|-----------------|-------------|--|
| <b>M 23 T030 MD GM 01 07</b> | 2 side profiles | single      |  |

MDF shelf with oil-proof top rubber coating. Black colour



## ART. M 00 T030 MD 00 F0 00

CABINET TOP SHELF DRILLING FOR MDF AND MULTIPLEX SHELF FIXING INCLUDING FIXING SCREWS



**OIL-PROOF  
RUBBER  
FINISHING**



**MDF SHELF  
APPLICATION**

**HEIGHT RAISING PLINTH 50 mm**



| ART.                   |  | dim. mm      |  |
|------------------------|-----------------------------------------------------------------------------------|--------------|--|
| M 23 Z050 00 00 00 _ _ |                                                                                   | 559x725x50 H |  |

**HEIGHT RAISING PLINTH 100 mm**



| ART.                   |  | dim. mm       |  |
|------------------------|-----------------------------------------------------------------------------------|---------------|--|
| M 23 Z100 00 00 00 _ _ |                                                                                   | 559x725x100 H |  |



## STANDAR RUBBER FIXED WHEEL

| ART.           | Ø mm | cabinet capacity kg | C mm |  |
|----------------|------|---------------------|------|--|
| C RG BAC11 100 | 100  | 160                 | 128  |  |
| C RG BAC12 125 | 125  | 235                 | 155  |  |



## STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

| ART.           | Ø mm | cabinet capacity kg | C mm |  |
|----------------|------|---------------------|------|--|
| C RG DAC11 100 | 100  | 160                 | 128  |  |
| C RG DAC12 125 | 125  | 235                 | 155  |  |



## NYLON FIXED WHEEL

| ART.           | Ø mm | cabinet capacity kg | C mm |  |
|----------------|------|---------------------|------|--|
| C RN BAD10 100 | 100  | 310                 | 128  |  |
| C RN BAD11 125 | 125  | 475                 | 155  |  |



## NYLON SWIVEL WHEEL WITH BRAKE

| ART.           | Ø mm | cabinet capacity kg | C mm |  |
|----------------|------|---------------------|------|--|
| C RN DAD10 100 | 100  | 310                 | 128  |  |
| C RN DAD11 125 | 125  | 475                 | 155  |  |



# SPARE PARTS - FIXING

### SPARE LOCK

**ART. M 00 CSR0 8800 00 00**

Spare lock with two keys



### SPARE KEY

**ART. M 00 CF00 0000 00 00**

Always specify the number indicated in the cylinder lock where you wish to replace the key



### MASTER KEY

**ART. M 00 PF.. 0000 00 00**

Available in 23 series, numbered from F 01 to F 23.

Master key series F 01

Master key series F 02

Master key series F ..

ART. M 00 PF01 00 00 00 00

ART. M 00 PF02 00 00 00 00

ART. M 00 PF.. 00 00 00 00

### CABINET-TO-CABINET FIXING SET

**ART. M 00 FIS0 00 00 00 99**

Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts

**ART. M 00 SVR0 00 00 00 99**

Drilling and hardware for fixing two overlapping cabinets

### FLOOR FIXING SET



**ART. F AG 9200 00 99**

Pair of zinc-plated brackets for cabinet floor fixing

**ART. F AG 9204 00 99**

2 "HILTI" stud anchors suitable for non-cracked concrete floors  $\geq$  class C20/25  
Recommended anchor strength: 2.9 KN  
Anchor diameter: Ø 6 mm



### SPARE HANDLE

**ART. M 00 PLS0 0000 22 M0**

Replacement door handle available in Dark Grey.



OTHER COLOURS  
ON REQUEST



THE CABINETS MUST BE FIXED TO A FLOOR OR WALL. IF OVERLAPPING, THEY MUST BE FIXED EXCLUSIVELY TO WALLS AND THEIR CAPACITY DIVIDED BY TWO





# MASTER

# 561x726 mm

## Born To Be Extreme

**EMPTY CABINET** without vertebrate bar and without lock



H 400 mm  
Useful H 300 mm



H 600 mm  
Useful H 500 mm



H 700 mm  
Useful H 600 mm



H 800 mm  
Useful H 700 mm



H 850 mm  
Useful H 750 mm



M 23 A040 X0 10 00 \_ \_

M 23 A060 X0 10 00 \_ \_

M 23 A070 X0 10 00 \_ \_

M 23 A080 X0 10 00 \_ \_

M 23 A085 X0 10 00 \_ \_

### VERTEBRATE BAR



The vertebrate bar is a perforated extruded aluminium profile with 25 mm hole pitch for insertion of the anti-tilt spring. The anti-tilt bar is supplied complete with plastic accessories and a top structure designed for cylinder or electronic lock closure.

| ART.                  | Working H (mm)<br>for drawer insertion |  |
|-----------------------|----------------------------------------|--|
| M 00 V030 00 00 00 00 | 300                                    |  |
| M 00 V050 00 00 00 00 | 500                                    |  |
| M 00 V060 00 00 00 00 | 600                                    |  |
| M 00 V070 00 00 00 00 | 700                                    |  |
| M 00 V075 00 00 00 00 | 750                                    |  |
| M 00 V090 00 00 00 00 | 900                                    |  |

| ART.                  | Working H (mm)<br>for drawer insertion |  |
|-----------------------|----------------------------------------|--|
| M 00 V105 00 00 00 00 | 1050                                   |  |
| M 00 V122 00 00 00 00 | 1225                                   |  |
| M 00 V140 00 00 00 00 | 1400                                   |  |
| M 00 V152 00 00 00 00 | 1525                                   |  |
| M 00 V190 00 00 00 00 | 1900                                   |  |

### CYLINDER LOCK (KEY)



CYLINDER LOCK CLOSURE COMPLETE WITH:

- 1 cylinder lock with 2 keys
- 1 steel wire with sheath
- 1 front pin assembly
- 1 back pin assembly

| ART.                  |    |                                        |
|-----------------------|----|----------------------------------------|
| M 23 V000 C0 00 00 00 | C0 | CYLINDER LOCK WITH DIFFERENT NUMBERING |
| M 23 V000 C1 00 00 00 | C1 | CYLINDER LOCK FOR SETS OF 160 NUMBERS  |
| M 23 V000 C2 00 00 00 | C2 | CYLINDER LOCK WITH SAME NUMBERING      |

## For Experts Only



H 1000 mm  
Useful H 900 mm



H 1500 mm  
Useful H 1400 mm



H 2000 mm  
Useful H 1900 mm



M 23 A100 X0 10 00 \_ \_

M 23 A150 X0 10 00 \_ \_

M 23 A200 X0 10 00 \_ \_

### NUMERICAL CODE LOCK (CODE)



ART.

M 23 V000 E2 00 00 00

E2 BAR OPENING/CLOSING (battery power supply)

M 23 V000 E5 00 00 00

E5 BAR OPENING/CLOSING (mains power supply)

M 23 V000 T2 00 00 00

T2 DOOR + BAR OPENING/CLOSING (battery power supply)

M 23 V000 T3 00 00 00

T3 DOOR + BAR OPENING/CLOSING (mains power supply)

ART. REMOTE CONTROL

M 00 VRC0 00 00 00 00

Receiver module with  
remote control

M 00 VRC0 00 00 01 00

Additional remote control



### SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

#### TOP SHELF FOR LOCKS



ART.



Front H mm

kg

M 23 PS46 00 10 00 \_ \_

46

150

Dim. mm 510x724x46 H

#### BOTTOM SHELF FOR LOCKS



ART.



Front H mm

kg

M 23 PS46 10 10 00 \_ \_

46

150

Dim. mm 510x724x46 H

#### ADJUSTABLE SHELF



ART.



Total H mm

kg

M 23 PR25 00 00 01 \_ \_

60

70

Usable dim. mm 504x631x60 H

#### SLOTTED ADJUSTABLE SHELF



ART.



Front H mm

kg

M 23 PR35 10 00 01 \_ \_


35

100

Dim. mm 510x721x35 H

# 27x36 EH


## PARTITIONING MATERIAL



ART. for front height mm

**F FH 8605 01 00** 50 – 300


Set including: 12 troughs 4 grooves,  
50 plain partitions 36 mm



ART. for front height mm

**F FH 8605 06 00** 50 – 300


Set including: 12 troughs 3 grooves,  
27 plain partitions 47 mm



ART. for front height mm

**F FH 8605 04 00** 50 – 300

Set including: 12 troughs 2 grooves,  
18 plain partitions 73 mm




ART. for front height mm

**F FH 8605 17 00** 50

**F FH 8607 17 00** 75

Set including: 16 plastic boxes 75x75 mm, 8 plastic  
boxes 150x75 mm, 4 plastic boxes 150x150 mm




ART. for front height mm

**F FH 8605 18 00** 50

**F FH 8607 18 00** 75

**F FH 8610 18 00** 100 – 125

Set including: 12 plastic boxes 150x75 mm,  
6 plastic boxes 150x150 mm



ART. for front height mm

**F FH 8605 08 00** 50

**F FH 8607 08 00** 75


**F FH 8610 08 00** 100 – 125

**F FH 8615 08 00** 150

**F FH 8620 08 00** 200 – 250

**F FH 8630 08 00** 300

Set including: 2 slotted partitions 610 mm,  
3 plain partitions 149 mm



ART. for front height mm

**F FH 8605 09 00** 50


**F FH 8607 09 00** 75

**F FH 8610 09 00** 100 – 125

**F FH 8615 09 00** 150

**F FH 8620 09 00** 200 – 250

Set including: 2 slotted partitions 610 mm,  
10 plain partitions 149 mm



ART. for front height mm


**F FH 8605 10 00** 50

**F FH 8607 10 00** 75

**F FH 8610 10 00** 100 – 125

**F FH 8615 10 00** 150

Set including: 3 slotted partitions 610 mm, 6 plain  
partitions 98 mm, 2 plain partitions 149 mm



ART. for front height mm

**F FH 8605 13 00** 50

**F FH 8607 13 00** 75

**F FH 8610 13 00** 100 – 125

**F FH 8615 13 00** 150


**F FH 8620 13 00** 200 – 250

**F FH 8630 13 00** 300

Set including: 2 plain partitions 610 mm



## CONFIGURE A FAMI DRAWER WITH BETA TOOLS



### ART. F FH 0907 50 07

Drawer pre-setting kit for Beta thermoformed trays consisting of:

no. 2 F HC 6071 00 07

no. 4 F HC 6471 00 07

no. 2 F HC 6871 00 07



no. 1 F HA 1120 00 99

no. 1 F HA 2120 00 99

1 unit = 1 Beta thermoformed tray (367x147 mm)

2 unit = 1 Beta thermoformed tray (367x294 mm)

## EXAMPLES OF TERMOFORMED TRAY USE





## METAL COLOURS

|                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|    |    |
| GREY<br>RAL 7000<br>.01                                                             | GREEN<br>RAL 6011<br>.02                                                            |
|    |    |
| BLUE<br>RAL 5012<br>.04                                                             | GREY<br>RAL 7035<br>.08                                                             |
|    |    |
| GREY WHITE<br>RAL 9002<br>.1F                                                       | RUBY RED<br>RAL 3003<br>.1G                                                         |
|    |    |
| GENTIAN BLUE<br>RAL 5010<br>.34                                                     | PURE WHITE<br>RAL 9010<br>.35                                                       |
|  |  |
| ANTHRACITE GREY<br>RAL 7016<br>.39                                                  | BLUE CAPRI<br>RAL 5019<br>.48                                                       |



● **ART. M 33 A100 C0 10 AW 04**  
H = 1000 mm – 7 drawers

## PLASTIC COLOURS

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |
| DARK GREY<br>.M0                                                                    | MEDITERRANEAN<br>BLUE .M1                                                           | SKY BLUE<br>.M2                                                                     | GLAMOUR RED<br>.M3                                                                  |
|  |  |  |  |
| RED CARPET<br>.M4                                                                   | JUICE ORANGE<br>.M5                                                                 | SUNNY YELLOW<br>.M6                                                                 | FOREST GREEN<br>.M7                                                                 |

## KEY



SHELF/  
DRAWER  
CAPACITY



SHELF/  
DRAWER  
EXTENSION



CABINET  
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 400 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 33 A040 C0 10 01 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 33 A040 E2 10 01 04 |  | 50-75-100 | 100-96-92% | code |  |

H 700 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 33 A070 C0 10 40 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 33 A070 C0 10 41 04 |  | 200       | 100%       | key  |  |
| M 33 A070 E2 10 40 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 33 A070 E2 10 41 04 |  | 200       | 100%       | code |  |

H 700 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 33 A070 C0 10 42 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 33 A070 C0 10 43 04 |  | 200       | 100%       | key  |  |
| M 33 A070 E2 10 42 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 33 A070 E2 10 43 04 |  | 200       | 100%       | code |  |

H 800 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 33 A080 C0 10 72 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 33 A080 C0 10 73 04 |  | 200       | 100%       | key  |  |
| M 33 A080 E2 10 72 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 33 A080 E2 10 73 04 |  | 200       | 100%       | code |  |

H 800 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 33 A080 C0 10 56 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 33 A080 C0 10 59 04 |  | 200       | 100%       | key  |  |
| M 33 A080 E2 10 56 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 33 A080 E2 10 59 04 |  | 200       | 100%       | code |  |



H 850 mm



| ART.                   |  |           |            |      |
|------------------------|--|-----------|------------|------|
| <b>M33A085C010AC04</b> |  | 50-75-100 | 100-96-92% | key  |
| <b>M33A085C010AD04</b> |  | 200       | 100%       | key  |
| <b>M33A085E210AC04</b> |  | 50-75-100 | 100-96-92% | code |
| <b>M33A085E210AD04</b> |  | 200       | 100%       | code |

H 850 mm



| ART.                   |  |           |            |      |
|------------------------|--|-----------|------------|------|
| <b>M33A085C010AG04</b> |  | 50-75-100 | 100-96-92% | key  |
| <b>M33A085C010AH04</b> |  | 200       | 100%       | key  |
| <b>M33A085E210AG04</b> |  | 50-75-100 | 100-96-92% | code |
| <b>M33A085E210AH04</b> |  | 200       | 100%       | code |

H 1000 mm



| ART.                   |  |           |            |      |
|------------------------|--|-----------|------------|------|
| <b>M33A100C010BE04</b> |  | 50-75-100 | 100-96-92% | key  |
| <b>M33A100C010BF04</b> |  | 200       | 100%       | key  |
| <b>M33A100E210BE04</b> |  | 50-75-100 | 100-96-92% | code |
| <b>M33A100E210BF04</b> |  | 200       | 100%       | code |

H 1000 mm



| ART.                   |  |           |            |      |
|------------------------|--|-----------|------------|------|
| <b>M33A100C010CQ04</b> |  | 50-75-100 | 100-96-92% | key  |
| <b>M33A100C010CR04</b> |  | 200       | 100%       | key  |
| <b>M33A100E210CQ04</b> |  | 50-75-100 | 100-96-92% | code |
| <b>M33A100E210CR04</b> |  | 200       | 100%       | code |

H 1000 mm



| ART.                           |  |           |            |      |  |
|--------------------------------|--|-----------|------------|------|--|
| ● <b>M 33 A100 C0 10 AW 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 33 A100 C0 10 BH 04</b>   |  | 200       | 100%       | key  |  |
| <b>M 33 A100 E2 10 AW 04</b>   |  | 50-75-100 | 100-96-92% | code |  |
| <b>M 33 A100 E2 10 BH 04</b>   |  | 200       | 100%       | code |  |

H 1000 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 33 A100 C0 10 CN 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 33 A100 C0 10 CP 04</b> |  | 200       | 100%       | key  |  |
| <b>M 33 A100 E2 10 CN 04</b> |  | 50-75-100 | 100-96-92% | code |  |
| <b>M 33 A100 E2 10 CP 04</b> |  | 200       | 100%       | code |  |

H 1000 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 33 A100 C0 10 BL 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 33 A100 C0 10 BM 04</b> |  | 200       | 100%       | key  |  |
| <b>M 33 A100 E2 10 BL 04</b> |  | 50-75-100 | 100-96-92% | code |  |
| <b>M 33 A100 E2 10 BM 04</b> |  | 200       | 100%       | code |  |

H 1000 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 33 A100 C0 10 DR 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 33 A100 C0 10 DS 04</b> |  | 200       | 100%       | key  |  |
| <b>M 33 A100 E2 10 DR 04</b> |  | 50-75-100 | 100-96-92% | code |  |
| <b>M 33 A100 E2 10 DS 04</b> |  | 200       | 100%       | code |  |

# MASTER









| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 33 A100 C0 10 LJ 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 33 A100 C0 10 LK 04 |  | 200       | 100%       | key  |  |
| M 33 A100 P5 10 LJ 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 33 A100 P5 10 LK 04 |  | 200       | 100%       | code |  |



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 33 A100 C0 10 LR 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 33 A100 C0 10 LS 04 |  | 200       | 100%       | key  |  |
| M 33 A100 T2 10 LR 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 33 A100 T2 10 LS 04 |  | 200       | 100%       | code |  |



H 1500 mm



| ART.                  |  | kg        |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 33 A150 C0 10 FJ 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 33 A150 C0 10 FK 04 |  | 200       | 100%       | key  |  |
| M 33 A150 E2 10 FJ 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 33 A150 E2 10 FK 04 |  | 200       | 100%       | code |  |

H 1500 mm



door 1400 mm

depth 751 mm

| ART.                  |  | kg        |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 33 A150 C0 10 LC 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 33 A150 C0 10 LD 04 |  | 200       | 100%       | key  |  |
| M 33 A150 P5 10 LC 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 33 A150 P5 10 LD 04 |  | 200       | 100%       | code |  |

H 2000 mm



| ART.                  |  | kg        |            |   |  |
|-----------------------|--|-----------|------------|---|--|
| M 33 A200 C5 10 FU 04 |  | 50-75-100 | 100-96-92% | - |  |
| M 33 A200 C5 10 FV 04 |  | 200       | 100%       | - |  |

H 2000 mm



| ART.                  |  | kg        |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 33 A200 C0 10 FS 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 33 A200 C0 10 FT 04 |  | 200       | 100%       | key  |  |
| M 33 A200 E2 10 FS 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 33 A200 E2 10 FT 04 |  | 200       | 100%       | code |  |



H 2000 mm



door 900 mm

| ART.                  |  |  |  |  |  |
|-----------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|
| M33A200C010 FY 04     |  | 50-75-100                                                                           | 100-96-92%                                                                          | key                                                                                 |  |
| M 33 A200 C010 FZ 04  |  | 200                                                                                 | 100%                                                                                | key                                                                                 |  |
| M 33 A200 T2 10 FY 04 |  | 50-75-100                                                                           | 100-96-92%                                                                          | code                                                                                |  |
| M 33 A200 T2 10 FZ 04 |  | 200                                                                                 | 100%                                                                                | code                                                                                |  |

H 2000 mm



door 1900 mm

| ART.                  |  |  |  |  |  |
|-----------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--|
| M33A200C010 FW04      |  | 50-75-100                                                                             | 100-96-92%                                                                            | key                                                                                   |  |
| M 33 A200 C0 10 FX 04 |  | 200                                                                                   | 100%                                                                                  | key                                                                                   |  |
| M 33 A200 P5 10 FW 04 |  | 50-75-100                                                                             | 100-96-92%                                                                            | code                                                                                  |  |
| M 33 A200 P5 10 FX 04 |  | 200                                                                                   | 100%                                                                                  | code                                                                                  |  |



ART. M 33 D100 C0 10 NN NQ

H 873 mm



single door - depth 751 mm

| ART.              |  | kg        |            |     |  |
|-------------------|--|-----------|------------|-----|--|
| M33D085C010 GJ 04 |  | 50-75-100 | 100-96-92% | key |  |
| M33D085C010 GK 04 |  | 200       | 100%       | key |  |

H 873 mm



double door

| ART.              |  | kg        |            |     |  |
|-------------------|--|-----------|------------|-----|--|
| M33D085C010 GL 04 |  | 50-75-100 | 100-96-92% | key |  |
| M33D085C010 GM 04 |  | 200       | 100%       | key |  |

H 1023 mm



single door - depth 751 mm

| ART.              |  | kg        |            |     |  |
|-------------------|--|-----------|------------|-----|--|
| M33D100C010 GQ 04 |  | 50-75-100 | 100-96-92% | key |  |
| M33D100C010 GR 04 |  | 200       | 100%       | key |  |

H 1023 mm



double door

| ART.              |  | kg        |            |     |  |
|-------------------|--|-----------|------------|-----|--|
| M33D100C010 GW 04 |  | 50-75-100 | 100-96-92% | key |  |
| M33D100C010 GX 04 |  | 200       | 100%       | key |  |

H 1023 mm



double door

| ART.              |  | kg        |            |     |  |
|-------------------|--|-----------|------------|-----|--|
| M33D100C010 HC 04 |  | 50-75-100 | 100-96-92% | key |  |
| M33D100C010 HD 04 |  | 200       | 100%       | key |  |

H 1023 mm




double door

| ART.              |  | kg        |            |     |  |
|-------------------|--|-----------|------------|-----|--|
| M33D100C010 HQ 04 |  | 50-75-100 | 100-96-92% | key |  |
| M33D100C010 HR 04 |  | 200       | 100%       | key |  |

H 2000 mm

H 1500 mm



| ART.                  |  |           |            |     |  |
|-----------------------|--|-----------|------------|-----|--|
| M33D150C010 JE 04     |  | 50-75-100 | 100-96-92% | key |  |
| M 33 D150 C0 10 JF 04 |  | 200       | 100%       | key |  |

| ART.              |  |           |            |     |  |
|-------------------|--|-----------|------------|-----|--|
| M33D200C010 JJ 04 |  | 50-75-100 | 100-96-92% | key |  |
| M33D200C010 JK 04 |  | 200       | 100%       | key |  |



H 918 mm



| ART.                         |  | kg        |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 33 R070 S0 10 40 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 33 R070 P2 10 40 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 400 kg - Cabinet height without wheels mm 763

H 918 mm



| ART.                         |  | kg        |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 33 R070 S0 10 44 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 33 R070 P2 10 44 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 400 kg - Cabinet height without wheels mm 763

H 1018 mm



| ART.                         |  | kg        |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 33 R080 S0 10 72 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 33 R080 P2 10 72 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 400 kg - Cabinet height without wheels mm 863

H 1018 mm



| ART.                         |  | kg        |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 33 R080 S0 10 56 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 33 R080 P2 10 56 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 400 kg - Cabinet height without wheels mm 863



2 elastic rubber swivel wheels with brake Ø 125 mm  
2 elastic rubber fixed wheels Ø 125 mm

H 1068 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 33 R085 S0 10 AE 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 33 R085 P2 10 AE 04 |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 400 kg - Cabinet height without wheels mm 913

H 1068 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 33 R085 S0 10 AC 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 33 R085 P2 10 AC 04 |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 400 kg - Cabinet height without wheels mm 913

H 1218 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 33 R100 S0 10 DB 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 33 R100 P2 10 DB 04 |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 400 kg - Cabinet height without wheels mm 1063

H 1218 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 33 R100 S0 10 AW 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 33 R100 P2 10 AW 04 |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 400 kg - Cabinet height without wheels mm 1063



2 elastic rubber swivel wheels with brake Ø 125 mm  
2 elastic rubber fixed wheels Ø 125 mm





ART. M 33 R080 P2 10 NK 1G



## CONFIGURE YOUR CABINET

CHOOSE  
a height

CHOOSE  
a clousure

CHOOSE  
a colour

|     |      |    |       |    |
|-----|------|----|-------|----|
| M33 | A040 | C5 | 10 00 | 01 |
|-----|------|----|-------|----|

### EMPTY CABINET



Cabinet load  
capacity 3100 kg

| M33 | HEIGHT |                                   | CLOSURE |                               | 10 00 | COLOUR |             |
|-----|--------|-----------------------------------|---------|-------------------------------|-------|--------|-------------|
|     | A040   | 400 mm<br>(working dim. 300 mm)   |         | X0<br>with no bar and no lock |       |        | 01 RAL 7000 |
|     | A070   | 700 mm<br>(working dim. 600 mm)   |         | C5*<br>no lock                |       |        | 02 RAL 6011 |
|     | A080   | 800 mm<br>(working dim. 700 mm)   |         | C0*<br>KEY cylinder lock      |       |        | 1G RAL 3003 |
|     | A085   | 850 mm<br>(working dim. 750 mm)   |         | C1*<br>KEY cylinder lock      |       |        | 1F RAL 9002 |
|     | A100   | 1000 mm<br>(working dim. 900 mm)  |         | C2*<br>KEY cylinder lock      |       |        | 48 RAL 5019 |
|     | A115   | 1150 mm<br>(working dim. 1050 mm) |         | E2*<br>CODE numerical code    |       |        | 39 RAL 7016 |
|     | A132   | 1325 mm<br>(working dim. 1225 mm) |         | T2*<br>CODE numerical code    |       |        | 04 RAL 5012 |
|     | A150   | 1500 mm<br>(working dim. 1400 mm) |         |                               |       |        | 08 RAL 7035 |
|     | A162   | 1625 mm<br>(working dim. 1525 mm) |         |                               |       |        | 35 RAL 9010 |
|     | A200   | 2000 mm<br>(working dim. 1900 mm) |         |                               |       |        | 34 RAL 5010 |

\*COMPLETE WITH VERTEBRATE BAR

### EMPTY CABINET pre-set for wheels



| M33 | HEIGHT |                                  | CLOSURE |                           | 10 00 | COLOUR |             |
|-----|--------|----------------------------------|---------|---------------------------|-------|--------|-------------|
|     | R070   | 763 mm<br>(working dim. 600 mm)  |         | S0<br>KEY cylinder lock   |       |        | 01 RAL 7000 |
|     | R080   | 863 mm<br>(working dim. 700 mm)  |         | S1<br>KEY cylinder lock   |       |        | 02 RAL 6011 |
|     | R085   | 913 mm<br>(working dim. 750 mm)  |         | S2<br>KEY cylinder lock   |       |        | 1G RAL 3003 |
|     | R100   | 1063 mm<br>(working dim. 900 mm) |         | P2<br>CODE numerical code |       |        | 1F RAL 9002 |
|     |        |                                  |         | A1<br>CODE numerical code |       |        | 48 RAL 5019 |
|     |        |                                  |         |                           |       |        | 39 RAL 7016 |
|     |        |                                  |         |                           |       |        | 04 RAL 5012 |
|     |        |                                  |         |                           |       |        | 08 RAL 7035 |
|     |        |                                  |         |                           |       |        | 35 RAL 9010 |
|     |        |                                  |         |                           |       |        | 34 RAL 5010 |

COMPLETE WITH VERTEBRATE BAR, 4-EDGE SHELF WITH PVC TOP, PAIR OF HANDLES, PAIR OF PLATES FOOTPRINT  
Overall dim. mm 740x800



## FLEXIBLE EXTENSION DRAWERS

| ART. WITH Dark Grey plastic kit |  | ART. NO Plastic kit*  |  | Usable dim. mm | Front H mm | kg            |                  |  |
|---------------------------------|--|-----------------------|--|----------------|------------|---------------|------------------|--|
| M 33 C050 0110 0F __            |  | M 33 C050 01 00 0F __ |  | 600x600x31 H   | 50         | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 33 C075 0110 0F __            |  | M 33 C075 01 00 0F __ |  | 600x600x56 H   | 75         | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 33 C100 0110 0F __            |  | M 33 C100 01 00 0F __ |  | 600x600x81 H   | 100        | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 33 C125 0110 0F __            |  | M 33 C125 01 00 0F __ |  | 600x600x106 H  | 125        | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 33 C150 0110 0F __            |  | M 33 C150 01 00 0F __ |  | 600x600x131 H  | 150        | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 33 C200 0110 0F __            |  | M 33 C200 01 00 0F __ |  | 600x600x181 H  | 200        | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 33 C250 0110 0F __            |  | M 33 C250 01 00 0F __ |  | 600x600x231 H  | 250        | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 33 C300 0110 0F __            |  | M 33 C300 01 00 0F __ |  | 600x600x281 H  | 300        | 50 - 75 - 100 | 100% - 96% - 92% |  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## TELESCOPIC EXTRACTION DRAWERS

| ART. WITH Dark Grey plastic kit |  | ART. NO Plastic kit*  |  | Usable dim. mm | Front H mm | kg  |      |  |
|---------------------------------|--|-----------------------|--|----------------|------------|-----|------|--|
| M 33 C075 0110 0T __            |  | M 33 C075 01 00 0T __ |  | 600x600x56 H   | 75         | 200 | 100% |  |
| M 33 C100 0110 0T __            |  | M 33 C100 01 00 0T __ |  | 600x600x81 H   | 100        | 200 | 100% |  |
| M 33 C125 0110 0T __            |  | M 33 C125 01 00 0T __ |  | 600x600x106 H  | 125        | 200 | 100% |  |
| M 33 C150 0110 0T __            |  | M 33 C150 01 00 0T __ |  | 600x600x131 H  | 150        | 200 | 100% |  |
| M 33 C200 0110 0T __            |  | M 33 C200 01 00 0T __ |  | 600x600x181 H  | 200        | 200 | 100% |  |
| M 33 C250 0110 0T __            |  | M 33 C250 01 00 0T __ |  | 600x600x231 H  | 250        | 200 | 100% |  |
| M 33 C300 0110 0T __            |  | M 33 C300 01 00 0T __ |  | 600x600x281 H  | 300        | 200 | 100% |  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

## PLASTIC KIT FOR EXTENSIBLE DRAWERS AND SHELVES



| PLASTIC COLOURS                                                                                        | ART.                  |  |
|--------------------------------------------------------------------------------------------------------|-----------------------|--|
|  MEDITERRANEAN BLUE | M 30 PLS1 00 00 00 M1 |  |
|  SKY BLUE           | M 30 PLS1 00 00 00 M2 |  |
|  GLAMOUR RED        | M 30 PLS1 00 00 00 M3 |  |
|  RED CARPET         | M 30 PLS1 00 00 00 M4 |  |
|  JUICY ORANGE       | M 30 PLS1 00 00 00 M5 |  |
|  SUNNY YELLOW       | M 30 PLS1 00 00 00 M6 |  |
|  FOREST GREEN       | M 30 PLS1 00 00 00 M7 |  |



## FLEXIBLE EXTENSIBLE SHELVES

| ART. WITH Dark Grey plastic kit | ART. NO Plastic kit*  | Usable dim. mm | Front H mm | kg            |                  |
|---------------------------------|-----------------------|----------------|------------|---------------|------------------|
| M 33 C057 0110 OF _ _           | M 33 C057 0100 OF _ _ | 600x600        | 70         | 50 - 75 - 100 | 100% - 96% - 92% |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## TELESCOPIC EXTENSIBLE SHELVES

| ART. WITH Dark Grey plastic kit | ART. NO Plastic kit*  | Usable dim. mm | Front H mm | kg  |      |
|---------------------------------|-----------------------|----------------|------------|-----|------|
| M 33 C057 0110 OT _ _           | M 33 C057 0100 OT _ _ | 600x600        | 70         | 200 | 100% |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## ADJUSTABLE SHELF

| ART.                   | Usable dim. mm | Total H mm | kg  |
|------------------------|----------------|------------|-----|
| M 33 PR25 00 00 01 _ _ | 657x631        | 60         | 150 |

CAN BE FITTED FRONTALLY TO THE VERTEBRATE BAR

## PLASTIC KIT FOR EXTENSIBLE DRAWERS AND SHELVES



| PLASTIC COLOURS    | ART.                  |
|--------------------|-----------------------|
| MEDITERRANEAN BLUE | M 30 PLS1 00 00 00 M1 |
| SKY BLUE           | M 30 PLS1 00 00 00 M2 |
| GLAMOUR RED        | M 30 PLS1 00 00 00 M3 |
| RED CARPET         | M 30 PLS1 00 00 00 M4 |
| JUICY ORANGE       | M 30 PLS1 00 00 00 M5 |
| SUNNY YELLOW       | M 30 PLS1 00 00 00 M6 |
| FOREST GREEN       | M 30 PLS1 00 00 00 M7 |





## DOORS WITH CYLINDER

### HINGED DOORS TOTAL HEIGHT - REVERSIBLE



| CABINET H mm | TYPE OF CLOSURE                | ART. WITH Dark Grey plastic kit | ART. NO Plastic kit*   |
|--------------|--------------------------------|---------------------------------|------------------------|
| 600          | <b>C0</b><br>KEY cylinder lock | M 30 P050 C0 10 00 _ _          | M 30 P050 C0 00 00 _ _ |
|              | <b>C1</b><br>KEY cylinder lock | M 30 P050 C1 10 00 _ _          | M 30 P050 C1 00 00 _ _ |
|              | <b>C2</b><br>KEY cylinder lock | M 30 P050 C2 10 00 _ _          | M 30 P050 C2 00 00 _ _ |
| 700          | <b>C0</b><br>KEY cylinder lock | M 30 P060 C0 10 00 _ _          | M 30 P060 C0 00 00 _ _ |
|              | <b>C1</b><br>KEY cylinder lock | M 30 P060 C1 10 00 _ _          | M 30 P060 C1 00 00 _ _ |
|              | <b>C2</b><br>KEY cylinder lock | M 30 P060 C2 10 00 _ _          | M 30 P060 C2 00 00 _ _ |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE RIGHT

### PAIR OF HINGED DOORS TOTAL HEIGHT



|      |                                |                        |                        |
|------|--------------------------------|------------------------|------------------------|
| 850  | <b>C0</b><br>KEY cylinder lock | M 30 P075 C0 10 10 _ _ | M 30 P075 C0 00 10 _ _ |
|      | <b>C1</b><br>KEY cylinder lock | M 30 P075 C1 10 10 _ _ | M 30 P075 C1 00 10 _ _ |
|      | <b>C2</b><br>KEY cylinder lock | M 30 P075 C2 10 10 _ _ | M 30 P075 C2 00 10 _ _ |
| 1000 | <b>C0</b><br>KEY cylinder lock | M 30 P090 C0 10 10 _ _ | M 30 P090 C0 00 10 _ _ |
|      | <b>C1</b><br>KEY cylinder lock | M 30 P090 C1 10 10 _ _ | M 30 P090 C1 00 10 _ _ |
|      | <b>C2</b><br>KEY cylinder lock | M 30 P090 C2 10 10 _ _ | M 30 P090 C2 00 10 _ _ |
| 1500 | <b>C0</b><br>KEY cylinder lock | M 30 P140 C0 10 10 _ _ | M 30 P140 C0 00 10 _ _ |
|      | <b>C1</b><br>KEY cylinder lock | M 30 P140 C1 10 10 _ _ | M 30 P140 C1 00 10 _ _ |
|      | <b>C2</b><br>KEY cylinder lock | M 30 P140 C2 10 10 _ _ | M 30 P140 C2 00 10 _ _ |
| 2000 | <b>C0</b><br>KEY cylinder lock | M 30 P190 C0 10 10 _ _ | M 30 P190 C0 00 10 _ _ |
|      | <b>C1</b><br>KEY cylinder lock | M 30 P190 C1 10 10 _ _ | M 30 P190 C1 00 10 _ _ |
|      | <b>C2</b><br>KEY cylinder lock | M 30 P190 C2 10 10 _ _ | M 30 P190 C2 00 10 _ _ |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE RIGHT



PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK) OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)



**HINGED DOORS PARTIAL HEIGHT - REVERSIBLE**


| DOOR<br>FOOTPRINT H mm | TYPE OF CLOSURE                | ART. WITH Dark<br>Grey plastic kit | ART. NO<br>Plastic kit* |
|------------------------|--------------------------------|------------------------------------|-------------------------|
| 425                    | <b>C0</b><br>KEY cylinder lock | M 30 P042 C0 10 01 __              | M 30 P042 C0 00 01 __   |
|                        | <b>C1</b><br>KEY cylinder lock | M 30 P042 C1 10 01 __              | M 30 P042 C1 00 01 __   |
|                        | <b>C2</b><br>KEY cylinder lock | M 30 P042 C2 10 01 __              | M 30 P042 C2 00 01 __   |
| 525                    | <b>C0</b><br>KEY cylinder lock | M 30 P052 C0 10 01 __              | M 30 P052 C0 00 01 __   |
|                        | <b>C1</b><br>KEY cylinder lock | M 30 P052 C1 10 01 __              | M 30 P052 C1 00 01 __   |
|                        | <b>C2</b><br>KEY cylinder lock | M 30 P052 C2 10 01 __              | M 30 P052 C2 00 01 __   |
| 625                    | <b>C0</b><br>KEY cylinder lock | M 30 P062 C0 10 01 __              | M 30 P062 C0 00 01 __   |
|                        | <b>C1</b><br>KEY cylinder lock | M 30 P062 C1 10 01 __              | M 30 P062 C1 00 01 __   |
|                        | <b>C2</b><br>KEY cylinder lock | M 30 P062 C2 10 01 __              | M 30 P062 C2 00 01 __   |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

**PAIR OF HINGED DOORS PARTIAL HEIGHT**


|     |                                |                       |                       |
|-----|--------------------------------|-----------------------|-----------------------|
| 775 | <b>C0</b><br>KEY cylinder lock | M 30 P077 C0 10 11 __ | M 30 P077 C0 00 11 __ |
|     | <b>C1</b><br>KEY cylinder lock | M 30 P077 C1 10 11 __ | M 30 P077 C1 00 11 __ |
|     | <b>C2</b><br>KEY cylinder lock | M 30 P077 C2 10 11 __ | M 30 P077 C2 00 11 __ |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

**PLASTIC KIT  
FOR SINGLE AND  
DOUBLE DOORS**


| PLASTIC COLOURS    | ART. FOR SINGLE DOOR  | ART. FOR DOUBLE DOOR  |
|--------------------|-----------------------|-----------------------|
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 20 M1 | M 00 PLS0 00 00 30 M1 |
| SKY BLUE           | M 00 PLS0 00 00 20 M2 | M 00 PLS0 00 00 30 M2 |
| GLAMOUR RED        | M 00 PLS0 00 00 20 M3 | M 00 PLS0 00 00 30 M3 |
| RED CARPET         | M 00 PLS0 00 00 20 M4 | M 00 PLS0 00 00 30 M4 |
| JUICY ORANGE       | M 00 PLS0 00 00 20 M5 | M 00 PLS0 00 00 30 M5 |
| SUNNY YELLOW       | M 00 PLS0 00 00 20 M6 | M 00 PLS0 00 00 30 M6 |
| FOREST GREEN       | M 00 PLS0 00 00 20 M7 | M 00 PLS0 00 00 30 M7 |



## DOORS WITH NUMERICAL CODE



### HINGED DOORS TOTAL HEIGHT - DOOR WITH RIGHT-HAND OPENING

| CABINET H mm | TYPE OF CLOSURE                     | ART. WITH Dark Grey plastic kit | ART. NO Plastic kit*   |
|--------------|-------------------------------------|---------------------------------|------------------------|
| 600          | <b>P5</b><br>CODE<br>numerical code | M 30 P050 P5 10 00 _ _          | M 30 P050 P5 00 00 _ _ |
| 700          | <b>P5</b><br>CODE<br>numerical code | M 30 P060 P5 10 00 _ _          | M 30 P060 P5 00 00 _ _ |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



### PAIR OF HINGED DOORS TOTAL HEIGHT


| CABINET H mm | TYPE OF CLOSURE                     | ART. WITH Dark Grey plastic kit | ART. NO Plastic kit*   |
|--------------|-------------------------------------|---------------------------------|------------------------|
| 850          | <b>P5</b><br>CODE<br>numerical code | M 30 P075 P5 10 10 _ _          | M 30 P075 P5 00 10 _ _ |
| 1000         | <b>P5</b><br>CODE<br>numerical code | M 30 P090 P5 10 10 _ _          | M 30 P090 P5 00 10 _ _ |
| 1500         | <b>P5</b><br>CODE<br>numerical code | M 30 P140 P5 10 10 _ _          | M 30 P140 P5 00 10 _ _ |
| 2000         | <b>P5</b><br>CODE<br>numerical code | M 30 P190 P5 10 10 _ _          | M 30 P190 P5 00 10 _ _ |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK) OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

## PLASTIC PARTS FOR SINGLE DOOR AND PAIR OF DOORS



| PLASTIC COLOURS    | ART. FOR SINGLE DOOR  | ART. FOR DOUBLE DOOR  |
|--------------------|-----------------------|-----------------------|
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 21 M1 | M 00 PLS0 00 00 31 M1 |
| SKY BLUE           | M 00 PLS0 00 00 21 M2 | M 00 PLS0 00 00 31 M2 |
| GLAMOUR RED        | M 00 PLS0 00 00 21 M3 | M 00 PLS0 00 00 31 M3 |
| RED CARPET         | M 00 PLS0 00 00 21 M4 | M 00 PLS0 00 00 31 M4 |
| JUICY ORANGE       | M 00 PLS0 00 00 21 M5 | M 00 PLS0 00 00 31 M5 |
| SUNNY YELLOW       | M 00 PLS0 00 00 21 M6 | M 00 PLS0 00 00 31 M6 |
| FOREST GREEN       | M 00 PLS0 00 00 21 M7 | M 00 PLS0 00 00 31 M7 |

**PARTIAL HEIGHT HINGED DOORS - REVERSIBLE**



| DOOR<br>FOOTPRINT H mm | TYPE OF CLOSURE                    | ART. WITH Dark<br>Grey plastic kit | ART. NO<br>Plastic kit* |
|------------------------|------------------------------------|------------------------------------|-------------------------|
| <b>425</b>             | <b>A4</b><br>handle without keypad | M 30 P042 A4 10 01 _ _             | M 30 P042 A4 00 01 _ _  |
| <b>525</b>             | <b>A4</b><br>handle without keypad | M 30 P052 A4 10 01 _ _             | M 30 P052 A4 00 01 _ _  |
| <b>625</b>             | <b>A4</b><br>handle without keypad | M 30 P062 A4 10 01 _ _             | M 30 P062 A4 00 01 _ _  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE LEFT

**PAIR OF HINGED DOORS PARTIAL HEIGHT**



| DOOR<br>FOOTPRINT H mm | TYPE OF CLOSURE                    | ART. WHIT Dark<br>Grey plastic kit | ART. NO<br>Plastic kit* |
|------------------------|------------------------------------|------------------------------------|-------------------------|
| <b>775</b>             | <b>A4</b><br>handle without keypad | M 30 P077 A4 10 11 _ _             | M 30 P077 A4 00 11 _ _  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE LEFT

PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH THE FOLLOWING CLOSURES:  
USE THE **T2** LOCK FOR THE CABINET WITHOUT WHEELS  
USE THE **A1** LOCK FOR THE CABINET WITH WHEELS

**REMOTE CONTROL**



| ART.                  |                                     |
|-----------------------|-------------------------------------|
| M 00 VRC0 00 00 00 00 | Receiver module with remote control |
| M 00 VRC0 00 00 01 00 | Additional remote control           |



## EMPTY CABINET

## WITH 2 SLIDING DOORS



### CABINET WITH DOUBLE SLIDING DOOR WITHOUT VERTEBRATE BAR

| CABINET H mm                   | TYPE OF CLOSURE                | ART. WHIT Dark<br>Grey plastic kit | ART. NO<br>plastic kit* |
|--------------------------------|--------------------------------|------------------------------------|-------------------------|
| 850<br>(working dim. 750 mm)   | <b>C0</b><br>KEY cylinder lock | M 33 D085 C0 10 0D __              | M 33 D085 C0 00 0D __   |
|                                | <b>C1</b><br>KEY cylinder lock | M 33 D085 C1 10 0D __              | M 33 D085 C1 00 0D __   |
|                                | <b>C2</b><br>KEY cylinder lock | M 33 D085 C2 10 0D __              | M 33 D085 C2 00 0D __   |
| 1000<br>(working dim. 900 mm)  | <b>C0</b><br>KEY cylinder lock | M 33 D100 C0 10 0D __              | M 33 D100 C0 00 0D __   |
|                                | <b>C1</b><br>KEY cylinder lock | M 33 D100 C1 10 0D __              | M 33 D100 C1 00 0D __   |
|                                | <b>C2</b><br>KEY cylinder lock | M 33 D100 C2 10 0D __              | M 33 D100 C2 00 0D __   |
| 1500<br>(working dim. 1400 mm) | <b>C0</b><br>KEY cylinder lock | M 33 D150 C0 10 0D __              | M 33 D150 C0 00 0D __   |
|                                | <b>C1</b><br>KEY cylinder lock | M 33 D150 C1 10 0D __              | M 33 D150 C1 00 0D __   |
|                                | <b>C2</b><br>KEY cylinder lock | M 33 D150 C2 10 0D __              | M 33 D150 C2 00 0D __   |
| 2000<br>(working dim. 1900 mm) | <b>C0</b><br>KEY cylinder lock | M 33 D200 C0 10 0D __              | M 33 D200 C0 00 0D __   |
|                                | <b>C1</b><br>KEY cylinder lock | M 33 D200 C1 10 0D __              | M 33 D200 C1 00 0D __   |
|                                | <b>C2</b><br>KEY cylinder lock | M 33 D200 C2 10 0D __              | M 33 D200 C2 00 0D __   |


\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

## PLASTIC PARTS FOR SLIDING DOORS



| PLASTIC COLOUR     | ART. 2 SLIDING DOORS  | ART. 1 SLIDING DOOR   |
|--------------------|-----------------------|-----------------------|
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 50 M1 | M 00 PLS0 00 00 40 M1 |
| SKY BLUE           | M 00 PLS0 00 00 50 M2 | M 00 PLS0 00 00 40 M2 |
| GLAMOUR RED        | M 00 PLS0 00 00 50 M3 | M 00 PLS0 00 00 40 M3 |
| RED CARPET         | M 00 PLS0 00 00 50 M4 | M 00 PLS0 00 00 40 M4 |
| JUICY ORANGE       | M 00 PLS0 00 00 50 M5 | M 00 PLS0 00 00 40 M5 |
| SUNNY YELLOW       | M 00 PLS0 00 00 50 M6 | M 00 PLS0 00 00 40 M6 |
| FOREST GREEN       | M 00 PLS0 00 00 50 M7 | M 00 PLS0 00 00 40 M7 |

## EMPTY CABINET



## WITH 1 SLIDING DOOR

### CABINET WITH SINGLE SLIDING DOOR WITHOUT VERTEBRATE BAR

| CABINET H mm                  | TYPE OF CLOSURE                | ART. WHIT Dark<br>Grey plastic kit | ART. NO<br>plastic kit* |
|-------------------------------|--------------------------------|------------------------------------|-------------------------|
| 850<br>(working dim. 750 mm)  | <b>C0</b><br>KEY cylinder lock | M 33 D085 C0 10 OS _ _             | M 33 D085 C0 00 OS _ _  |
|                               | <b>C1</b><br>KEY cylinder lock | M 33 D085 C1 10 OS _ _             | M 33 D085 C1 00 OS _ _  |
|                               | <b>C2</b><br>KEY cylinder lock | M 33 D085 C2 10 OS _ _             | M 33 D085 C2 00 OS _ _  |
| 1000<br>(working dim. 900 mm) | <b>C0</b><br>KEY cylinder lock | M 33 D100 C0 10 OS _ _             | M 33 D100 C0 00 OS _ _  |
|                               | <b>C1</b><br>KEY cylinder lock | M 33 D100 C1 10 OS _ _             | M 33 D100 C1 00 OS _ _  |
|                               | <b>C2</b><br>KEY cylinder lock | M 33 D100 C2 10 OS _ _             | M 33 D100 C2 00 OS _ _  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE LEFT



Single door with right-hand closing only, only the left compartment is designed for the insertion of drawers and extensible shelves. The vertebrae shaft must be inserted in the presence of more than 2 drawers/extensible shelves for each compartment.



### CYLINDER LOCK

| TYPE OF CLOSURE                | ART.                  |
|--------------------------------|-----------------------|
| <b>C0</b><br>KEY cylinder lock | M 33 V000 C0 00 00 00 |
| <b>C1</b><br>KEY cylinder lock | M 33 V000 C1 00 00 00 |
| <b>C2</b><br>KEY cylinder lock | M 33 V000 C2 00 00 00 |



### VERTEBRATE BAR

| WORKING H (mm)<br>FOR DRAWER INSERTION | ART.                  |
|----------------------------------------|-----------------------|
| 750                                    | M 00 V075 00 00 00 00 |
| 900                                    | M 00 V090 00 00 00 00 |
| 1400                                   | M 00 V140 00 00 00 00 |
| 1900                                   | M 00 V190 00 00 00 00 |





## 3-EDGE TOP SHELF

| ART.                         | dim. mm      |  |
|------------------------------|--------------|--|
| <b>M 33 T023 AG 00 31 07</b> | 714x726x23 H |  |

Pvc coated shelf for SINGLE CABINET. Black colour

## 3-EDGE TOP SHELF

| ART.                         | dim. mm       |  |
|------------------------------|---------------|--|
| <b>M 33 T023 AG 00 32 07</b> | 1428x726x23 H |  |

Pvc coated shelf for DOUBLE CABINET. Black colour



## 4-EDGE TOP SHELF

| ART.                         | dim. mm      |  |
|------------------------------|--------------|--|
| <b>M 33 T023 AG 00 41 07</b> | 714x726x23 H |  |

Pvc coated shelf for SINGLE CABINET. Black colour



## ART. M 00 T023 AG 00 F0 00


CABINET TOP SHELF DRILLING FOR 4-EDGE SHELF FIXING



## MULTIPLEX TOP SHELF

| ART.                         | dim. mm      |  |
|------------------------------|--------------|--|
| <b>M 33 T040 MU 00 01 00</b> | 714x726x40 H |  |

For SINGLE CABINET



## MDF TOP SHELF DIM. 714x726x32 mm H

| ART.                         | finishes       | for cabinet    |  |
|------------------------------|----------------|----------------|--|
| <b>M 33 T030 MD GM 21 07</b> | 1 side profile | RH or LH final |  |


MDF shelf with oil-proof top rubber coating. Black colour



## MDF TOP SHELF DIM. 714x726x32 mm H

| ART.                         | finishes | for cabinet |  |
|------------------------------|----------|-------------|--|
| <b>M 33 T030 MD GM 11 07</b> | -        | central     |  |

MDF shelf with oil-proof top rubber coating. Black colour



## MDF TOP SHELF DIM. 714x726x32 mm H

| ART.                         | finishes        | for cabinet |  |
|------------------------------|-----------------|-------------|--|
| <b>M 33 T030 MD GM 01 07</b> | 2 side profiles | single      |  |

MDF shelf with oil-proof top rubber coating. Black colour




## ART. M 00 T030 MD 00 F0 00

CABINET TOP SHELF DRILLING FOR MDF AND MULTIPLEX SHELF FIXING INCLUDING FIXING SCREWS



**OIL-PROOF  
RUBBER  
FINISHING**




**MDF SHELF  
APPLICATION**



**PERFORATED PANEL**

| ART.                         |  | dim. mm      |  |
|------------------------------|-----------------------------------------------------------------------------------|--------------|--|
| <b>M 30 PA71 00 00 00 04</b> |                                                                                   | 708x65x718 H |  |

**EXAMPLE FOR PERFORATED PANEL WITH HOOKS OR VISUAL BOX**



2 ART. FAXVBCH00600001  
1 ART. F BL 9541 00 00 (10 pz.)  
1 ART. C MV 10 019



2 ART. FAXVBCH00900001  
2 ART. FAXVBCH00600001  
2 ART. FAXVBCH00500001



2 ART. FAXVBCH00600001  
3 ART. FAXVBCH00500001



3 ART. FAXVBCH00600001  
1 ART. FAXVBCH00500001  
1 ART. FAXVBCH00400001



**ART. M 00 PA71 00 00 FO 00**  
MDF OR MULTIPLEX TOP SHELF DRILLING  
FOR PERFORATED PANEL FIXING -  
INCLUDING SCREWS



**ART. M 00 PA71 00 00 F1 00**  
DRILLED TOP SHELF WITH 3/4 EDGES FOR  
PERFORATED PANEL FIXING -  
INCLUDING SCREWS



**ART. M 00 PA71 00 00 F2 00**  
PRE-SETTING KIT FOR VISUAL BOX  
FIXING TO THE PERFORATED PANEL



**HEIGHT RAISING PLINTH 50 mm**

| ART.                         |  | dim. mm      |  |
|------------------------------|-------------------------------------------------------------------------------------|--------------|--|
| <b>M 33 Z050 00 00 00 --</b> |                                                                                     | 712x725x50 H |  |



**HEIGHT RAISING PLINTH 100 mm**

| ART.                         |  | dim. mm       |  |
|------------------------------|-------------------------------------------------------------------------------------|---------------|--|
| <b>M 33 Z100 00 00 00 --</b> |                                                                                     | 712x725x100 H |  |



**PLINTHS FOR FORK LIFT TRUCK - Black colour RAL 9005**

| ART.                         |                 | dim. mm      |  |
|------------------------------|-----------------|--------------|--|
| <b>M 03 Z060 20 00 00 07</b> | pair of plinths | 200x722x60 H |  |
| <b>M 30 Z060 21 00 00 07</b> | facing piece    | 708x46x55 H  |  |



**PLINTHS FOR TRANSPALLET - Black colour RAL 9005**

| ART.                         |              | dim. mm       |  |
|------------------------------|--------------|---------------|--|
| <b>M 33 Z100 10 00 00 07</b> | plinth       | 712x722x100 H |  |
| <b>M 30 Z100 11 00 00 07</b> | facing piece | 708x46x95 H   |  |

## STANDARD RUBBER FIXED WHEEL

| ART.           | Ø mm | Cabinet capacity kg | C mm |  |
|----------------|------|---------------------|------|--|
| C RG BCE15 125 | 125  | 400                 | 155  |  |
| C RG BCE15 160 | 160  | 600                 | 200  |  |



## STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

| ART.           | Ø mm | Cabinet capacity kg | C mm |  |
|----------------|------|---------------------|------|--|
| C RG DCE15 125 | 125  | 400                 | 155  |  |
| C RG DCE15 160 | 160  | 600                 | 200  |  |



## NYLON FIXED WHEEL

| ART.           | Ø mm | Cabinet capacity kg | C mm |  |
|----------------|------|---------------------|------|--|
| C RN BAD11 125 | 125  | 400                 | 155  |  |
| C RN BAD04 160 | 160  | 600                 | 200  |  |



## NYLON SWIVEL WHEEL WITH BRAKE

| ART.           | Ø mm | Cabinet capacity kg | C mm |  |
|----------------|------|---------------------|------|--|
| C RN DAD11 125 | 125  | 400                 | 155  |  |
| CRN DAD04 160  | 160  | 600                 | 200  |  |



# SPARE PARTS - FIXING

### SPARE LOCK

ART. M 00 CSR0 8800 00 00

Spare lock with two keys



### SPARE KEY

ART. M 00 CF00 0000 00 00

Always specify the number indicated in the cylinder lock where you wish to replace the key



### PASSEPARTOUT

ART. M 00 PF.. 0000 00 00

Available in 23 series, numbered from F 01 to F 23.

Master key series F 01  
Master key series F 02  
Master key series F ..

ART. M 00 PF01 00 00 00 00  
ART. M 00 PF02 00 00 00 00  
ART. M 00 PF.. 00 00 00 00

### CABINET-TO-CABINET FIXING SET

ART. M 00 FISO 00 00 00 99

Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts

ART. M 00 SVR0 00 00 00 99

Drilling and hardware for fixing two overlapping cabinets

### FLOOR FIXING SET



ART. F AG 9200 00 99

Pair of zinc-plated brackets for cabinet floor fixing

ART. F AG 9204 00 99

2 "HILTI" stud anchors suitable for non-cracked concrete floors ≥ class C20/25  
Recommended anchor strength: 2.9 KN  
Anchor diameter: Ø 6 mm



### SPARE HANDLE

ART. M 00 PLS0 0000 22 M0

Replacement door handle available in Dark Grey.



OTHER COLOURS  
ON REQUEST



THE CABINETS MUST BE FIXED TO A FLOOR OR WALL. IF OVERLAPPING, THEY MUST BE FIXED EXCLUSIVELY TO WALLS AND THEIR CAPACITY DIVIDED BY TWO



# MASTER

# 714x726 mm

## Born To Be Extreme

### EMPTY CABINET without vertebrate bar and without lock



H 400 mm  
Useful H 300 mm



H 700 mm  
Useful H 600 mm



H 800 mm  
Useful H 700 mm



H 850 mm  
Useful H 750 mm



H 1000 mm  
Useful H 900 mm



M 33 A040 X0 10 00 \_\_ M 33 A070 X0 10 00 \_\_ M 33 A080 X0 10 00 \_\_ M 33 A085 X0 10 00 \_\_ M 33 A100 X0 10 00 \_\_

### VERTEBRATE BAR



The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.

| ART.                  | Working H (mm)<br>for drawer insertion |  |
|-----------------------|----------------------------------------|--|
| M 00 V030 00 00 00 00 | 300                                    |  |
| M 00 V050 00 00 00 00 | 500                                    |  |
| M 00 V060 00 00 00 00 | 600                                    |  |
| M 00 V070 00 00 00 00 | 700                                    |  |
| M 00 V075 00 00 00 00 | 750                                    |  |
| M 00 V090 00 00 00 00 | 900                                    |  |

| ART.                  | Working H (mm)<br>for drawer insertion |  |
|-----------------------|----------------------------------------|--|
| M 00 V105 00 00 00 00 | 1050                                   |  |
| M 00 V122 00 00 00 00 | 1225                                   |  |
| M 00 V140 00 00 00 00 | 1400                                   |  |
| M 00 V152 00 00 00 00 | 1525                                   |  |
| M 00 V190 00 00 00 00 | 1900                                   |  |

### CYLINDER LOCK (KEY)



CYLINDER LOCK CLOSURE COMPLETE WITH:

- 1 cylinder lock with 2 keys
- 1 steel wire with sheath
- 1 front pin assembly
- 1 back pin assembly

| ART.                  |    |                                        |
|-----------------------|----|----------------------------------------|
| M 33 V000 C0 00 00 00 | C0 | CYLINDER LOCK WITH DIFFERENT NUMBERING |
| M 33 V000 C1 00 00 00 | C1 | CYLINDER LOCK FOR SETS OF 160 NUMBERS  |
| M 33 V000 C2 00 00 00 | C2 | CYLINDER LOCK WITH SAME NUMBERING      |



## For Experts Only



H 1150 mm  
Useful H 1050 mm



H 1325 mm  
Useful H 1225 mm



H 1500 mm  
Useful H 1400 mm



H 1625 mm  
Useful H 1525 mm



H 2000 mm  
Useful H 1900 mm



M 33 A115 X0 10 00 \_ \_

M 33 A132 X0 10 00 \_ \_

M 33 A150 X0 10 00 \_ \_

M 33 A162 X0 10 00 \_ \_

M 33 A200 X0 10 00 \_ \_

### NUMERICAL CODE LOCK (CODE)



ART.

M 33 V000 E2 00 00 00

E2 BAR OPENING/CLOSING (battery power supply)

M 33 V000 E5 00 00 00

E5 BAR OPENING/CLOSING (mains power supply)

M 33 V000 T2 00 00 00

T2 DOOR + BAR OPENING/CLOSING (battery power supply)

M 33 V000 T3 00 00 00

T3 DOOR + BAR OPENING/CLOSING (mains power supply)

ART. REMOTE CONTROL

M 00 VRC0 00 00 00 00

Receiver module with  
remote control

M 00 VRC0 00 00 01 00

Additional remote control



### SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

#### TOP SHELF FOR LOCKS



ART.



Front H mm

kg

M 33 PS46 00 10 00 \_ \_

46

150

Dim. mm 663x724x46 H

#### BOTTOM SHELF FOR LOCKS



ART.



Front H mm

kg

M 33 PS46 10 10 00 \_ \_

46

150

Dim. mm 663x724x46 H

#### ADJUSTABLE SHELF



ART.



Total H mm

kg

M 33 PR25 00 00 01 \_ \_

60

150

Usable dim. mm 657x631x60 H

#### SLOTTED ADJUSTABLE SHELF



ART.



Front H mm

kg


M 33 PR35 10 00 01 \_ \_

35

300

Dim. mm 663x721x35 H






ART. for front height mm

**F FH 2005 15 00** 50 – 300


Set including: 16 troughs 2 grooves,  
35 plain partitions 73 mm



ART. for front height mm

**F FH 2005 16 00** 50 – 300


Set including: 16 troughs 3 grooves,  
50 plain partitions 47 mm



ART. for front height mm

**F FH 2005 17 00** 50 – 300


Set including: 16 troughs 4 grooves,  
65 plain partitions 36 mm



ART. for front height mm

**F FH 2005 20 00** 50 – 300

Set including: 4 troughs 4 grooves, 8 troughs 3  
grooves, 4 troughs 2 grooves, 30 plain parti-  
tions 36 mm, 20 plain partitions 47 mm, 10 plain  
partitions 73 mm




ART. for front height mm

**F FH 2005 12 00** 50

**F FH 2007 12 00** 75

Set including: 16 plastic boxes 75x75 mm, 16 plastic  
boxes 150x75 mm, 4 plastic boxes 150x150 mm




ART. for front height mm

**F FH 2005 13 00** 50

**F FH 2007 13 00** 75

**F FH 2010 13 00** 100 – 125

Set including: 16 plastic boxes 150x75 mm,  
8 plastic boxes 150x150 mm



ART. for front height mm

**F FH 2005 05 00** 50

**F FH 2007 05 00** 75


**F FH 2010 05 00** 100 – 125

**F FH 2015 05 00** 150

**F FH 2020 05 00** 200 – 250

**F FH 2030 05 00** 300

Set including: 1 slotted partition 610 mm,  
2 plain partitions 302 mm



ART. for front height mm

**F FH 2005 06 00** 50

**F FH 2007 06 00** 75


**F FH 2010 06 00** 100 – 125

**F FH 2015 06 00** 150

**F FH 2020 06 00** 200 – 250

**F FH 2030 06 00** 300

Set including: 2 slotted partitions 610 mm,  
3 plain partitions 200 mm



ART. for front height mm

**F FH 2005 07 00** 50

**F FH 2007 07 00** 75


**F FH 2010 07 00** 100 – 125

**F FH 2015 07 00** 150

**F FH 2020 07 00** 200 – 250

Set including: 3 slotted partitions 610 mm,  
15 plain partitions 149 mm

## CONFIGURE A FAMI DRAWER WITH BETA TOOLS



### ART. F FH 2007 50 07

Drawer pre-setting kit for Beta thermoformed trays consisting of:





- no. 4 F HC 6071 00 07
- no. 6 F HC 6471 00 07
- no. 2 F HC 6871 00 07
- no. 1 F HA 1140 00 99
- no. 1 F HA 2140 00 99

1 unit = 1 Beta thermoformed tray (367x147 mm)

2 unit = 1 Beta thermoformed tray (367x294 mm)

4 unit = 1 Beta thermoformed tray (367x588 mm)

## EXAMPLES OF TERMOFORMED TRAY USE





## METAL COLOURS

|                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|    |    |
| GREY<br>RAL 7000<br>.01                                                             | GREEN<br>RAL 6011<br>.02                                                            |
|    |    |
| BLUE<br>RAL 5012<br>.04                                                             | GREY<br>RAL 7035<br>.08                                                             |
|    |    |
| GREY WHITE<br>RAL 9002<br>.1F                                                       | RUBY RED<br>RAL 3003<br>.1G                                                         |
|    |    |
| GENTIAN BLUE<br>RAL 5010<br>.34                                                     | PURE WHITE<br>RAL 9010<br>.35                                                       |
|  |  |
| ANTHRACITE GREY<br>RAL 7016<br>.39                                                  | BLUE CAPRI<br>RAL 5019<br>.48                                                       |



● ART. M 43 A100 C0 10 AW 04  
H = 1000 mm - 7 drawers

## PLASTIC COLOURS

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |
| DARK GREY<br>.M0                                                                    | MEDITERRANEAN<br>BLUE .M1                                                           | SKY BLUE<br>.M2                                                                     | GLAMOUR RED<br>.M3                                                                  |
|  |  |  |  |
| RED CARPET<br>.M4                                                                   | JUICE ORANGE<br>.M5                                                                 | SUNNY YELLOW<br>.M6                                                                 | FOREST GREEN<br>.M7                                                                 |

## KEY



SHELF/  
DRAWER  
CAPACITY



SHELF/  
DRAWER  
EXTENSION



CABINET  
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 700 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 43 A070 C0 10 29 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 43 A070 C0 10 48 04 |  | 200       | 100%       | key  |  |
| M 43 A070 E2 10 29 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 43 A070 E2 10 48 04 |  | 200       | 100%       | code |  |

H 700 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 43 A070 C0 10 42 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 43 A070 C0 10 43 04 |  | 200       | 100%       | key  |  |
| M 43 A070 E2 10 42 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 43 A070 E2 10 43 04 |  | 200       | 100%       | code |  |

H 850 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 43 A085 C0 10 AC 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 43 A085 C0 10 AD 04 |  | 200       | 100%       | key  |  |
| M 43 A085 E2 10 AC 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 43 A085 E2 10 AD 04 |  | 200       | 100%       | code |  |

H 850 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 43 A085 C0 10 AG 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 43 A085 C0 10 AH 04 |  | 200       | 100%       | key  |  |
| M 43 A085 E2 10 AG 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 43 A085 E2 10 AH 04 |  | 200       | 100%       | code |  |

H 1000 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 43 A100 C0 10 AW 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 43 A100 C0 10 BH 04 |  | 200       | 100%       | key  |  |
| M 43 A100 E2 10 AW 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 43 A100 E2 10 BH 04 |  | 200       | 100%       | code |  |

H 1000 mm



\*flexible extraction

| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 43 A100 C0 10 CS 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 43 A100 C0 10 CT 04 |  | 200       | 100%       | key  |  |
| M 43 A100 E2 10 CS 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 43 A100 E2 10 CT 04 |  | 200       | 100%       | code |  |

H 1023 mm



door 900 mm

depth 751 mm

| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 43 A100 C0 10 BU 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 43 A100 C0 10 BV 04 |  | 200       | 100%       | key  |  |
| M 43 A100 P5 10 BU 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 43 A100 P5 10 BV 04 |  | 200       | 100%       | code |  |

H 1023 mm



door 900 mm

depth 751 mm

| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 43 A100 C0 10 CA 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 43 A100 C0 10 CB 04 |  | 200       | 100%       | key  |  |
| M 43 A100 P5 10 CA 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 43 A100 P5 10 CB 04 |  | 200       | 100%       | code |  |



H 1500 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 43 A150 C0 10 FJ 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 43 A150 C0 10 FK 04</b> |  | 200       | 100%       | key  |  |
| <b>M 43 A150 E2 10 FJ 04</b> |  | 50-75-100 | 100-96-92% | code |  |
| <b>M 43 A150 E2 10 FK 04</b> |  | 200       | 100%       | code |  |

H 1500 mm



door 1400 mm

depth 751 mm

| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 43 A150 C0 10 LC 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 43 A150 C0 10 LD 04</b> |  | 200       | 100%       | key  |  |
| <b>M 43 A150 P5 10 LC 04</b> |  | 50-75-100 | 100-96-92% | code |  |
| <b>M 43 A150 P5 10 LD 04</b> |  | 200       | 100%       | code |  |



ART. M 43 A085 E2 14 PA 48



H 2000 mm



H 2000 mm



| ART.                  |  |           |            |   |
|-----------------------|--|-----------|------------|---|
| M 43 A200 C5 10 FU 04 |  | 50-75-100 | 100-96-92% | - |
| M 43 A200 C5 10 FV 04 |  | 200       | 100%       | - |

| ART.                  |  |           |            |      |
|-----------------------|--|-----------|------------|------|
| M 43 A200 C0 10 FS 04 |  | 50-75-100 | 100-96-92% | key  |
| M 43 A200 C0 10 FT 04 |  | 200       | 100%       | key  |
| M 43 A200 E2 10 FS 04 |  | 50-75-100 | 100-96-92% | code |
| M 43 A200 E2 10 FT 04 |  | 200       | 100%       | code |



H 2000 mm



door 900 mm

| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 43 A200 C0 10 FY 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 43 A200 C0 10 FZ 04</b> |  | 200       | 100%       | key  |  |
| <b>M 43 A200 T2 10 FY 04</b> |  | 50-75-100 | 100-96-92% | code |  |
| <b>M 43 A200 T2 10 FZ 04</b> |  | 200       | 100%       | code |  |

H 2000 mm



door 1900 mm

| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 43 A200 C0 10 FW 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 43 A200 C0 10 FX 04</b> |  | 200       | 100%       | key  |  |
| <b>M 43 A200 P5 10 FW 04</b> |  | 50-75-100 | 100-96-92% | code |  |
| <b>M 43 A200 P5 10 FX 04</b> |  | 200       | 100%       | code |  |



H 963 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 43 R070 S0 10 42 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 43 R070 P2 10 42 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 600 kg - Cabinet height without wheels mm 763

H 963 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 43 R070 S0 10 44 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 43 R070 P2 10 44 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 600 kg - Cabinet height without wheels mm 763

H 1113 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 43 R085 S0 10 AC 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 43 R085 P2 10 AC 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 600 kg - Cabinet height without wheels mm 913

H 1113 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 43 R085 S0 10 AG 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 43 R085 P2 10 AG 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 600 kg - Cabinet height without wheels mm 913



2 elastic rubber swivel wheels with brake Ø 160 mm  
2 elastic rubber fixed wheels Ø 160 mm

H 1263 mm



H 1263 mm



| ART.                         |  |           |            |      |
|------------------------------|--|-----------|------------|------|
| <b>M 43 R100 S0 10 CQ 04</b> |  | 50-75-100 | 100-96-92% | key  |
| <b>M 43 R100 P2 10 CQ 04</b> |  | 50-75-100 | 100-96-92% | code |

Cabinet capacity 600 kg - Cabinet height without wheels mm 1063

| ART.                         |  |           |            |      |
|------------------------------|--|-----------|------------|------|
| <b>M 43 R100 S0 10 AW 04</b> |  | 50-75-100 | 100-96-92% | key  |
| <b>M 43 R100 P2 10 AW 04</b> |  | 50-75-100 | 100-96-92% | code |

Cabinet capacity 600 kg - Cabinet height without wheels mm 1063



2 elastic rubber swivel wheels with brake Ø 160 mm  
2 elastic rubber fixed wheels Ø 160 mm

ART. M 43 R070 P2 10 RA EF



## CONFIGURE YOUR CABINET

CHOOSE  
a height

CHOOSE  
a clousure

CHOOSE  
a colour

|     |      |    |       |    |
|-----|------|----|-------|----|
| M43 | A040 | C5 | 10 00 | 01 |
|-----|------|----|-------|----|

### EMPTY CABINET



Cabinet load  
capacity 3100 kg

| M43 | HEIGHT                                 | CLOSURE                       | 10 00 | COLOUR      |
|-----|----------------------------------------|-------------------------------|-------|-------------|
|     | A070 700 mm<br>(working dim. 600 mm)   | X0<br>with no bar and no lock |       | 01 RAL 7000 |
|     | A085 850 mm<br>(working dim. 750 mm)   | C5*<br>no lock                |       | 02 RAL 6011 |
|     | A100 1000 mm<br>(working dim. 900 mm)  | KEY CYLINDER LOCK C0*         |       | 1G RAL 3003 |
|     | A150 1500 mm<br>(working dim. 1400 mm) | KEY CYLINDER LOCK C1*         |       | 1F RAL 9002 |
|     | A200 2000 mm<br>(working dim. 1900 mm) | KEY CYLINDER LOCK C2*         |       | 48 RAL 5019 |
|     |                                        | E2*<br>CODE numerical code    |       | 39 RAL 7016 |
|     |                                        | T2*<br>CODE numerical code    |       | 04 RAL 5012 |
|     |                                        |                               |       | 08 RAL 7035 |
|     |                                        |                               |       | 35 RAL 9010 |
|     |                                        |                               |       | 34 RAL 5010 |

\*COMPLETE WITH VERTEBRATE BAR

LOCKS SEE PAGE 31

### EMPTY CABINET pre-set for wheels



| M43 | HEIGHT                                | CLOSURE                                      | 10 00 | COLOUR      |
|-----|---------------------------------------|----------------------------------------------|-------|-------------|
|     | R070 763 mm<br>(working dim. 600 mm)  | KEY CYLINDER LOCK S0<br>with bar and no lock |       | 01 RAL 7000 |
|     | R085 913 mm<br>(working dim. 750 mm)  | KEY CYLINDER LOCK S1                         |       | 02 RAL 6011 |
|     | R100 1063 mm<br>(working dim. 900 mm) | KEY CYLINDER LOCK S2                         |       | 1G RAL 3003 |
|     |                                       | P2<br>CODE numerical code                    |       | 1F RAL 9002 |
|     |                                       | A1<br>CODE numerical code                    |       | 48 RAL 5019 |
|     |                                       |                                              |       | 39 RAL 7016 |
|     |                                       |                                              |       | 04 RAL 5012 |
|     |                                       |                                              |       | 08 RAL 7035 |
|     |                                       |                                              |       | 35 RAL 9010 |
|     |                                       |                                              |       | 34 RAL 5010 |

COMPLETE WITH VERTEBRATE BAR, 4-EDGE SHELF WITH PVC TOP, PAIR OF HANDLES, PAIR OF PLATES FOOTPRINT  
Overall dim. mm 941x752





## FLEXIBLE EXTENSION DRAWERS

| ART. WHIT Dark<br>Grey plastic kit |  | ART. NO<br>Plastic kit*     |  | Usable dim. mm | Front H mm | kg            |  |
|------------------------------------|-----------------------------------------------------------------------------------|-----------------------------|-----------------------------------------------------------------------------------|----------------|------------|---------------|-------------------------------------------------------------------------------------|
| <b>M 43 C050 0110 0F</b> __        |                                                                                   | <b>M 43 C050 0100 0F</b> __ |                                                                                   | 753x600x31 H   | 50         | 50 - 75 - 100 | 100% - 96% - 92%                                                                    |
| <b>M 43 C075 0110 0F</b> __        |                                                                                   | <b>M 43 C075 0100 0F</b> __ |                                                                                   | 753x600x56 H   | 75         | 50 - 75 - 100 | 100% - 96% - 92%                                                                    |
| <b>M 43 C100 0110 0F</b> __        |                                                                                   | <b>M 43 C100 0100 0F</b> __ |                                                                                   | 753x600x81 H   | 100        | 50 - 75 - 100 | 100% - 96% - 92%                                                                    |
| <b>M 43 C125 0110 0F</b> __        |                                                                                   | <b>M 43 C125 0100 0F</b> __ |                                                                                   | 753x600x106 H  | 125        | 50 - 75 - 100 | 100% - 96% - 92%                                                                    |
| <b>M 43 C150 0110 0F</b> __        |                                                                                   | <b>M 43 C150 0100 0F</b> __ |                                                                                   | 753x600x131 H  | 150        | 50 - 75 - 100 | 100% - 96% - 92%                                                                    |
| <b>M 43 C200 0110 0F</b> __        |                                                                                   | <b>M 43 C200 0100 0F</b> __ |                                                                                   | 753x600x181 H  | 200        | 50 - 75 - 100 | 100% - 96% - 92%                                                                    |
| <b>M 43 C250 0110 0F</b> __        |                                                                                   | <b>M 43 C250 0100 0F</b> __ |                                                                                   | 753x600x231 H  | 250        | 50 - 75 - 100 | 100% - 96% - 92%                                                                    |
| <b>M 43 C300 0110 0F</b> __        |                                                                                   | <b>M 43 C300 0100 0F</b> __ |                                                                                   | 753x600x281 H  | 300        | 50 - 75 - 100 | 100% - 96% - 92%                                                                    |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## TELESCOPIC EXTRACTION DRAWERS

| ART. WHIT Dark<br>Grey plastic kit |  | ART. NO<br>Plastic kit*     |  | Usable dim. mm | Front H mm | kg  |  |
|------------------------------------|-------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------|----------------|------------|-----|---------------------------------------------------------------------------------------|
| <b>M 43 C075 0110 0T</b> __        |                                                                                     | <b>M 43 C075 0100 0T</b> __ |                                                                                     | 753x600x56 H   | 75         | 200 | 100%                                                                                  |
| <b>M 43 C100 0110 0T</b> __        |                                                                                     | <b>M 43 C100 0100 0T</b> __ |                                                                                     | 753x600x81 H   | 100        | 200 | 100%                                                                                  |
| <b>M 43 C125 0110 0T</b> __        |                                                                                     | <b>M 43 C125 0100 0T</b> __ |                                                                                     | 753x600x106 H  | 125        | 200 | 100%                                                                                  |
| <b>M 43 C150 0110 0T</b> __        |                                                                                     | <b>M 43 C150 0100 0T</b> __ |                                                                                     | 753x600x131 H  | 150        | 200 | 100%                                                                                  |
| <b>M 43 C200 0110 0T</b> __        |                                                                                     | <b>M 43 C200 0100 0T</b> __ |                                                                                     | 753x600x181 H  | 200        | 200 | 100%                                                                                  |
| <b>M 43 C250 0110 0T</b> __        |                                                                                     | <b>M 43 C250 0100 0T</b> __ |                                                                                     | 753x600x231 H  | 250        | 200 | 100%                                                                                  |
| <b>M 43 C300 0110 0T</b> __        |                                                                                     | <b>M 43 C300 0100 0T</b> __ |                                                                                     | 753x600x281 H  | 300        | 200 | 100%                                                                                  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

## PLASTIC KIT FOR EXTENSIBLE DRAWERS AND SHELVES



| PLASTIC COLOURS                                                                                        | ART.                         |
|--------------------------------------------------------------------------------------------------------|------------------------------|
|  MEDITERRANEAN BLUE | <b>M 40 PLS1 00 00 00 M1</b> |
|  SKY BLUE           | <b>M 40 PLS1 00 00 00 M2</b> |
|  GLAMOUR RED        | <b>M 40 PLS1 00 00 00 M3</b> |
|  RED CARPET         | <b>M 40 PLS1 00 00 00 M4</b> |
|  JUICY ORANGE       | <b>M 40 PLS1 00 00 00 M5</b> |
|  SUNNY YELLOW       | <b>M 40 PLS1 00 00 00 M6</b> |
|  FOREST GREEN       | <b>M 40 PLS1 00 00 00 M7</b> |



## FLEXIBLE EXTENSIBLE SHELVES

| ART. WHIT Dark<br>Grey plastic kit | ART. NO<br>Plastic kit* | Usable dim. mm | Front H mm | kg            |                  |
|------------------------------------|-------------------------|----------------|------------|---------------|------------------|
| M 43 C057 0110 OF _ _              | M 43 C057 0100 OF _ _   | 753x600        | 70         | 50 - 75 - 100 | 100% - 96% - 92% |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## TELESCOPIC EXTENSIBLE SHELVES

| ART. WHIT Dark<br>Grey plastic kit | ART. NO<br>Plastic kit* | Usable dim. mm | Front H mm | kg  |      |
|------------------------------------|-------------------------|----------------|------------|-----|------|
| M 43 C057 0110 OT _ _              | M 43 C057 0100 OT _ _   | 753x600        | 70         | 200 | 100% |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## ADJUSTABLE SHELF

| ART.                   | Usable dim. mm | Total H mm | kg  |
|------------------------|----------------|------------|-----|
| M 43 PR25 00 00 01 _ _ | 810x631        | 60         | 100 |

CAN BE FITTED FRONTALLY TO THE VERTEBRATE BAR

## PLASTIC KIT FOR EXTENSIBLE DRAWERS AND SHELVES



| PLASTIC COLOURS    | ART.                  |
|--------------------|-----------------------|
| MEDITERRANEAN BLUE | M 40 PLS1 00 00 00 M1 |
| SKY BLUE           | M 40 PLS1 00 00 00 M2 |
| GLAMOUR RED        | M 40 PLS1 00 00 00 M3 |
| RED CARPET         | M 40 PLS1 00 00 00 M4 |
| JUICY ORANGE       | M 40 PLS1 00 00 00 M5 |
| SUNNY YELLOW       | M 40 PLS1 00 00 00 M6 |
| FOREST GREEN       | M 40 PLS1 00 00 00 M7 |

ART. M 43 A085 E2 14 PA 48



ART. M 43 R070 S0 11 PB EF

## DOORS WITH CYLINDER

### PAIR OF HINGED DOORS TOTAL HEIGHT



| CABINET H mm | TYPE OF CLOSURE                | ART. WHIT Dark<br>Grey plastic kit | ART. NO<br>Plastic kit* |
|--------------|--------------------------------|------------------------------------|-------------------------|
| 850          | <b>C0</b><br>KEY cylinder lock | M 40 P075 C0 10 10 _ _             | M 40 P075 C0 00 10 _ _  |
|              | <b>C1</b><br>KEY cylinder lock | M 40 P075 C1 10 10 _ _             | M 40 P075 C1 00 10 _ _  |
|              | <b>C2</b><br>KEY cylinder lock | M 40 P075 C2 10 10 _ _             | M 40 P075 C2 00 10 _ _  |
| 1000         | <b>C0</b><br>KEY cylinder lock | M 40 P090 C0 10 10 _ _             | M 40 P090 C0 00 10 _ _  |
|              | <b>C1</b><br>KEY cylinder lock | M 40 P090 C1 10 10 _ _             | M 40 P090 C1 00 10 _ _  |
|              | <b>C2</b><br>KEY cylinder lock | M 40 P090 C2 10 10 _ _             | M 40 P090 C2 00 10 _ _  |
| 1500         | <b>C0</b><br>KEY cylinder lock | M 40 P140 C0 10 10 _ _             | M 40 P140 C0 00 10 _ _  |
|              | <b>C1</b><br>KEY cylinder lock | M 40 P140 C1 10 10 _ _             | M 40 P140 C1 00 10 _ _  |
|              | <b>C2</b><br>KEY cylinder lock | M 40 P140 C2 10 10 _ _             | M 40 P140 C2 00 10 _ _  |
| 2000         | <b>C0</b><br>KEY cylinder lock | M 40 P190 C0 10 10 _ _             | M 40 P190 C0 00 10 _ _  |
|              | <b>C1</b><br>KEY cylinder lock | M 40 P190 C1 10 10 _ _             | M 40 P190 C1 00 10 _ _  |
|              | <b>C2</b><br>KEY cylinder lock | M 40 P190 C2 10 10 _ _             | M 40 P190 C2 00 10 _ _  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE RIGHT



PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK) OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

### PAIR OF HINGED DOORS PARTIAL HEIGHT



| DOOR<br>FOOTPRINT H mm | TYPE OF CLOSURE                | ART. WHIT Dark<br>Grey plastic kit | ART. NO<br>Plastic kit* |
|------------------------|--------------------------------|------------------------------------|-------------------------|
| 775                    | <b>C0</b><br>KEY cylinder lock | M 40 P077 C0 10 11 _ _             | M 40 P077 C0 00 11 _ _  |
|                        | <b>C1</b><br>KEY cylinder lock | M 40 P077 C1 10 11 _ _             | M 40 P077 C1 00 11 _ _  |
|                        | <b>C2</b><br>KEY cylinder lock | M 40 P077 C2 10 11 _ _             | M 40 P077 C2 00 11 _ _  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE RIGHT



# DOORS WITH NUMERICAL CODE

## PAIR OF HINGED DOORS TOTAL HEIGHT



| CABINET H mm | TYPE OF CLOSURE                     | ART. WHIT Dark Grey plastic kit | ART. NO Plastic kit*   |
|--------------|-------------------------------------|---------------------------------|------------------------|
| 850          | <b>P5</b><br>CODE<br>numerical code | M 40 P075 P5 10 10 _ _          | M 40 P075 P5 00 10 _ _ |
| 1000         | <b>P5</b><br>CODE<br>numerical code | M 40 P090 P5 10 10 _ _          | M 40 P090 P5 00 10 _ _ |
| 1500         | <b>P5</b><br>CODE<br>numerical code | M 40 P140 P5 10 10 _ _          | M 40 P140 P5 00 10 _ _ |
| 2000         | <b>P5</b><br>CODE<br>numerical code | M 40 P190 P5 10 10 _ _          | M 40 P190 P5 00 10 _ _ |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK) OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)



## PAIR OF HINGED DOORS PARTIAL HEIGHT

| DOOR FOOTPRINT H mm | TYPE OF CLOSURE                    | ART. WHIT Dark Grey plastic kit | ART. NO Plastic kit*   |
|---------------------|------------------------------------|---------------------------------|------------------------|
| 775                 | <b>A4</b><br>handle without keypad | M 40 P077 A4 10 11 _ _          | M 40 P077 A4 00 11 _ _ |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH THE FOLLOWING CLOSURES:

USE THE **T2** LOCK FOR THE CABINET WITHOUT WHEELS

USE THE **A1** LOCK FOR THE CABINET WITH WHEELS



## REMOTE CONTROL

| ART.                  |                                     |
|-----------------------|-------------------------------------|
| M 00 VRC0 00 00 00 00 | Receiver module with remote control |
| M 00 VRC0 00 00 01 00 | Additional remote control           |

## PLASTIC KIT FOR PAIR OF DOORS



| PLASTIC COLOURS    | ART. KEY              | ART. CODE             |
|--------------------|-----------------------|-----------------------|
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 30 M1 | M 00 PLS0 00 00 31 M1 |
| SKY BLUE           | M 00 PLS0 00 00 30 M2 | M 00 PLS0 00 00 31 M2 |
| GLAMOUR RED        | M 00 PLS0 00 00 30 M3 | M 00 PLS0 00 00 31 M3 |
| RED CARPET         | M 00 PLS0 00 00 30 M4 | M 00 PLS0 00 00 31 M4 |
| JUICY ORANGE       | M 00 PLS0 00 00 30 M5 | M 00 PLS0 00 00 31 M5 |
| SUNNY YELLOW       | M 00 PLS0 00 00 30 M6 | M 00 PLS0 00 00 31 M6 |
| FOREST GREEN       | M 00 PLS0 00 00 30 M7 | M 00 PLS0 00 00 31 M7 |





## 3-EDGE TOP SHELF

| ART. | dim. mm |  |
|------|---------|--|
|------|---------|--|

**M 43 T023 AG 00 31 07** 867x726x23 H

Pvc coated shelf for SINGLE CABINET. Black colour



## 4-EDGE TOP SHELF

| ART. | dim. mm |  |
|------|---------|--|
|------|---------|--|

**M 43 T023 AG 00 41 07** 867x726x23 H

Pvc coated shelf for SINGLE CABINET. Black colour



### ART. M 00 T023 AG 00 F0 00

CABINET TOP SHELF DRILLING FOR 4-EDGE SHELF FIXING




## MULTIPLEX TOP SHELF

| ART. | dim. mm |  |
|------|---------|--|
|------|---------|--|

**M 43 T040 MU 00 01 00** 867x726x40 H

For SINGLE CABINET



## MDF TOP SHELF DIM. 867x726x32 mm H

| ART. | finishes | for cabinet |  |
|------|----------|-------------|--|
|------|----------|-------------|--|

**M 43 T030 MD GM 21 07** 1 side profile RH or LH final

MDF shelf with oil-proof top rubber coating. Black colour




## MDF TOP SHELF DIM. 867x726x32 mm H

| ART. | finishes | for cabinet |  |
|------|----------|-------------|--|
|------|----------|-------------|--|

**M 43 T030 MD GM 11 07** - central

MDF shelf with oil-proof top rubber coating. Black colour



## MDF TOP SHELF DIM. 867x726x32 mm H

| ART. | finishes | for cabinet |  |
|------|----------|-------------|--|
|------|----------|-------------|--|


**M 43 T030 MD GM 01 07** 2 side profiles single

MDF shelf with oil-proof top rubber coating. Black colour



### ART. M 00 T030 MD 00 F0 00

CABINET TOP SHELF DRILLING FOR MDF AND MULTIPLEX SHELF FIXING INCLUDING FIXING SCREWS



**OIL-PROOF  
RUBBER  
FINISHING**



**MDF SHELF  
APPLICATION**



**MULTIPLEX TOP SHELF FOR  
CABINET WITH WHEELS**  
AVAILABLE ON REQUEST



**HEIGHT RAISING PLINTH 50 mm**

| ART.                   |  | dim. mm      |  |
|------------------------|--|--------------|--|
| M 43 Z050 00 00 00 _ _ |  | 865x725x50 H |  |



**HEIGHT RAISING PLINTH 100 mm**

| ART.                   |  | dim. mm       |  |
|------------------------|--|---------------|--|
| M 43 Z100 00 00 00 _ _ |  | 865x725x100 H |  |



**PLINTHS FOR FORK LIFT TRUCK - Black colour RAL 9005**

| ART.                  |                 | dim. mm      |  |
|-----------------------|-----------------|--------------|--|
| M 03 Z060 20 00 00 07 | pair of plinths | 200x722x60 H |  |
| M 40 Z060 2100 00 07  | facing piece    | 861x46x55 H  |  |



**PLINTHS FOR TRANSPALLET - Black colour RAL 9005**

| ART.                  |              | dim. mm       |  |
|-----------------------|--------------|---------------|--|
| M 43 Z100 10 00 00 07 | plinth       | 865x722x100 H |  |
| M 40 Z100 11 00 00 07 | facing piece | 861x46x95 H   |  |



## ELASTIC RUBBER FIXED WHEEL

| ART.           | Ø mm | Cabinet capacity kg | C mm |  |
|----------------|------|---------------------|------|--|
| C RG BCE15 125 | 125  | 380                 | 155  |  |
| C RG BCE15 160 | 160  | 600                 | 200  |  |



## ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

| ART.           | Ø mm | Cabinet capacity kg | C mm |  |
|----------------|------|---------------------|------|--|
| C RG DCE15 125 | 125  | 380                 | 155  |  |
| C RG DCE15 160 | 160  | 600                 | 200  |  |



## NYLON FIXED WHEEL

| ART.           | Ø mm | Cabinet capacity kg | C mm |  |
|----------------|------|---------------------|------|--|
| C RN BAD11 125 | 125  | 380                 | 155  |  |
| C RN BAD04 160 | 160  | 600                 | 200  |  |



## NYLON SWIVEL WHEEL WITH BRAKE

| ART.           | Ø mm | Cabinet capacity kg | C mm |  |
|----------------|------|---------------------|------|--|
| C RN DAD11 125 | 125  | 380                 | 155  |  |
| C RN DAD04 160 | 160  | 600                 | 200  |  |



# SPARE PARTS - FIXING

### SPARE LOCK

**ART. M 00 CSRO 8800 00 00**  
Spare lock with two keys



### SPARE KEY

**ART. M 00 CF00 0000 00 00**



Always specify the number indicated in the cylinder lock where you wish to replace the key

### PASSEPARTOUT

**ART. M 00 PF.. 0000 00 00**

Available in 23 series, numbered from F 01 to F 23.

Master key series F 01  
Master key series F 02  
Master key series F ..

ART. M 00 PF01 00 00 00 00  
ART. M 00 PF02 00 00 00 00  
ART. M 00 PF.. 00 00 00 00

### CABINET-TO-CABINET FIXING SET

**ART. M 00 FISO 00 00 00 99**

Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts

**ART. M 00 SVRO 00 00 00 99**

Drilling and hardware for fixing two overlapping cabinets

### FLOOR FIXING SET



**ART. F AG 9200 00 99**

Pair of zinc-plated brackets for cabinet floor fixing

**ART. F AG 9204 00 99**

2 "HILTI" plugs for concrete floors ≥ to classes C20/25  
Recommended traction of the plug: 2.9 kN  
Plug diameter: Ø 6 mm



### SPARE HANDLE

**ART. M 00 PLS0 0000 22 M0**

Replacement door handle available in Dark Grey.



OTHER COLOURS  
ON REQUEST



THE CABINETS MUST BE FIXED TO A FLOOR OR WALL IF OVERLAPPING,  
THEY MUST BE FIXED EXCLUSIVELY TO WALLS AND THEIR CAPACITY DIVIDED BY TWO



# MASTER

## 867x726 mm

### Born To Be Extreme

#### Cabinet Empty

without vertebrate bar and without lock



H 700 mm  
Useful H 600 mm



H 850 mm  
Useful H 750 mm



H 1000 mm  
Useful H 900 mm



H 1500 mm  
Useful H 1400 mm



H 2000 mm  
Useful H 1900 mm



M 43 A070 X0 10 00 \_ \_

M 43 A085 X0 10 00 \_ \_

M 43 A100 X0 10 00 \_ \_

M 43 A150 X0 10 00 \_ \_

M 43 A200 X0 10 00 \_ \_

#### VERTEBRATE BAR



The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.

| ART.                  | Working H (mm)<br>for drawer insertion |  |
|-----------------------|----------------------------------------|--|
| M 00 V030 00 00 00 00 | 300                                    |  |
| M 00 V050 00 00 00 00 | 500                                    |  |
| M 00 V060 00 00 00 00 | 600                                    |  |
| M 00 V070 00 00 00 00 | 700                                    |  |
| M 00 V075 00 00 00 00 | 750                                    |  |
| M 00 V090 00 00 00 00 | 900                                    |  |

| ART.                  | Working H (mm)<br>for drawer insertion |  |
|-----------------------|----------------------------------------|--|
| M 00 V105 00 00 00 00 | 1050                                   |  |
| M 00 V122 00 00 00 00 | 1225                                   |  |
| M 00 V140 00 00 00 00 | 1400                                   |  |
| M 00 V152 00 00 00 00 | 1525                                   |  |
| M 00 V190 00 00 00 00 | 1900                                   |  |

#### CYLINDER LOCK (KEY)



##### CYLINDER LOCK CLOSURE COMPLETE WITH:

- 1 cylinder lock with 2 keys
- 1 steel wire with sheath
- 1 front pin assembly
- 1 back pin assembly

##### ART.

|                       |    |                                        |
|-----------------------|----|----------------------------------------|
| M 33 V000 C0 00 00 00 | C0 | CYLINDER LOCK WITH DIFFERENT NUMBERING |
| M 33 V000 C1 00 00 00 | C1 | CYLINDER LOCK FOR SETS OF 160 NUMBERS  |
| M 33 V000 C2 00 00 00 | C2 | CYLINDER LOCK WITH SAME NUMBERING      |



## For Experts Only

### NUMERICAL CODE LOCK (CODE)



| ART.                  |    |                                                   |
|-----------------------|----|---------------------------------------------------|
| M 43 V000 E2 00 00 00 | E2 | BAR OPENING/CLOSING (battery power supply)        |
| M 43 V000 E5 00 00 00 | E5 | BAR OPENING/CLOSING (mains power supply)          |
|                       |    |                                                   |
| M 43 V000 T2 00 00 00 | T2 | DOOR + BAR OPENING/CLOSING (battery power supply) |
| M 43 V000 T3 00 00 00 | T3 | DOOR + BAR OPENING/CLOSING (mains power supply)   |

### ART. REMOTE CONTROL

|                       |                                     |
|-----------------------|-------------------------------------|
| M 00 VRC0 00 00 00 00 | Receiver module with remote control |
| M 00 VRC0 00 00 01 00 | Additional remote control           |



### SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

#### TOP SHELF FOR LOCKS



| ART.                   |  | Front H mm | kg  |
|------------------------|--|------------|-----|
| M 43 PS46 00 10 00 _ _ |  | 46         | 150 |

Dim. mm 816x724x46 H

#### BOTTOM SHELF FOR LOCKS



| ART.                   |  | Front H mm | kg  |
|------------------------|--|------------|-----|
| M 43 PS46 10 10 00 _ _ |  | 46         | 150 |

Dim. mm 816x724x46 H

#### ADJUSTABLE SHELF



| ART.                   |  | Total H mm | kg  |
|------------------------|--|------------|-----|
| M 43 PR25 00 00 01 _ _ |  | 60         | 100 |

Usable dim. mm 810x631x60 H

#### SLOTTED ADJUSTABLE SHELF




| ART.                   |  | Front H mm | kg  |
|------------------------|--|------------|-----|
| M 43 PR35 10 00 01 _ _ |  | 35         | 250 |

Dim. mm 816x721x35 H



# 45x36 EH


## PARTITIONING MATERIAL



ART. for front height mm

**F FH 3005 10 00** 50 – 300


Set including: 20 troughs 4 grooves,  
130 plain partitions 36 mm



ART. for front height mm

**F FH 3005 12 00** 50 – 300


Set including: 20 troughs 3 grooves,  
100 plain partitions 47 mm



ART. for front height mm

**F FH 3005 13 00** 50 – 300

Set including: 4 troughs 4 grooves, 12 troughs 3  
grooves, 4 troughs 2 grooves, 16 plain partitions  
36 mm, 36 plain partitions 47 mm, 8 plain parti-  
tions 73 mm



ART. for front height mm


**F FH 3010 02 00** 100 – 125

**F FH 3015 02 00** 150

**F FH 3020 02 00** 200 – 250

**F FH 3030 02 00** 300

Set including: 2 slotted partitions 610 mm,  
8 plain partitions 251 mm



ART. for front height mm

**F FH 3007 03 00** 75


**F FH 3010 03 00** 100 – 125

**F FH 3015 03 00** 150

**F FH 3020 03 00** 200 – 250

**F FH 3030 03 00** 300

Set including: 4 slotted partitions 610 mm,  
21 plain partitions 149 mm




ART. for front height mm

**F FH 3005 06 00** 50

**F FH 3007 06 00** 75

**F FH 3010 06 00** 100 – 125

Set including: 6 slotted partitions 610 mm,  
24 plain partitions 98 mm,  
1 plain partition 149 mm




ART. for front height mm

**F FH 3005 07 00** 50

**F FH 3007 07 00** 75

Set including: 20 plastic boxes 75x75 mm,  
20 plastic boxes 150x75 mm,  
5 plastic boxes 150x150 mm




ART. for front height mm

**F FH 3005 08 00** 50

**F FH 3007 08 00** 75

**F FH 3010 08 00** 100 – 125

Set including: 20 plastic boxes 150x75 mm,  
10 plastic boxes 150x150 mm



ART. for front height mm


**F FH 3005 09 00** 50

**F FH 3007 09 00** 75

**F FH 3010 09 00** 100 – 125

Set including: 20 plastic boxes 150x150 mm

## CONFIGURE A FAMI DRAWER WITH BETA TOOLS



### ART. F FH 3007 50 07





Drawer pre-setting kit for Beta thermoformed trays consisting of:  
no. 4 F HC 6071 00 07  
no. 7 F HC 6471 00 07  
no. 3 F HC 6871 00 07

1 unit = 1 Beta thermoformed tray (367x147 mm)

2 unit = 1 Beta thermoformed tray (367x294 mm)

4 unit = 1 Beta thermoformed tray (367x588 mm)

## EXAMPLES OF TERMOFORMED TRAY USE





## METAL COLOURS

|                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|    |    |
| GREY<br>RAL 7000<br>.01                                                             | GREEN<br>RAL 6011<br>.02                                                            |
|    |    |
| BLUE<br>RAL 5012<br>.04                                                             | GREY<br>RAL 7035<br>.08                                                             |
|    |    |
| GREY WHITE<br>RAL 9002<br>.1F                                                       | RUBY RED<br>RAL 3003<br>.1G                                                         |
|    |    |
| GENTIAN BLUE<br>RAL 5010<br>.34                                                     | PURE WHITE<br>RAL 9010<br>.35                                                       |
|  |  |
| ANTHRACITE GREY<br>RAL 7016<br>.39                                                  | BLUE CAPRI<br>RAL 5019<br>.48                                                       |



● **ART. M 53 A100 C0 10 BE 04**  
H = 1000 mm - 6 drawers

## PLASTIC COLOURS

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |
| DARK GREY<br>.M0                                                                    | MEDITERRANEAN<br>BLUE .M1                                                           | SKY BLUE<br>.M2                                                                     | GLAMOUR RED<br>.M3                                                                  |
|  |  |  |  |
| RED CARPET<br>.M4                                                                   | JUICE ORANGE<br>.M5                                                                 | SUNNY YELLOW<br>.M6                                                                 | FOREST GREEN<br>.M7                                                                 |

## KEY



SHELF/  
DRAWER  
CAPACITY



SHELF/  
DRAWER  
EXTENSION



CABINET  
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 700 mm



| ART.                  |  | kg        |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 53 A070 C0 10 49 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 53 A070 C0 10 50 04 |  | 200       | 100%       | key  |  |
| M 53 A070 E2 10 49 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 53 A070 E2 10 50 04 |  | 200       | 100%       | code |  |

H 700 mm



| ART.                  |  | kg        |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 53 A070 C0 10 31 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 53 A070 C0 10 51 04 |  | 200       | 100%       | key  |  |
| M 53 A070 E2 10 31 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 53 A070 E2 10 51 04 |  | 200       | 100%       | code |  |

H 850 mm



| ART.                  |  | kg        |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 53 A085 C0 10 88 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 53 A085 C0 10 AP 04 |  | 200       | 100%       | key  |  |
| M 53 A085 E2 10 88 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 53 A085 E2 10 AP 04 |  | 200       | 100%       | code |  |

H 850 mm



| ART.                  |  | kg        |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 53 A085 C0 10 AA 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 53 A085 C0 10 AB 04 |  | 200       | 100%       | key  |  |
| M 53 A085 E2 10 AA 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 53 A085 E2 10 AB 04 |  | 200       | 100%       | code |  |

H 850 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 53 A085 C0 10 AM 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 53 A085 C0 10 AN 04 |  | 200       | 100%       | key  |  |
| M 53 A085 E2 10 AM 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 53 A085 E2 10 AN 04 |  | 200       | 100%       | code |  |

H 850 mm



\*flexible extraction

| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 53 A085 C0 10 AE 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 53 A085 C0 10 AF 04 |  | 200       | 100%       | key  |  |
| M 53 A085 E2 10 AE 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 53 A085 E2 10 AF 04 |  | 200       | 100%       | code |  |

H 1000 mm



| ART.                    |  |           |            |      |  |
|-------------------------|--|-----------|------------|------|--|
| ● M 53 A100 C0 10 BE 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 53 A100 C0 10 BF 04   |  | 200       | 100%       | key  |  |
| M 53 A100 E2 10 BE 04   |  | 50-75-100 | 100-96-92% | code |  |
| M 53 A100 E2 10 BF 04   |  | 200       | 100%       | code |  |

H 1000 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 53 A100 C0 10 AW 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 53 A100 C0 10 BH 04 |  | 200       | 100%       | key  |  |
| M 53 A100 E2 10 AW 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 53 A100 E2 10 BH 04 |  | 200       | 100%       | code |  |



H 1000 mm



| ART.                  |  | kg        |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 53 A100 C0 10 DD 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 53 A100 C0 10 DE 04 |  | 200       | 100%       | key  |  |
| M 53 A100 E2 10 DD 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 53 A100 E2 10 DE 04 |  | 200       | 100%       | code |  |

H 1000 mm



| ART.                  |  | kg        |            |   |  |
|-----------------------|--|-----------|------------|---|--|
| M 53 A100 C5 10 CW 04 |  | 50-75-100 | 100-96-92% | - |  |
| M 53 A100 C5 10 CX 04 |  | 200       | 100%       | - |  |

H 1023 mm



| ART.                  |  | kg        |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 53 A100 C0 10 CA 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 53 A100 C0 10 CB 04 |  | 200       | 100%       | key  |  |
| M 53 A100 P5 10 CA 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 53 A100 P5 10 CB 04 |  | 200       | 100%       | code |  |

H 1023 mm



| ART.                  |  | kg        |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 53 A100 C0 10 CE 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 53 A100 C0 10 CF 04 |  | 200       | 100%       | key  |  |
| M 53 A100 P5 10 CE 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 53 A100 P5 10 CF 04 |  | 200       | 100%       | code |  |

H 1500 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 53 A150 C0 10 FJ 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 53 A150 C0 10 FK 04 |  | 200       | 100%       | key  |  |
| M 53 A150 E2 10 FJ 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 53 A150 E2 10 FK 04 |  | 200       | 100%       | code |  |

H 1500 mm



door 1400 mm

depth 751 mm

| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 53 A150 C0 10 LC 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 53 A150 C0 10 LD 04 |  | 200       | 100%       | key  |  |
| M 53 A150 P5 10 LC 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 53 A150 P5 10 LD 04 |  | 200       | 100%       | code |  |

H 2000 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 53 A200 C5 10 FU 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 53 A200 C5 10 FV 04 |  | 200       | 100%       | code |  |

H 2000 mm



| ART.                  |  |           |            |      |  |
|-----------------------|--|-----------|------------|------|--|
| M 53 A200 C0 10 FS 04 |  | 50-75-100 | 100-96-92% | key  |  |
| M 53 A200 C0 10 FT 04 |  | 200       | 100%       | key  |  |
| M 53 A200 E2 10 FS 04 |  | 50-75-100 | 100-96-92% | code |  |
| M 53 A200 E2 10 FT 04 |  | 200       | 100%       | code |  |



H 2000 mm



door 900 mm

| ART.                  |  |  |  |  |
|-----------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| M 53 A200 C0 10 FY 04 |                                                                                     | 50-75-100                                                                           | 100-96-92%                                                                          | key                                                                                 |
| M 53 A200 C0 10 FZ 04 |                                                                                     | 200                                                                                 | 100%                                                                                | key                                                                                 |
| M 53 A200 T2 10 FY 04 |                                                                                     | 50-75-100                                                                           | 100-96-92%                                                                          | code                                                                                |
| M 53 A200 T2 10 FZ 04 |                                                                                     | 200                                                                                 | 100%                                                                                | code                                                                                |

H 2000 mm



door 1900 mm

| ART.                  |  |  |  |  |
|-----------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| M53A200C010FW04       |                                                                                       | 50-75-100                                                                             | 100-96-92%                                                                            | key                                                                                   |
| M 53 A200 C0 10 FX 04 |                                                                                       | 200                                                                                   | 100%                                                                                  | key                                                                                   |
| M 53 A200 P5 10 FW 04 |                                                                                       | 50-75-100                                                                             | 100-96-92%                                                                            | code                                                                                  |
| M 53 A200 P5 10 FX 04 |                                                                                       | 200                                                                                   | 100%                                                                                  | code                                                                                  |

H 873 mm

6 drawers

75  
75  
100  
150  
150  
200

3-edge  
top shelf



single door

| ART.                  |  |           |            |  |     |
|-----------------------|--|-----------|------------|--|-----|
| M 53 D085 C0 10 GJ 04 |  | 50-75-100 | 100-96-92% |  | key |
| M 53 D085 C0 10 GK 04 |  | 200       | 100%       |  | key |

H 1023 mm

7 drawers

75  
75  
100  
150  
150  
200

3-edge  
top shelf



single door

| ART.                  |  |           |            |  |     |
|-----------------------|--|-----------|------------|--|-----|
| M 53 D100 C0 10 GQ 04 |  | 50-75-100 | 100-96-92% |  | key |
| M 53 D100 C0 10 GR 04 |  | 200       | 100%       |  | key |



ART. M 53 D150 C0 10 PF NR

H 873 mm



double door

| ART.                 |  | kg        |            |     |  |
|----------------------|--|-----------|------------|-----|--|
| M 53 D085 C010 GL 04 |  | 50-75-100 | 100-96-92% | key |  |
| M 53 D085 C010 GM 04 |  | 200       | 100%       | key |  |

H 1023 mm



double door

| ART.                 |  | kg        |            |     |  |
|----------------------|--|-----------|------------|-----|--|
| M 53 D100 C010 HQ 04 |  | 50-75-100 | 100-96-92% | key |  |
| M 53 D100 C010 HR 04 |  | 200       | 100%       | key |  |


H 1500 mm



double door

| ART.                 |  | kg        |            |     |  |
|----------------------|--|-----------|------------|-----|--|
| M 53 D150 C010 JE 04 |  | 50-75-100 | 100-96-92% | key |  |
| M 53 D150 C010 JF 04 |  | 200       | 100%       | key |  |

H 2000 mm



double door

| ART.                 |  | kg        |            |     |  |
|----------------------|--|-----------|------------|-----|--|
| M 53 D200 C010 JJ 04 |  | 50-75-100 | 100-96-92% | key |  |
| M 53 D200 C010 JK 04 |  | 200       | 100%       | key |  |



H 963 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 53 R070 S0 10 31 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 53 R070 P2 10 31 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 600 kg - Cabinet height without wheels mm 763

H 963 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 53 R070 S0 10 44 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 53 R070 P2 10 44 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 600 kg - Cabinet height without wheels mm 763

H 1113 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 53 R085 S0 10 88 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 53 R085 P2 10 88 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 600 kg - Cabinet height without wheels mm 913

H 1113 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 53 R085 S0 10 AA 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 53 R085 P2 10 AA 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 600 kg - Cabinet height without wheels mm 913



2 elastic rubber swivel wheels with brake Ø 160 mm  
2 elastic rubber fixed wheels Ø 160 mm

H 1263 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 53 R100 S0 10 CQ 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 53 R100 P2 10 CQ 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 600 kg - Cabinet height without wheels mm 1063

H 1263 mm



| ART.                         |  |           |            |      |  |
|------------------------------|--|-----------|------------|------|--|
| <b>M 53 R100 S0 10 AW 04</b> |  | 50-75-100 | 100-96-92% | key  |  |
| <b>M 53 R100 P2 10 AW 04</b> |  | 50-75-100 | 100-96-92% | code |  |

Cabinet capacity 600 kg - Cabinet height without wheels mm 1063



2 elastic rubber swivel wheels with brake Ø 160 mm  
2 elastic rubber fixed wheels Ø 160 mm



ART. M 53 R070 P2 14 PG 35

## CONFIGURE YOUR CABINET

CHOOSE  
a height

CHOOSE  
a clousure

CHOOSE  
a colour

|     |      |    |       |    |
|-----|------|----|-------|----|
| M53 | A040 | C5 | 10 00 | 01 |
|-----|------|----|-------|----|

### EMPTY CABINET



Cabinet load  
capacity 3100 kg

| M53 | HEIGHT                                 | CLOSURE                       | 10 00 | COLOUR      |
|-----|----------------------------------------|-------------------------------|-------|-------------|
|     | A070 700 mm<br>(working dim. 600 mm)   | X0<br>with no bar and no lock |       | 01 RAL 7000 |
|     | A085 850 mm<br>(working dim. 750 mm)   | C5*<br>no lock                |       | 02 RAL 6011 |
|     | A100 1000 mm<br>(working dim. 900 mm)  | KEY CYLINDER LOCK C0*         |       | 1G RAL 3003 |
|     | A132 1325 mm<br>(working dim. 1225 mm) | KEY CYLINDER LOCK C1*         |       | 1F RAL 9002 |
|     | A150 1500 mm<br>(working dim. 1400 mm) | KEY CYLINDER LOCK C2*         |       | 48 RAL 5019 |
|     | A200 2000 mm<br>(working dim. 1900 mm) | CODE NUMERICAL CODE E2*       |       | 39 RAL 7016 |
|     |                                        | CODE NUMERICAL CODE T2*       |       | 04 RAL 5012 |
|     |                                        |                               |       | 08 RAL 7035 |
|     |                                        |                               |       | 35 RAL 9010 |
|     |                                        |                               |       | 34 RAL 5010 |

\*COMPLETE WITH VERTEBRATE BAR

LOCKS SEE PAGE 31

### EMPTY CABINET pre-set for wheels



| M53 | HEIGHT                                | CLOSURE                | 10 00 | COLOUR      |
|-----|---------------------------------------|------------------------|-------|-------------|
|     | R070 763 mm<br>(working dim. 600 mm)  | KEY CYLINDER LOCK S0   |       | 01 RAL 7000 |
|     | R085 913 mm<br>(working dim. 750 mm)  | KEY CYLINDER LOCK S1   |       | 02 RAL 6011 |
|     | R100 1063 mm<br>(working dim. 900 mm) | KEY CYLINDER LOCK S2   |       | 1G RAL 3003 |
|     |                                       | CODE NUMERICAL CODE P2 |       | 1F RAL 9002 |
|     |                                       | CODE NUMERICAL CODE A1 |       | 48 RAL 5019 |
|     |                                       |                        |       | 39 RAL 7016 |
|     |                                       |                        |       | 04 RAL 5012 |
|     |                                       |                        |       | 08 RAL 7035 |
|     |                                       |                        |       | 35 RAL 9010 |
|     |                                       |                        |       | 34 RAL 5010 |

COMPLETE WITH VERTEBRATE BAR, 4-EDGE SHELF WITH PVC TOP, PAIR OF HANDLES, PAIR OF PLATES FOOTPRINT  
Overall dim. mm 1094x752



## FLEXIBLE EXTENSION DRAWERS

| ART. WHIT Dark<br>Grey plastic kit |  | ART. NO<br>plastic kit* |  | Usable dim. mm | Front H mm | kg            |                  |  |
|------------------------------------|--|-------------------------|--|----------------|------------|---------------|------------------|--|
| M 53 C050 0110 0F __               |  | M 53 C050 01 00 0F __   |  | 906x600x31 H   | 50         | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 53 C075 0110 0F __               |  | M 53 C075 01 00 0F __   |  | 906x600x56 H   | 75         | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 53 C100 0110 0F __               |  | M 53 C100 01 00 0F __   |  | 906x600x81 H   | 100        | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 53 C125 0110 0F __               |  | M 53 C125 01 00 0F __   |  | 906x600x106 H  | 125        | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 53 C150 0110 0F __               |  | M 53 C150 01 00 0F __   |  | 906x600x131 H  | 150        | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 53 C200 0110 0F __               |  | M 53 C200 01 00 0F __   |  | 906x600x181 H  | 200        | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 53 C250 0110 0F __               |  | M 53 C250 01 00 0F __   |  | 906x600x231 H  | 250        | 50 - 75 - 100 | 100% - 96% - 92% |  |
| M 53 C300 0110 0F __               |  | M 53 C300 01 00 0F __   |  | 906x600x281 H  | 300        | 50 - 75 - 100 | 100% - 96% - 92% |  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## TELESCOPIC EXTRACTION DRAWERS

| ART. WHIT Dark<br>Grey plastic kit |  | ART. NO<br>plastic kit* |  | Usable dim. mm | Front H mm | kg  |      |  |
|------------------------------------|--|-------------------------|--|----------------|------------|-----|------|--|
| M 53 C075 0110 0T __               |  | M 53 C075 01 00 0T __   |  | 906x600x56 H   | 75         | 200 | 100% |  |
| M 53 C100 0110 0T __               |  | M 53 C100 01 00 0T __   |  | 906x600x81 H   | 100        | 200 | 100% |  |
| M 53 C125 0110 0T __               |  | M 53 C125 01 00 0T __   |  | 906x600x106 H  | 125        | 200 | 100% |  |
| M 53 C150 0110 0T __               |  | M 53 C150 01 00 0T __   |  | 906x600x131 H  | 150        | 200 | 100% |  |
| M 53 C200 0110 0T __               |  | M 53 C200 01 00 0T __   |  | 906x600x181 H  | 200        | 200 | 100% |  |
| M 53 C250 0110 0T __               |  | M 53 C250 01 00 0T __   |  | 906x600x231 H  | 250        | 200 | 100% |  |
| M 53 C300 0110 0T __               |  | M 53 C300 01 00 0T __   |  | 906x600x281 H  | 300        | 200 | 100% |  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

## PLASTIC KIT FOR EXTENSIBLE DRAWERS AND SHELVES



| PLASTIC COLOUR                                                                                         | ART.                  |  |
|--------------------------------------------------------------------------------------------------------|-----------------------|--|
|  MEDITERRANEAN BLUE | M 50 PLS1 00 00 00 M1 |  |
|  SKY BLUE           | M 50 PLS1 00 00 00 M2 |  |
|  GLAMOUR RED        | M 50 PLS1 00 00 00 M3 |  |
|  RED CARPET         | M 50 PLS1 00 00 00 M4 |  |
|  JUICY ORANGE       | M 50 PLS1 00 00 00 M5 |  |
|  SUNNY YELLOW       | M 50 PLS1 00 00 00 M6 |  |
|  FOREST GREEN       | M 50 PLS1 00 00 00 M7 |  |



## FLEXIBLE EXTENSIBLE SHELVES

| ART. WHIT Dark<br>Grey plastic kit | ART. NO<br>plastic kit* | Usable dim. mm | Front H mm | kg            |                  |  |
|------------------------------------|-------------------------|----------------|------------|---------------|------------------|--|
| M 53 C057 0110 OF _ _              | M 53 C057 0100 OF _ _   | 906x600        | 70         | 50 - 75 - 100 | 100% - 96% - 92% |  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## TELESCOPIC EXTENSIBLE SHELVES

| ART. WHIT Dark<br>Grey plastic kit | ART. NO<br>plastic kit* | Usable dim. mm | Front H mm | kg  |      |  |
|------------------------------------|-------------------------|----------------|------------|-----|------|--|
| M 53 C057 0110 OT _ _              | M 53 C057 0100 OT _ _   | 906x600        | 70         | 200 | 100% |  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## ADJUSTABLE SHELF

| ART.                   | Usable dim. mm | Total H mm | kg  |  |
|------------------------|----------------|------------|-----|--|
| M 53 PR25 00 00 01 _ _ | 963x631        | 60         | 100 |  |

CAN BE FITTED FRONTALLY TO THE VERTEBRATE BAR

## PLASTIC KIT FOR EXTENSIBLE DRAWERS AND SHELVES



| PLASTIC COLOUR     | ART.                  |  |
|--------------------|-----------------------|--|
| MEDITERRANEAN BLUE | M 50 PLS1 00 00 00 M1 |  |
| SKY BLUE           | M 50 PLS1 00 00 00 M2 |  |
| GLAMOUR RED        | M 50 PLS1 00 00 00 M3 |  |
| RED CARPET         | M 50 PLS1 00 00 00 M4 |  |
| JUICY ORANGE       | M 50 PLS1 00 00 00 M5 |  |
| SUNNY YELLOW       | M 50 PLS1 00 00 00 M6 |  |
| FOREST GREEN       | M 50 PLS1 00 00 00 M7 |  |





ART. M ZA 0400 00 00 00 08

## HINGED DOORS WITH CYLINDER

### PAIR OF FULL HEIGHT HINGED DOORS



| CABINET H mm | TYPE OF CLOSURE                | ART. WHIT Dark<br>Grey plastic kit | ART. NO<br>Plastic kit* |
|--------------|--------------------------------|------------------------------------|-------------------------|
| 850          | <b>C0</b><br>KEY cylinder lock | M 50 P075 C0 10 10 _ _             | M 50 P075 C0 00 10 _ _  |
|              | <b>C1</b><br>KEY cylinder lock | M 50 P075 C1 10 10 _ _             | M 50 P075 C1 00 10 _ _  |
|              | <b>C2</b><br>KEY cylinder lock | M 50 P075 C2 10 10 _ _             | M 50 P075 C2 00 10 _ _  |
| 1000         | <b>C0</b><br>KEY cylinder lock | M 50 P090 C0 10 10 _ _             | M 50 P090 C0 00 10 _ _  |
|              | <b>C1</b><br>KEY cylinder lock | M 50 P090 C1 10 10 _ _             | M 50 P090 C1 00 10 _ _  |
|              | <b>C2</b><br>KEY cylinder lock | M 50 P090 C2 10 10 _ _             | M 50 P090 C2 00 10 _ _  |
| 1500         | <b>C0</b><br>KEY cylinder lock | M 50 P140 C0 10 10 _ _             | M 50 P140 C0 00 10 _ _  |
|              | <b>C1</b><br>KEY cylinder lock | M 50 P140 C1 10 10 _ _             | M 50 P140 C1 00 10 _ _  |
|              | <b>C2</b><br>KEY cylinder lock | M 50 P140 C2 10 10 _ _             | M 50 P140 C2 00 10 _ _  |
| 2000         | <b>C0</b><br>KEY cylinder lock | M 50 P190 C0 10 10 _ _             | M 50 P190 C0 00 10 _ _  |
|              | <b>C1</b><br>KEY cylinder lock | M 50 P190 C1 10 10 _ _             | M 50 P190 C1 00 10 _ _  |
|              | <b>C2</b><br>KEY cylinder lock | M 50 P190 C2 10 10 _ _             | M 50 P190 C2 00 10 _ _  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE RIGHT



PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK) OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)



### PAIR OF PARTIAL HEIGHT HINGED DOORS

| DOOR<br>FOOTPRINT H mm | TYPE OF CLOSURE                | ART. WHIT Dark<br>Grey plastic kit | ART. NO<br>Plastic kit* |
|------------------------|--------------------------------|------------------------------------|-------------------------|
| 775                    | <b>C0</b><br>KEY cylinder lock | M 50 P077 C0 10 11 _ _             | M 50 P077 C0 00 11 _ _  |
|                        | <b>C1</b><br>KEY cylinder lock | M 50 P077 C1 10 11 _ _             | M 50 P077 C1 00 11 _ _  |
|                        | <b>C2</b><br>KEY cylinder lock | M 50 P077 C2 10 11 _ _             | M 50 P077 C2 00 11 _ _  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE RIGHT



# HINGED DOORS WITH NUMERICAL CODE

## PAIR OF FULL HEIGHT HINGED DOORS



| CABINET H mm | TYPE OF CLOSURE                     | ART. WHIT Dark<br>Grey plastic kit | ART. NO<br>Plastic kit* |
|--------------|-------------------------------------|------------------------------------|-------------------------|
| 850          | <b>P5</b><br>CODE<br>numerical code | M 50 P075 P5 10 10 _ _             | M 50 P075 P5 00 10 _ _  |
| 1000         | <b>P5</b><br>CODE<br>numerical code | M 50 P090 P5 10 10 _ _             | M 50 P090 P5 00 10 _ _  |
| 1500         | <b>P5</b><br>CODE<br>numerical code | M 50 P140 P5 10 10 _ _             | M 50 P140 P5 00 10 _ _  |
| 2000         | <b>P5</b><br>CODE<br>numerical code | M 50 P190 P5 10 10 _ _             | M 50 P190 P5 00 10 _ _  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK) OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

## PAIR OF PARTIAL HEIGHT HINGED DOORS



| DOOR<br>FOOTPRINT H mm | TYPE OF CLOSURE                    | ART. WHIT Dark<br>Grey plastic kit | ART. NO<br>Plastic kit* |
|------------------------|------------------------------------|------------------------------------|-------------------------|
| 775                    | <b>A4</b><br>handle without keypad | M 50 P077 A4 10 11 _ _             | M 50 P077 A4 00 11 _ _  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH THE FOLLOWING CLOSURES:

USE THE **T2** LOCK FOR THE CABINET WITHOUT WHEELS

USE THE **A1** LOCK FOR THE CABINET WITH WHEELS

## REMOTE CONTROL



| ART.                  |                                     |
|-----------------------|-------------------------------------|
| M 00 VRC0 00 00 00 00 | Receiver module with remote control |
| M 00 VRC0 00 00 01 00 | Additional remote control           |

## PLASTIC KIT FOR PAIR OF DOORS



| PLASTIC COLOUR     | ART. KEY              | ART. CODE             |
|--------------------|-----------------------|-----------------------|
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 30 M1 | M 00 PLS0 00 00 31 M1 |
| SKY BLUE           | M 00 PLS0 00 00 30 M2 | M 00 PLS0 00 00 31 M2 |
| GLAMOUR RED        | M 00 PLS0 00 00 30 M3 | M 00 PLS0 00 00 31 M3 |
| RED CARPET         | M 00 PLS0 00 00 30 M4 | M 00 PLS0 00 00 31 M4 |
| JUICY ORANGE       | M 00 PLS0 00 00 30 M5 | M 00 PLS0 00 00 31 M5 |
| SUNNY YELLOW       | M 00 PLS0 00 00 30 M6 | M 00 PLS0 00 00 31 M6 |
| FOREST GREEN       | M 00 PLS0 00 00 30 M7 | M 00 PLS0 00 00 31 M7 |

## EMPTY CABINET

## WITH 2 SLIDING DOORS




### CABINET WITH DOUBLE SLIDING DOOR WITHOUT VERTEBRATE BAR

| CABINET H mm                   | TYPE OF CLOSURE                | ART. WHIT Dark Grey plastic kit | ART. NO plastic kit*  |
|--------------------------------|--------------------------------|---------------------------------|-----------------------|
| 850<br>(working dim. 750 mm)   | <b>C0</b><br>KEY cylinder lock | M 53 D085 C0 10 0D __           | M 53 D085 C0 00 0D __ |
|                                | <b>C1</b><br>KEY cylinder lock | M 53 D085 C1 10 0D __           | M 53 D085 C1 00 0D __ |
|                                | <b>C2</b><br>KEY cylinder lock | M 53 D085 C2 10 0D __           | M 53 D085 C2 00 0D __ |
| 1000<br>(working dim. 900 mm)  | <b>C0</b><br>KEY cylinder lock | M 53 D100 C0 10 0D __           | M 53 D100 C0 00 0D __ |
|                                | <b>C1</b><br>KEY cylinder lock | M 53 D100 C1 10 0D __           | M 53 D100 C1 00 0D __ |
|                                | <b>C2</b><br>KEY cylinder lock | M 53 D100 C2 10 0D __           | M 53 D100 C2 00 0D __ |
| 1500<br>(working dim. 1400 mm) | <b>C0</b><br>KEY cylinder lock | M 53 D150 C0 10 0D __           | M 53 D150 C0 00 0D __ |
|                                | <b>C1</b><br>KEY cylinder lock | M 53 D150 C1 10 0D __           | M 53 D150 C1 00 0D __ |
|                                | <b>C2</b><br>KEY cylinder lock | M 53 D150 C2 10 0D __           | M 53 D150 C2 00 0D __ |
| 2000<br>(working dim. 1900 mm) | <b>C0</b><br>KEY cylinder lock | M 53 D200 C0 10 0D __           | M 53 D200 C0 00 0D __ |
|                                | <b>C1</b><br>KEY cylinder lock | M 53 D200 C1 10 0D __           | M 53 D200 C1 00 0D __ |
|                                | <b>C2</b><br>KEY cylinder lock | M 53 D200 C2 10 0D __           | M 53 D200 C2 00 0D __ |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

## PLASTIC KIT FOR SLIDING DOORS



| PLASTIC COLOUR     | ART. 2 SLIDING DOORS  | ART. 1 SLIDING DOOR   |
|--------------------|-----------------------|-----------------------|
| MEDITERRANEAN BLUE | M 00 PLS0 00 00 50 M1 | M 00 PLS0 00 00 40 M1 |
| SKY BLUE           | M 00 PLS0 00 00 50 M2 | M 00 PLS0 00 00 40 M2 |
| GLAMOUR RED        | M 00 PLS0 00 00 50 M3 | M 00 PLS0 00 00 40 M3 |
| RED CARPET         | M 00 PLS0 00 00 50 M4 | M 00 PLS0 00 00 40 M4 |
| JUICY ORANGE       | M 00 PLS0 00 00 50 M5 | M 00 PLS0 00 00 40 M5 |
| SUNNY YELLOW       | M 00 PLS0 00 00 50 M6 | M 00 PLS0 00 00 40 M6 |
| FOREST GREEN       | M 00 PLS0 00 00 50 M7 | M 00 PLS0 00 00 40 M7 |

## EMPTY CABINET

## WITH 1 SLIDING DOOR



### CABINET WITH SINGLE SLIDING DOOR WITHOUT VERTEBRATE BAR

| CABINET H mm                  | TYPE OF CLOSURE                                                                                                    | ART. WHIT Dark<br>Grey plastic kit | ART. NO<br>plastic kit* |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------|------------------------------------|-------------------------|
| 850<br>(working dim. 750 mm)  |  <b>C0</b><br>KEY cylinder lock   | M 53 D085 C0 10 OS _ _             | M 53 D085 C0 00 OS _ _  |
|                               |  <b>C1</b><br>KEY cylinder lock   | M 53 D085 C1 10 OS _ _             | M 53 D085 C1 00 OS _ _  |
|                               |  <b>C2</b><br>KEY cylinder lock   | M 53 D085 C2 10 OS _ _             | M 53 D085 C2 00 OS _ _  |
| 1000<br>(working dim. 900 mm) |  <b>C0</b><br>KEY cylinder lock   | M 53 D100 C0 10 OS _ _             | M 53 D100 C0 00 OS _ _  |
|                               |  <b>C1</b><br>KEY cylinder lock | M 53 D100 C1 10 OS _ _             | M 53 D100 C1 00 OS _ _  |
|                               |  <b>C2</b><br>KEY cylinder lock | M 53 D100 C2 10 OS _ _             | M 53 D100 C2 00 OS _ _  |

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE LEFT




Single door with right-hand closing only, only the left compartment is designed for the insertion of drawers and extensible shelves. The vertebrae shaft must be inserted in the presence of more than 2 drawers/extensible shelves for each compartment.



#### CYLINDER LOCK

| TYPE OF CLOSURE                | ART.                  |
|--------------------------------|-----------------------|
| <b>C0</b><br>KEY cylinder lock | M 53 V000 C0 00 00 00 |
| <b>C1</b><br>KEY cylinder lock | M 53 V000 C1 00 00 00 |
| <b>C2</b><br>KEY cylinder lock | M 53 V000 C2 00 00 00 |



#### VERTEBRATE BAR

| WORKING H (mm)<br>FOR DRAWER INSERTION | ART.                  |
|----------------------------------------|-----------------------|
| 750                                    | M 00 V075 00 00 00 00 |
| 900                                    | M 00 V090 00 00 00 00 |
| 1400                                   | M 00 V140 00 00 00 00 |
| 1900                                   | M 00 V190 00 00 00 00 |





## 3-EDGE TOP SHELF

| ART.                         | dim. mm       |  |
|------------------------------|---------------|--|
| <b>M 53 T023 AG 00 31 07</b> | 1020x726x23 H |  |

Pvc coated shelf for SINGLE CABINET. Black colour



## 4-EDGE TOP SHELF

| ART.                         | dim. mm       |  |
|------------------------------|---------------|--|
| <b>M 53 T023 AG 00 41 07</b> | 1020x726x23 H |  |

Pvc coated shelf for SINGLE CABINET. Black colour



## ART. M 00 T023 AG 00 F0 00


CABINET TOP SHELF DRILLING FOR 4-EDGE SHELF FIXING



## MULTIPLEX TOP SHELF

| ART.                         | dim. mm       |  |
|------------------------------|---------------|--|
| <b>M 53 T040 MU 00 01 00</b> | 1020x726x40 H |  |

For SINGLE CABINET



## MDF TOP SHELF DIM. 1020x726x32 mm H

| ART.                         | finishes       | for cabinet    |  |
|------------------------------|----------------|----------------|--|
| <b>M 53 T030 MD GM 21 07</b> | 1 side profile | RH or LH final |  |


MDF shelf with oil-proof top rubber coating. Black colour



## MDF TOP SHELF DIM. 1020x726x32 mm H

| ART.                         | finishes | for cabinet |  |
|------------------------------|----------|-------------|--|
| <b>M 53 T030 MD GM 11 07</b> | -        | central     |  |

MDF shelf with oil-proof top rubber coating. Black colour



## MDF TOP SHELF DIM. 1020x726x32 mm H


| ART.                         | finishes        | for cabinet |  |
|------------------------------|-----------------|-------------|--|
| <b>M 53 T030 MD GM 01 07</b> | 2 side profiles | single      |  |

MDF shelf with oil-proof top rubber coating. Black colour



## ART. M 00 T030 MD 00 F0 00

CABINET TOP SHELF DRILLING FOR MDF AND MULTIPLEX SHELF FIXING INCLUDING FIXING SCREWS



OIL-PROOF  
RUBBER  
FINISHING



MDF SHELF  
APPLICATION



**MULTIPLEX TOP SHELF FOR  
CABINET WITH WHEELS**  
AVAILABLE ON REQUEST



**HEIGHT RAISING PLINTH 50 mm**

| ART.               |   | dim. mm       |  |
|--------------------|---|---------------|--|
| M 53 Z050 00 00 00 | — | 1018x725x50 H |  |



**HEIGHT RAISING PLINTH 100 mm**

| ART.               |   | dim. mm        |  |
|--------------------|---|----------------|--|
| M 53 Z100 00 00 00 | — | 1018x725x100 H |  |



**PLINTHS FOR FORK LIFT TRUCK – Black colour RAL 9005**

| ART.                  |                 | dim. mm      |  |
|-----------------------|-----------------|--------------|--|
| M 03 Z060 20 00 00 07 | pair of plinths | 200x722x60 H |  |
| M 50 Z060 21 00 00 07 | facing piece    | 1014x46x55 H |  |



| ART.                  |                 | dim. mm       |  |
|-----------------------|-----------------|---------------|--|
| M 03 Z100 20 00 00 07 | pair of plinths | 200x722x100 H |  |
| M 50 Z100 21 00 00 07 | facing piece    | 1014x46x95 H  |  |



## ELASTIC RUBBER FIXED WHEEL

| ART.           | Ø mm | Cabinet capacity kg | C mm |  |
|----------------|------|---------------------|------|--|
| C RG BCE15 125 | 125  | 360                 | 155  |  |
| C RG BCE15 160 | 160  | 600                 | 200  |  |



## ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

| ART.           | Ø mm | Cabinet capacity kg | C mm |  |
|----------------|------|---------------------|------|--|
| C RG DCE15 125 | 125  | 360                 | 155  |  |
| C RG DCE15 160 | 160  | 600                 | 200  |  |



## NYLON FIXED WHEEL

| ART.           | Ø mm | Cabinet capacity kg | C mm |  |
|----------------|------|---------------------|------|--|
| C RN BAD11 125 | 125  | 360                 | 155  |  |
| C RN BAD04 160 | 160  | 600                 | 200  |  |



## NYLON SWIVEL WHEEL WITH BRAKE

| ART.           | Ø mm | Cabinet capacity kg | C mm |  |
|----------------|------|---------------------|------|--|
| C RN DAD11 125 | 125  | 360                 | 155  |  |
| CRN DAD04 160  | 160  | 600                 | 200  |  |



# SPARE PARTS - FIXING

### SPARE LOCK

**ART. M 00 CSR0 8800 00 00**

Spare lock with two keys



### SPARE KEY

**ART. M 00 CF00 0000 00 00**

Always specify the number indicated in the cylinder lock where you wish to replace the key



### PASSEPARTOUT

**ART. M 00 PF.. 0000 00 00**

Available in 23 series, numbered from F 01 to F 23.

Master key series F 01  
Master key series F 02  
Master key series F ..

ART. M 00 PF01 00 00 00 00  
ART. M 00 PF02 00 00 00 00  
ART. M 00 PF.. 00 00 00 00

### CABINET-TO-CABINET FIXING SET

**ART. M 00 FIS0 00 00 00 99**

Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts

**ART. M 00 SVR0 00 00 00 99**

Drilling and hardware for fixing two overlapping cabinets

### FLOOR FIXING SET



**ART. F AG 9200 00 99**

Pair of zinc-plated brackets for cabinet floor fixing

**ART. F AG 9204 00 99**

2 "HILTI" plugs for concrete floors ≥ to classes C20/25  
Recommended traction of the plug: 2.9 kN  
Plug diameter: Ø 6 mm



### SPARE HANDLE

**ART. M 00 PLS0 0000 22 M0**

Replacement door handle available in Dark Grey.



OTHER COLOURS  
ON REQUEST



THE CABINETS MUST BE FIXED TO A FLOOR OR WALL IF OVERLAPPING,  
THEY MUST BE FIXED EXCLUSIVELY TO WALLS AND THEIR CAPACITY DIVIDED BY TWO



# MASTER

# 1020x726 mm

## Born To Be Extreme

**Cabinet Empty** without vertebrate bar and without lock



H 700 mm  
Useful H 600 mm



H 850 mm  
Useful H 750 mm



H 1000 mm  
Useful H 900 mm



M 53 A070 X0 10 00 \_ \_

M 53 A085 X0 10 00 \_ \_

M 53 A100 X0 10 00 \_ \_

### VERTEBRATE BAR



The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.

| ART.                  | Working H (mm)<br>for drawer insertion |  |
|-----------------------|----------------------------------------|--|
| M 00 V030 00 00 00 00 | 300                                    |  |
| M 00 V050 00 00 00 00 | 500                                    |  |
| M 00 V060 00 00 00 00 | 600                                    |  |
| M 00 V070 00 00 00 00 | 700                                    |  |
| M 00 V075 00 00 00 00 | 750                                    |  |
| M 00 V090 00 00 00 00 | 900                                    |  |

| ART.                  | Working H (mm)<br>for drawer insertion |  |
|-----------------------|----------------------------------------|--|
| M 00 V105 00 00 00 00 | 1050                                   |  |
| M 00 V122 00 00 00 00 | 1225                                   |  |
| M 00 V140 00 00 00 00 | 1400                                   |  |
| M 00 V152 00 00 00 00 | 1525                                   |  |
| M 00 V190 00 00 00 00 | 1900                                   |  |

### CYLINDER LOCK (KEY)



CYLINDER LOCK CLOSURE COMPLETE WITH:

- 1 cylinder lock with 2 keys
- 1 steel wire with sheath
- 1 front pin assembly
- 1 back pin assembly

ART.

M 53 V000 C0 00 00 00

C0

CYLINDER LOCK WITH DIFFERENT NUMBERING

M 53 V000 C1 00 00 00

C1

CYLINDER LOCK FOR SETS OF 160 NUMBERS

M 53 V000 C2 00 00 00

C2

CYLINDER LOCK WITH SAME NUMBERING



## For Experts Only



H 1325 mm  
Useful H 1225 mm



H 1500 mm  
Useful H 1400 mm



H 2000 mm  
Useful H 1900 mm



M 53 A132 X0 10 00 \_ \_

M 53 A150 X0 10 00 \_ \_

M 53 A200 X0 10 00 \_ \_

### NUMERICAL CODE LOCK (CODE)



ART.

M 53 V000 E2 00 00 00

E2 BAR OPENING/CLOSING (battery power supply)

M 53 V000 E5 00 00 00

E5 BAR OPENING/CLOSING (mains power supply)

M 53 V000 T2 00 00 00

T2 DOOR + BAR OPENING/CLOSING (battery power supply)

M 53 V000 T3 00 00 00

T3 DOOR + BAR OPENING/CLOSING (mains power supply)

ART. REMOTE CONTROL

M 00 VRC0 00 00 00 00

Receiver module with  
remote control

M 00 VRC0 00 00 01 00

Additional remote control



### SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

#### TOP SHELF FOR LOCKS



ART.



Front H mm

kg

M 53 PS46 00 10 00 \_ \_

46

150

Dim. mm 969x724x46 H

#### BOTTOM SHELF FOR LOCKS



ART.



Front H mm

kg

M 53 PS46 10 10 00 \_ \_

46

150

Dim. mm 969x724x46 H

#### ADJUSTABLE SHELF



ART.



Total H mm

kg

M 53 PR25 00 00 01 \_ \_

60

100

Usable dim. mm 963x631x60 H

#### SLOTTED ADJUSTABLE SHELF



ART.



Front H mm

kg

M 53 PR35 10 00 01 \_ \_


35

250

Dim. mm 969x721x35 H

# 54x36 EH


## PARTITIONING MATERIAL



ART. for front height mm

**F FH 5005 19 00** 50 – 300


Set including: 16 troughs 4 grooves, 8 troughs 3 grooves, 30 plain partitions 36 mm, 10 plain partitions 47 mm



ART. for front height mm

**F FH 5005 09 00** 50 – 300

Set including: 8 troughs 4 grooves, 8 troughs 3 grooves, 8 troughs 2 grooves, 15 plain partitions 36 mm, 10 plain partitions 47 mm, 6 plain partitions 73 mm




ART. for front height mm

**F FH 5005 15 00** 50

**F FH 5007 15 00** 75

**F FH 5010 15 00** 100 – 125

Set including: 7 slotted partitions 610 mm, 12 plain partitions 98 mm, 2 plain partitions 149 mm




ART. for front height mm

**F FH 5005 14 00** 50

**F FH 5007 14 00** 75

**F FH 5010 14 00** 100 – 125

Set including: 6 slotted partitions 610 mm, 6 plain partitions 98 mm, 3 plain partitions 149 mm, 1 plain partition 200 mm



ART. for front height mm

**F FH 5005 13 00** 50

**F FH 5007 13 00** 75


**F FH 5010 13 00** 100 – 125

**F FH 5015 13 00** 150

**F FH 5020 13 00** 200 – 250

**F FH 5030 13 00** 300

Set including: 5 slotted partitions 610 mm, 12 plain partitions 149 mm



ART. for front height mm

**F FH 5005 01 00** 50

**F FH 5007 01 00** 75


**F FH 5010 01 00** 100 – 125

**F FH 5015 01 00** 150

**F FH 5020 01 00** 200 – 250

**F FH 5030 01 00** 300

Set including: 3 slotted partitions 610 mm, 3 plain partitions 149 mm, 9 plain partitions 251 mm




ART. for front height mm

**F FH 5005 08 00** 50

**F FH 5007 08 00** 75

**F FH 5010 08 00** 100 – 125

Set including: 12 plastic boxes 150x75 mm, 18 plastic boxes 150x150 mm




ART. for front height mm

**F FH 5005 17 00** 50

**F FH 5007 17 00** 75

Set including: 20 plastic boxes 75x75 mm, 14 plastic boxes 150x75 mm, 12 plastic boxes 150x150 mm



ART. for front height mm


**F FH 5005 18 00** 50

**F FH 5007 18 00** 75

**F FH 5010 18 00** 100 – 125

Set including: 24 plastic boxes 150x150 mm

## CONFIGURE A FAMI DRAWER WITH BETA TOOLS



### ART. F FH 5007 50 07

Drawer pre-setting kit for Beta thermoformed trays consisting of:

- no. 4 F HC 6071 00 07
- no. 8 F HC 6471 00 07
- no. 4 F HC 6871 00 07
- no. 1 F HA 1150 00 99
- no. 1 F HA 2150 00 99



- 1 unit = 1 Beta thermoformed tray (367x147 mm)
- 2 unit = 1 Beta thermoformed tray (367x294 mm)
- 4 unit = 1 Beta thermoformed tray (367x588 mm)

## EXAMPLES OF TERMOFORMED TRAY USE

