
# STURDY PLATE STEEL ADDS A DESIGNER TOUCH TO THE WORKING ENVIRONMENT






Courtesy of Stilo Optical Technology Italy SRL

# PERFOM GS/FS

# **TECHNICAL SPECIFICATIONS**



# **CHANGING ROOM LOCKERS**



FAMI changing rooms lockers can be supplied with a horizontal roof (A) or a sloping roof (B). The sloping roof is easier to clean and is recommended in environments with very demanding hygiene requirements.

The doors are supplied with a handy adhesive hanger.





Jocker compartments can be of three different widths (300 mm, 400 mm, 585 mm) while their depth is 500 mm. The compartments are always equipped with a galvanised support shelf which, in some configurations, can be adjusted in height to accommodate a helmet. The part below the shelf can be supplied with a middle partition, suitable for dividing the dirty/clean garment areas.



The doors can be supplied with a cylinder lock with two keys or with a padlockable door knob (lock not included).



5




The doors are supplied with a name tag holder for personal identification. Both the doors and the rear wall have a number of openings to facilitate air circulation.



Among the accessories, some are designed to avoid contact with the floor including: polypropylene feet (highly resistant to contact with water), galvanized steel baseboards, single-sided and two-sided benches, shoe stands.

# PERFOM GS130







Example with 4 compartments

Locker with adjustable height support shelf for helmet.

# **CABINET WITH CYLINDER LOCK**

ART.	dim. mm	no. of compartments		feet	
F AN 1301 01 08	316x500x1750 H	1	key	NO	
F AN 1302 01 08	610×500×1750 H	2	key	NO	
F AN 1303 01 08	900x500x1750 H	3	key	NO	
F AN 1304 01 08	1195x500x1750 H	4	key	NO	
F AN 1301 07 08	316x500x1950 H	1	key	YES	
F AN 1302 07 08	610×500×1950 H	2	key	YES	
F AN 1303 07 08	900x500x1950 H	3	key	YES	
F AN 1304 07 08	1195x500x1950 H	4	key	YES	



ART.	dim. mm	no. of compartments		feet
F AN 1301 11 08	316×500×1750 H	1	-	NO
F AN 1302 11 08	610×500X1750 H	2	-	NO
F AN 1303 11 08	900x500X1750 H	3	-	NO
F AN 1304 11 08	1195x500x1750 H	4	-	NO
F AN 1301 17 08	316x500x1950 H	1	-	YES
F AN 1302 17 08	610x500x1950 H	2	-	YES
F AN 1303 17 08	900x500x1950 H	3	-	YES
F AN 1304 17 08	1195×500×1950 H	4	-	YES






Example of a foot rest fitted to the locker







Locker with adjustable height support shelf for helmet.



SLOPING ROOF

\*Internal available space

### **CABINET WITH CYLINDER LOCK**

ART.	dim. mm	no. of compartments		feet	
F AN 2302 01 08	610x500x1940 H	2	key	NO	
F AN 2303 01 08	900x500x1940 H	3	key	NO	
F AN 2304 01 08	1195x500x1940 H	4	key	NO	
F AN 2302 07 08	610x500x2140 H	2	key	YES	
F AN 2303 07 08	900x500x2140 H	3	key	YES	
F AN 2304 07 08	1195×500×2140 H	4	key	YES	




ART.	dim. mm	no. of compartments		feet	
F AN 2302 11 08	610×500X1940 H	2	-	NO	
F AN 2303 11 08	900x500x1940 H	3	-	NO	
F AN 2304 11 08	1195x500x1940 H	4	-	NO	
F AN 2302 17 08	610x500x2140 H	2	-	YES	
F AN 2303 17 08	900x500x2140 H	3	-	YES	
F AN 2304 17 08	1195x500x2140 H	4	-	YES	





Example of a foot rest fitted to the locker

# PERFOM GS140





Locker with adjustable height support shelf for helmet.

# CABINET WITH CYLINDER LOCK

ART.	V	dim. mm	no. of compartments		feet	
F AN 1402 01	80	805x500x1750 H	2	key	NO	
F AN 1403 01	80	1195x500x1750 H	3	key	NO	
F AN 1402 07	08	805x500x1950 H	2	key	YES	
F AN 1403 07	08	1195x500x1950 H	3	key	YES	



ART.	dim. mm	no. of compartments		feet	
F AN 1402 11 08	805x500X1750 H	2	-	NO	
F AN 1403 11 08	1195×500×1750 H	3	-	NO	
F AN 1402 17 08	805x500x1950 H	2	-	YES	
F AN 1403 17 08	1195×500×1950 H	3	-	YES	






Example of a foot rest fitted to the locker





Locker with adjustable height support shelf for helmet.

# SLOPING ROOF



\*Internal available space

# CABINET WITH CYLINDER LOCK

ART.	dim. mm	no. of compartments		feet	
F AN 2402 01 08	805x500x1940 H	2	key	NO	
F AN 2403 01 08	1195x500x1940 H	3	key	NO	
F AN 2402 07 08	805x500x2140 H	2	key	YES	
F AN 2403 07 08	1195x500x2140 H	3	key	YES	



ART.	dim. mm	no. of compartments		feet	
F AN 2402 11 08	805x500x1940 H	2	-	NO	
F AN 2403 11 08	1195×500×1940 H	3	-	NO	
F AN 2402 17 08	805x500x2140 H	2	-	YES	
F AN 2403 17 08	1195×500×2140 H	3	-	YES	





Example of a foot rest fitted to the locker


# **PERFOM**







# PERFOM GS150





Locker with fixed shelf for helmet and movable partition.

Example with 3 compartments

### CABINET WITH CYLINDER LOCK

ART.	dim. mm	no. of compartments		feet
F AN 1501 31 08	413x500x1750 H	1	key	NO
F AN 1502 31 08	805x500x1750 H	2	key	NO
F AN 1503 31 08	1195x500x1750 H	3	key	NO
F AN 1501 37 08	413x500x1950 H	1	key	YES
F AN 1502 37 08	805x500x1950 H	2	key	YES
F AN 1503 37 08	1195×500×1950 H	3	key	YES



ART.	dim. mm	no. of compartments		feet	
F AN 1501 41 08	413x500x1750 H	1	-	NO	
F AN 1502 41 08	805x500x1750 H	2	-	NO	
F AN 1503 41 08	1195×500×1750 H	3	-	NO	
F AN 1501 47 08	413x500x1950 H	1	-	YES	
F AN 1502 47 08	805x500X1950 H	2	-	YES	
F AN 1503 47 08	1195×500X1950 H	3	-	YES	






Example of a foot rest fitted to the locker







# SLOPING ROOF



\*Internal available space

Example with 3 compartments

### **CABINET WITH CYLINDER LOCK**

ART.	dim. mm	no. of compartments		feet	
F AN 2502 31 08	805x500x1940 H	2	key	NO	
F AN 2503 31 08	1195x500x1940 H	3	key	NO	
F AN 2502 37 08	805x500x2140 H	2	key	YES	
F AN 2503 37 08	1195x500x2140 H	3	key	YES	




ART.	dim. mm	no. of compartments		feet	
F AN 2502 41 08	805x500X1940 H	2	-	NO	
F AN 2503 41 08	1195x500x1940 H	3	-	NO	
F AN 2502 47 08	805x500x2140 H	2	-	YES	
F AN 2503 47 08	1195x500x2140 H	3	-	YES	





Example of a foot rest fitted to the locker

# PERFOM GS160





Locker with fixed shelf and fixed partition.

\*Internal available space

Example with 3 compartments

### **CABINET WITH CYLINDER LOCK**

ART.	dim. mm	no. of compartments		feet
F AN 1602 01 08	805x500x1750 H	2	key	NO
F AN 1603 01 08	1195×500×1750 H	3	key	NO
F AN 1602 07 08	805x500x1950 H	2	key	YES
F AN 1603 07 08	1195×500×1950 H	3	key	YES

ART.	dim. mm	no. of compartments		feet	
F AN 1602 11 08	805x500X1750 H	2	-	NO	
F AN 1603 11 08	1195×500X1750 H	3	-	NO	
F AN 1602 17 08	805x500X1950 H	2	-	YES	
F AN 1603 17 08	1195×500×1950 H	3	-	YES	






Example of a foot rest fitted to the locker





Locker with fixed shelf and fixed partition.



**SLOPING** 

\*Internal available space

Example with 3 compartments

### **CABINET WITH CYLINDER LOCK**

ART.	dim. mm	no. of compartments		feet	
F AN 2602 01 08	805x500x1940 H	2	key	NO	
F AN 2603 01 08	1195x500x1940 H	3	key	NO	
F AN 2602 07 08	805x500x2140 H	2	key	YES	
F AN 2603 07 08	1195×500×2140 H	3	key	YES	

ART.	dim. mm	no. of compartments		feet	
F AN 2602 11 08	805x500X1940 H	2	-	NO	
F AN 2603 11 08	1195×500×1940 H	3	-	NO	
F AN 2602 17 08	805x500X2140 H	2	-	YES	
F AN 2603 17 08	1195×500×2140 H	3	-	YES	





Example of a foot rest fitted to the locker


# **PERFOM**







# PERFOM GS170





Locker with fixed shelf and fixed partition.

Example with 2 compartments

# CABINET WITH CYLINDER LOCK

ART.	dim. mm	no. of compartments		feet
F AN 1701 01 08	585x500x1750 H	1	key	NO
F AN 1702 01 08	1145x500x1750 H	2	key	NO
F AN 1701 07 08	585x500x1950 H	1	key	YES
F AN 1702 07 08	1145x500x1950 H	2	key	YES








Example of a foot rest fitted to the locker







Locker with fixed shelf and fixed partition.



\*Internal available space

Example with 2 compartments

# CABINET WITH CYLINDER LOCK

476		no. of			
ART.	dim. mm	compartments		feet	
F AN 1801 01 08	585x500x1750 H	1	key	NO	
F AN 1802 01 08	1145x500x1750 H	2	key	NO	
F AN 1801 07 08	585x500x1950 H	1	key	YES	
F AN 1802 07 08	1145x500x1950 H	2	key	YES	

ART.	dim. mm	no. of compartments		feet	
F AN 1801 11 08	585×500X1750 H	1	-	NO	
F AN 1802 11 08	1145x500x1750 H	2	-	NO	
F AN 1801 17 08	585x500x1950 H	1	-	YES	
F AN 1802 17 08	1145x500x1950 H	2	-	YES	





Example of a foot rest fitted to the locker

# **PERFOM**







# **PERFOM**

# LOCKERS WITH COMPARTMENTS

-The lockers with internal compartments, suitable for keeping both clothes and personal items, can be used in various industries and service segments, as well as in sports and recreational activity centres.

The doors are supplied with a name tag holder for personal identification and will close flush with the locker body. Both the doors and the rear wall have a number of slots to help air circulation.





Among the accessories, some are designed to avoid contact with the floor, including: polypropylene feet (highly resistant to contact with water), galvanized steel baseboards, single-sided and two-sided benches, shoe stands.






The doors can be supplied with a cylinder lock with two keys or with a padlockable door knob (lock not included).

## CYLINDER LOCK



The cylinder closure is supplied as standard in lockers.









Example with 8 compartments

# CABINET WITH CYLINDER LOCK

ART.	dim. mm	no. of compartments		feet	
F AN 1904 01 08	610×500×1750 H	2x2	key	NO	
F AN 1906 01 08	900x500x1750 H	2x3	key	NO	
F AN 1908 01 08	1195×500×1750 H	2x4	key	NO	
F AN 1904 07 08	610×500X1950 H	2x2	key	YES	
F AN 1906 07 08	900x500x1950 H	2x3	key	YES	
F AN 1908 07 08	1195×500×1950 H	2x4	key	YES	



ART.	dim. mm	no. of compartments		feet
F AN 1904 11 08	610×500X1750 H	2x2	-	NO
F AN 1906 11 08	900x500x1750 H	2x3	-	NO
F AN 1908 11 08	1195x500x1750 H	2x4	-	NO
F AN 1904 17 08	610x500X1950 H	2x2	-	YES
F AN 1906 17 08	900x500x1950 H	2x3	-	YES
F AN 1908 17 08	1195x500x1750 H	2x4	-	YES






Example of a foot rest fitted to the locker



# PERFOM FS1000



Example with 20 compartments

### CABINET WITH CYLINDER LOCK

ART.	dim. mm	no. of compartments		feet	
F AM 1025 01 08	610x500x1750 H	2x5	key	NO	
F AM 1035 01 08	900x500x1750 H	3x5	key	NO	
F AM 1045 01 08	1195x500x1750 H	4x5	key	NO	
F AM 1025 07 08	610×500X1950 H	2x5	key	YES	
F AM 1035 07 08	900x500X1950 H	3x5	key	YES	
F AM 1045 07 08	1195x500X1950 H	4x5	key	YES	



#### CABINET WITH LOCKING MECHANISM

feet
NO
NO
NO
YES
YES
YES






fitted to the locker







Example with 16 compartments

# CABINET WITH CYLINDER LOCK

ART.	dim. mm	no. of compartments		feet
F AM 1124 01 08	610×500×1750 H	2x4	key	NO
F AM 1134 01 08	900x500x1750 H	3x4	key	NO
F AM 1144 01 08	1195x500x1750 H	4×4	key	NO
F AM 1124 07 08	610×500X1950 H	2x4	key	YES
F AM 1134 07 08	900x500x1950 H	3x4	key	YES
F AM 1144 07 08	1195x500x1950 H	4×4	key	YES




ART.	dim. mm	no. of compartments		feet	
F AM 1124 11 08	610×500X1750 H	2x4	-	NO	
F AM 1134 11 08	900x500x1750 H	3x4	-	NO	
F AM 1144 11 08	1195x500x1750 H	4x4	-	NO	
F AM 1124 17 08	610×500X1950 H	2x4	-	YES	
F AM 1134 17 08	900x500x1950 H	3x4	-	YES	
F AM 1144 17 08	1195×500×1950 H	4×4	-	YES	





Example of a foot rest fitted to the locker

# PERFOM FS1200



Example with 12 compartments

## CABINET WITH CYLINDER LOCK

ART.	dim. mm	no. of compartments		feet	
F AM 1214 01 08	415x500x1750 H	1×4	key	NO	
F AM 1224 01 08	805x500x1750 H	2x4	key	NO	
F AM 1234 01 08	1195x500x1750 H	3x4	key	NO	
F AM 1214 07 08	415x500x1950 H	1x4	key	YES	
F AM 1224 07 08	805x500x1950 H	2x4	key	YES	
F AM 1234 07 08	1195x500x1950 H	3×4	key	YES	



ART.	dim. mm	no. of compartments		feet
F AM 1214 11 08	415x500X1750 H	1x4	-	NO
F AM 1224 11 08	805x500x1750 H	2×4	-	NO
F AM 1234 11 08	1195x500x1750 H	3×4	-	NO
F AM 1214 17 08	415x500x1950 H	1×4	-	YES
F AM 1224 17 08	805x500x1950 H	2×4	-	YES
F AM 1234 17 08	1195x500x1950 H	3×4	-	YES






Example of a foot rest fitted to the locker









Example with 14 compartments

# CABINET WITH CYLINDER LOCK

ART.	dim. mm	no. of compartments		feet	
F AM 7010 01 08	2025x500x1750* H	14	key	NO	
F AM 7310 01 08	2325×500×1750** H	14	key	NO	
F AM 7012 01 08	2025x500x1950* H	14	key	YES	
F AM 7312 01 08	2325×500×1950** H	14	key	YES	

<sup>\*</sup> With shelf length 1000 mm



ART.	dim. mm	no. of compartments		feet	
F AM 7020 01 08	2025×500X1750* H	14	-	NO	
F AM 7320 01 08	2325×500×1750** H	14	-	NO	
F AM 7022 01 08	2025x500x1950* H	14	-	YES	
F AM 7322 01 08	2325x500x1950** H	14	-	YES	

<sup>\*</sup> With shelf length 1000 mm





Example of a foot rest fitted to the locker

<sup>\*\*</sup> With shelf length 1300 mm

<sup>\*\*</sup> With shelf length 1300 mm

# **PERFOM**


# **MULTIPURPOSE**





GS120





### CABINET WITH CYLINDER LOCK

ART.	dim.mm		
F AN 1201 01 08	585x500x1750 H	key	
CABINET WITH LO	CKING MECHANISM	1	
ART.	dim.mm		
F AN 1201 11 08	585x500X1750 H	key	

Locker with fixed shelves and fixed partition

GS501



### **LOCKER WITH 3 COMPARTMENTS**

ART.	dim.mm		
F AN 5010 01 08	585x402x1750 H	key	

Lock with 3 locking points

# ACCESSORIES





#### PAIR OF BASE PLINTHS

ART.	dim.mm	
F AM 9000 00 99	50x498x100 H	

SUITABLE FOR LOCKERS SERIES:

F AN 1200 - F AN 1300 - F AN 1400 - F AN 1500

F AN 1600 - F AN 1700 - F AN 1800 - F AN 1900

F AN 2300 - F AN 2400 - F AN 2500 - F AN 2600

F AM 1000 - F AM 1100 - F AM 1200 - F AM 7000 - F AM 7300



Example of using the pair of base plinths



#### PAIR OF FEET

ART.	dim.mm
F RR 2310 00 01	135x500x180/200 H
F RR 2310 00 07	135x500x180/200 H
01 07	



F AN 1200 - F AN 1300 - F AN 1400 - F AN 1500

F AN 1600 - F AN 1700 - F AN 1800 - F AN 1900

F AN 2300 - F AN 2400 - F AN 2500 - F AN 2600

F AM 1000 - F AM 1100 - F AM 1200 - F AM 7000 - F AM 7300



Example of using a pair of plastic feet





# BENCH 1000 mm

ART.	dim.mm	
F AN 9540 00 01	1000x360x385 H	

2000 mm

GREY RAL 7000



# BENCH 1500 mm

ART.	dim.mm	
F AN 9550 00 01	1495x360x385 H	
GREY RAL 7000		

### BENCH 2000 mm

ART.	dim.mm	
F AN 9560 00 01	2000x360x385 H	

GREY RAL 7000




Sturdy bench built with welded steel tubes, with adjustable feet. The bench with a depth of 360 mm is covered with plastic profiles



# PERFOM GS/FS





#### SINGLE-SIDED BENCHES

ART.	locker width mm	
F AM 9010 00 01	585	
F AM 9020 00 01	610	
F AM 9040 00 01	900	
F AM 9050 00 01	1145	
F AM 9060 00 01	1195	

GREY RAL 7000


Sturdy bench built with welded steel tubes, with adjustable feet. The bench with a depth of 300 mm is covered with plastic profiles

### **TWO-SIDED BENCHES**



GREY RAL 7000







# ACCESSORIES GS/FS

# SHOE STAND

ART.	locker width mm	
F AM 9210 00 01	585	
F AM 9220 00 01	610	
F AM 9230 00 01	805	
F AM 9240 00 01	900	
F AM 9250 00 01	1145	
F AM 9260 00 01	1195	

GREY RAL 7000

