

**EURO BOX**

**EURO BOX LIGHT**




**NESTABLE BOX**

**PICKING BOX**

**STORAGE BOX**

**RK BOX**

**VISUAL BOX**





# CONTAINERS

# OUR RAW MATERIALS



## FIRST GRADE POLYPROPYLENE

First grade polypropylene is a non-toxic plastic material highly appreciated and used in the manufacturing and design industries for the production of the most diverse products, as it is odourless, resistant to solvents and acids, washable and sterilisable, resistant to moisture and not hygroscopic. Its chemical and mechanical behaviour make of polypropylene an ideal product to make boxes, crates, bins and other containers, designed for the handling and storage of goods.

PP	51 01	grey polypropylene	PP	51 02	green polypropylene
PP	51 03	red polypropylene	PP	51 04	blue polypropylene
PP	51 05	yellow polypropylene	PP	51 XB	turquoise polypropylene
PP	51 27	signal blue polypropylene	PP	51 IG	sapphire blue polypropylene
PP	59 27	signal blue polypropylene	PP	59 01	grey polypropylene




## FOOD SAFE POLYPROPYLENE

Food compliant polypropylene is a material that complies with the current EU legislation that regulates the specifications of packaging and containers intended for contact with foodstuffs. This plastic material is very popular in the food industry - from the preparation and packaging stage all the way to product storage and shipment.

	59 00	white PP - food compliant
---	-------	------------------------------

Boxes are manufactured in food-approved plastic compliant with:

- 1 Italian Ministerial decree of 21 March 1973 and subsequent amendments and additions: Health regulations for packaging, receptacles and utensils intended to come into contact with foodstuffs or personal care products.
- 2 Italian Presidential Decree no. 777 of 23 August 1982 and subsequent amendments and additions: Implementing Directive 76/893/EEC relating to materials and articles intended to come into contact with foodstuffs.
- 3 Regulation (EC) no. 1935/2004 of the European Parliament and of the Council of 27 October 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC.
- 4 Commission Regulation (EC) No. 2023/2006 of 22 December 2006 on good manufacturing practice for materials and articles intended to come into contact with food.
- 5 Commission Regulation (EU) No. 10/2011 of 14 January 2011 on plastic materials and articles intended to come into contact with food (replacing and repealing Directive 2002/72/EC).




## ECOGREEN POLYPROPYLENE

Ecogreen Polypropylene is an environment-friendly solution as it can give a new lease of life to recycled plastic obtained from waste-to-energy processing of post-consumer plastic.



**54 01**

grey  
ecogreen



## POLYPROPYLENE 5A

5A Polypropylene is a composite material obtained by mixing first grade polypropylene with a fraction of polypropylene obtained from selected post-industrial material. This raw material can guarantee high performance.



**5A 01**

grey  
regenerated



## CONDUCTIVE POLYPROPYLENE - ESD

Conductive polypropylene is a top quality plastic material, perfectly suitable for ensuring protection from electrostatic discharges. Conductive polypropylene boxes can be used to safely store and handle sensitive electronic components.




**52 07**

black  
PP - ESD

## TECHNICAL SPECIFICATIONS

STANDARD MATERIAL	Polypropylene copolymer (PPC)
ELECTROCONDUCTIVE ADDITIVE	Carbon black
COLOUR	Black
DENSITY, AT 23°C	1.04 g/cm <sup>3</sup>
VICAT SOFTENING TEMPERATURE	154° C ISO 306
TEMPERATURE OF USE	Permanent: approx. 80-100°C For a short time: approx. 100-120°C
SURFACE RESISTANCE	< 10 <sup>4</sup> Ω cm (measured according to CEI EN 61340-2-3 at 20°C with a 5 cm <sup>2</sup> annular electrode).
SPECIFIC RESISTIVITY	10 <sup>4</sup> Ω cm (measured according to CEI EN 61340-2-3 at 20°C with a 5 cm <sup>2</sup> annular electrode)
AGEING	No conductivity decrease (in 7 years of use) no migration of corrosive substances, excellent resistance to UV radiation.
RESISTANCE TO CHEMICALS	Excellent (according to the PP classification, generally valid)

## CONDUCTIVITY SCALE



# OUR RAW MATERIALS



## POLYSTYRENE

Polystyrene is a transparent, hard and bright resin, used for the production of extensible drawers with tilting opening of the Practibox line, for RK dividers and for divider box lids. It is highly transparent, which makes the contents of drawers perfectly visible, and features excellent mechanical strength, making it a durable and reliable product over time.



68 96

transparent  
polystyrene



## ABS

ABS is the result of a successful combination between a resin and an elastomer, and owes its success to the excellent technical properties that characterise it. Outstandingly bright and with better surface aesthetics than other polymers, it is a rigid, resilient plastic material, with a high degree of resistance to scratches and impacts. It is used in the production of Practibox chests of drawers, which can be integrated in racks, in trolleys or fixed directly to walls.



## materials test laboratory



Courtesy of INSTRON ITALY

Our laboratory carries out composition analyses, mechanical, thermal and functional tests on the materials used and on the structure of the boxes and containers that we manufacture. Over the years we have developed considerable problem solving expertise and optimisation of logistics processes, to supply service that is line with our customers' requirements.

## production processes



A mixture of various "grains" and colours, heated up to obtain a homogeneous and plastic mixture, is placed inside the mould to acquire the desired shape and become a crate, or a finishing element, or a mechanical part. The process is easy to describe but likely to be affected by a countless variables - knowledgeably and passionately managed by Fami's experts. The presses and moulds, the core elements of our production facilities, are connected to each other through silos, sliding rollers, control stations, as well as technical and commercial input that make up the company's value chain. Before being put on the market, each product is tested and checked so that there are no imperfections; after this test, it is made available to the customer.

www.tor-mec.com



ITALGEAR



FAAC



# CUSTOMISED MARKING



STEEL INSERT  
INTEGRATED INTO THE  
MOULD

for the production of boxes with  
embossed logos



HOT MARKING WITH  
3 PRINTING PLATE TYPES

- up to 100 cm<sup>2</sup>
- from 101 to 250 cm<sup>2</sup>
- from 251 to ... cm<sup>2</sup>



COLOURS AVAILABLE FOR HOT MARKING



GREEN



RED



BLUE



YELLOW



BLACK



WHITE

FOR SPECIAL COLOURS PLEASE REQUEST A FEASIBILITY ANALYSIS AND QUOTATION

# EURO BOX





# EURO BOX

The Euro Box series containers, available in a variety of materials and sizes, are used in all sectors and ideally respond to both storage and distribution needs. Stackable with and without lids, they comply with euro-pallet dimensional requirements. Edges and reinforcements have been designed to give the containers a structure such as to make them resistant to even the heaviest loads. The containers' bottoms and walls can be either solid or perforated. The handles can be either open or closed. The different composition of these elements allows for various solutions and can be adapted to customised requirements.

## HAND GRIP

open hand grip



closed hand grip



## SIDE WALLS

solid side walls



perforated side walls



LONG side walls with window



SHORT side walls with window




## BOTTOM


solid bottom




reinforced bottom




perforated bottom



bottom pre-set for wheels



## CODING Euro Box



## RAW MATERIAL



51 01

grey polypropylene



51 XB

turquoise polypropylene



52 07

black PP - ESD



59 00

white PP - food compliant



54 01

grey ecogreen

# EURO BOX

## 200x150 mm



ART.		container dim. mm		min. purchase order	sales lots	pallet dim. mm	availability
	<b>51 01</b>			one unit	one unit		on stock
	<b>51 XB</b>			480 units (pallet)	480 units (pallet)		on stock
<b>FAX EB 2115 A 0</b>	<b>52 07</b>	200 x 150 x 150 h	2,7	216 units	24 units	1200 x 800 x 2280 h	on request
	<b>54 01</b>			216 units	24 units		on request
	<b>59 00</b>			216 units	24 units		on request

**A**

SOLID side walls


SOLID side walls  
closed hand grip

SOLID bottom

Volume in litres  
per single unit

**CUSTOMISED MARKING**  
On request

### TECHNICAL MEASURES



ART. CONTAINER	A	B	C	D	E	F	G	H	I	L
<b>FAX EB 2115 A 0</b>	201	167	158	165	140	151	151	116	109	115

Material/  
colour range

**51 01** grey  
polypropylene

**51 XB** turquoise  
polypropylene

**52 07** black  
PP - ESD

**59 00** white  
PP - food compliant

**54 01** grey  
ecogreen

**OTHER COLOURS ON REQUEST**



# EURO BOX

## 300x200 mm



ART.		container dim. mm		min. purchase order	sales lots	pallet dim. mm	availability
FAX EB 3212 A 0	<b>51 01</b>	300 x 200 x 120 h	5	one unit	one unit	1200 x 800 x 2240 h	on stock
	<b>51 XB</b>			320 units (pallet)	320 units (pallet)		on stock
	<b>52 07</b>			208 units	16 units		on request
	<b>54 01</b>			208 units	16 units		on request
	<b>59 00</b>			208 units	16 units		on request
FAX EB 3217 A 0	<b>51 01</b>	300 x 200 x 170 h	7	one unit	one unit	1200 x 800 x 2320 h	on stock
	<b>51 XB</b>			224 units (pallet)	224 units (pallet)		on stock
	<b>52 07</b>			204 units	12 units		on request
	<b>54 01</b>			204 units	12 units		on request
	<b>59 00</b>			204 units	12 units		on request

A



SOLID side walls



SOLID side walls  
closed hand grip



SOLID bottom



Volume in litres  
per single unit



CUSTOMISED  
MARKING  
On request

 Material/colour  
range



**51 01** grey  
polypropylene



**51 XB** turquoise  
polypropylene



**52 07** black  
PP - ESD



**59 00** white  
PP - food compliant



**54 01** grey  
ecogreen


 OTHER COLOURS  
ON REQUEST

## ACCESSORIES



### PACKING SLIP FIXING SPRING

ART.	dim. mm	min. purchase order	availability
FAX EB MB0 000 00 99	75 x 20 x 20 h	one unit	on stock



### CLOSING HOOKS

ART.	min. purchase order	units per package	availability
FAX EB GNO 000 81 13	package	10	on stock

Pair of sliding hooks suitable for hinged lids for containers series Euro Box


closure with lead seal



### HINGED LID

ART.		dim. mm	min. purchase order	sales lots	availability
	51 01		one unit	one unit	on stock
	51 XB		2560 units (pallet)	2560 units (pallet)	on stock
FAX EB 32HG 00	52 07	300 x 200	200 units	10 units	on request
	54 01		200 units	10 units	on request
	59 00		200 units	10 units	on request

## TECHNICAL MEASURES



ART. containers	A	B	C	D	E	F	G	H	I	L
FAX EB 3212 A 0	298	268	259	268	102	120	199	168	161	168
FAX EB 3217 A 0	298	267	259	267	151	170	198	166	160	167

# EURO BOX 400x300 mm



ART.		container dim. mm		min. purchase order	sales lots	pallet dim. mm	availability
FAX EB 4305 A 0	<b>51 01</b>	400 x 300 x 55 h	3,8	400 units (pallet)	400 units (pallet)	1200 x 800 x 2280 h	<b>on stock</b>
	<b>51 XB</b>			400 units (pallet)	400 units (pallet)		<b>on stock</b>
	<b>52 07</b>			200 units	20 units		on request
	<b>54 01</b>			200 units	20 units		on request
	<b>59 00</b>			200 units	20 units		on request
FAX EB 4308 A 0	<b>51 01</b>	400 x 300 x 75 h	6	<b>one unit</b>	<b>one unit</b>	1200 x 800 x 2335 h	<b>on stock</b>
	<b>51 XB</b>			280 units (pallet)	280 units (pallet)		<b>on stock</b>
	<b>52 07</b>			210 units	14 units		on request
	<b>54 01</b>			210 units	14 units		on request
	<b>59 00</b>			210 units	14 units		on request
FAX EB 4312 A 0	<b>51 01</b>	400 x 300 x 120 h	10	<b>one unit</b>	<b>one unit</b>	1200 x 800 x 2230 h	<b>on stock</b>
	<b>51 XB</b>			160 units (pallet)	160 units (pallet)		<b>on stock</b>
	<b>52 07</b>			160 units (pallet)	160 units (pallet)		<b>on stock</b>
	<b>54 01</b>			<b>one unit</b>	<b>one unit</b>		<b>on stock</b>
	<b>59 00</b>			200 units	8 units		on request
FAX EB 4312 H 0	<b>51 01</b>	400 x 300 x 120 h	10	160 units (pallet)	160 units (pallet)	1200 x 800 x 2230 h	<b>on stock</b>
	<b>51 XB</b>			160 units (pallet)	160 units (pallet)		<b>on stock</b>
	<b>52 07</b>			200 units	8 units		on request
	<b>54 01</b>			200 units	8 units		on request
	<b>59 00</b>			200 units	8 units		on request
FAX EB 4312 C 0	<b>51 01</b>	400 x 300 x 120 h	10	160 units (pallet)	160 units (pallet)	1200 x 800 x 2230 h	<b>on stock</b>
	<b>51 XB</b>			160 units (pallet)	160 units (pallet)		<b>on stock</b>
	<b>52 07</b>			200 units	8 units		on request
	<b>54 01</b>			200 units	8 units		on request
	<b>59 00</b>			200 units	8 units		on request



 Material/  
colour range



**51 01** grey polypropylene



**51 XB** turquoise polypropylene



**52 07** black PP - ESD



**59 00** white PP - food compliant



**54 01** grey ecogreen

 OTHER COLOURS ON REQUEST



**A**



SOLID side walls



SOLID side walls  
closed hand grip



SOLID bottom

**H**



PERFORATED  
side walls



SOLID side walls  
closed hand grip



PERFORATED  
bottom

**C**



SOLID side walls



SOLID side walls  
closed hand grip



REINFORCED  
bottom



Volume in litres  
per single unit



**CUSTOMISED  
MARKING**  
On request

ART.		container dim. mm		min. purchase order	sales lots	pallet dim. mm	availability	
FAX EB 4317 A O	51 01	400 x 300 x 170 h	15	one unit	one unit	1200 x 800 x 2320 h	on stock	
	51 XB			112 units (pallet)	112 units (pallet)		on stock	
	52 07			112 units (pallet)	112 units (pallet)		on stock	
	54 01			one unit	one unit		on stock	
	59 00			204 units	6 units		on request	
FAX EB 4317 C O	51 01	400 x 300 x 170 h	15	112 units (pallet)	112 units (pallet)	1200 x 800 x 2320 h	on stock	
	51 XB			112 units (pallet)	112 units (pallet)		on stock	
	52 07			204 units	6 units		on request	
	54 01			204 units	6 units		on request	
	59 00			204 units	6 units		on request	
FAX EB 4322 A O	51 01	400 x 300 x 220 h	20	one unit	one unit	1200 x 800 x 2200 h	on stock	
	51 XB			80 units (pallet)	80 units (pallet)		on stock	
	52 07			80 units (pallet)	80 units (pallet)		on stock	
	54 01			one unit	one unit		on stock	
	59 00			200 units	4 units		on request	
FAX EB 4322 B O	51 01	400 x 300 x 220 h	20	one unit	one unit	1200 x 800 x 2200 h	on stock	
	51 XB			80 units (pallet)	80 units (pallet)		on stock	
	52 07			200 units	4 units		on request	
	59 00			200 units	4 units		on request	
FAX EB 4322 D O	51 01	400 x 300 x 220 h	20	80 units (pallet)	80 units (pallet)	1200 x 800 x 2200 h	on stock	
	51 XB			80 units (pallet)	80 units (pallet)		on stock	
	52 07			200 units	4 units		on request	
	59 00			200 units	4 units		on request	
FAX EB 4332 A O	51 01	400 x 300 x 325 h	30	one unit	one unit	1200 x 800 x 2300 h	on stock	
	51 XB			56 units (pallet)	56 units (pallet)		on stock	
	52 07			56 units (pallet)	56 units (pallet)		on stock	
	54 01			one unit	one unit		on stock	
	59 00			200 units	2 units		on request	
FAX EB 4332 B O	51 01	400 x 300 x 325 h	30	56 units (pallet)	56 units (pallet)	1200 x 800 x 2300 h	on stock	
	51 XB			56 units (pallet)	56 units (pallet)		on stock	
	52 07			200 units	2 units		on request	
	59 00			200 units	2 units		on request	



<b>A</b>			
	SOLID side walls	SOLID side walls closed hand grip	SOLID bottom
<b>B</b>			
	SOLID side walls	SOLID side walls open hand grip	SOLID bottom
<b>C</b>			
	SOLID side walls	SOLID side walls closed hand grip	REINFORCED bottom
<b>D</b>			
	SOLID side walls	SOLID side walls open hand grip	REINFORCED bottom

 Volume in litres  
per single unit

 **CUSTOMISED MARKING**  
On request



# EURO BOX 400x300 ACCESSORIES

## HINGED LID



ART.		dim. mm	min. purchase order	sales lots	availability
FAX EB43 HG 00	51 01	400 x 300	one unit	one unit	on stock
	51 XB		640 units (pallet)	640 units (pallet)	on stock
	52 07		640 units (pallet)	640 units (pallet)	on stock
	54 01		one unit	one unit	on stock
	59 00		640 units (pallet)	640 units (pallet)	on stock






## LID WITH HANDLES




ART.		dim. mm	min. purchase order	sales lots	availability
FAX EB43 SE 00	51 01	400 x 300	one unit	one unit	on stock
	51 XB		480 units (pallet)	480 units (pallet)	on stock
	52 07		480 units (pallet)	480 units (pallet)	on stock
	54 01		200 units	10 units	on request
	59 00		200 units	10 units	on request

## TECHNICAL MEASURES



ART. containers	A	B	C	D	E	F	G	H	I	L
FAX EB 4305 A 0	402	366	355	364	36	55	302	265	255	266
FAX EB 4308 A 0	400	369	355	365	57	75	300	268	255	267
FAX EB 4312 A 0	401	369	358	367	102	121	300	268	258	267
FAX EB 4312 C 0	402	369	358	366	94	121	300	268	253	265
FAX EB 4312 H 0	402	369	353	364	102	120	300	269	253	264
FAX EB 4317 A 0	402	370	358	367	152	171	300	268	258	268
FAX EB 4317 C 0	401	370	359	367	145	170	300	269	258	268
FAX EB 4322 A 0	401	370	358	367	202	221	301	270	258	268
FAX EB 4322 B 0	401	369	358	368	202	221	301	267	257	267
FAX EB 4322 D 0	401	370	358	364	195	221	301	270	258	264
FAX EB 4332 A 0	402	371	357	367	306	325	301	268	258	268
FAX EB 4332 B 0	401	369	357	367	305	324	300	268	257	267

Material/colour range:
   
**51 01** grey polypropylene
   
**51 XB** turquoise polypropylene
   
**52 07** black PP - ESD
   
**59 00** white PP - food compliant
   
**54 01** grey ecogreen
   
 OTHER COLOURS ON REQUEST



### CLOSING HOOKS

ART.	min. purchase order	units per package	availability
<b>FAX EB GNO 000 81 13</b>	package	10	on stock

Pair of sliding hooks suitable for hinged lids for containers series Euro Box

closure with lead seal



### PACKING SLIP FIXING SPRING

ART.	dim. mm	min. purchase order	availability
<b>FAX EB MB0 000 00 99</b>	75 x 20 x 20 h	one unit	on stock

## DIVIDER BOX

### DIVIDER BOX



ART.		dim. mm	min. purchase order	units per box	availability
<b>FAX EB 43S1 00</b>	<b>54 07</b>	256 x 178 x 90 h	box	20	on stock
	<b>52 07</b>		box		on stock



ART.		dim. mm	min. purchase order	units per box	availability
<b>FAX EB 43S2 00</b>	<b>54 07</b>	256 x 178 x 90 h	box	20	on stock
	<b>52 07</b>		box		on stock



ART.		dim. mm	min. purchase order	units per box	availability
<b>FAX EB 43S4 00</b>	<b>54 07</b>	256 x 178 x 90 h	box	20	on stock
	<b>52 07</b>		box		on stock



### TRANSPARENT LID

PS

ART.	dim. mm	min. purchase order	units per box	availability
<b>FAX EB LID 400 68 96</b>	256 x 178	box	20	on stock

## EXAMPLES OF BOX DIVISION



BOX DIVIDED WITH

1 ART. FAX EB 43S1 00 \_\_\_\_\_  
1 ART. FAX EB 43S2 00 \_\_\_\_\_



BOX DIVIDED WITH

1 ART. FAX EB 43S1 00 \_\_\_\_\_  
1 ART. FAX EB 43S4 00 \_\_\_\_\_



BOX DIVIDED WITH

1 ART. FAX EB 43S2 00 \_\_\_\_\_  
1 ART. FAX EB 43S4 00 \_\_\_\_\_



54 07

black  
ecogreen

# EURO BOX

## 600x400 mm



ART.		container dim. mm		min. purchase order	sales lots	pallet dim. mm	availability
FAX EB 6408 A O	51 01	600 x 400 x 75 h	10	one unit	one unit	1200 x 800 x 2345 h	on stock
	51 XB			140 units (pallet)	140 units (pallet)		on stock
	52 07			140 units (pallet)	140 units (pallet)		on stock
	54 01			140 units (pallet)	140 units (pallet)		on stock
	59 00			140 units (pallet)	140 units (pallet)		on stock
FAX EB 6412 A O	51 01	600 x 400 x 120 h	20	one unit	one unit	1200 x 800 x 2240 h	on stock
	51 XB			80 units (pallet)	80 units (pallet)		on stock
	52 07			80 units (pallet)	80 units (pallet)		on stock
	54 01			one unit	one unit		on stock
	59 00			80 units (pallet)	80 units (pallet)		on stock
FAX EB 6412 G O	51 01	600 x 400 x 120 h	20	80 units (pallet)	80 units (pallet)	1200 x 800 x 2240 h	on stock
	51 XB			80 units (pallet)	80 units (pallet)		on stock
	52 07			80 units (pallet)	80 units (pallet)		on stock
	54 01			80 units (pallet)	80 units (pallet)		on stock
	59 00			80 units (pallet)	80 units (pallet)		on stock
FAX EB 6412 H O	51 01	600 x 400 x 120 h	20	80 units (pallet)	80 units (pallet)	1200 x 800 x 2240 h	on stock
	51 XB			80 units (pallet)	80 units (pallet)		on stock
	52 07			80 units (pallet)	80 units (pallet)		on stock
	54 01			80 units (pallet)	80 units (pallet)		on stock
	59 00			80 units (pallet)	80 units (pallet)		on stock
FAX EB 6412 C O	51 01	600 x 400 x 120 h	20	80 units (pallet)	80 units (pallet)	1200 x 800 x 2240 h	on stock
	51 XB			80 units (pallet)	80 units (pallet)		on stock
	52 07			80 units (pallet)	80 units (pallet)		on stock
	54 01			80 units (pallet)	80 units (pallet)		on stock
	59 00			80 units (pallet)	80 units (pallet)		on stock



 Material/colour range
 
 51 01 grey polypropylene
 

 51 XB turquoise polypropylene
 

 52 07 black PP - ESD
 

 59 00 white PP - food compliant
 

 54 01 grey ecogreen
 

 OTHER COLOURS ON REQUEST

ART.		container dim. mm		min. purchase order	sales lots	pallet dim. mm	availability
FAX EB 6417 A O		600 x 400 x 170 h	30	one unit	one unit	1200 x 800 x 2330 h	on stock
				56 units (pallet)	56 units (pallet)		on stock
				56 units (pallet)	56 units (pallet)		on stock
				one unit	one unit		on stock
				201 units	3 units		on request
FAX EB 6417 C O		600 x 400 x 170 h	30	56 units (pallet)	56 units (pallet)	1200 x 800 x 2330 h	on stock
				56 units (pallet)	56 units (pallet)		on stock
				201 units	3 units		on request
				201 units	3 units		on request
				201 units	3 units		on request
FAX EB 6422 A O		600 x 400 x 220 h	40	one unit	one unit	1200 x 800 x 2200 h	on stock
				40 units (pallet)	40 units (pallet)		on stock
				200 units	2 units		on request
				one unit	one unit		on stock
				200 units	2 units		on request
FAX EB 6422 B O		600 x 400 x 220 h	40	one unit	one unit	1200 x 800 x 2200 h	on stock
				40 units (pallet)	40 units (pallet)		on stock
				200 units	2 units		on request
				200 units	2 units		on request
				200 units	2 units		on request
FAX EB 6422 S O		600 x 400 x 220 h	40	40 units (pallet)	40 units (pallet)	1200 x 800 x 2200 h	on stock
				40 units (pallet)	40 units (pallet)		on stock
				200 units	2 units		on request
				200 units	2 units		on request
				200 units	2 units		on request

**A**



SOLID side walls



SOLID side walls  
closed hand grip



SOLID bottom

**G**



PERFORATED  
side walls




SOLID side walls  
closed hand grip



SOLID bottom


**B**



SOLID side walls



SOLID side walls  
open hand grip



SOLID bottom


**H**



PERFORATED  
side walls



SOLID side walls  
closed hand grip



PERFORATED  
bottom

**C**



SOLID side walls



SOLID side walls  
closed hand grip



REINFORCED  
bottom

**S**



PERFORATED  
side walls



PERFORATED  
side walls  
open hand grip



PERFORATED  
bottom



Volume in litres  
per single unit



CUSTOMISED  
MARKING  
On request

# EURO BOX 600x400 mm

ART.		container dim. mm		min. purchase order	sales lots	pallet dim. mm	availability
FAX EB 6422 D O	51 01	600 x 400 x 220 h	40	40 units (pallet)	40 units (pallet)	1200 x 800 x 2200 h	on stock
	51 XB			40 units (pallet)	40 units (pallet)		on stock
	52 07			200 units	2 units		on request
	59 00			200 units	2 units		on request
FAX EB 6428 A O	51 01	600 x 400 x 285 h	53	one unit	one unit	1200 x 800 x 2270 h	on stock
	51 XB			32 units (pallet)	32 units (pallet)		on stock
	52 07			200 units	2 units		on request
	54 01			32 units (pallet)	32 units (pallet)		on stock
	59 00			200 units	2 units		on request
FAX EB 6428 B O	51 01	600 x 400 x 285 h	53	32 units (pallet)	32 units (pallet)	1200 x 800 x 2270 h	on stock
	51 XB			32 units (pallet)	32 units (pallet)		on stock
	52 07			200 units	2 units		on request
	59 00			200 units	2 units		on request
FAX EB 6428 D O	51 01	600 x 400 x 285 h	53	32 units (pallet)	32 units (pallet)	1200 x 800 x 2270 h	on stock
	51 XB			32 units (pallet)	32 units (pallet)		on stock
	52 07			200 units	2 units		on request
	59 00			200 units	2 units		on request
FAX EB 6432 A O	51 01	600 x 400 x 325 h	60	one unit	one unit	1200 x 800 x 3275 h	on stock
	51 XB			40 units (pallet)	40 units (pallet)		on stock
	52 07			40 units (pallet)	40 units (pallet)		on stock
	54 01			one unit	one unit		on stock
	59 00			40 units (pallet)	40 units (pallet)		on stock
FAX EB 6432 B O	51 01	600 x 400 x 325 h	60	one unit	one unit	1200 x 800 x 3275 h	on stock
	51 XB			40 units (pallet)	40 units (pallet)		on stock
	52 07			201 units	3 units		on request
	59 00			201 units	3 units		on request
FAX EB 6432 R O	51 01	600 x 400 x 325 h	60	40 units (pallet)	40 units (pallet)	1200 x 800 x 3275 h	on stock
	51 XB			40 units (pallet)	40 units (pallet)		on stock
	52 07			201 units	3 units		on request
	59 00			201 units	3 units		on request
FAX EB 6432 D O	51 01	600 x 400 x 325 h	60	40 units (pallet)	40 units (pallet)	1200 x 800 x 3275 h	on stock
	51 XB			40 units (pallet)	40 units (pallet)		on stock
	52 07			201 units	3 units		on request
	59 00			201 units	3 units		on request
FAX EB 6443 B O	51 01	600 x 400 x 430 h	90	one unit	one unit	1200 x 800 x 2200 h	on stock
	51 XB			20 units (pallet)	20 units (pallet)		on stock
	52 07			200 units	one unit		on request
	59 00			200 units	one unit		on request
FAX EB 6443 R O	51 01	600 x 400 x 430 h	90	20 units (pallet)	20 units (pallet)	1200 x 800 x 2200 h	on stock
	51 XB			20 units (pallet)	20 units (pallet)		on stock
	52 07			200 units	one unit		on request
	59 00			200 units	one unit		on request



 Material/colour range
 
 PP
 
 PP
 
 ESD
 
 food compliant
 
 recycling
 
 ecogreen

 OTHER COLOURS ON REQUEST

ART.		container dim. mm	L	min. purchase order	sales lots	pallet dim. mm	availability
FAX EB 6443 U 0	51 01	600 x 400 x 430 h	90	20 units (pallet)	20 units (pallet)	1200 x 800 x 2200 h	on stock
	51 XB			20 units (pallet)	20 units (pallet)		on stock
	52 07			200 units	one unit		on request
	59 00			200 units	one unit		on request
FAX EB 6443 V 0	51 01	600 x 400 x 430 h	90	20 units (pallet)	20 units (pallet)	1200 x 800 x 2200 h	on stock
	51 XB			20 units (pallet)	20 units (pallet)		on stock
	52 07			200 units	one unit		on request
	59 00			200 units	one unit		on request




U



V

A



SOLID side walls



SOLID side walls  
closed hand grip



SOLID bottom

R



PERFORATED  
side walls



PERFORATED side walls  
open hand grip



SOLID bottom

B



SOLID side walls




SOLID side walls  
open hand grip



SOLID bottom

D



SOLID side walls



SOLID side walls  
open hand grip



REINFORCED bottom

U



SOLID side walls



1 side wall with window  
1 solid side wall with  
handle



SOLID bottom

V



1 side wall with window  
1 solid side wall



SOLID side walls  
open hand grip



SOLID bottom




Volume in litres  
per single unit



CUSTOMISED  
MARKING  
On request

## TECHNICAL MEASURES



ART. containers	A	B	C	D	E	F	G	H	I	L	M
FAX EB 6408 A O	602	566	555	563	58	77	404	366	355	364	606
FAX EB 6412 A O	601	569	558	567	101	121	402	369	356	366	601
FAX EB 6412 C O	602	570	554	565	95	121	402	370	354	365	601
FAX EB 6412 G O	601	569	557	566	102	121	402	370	357	366	601
FAX EB 6412 H O	601	569	557	565	101	120	401	369	356	365	601
FAX EB 6417 A O	603	570	556	567	151	171	402	369	357	366	603
FAX EB 6417 C O	602	571	559	566	137	171	402	370	359	365	601
FAX EB 6422 A O	602	570	557	567	201	221	402	369	356	366	603
FAX EB 6422 B O	601	568	556	566	201	221	401	370	356	366	604
FAX EB 6422 D O	602	571	558	567	186	222	405	371	357	367	607
FAX EB 6422 S O	602	570	555	564	199	221	401	370	355	364	605
FAX EB 6428 A O	603	571	556	565	262	281	401	370	357	365	608
FAX EB 6428 B O	600	569	556	565	262	280	400	369	356	364	605
FAX EB 6428 D O	603	572	558	566	251	281	401	369	357	365	603
FAX EB 6432 A O	603	571	558	566	307	326	402	371	356	365	603
FAX EB 6432 B O	602	570	557	567	307	326	402	371	357	365	607
FAX EB 6432 D O	603	570	558	567	294	328	402	371	358	367	608
FAX EB 6432 R O	602	570	558	567	307	326	402	371	358	366	605
FAX EB 6443 B O	603	573	558	568	413	431	401	370	358	367	603
FAX EB 6443 R O	603	573	558	566	411	430	401	368	358	366	605
FAX EB 6443 V O	602	572	557	566	411	430	401	369	356	365	601
FAX EB 6443 U O	603	573	558	567	412	431	401	370	358	366	602

## EURO BOX 600x400 ACCESSORIES

### HINGED LID



ART.		dim. mm	min. purchase order	units per pallet	availability
FAX EB 64HG 00	51 01	600 x 400	one unit		on stock
	51 XB		pallet	on stock	
	52 07		pallet	on stock	
	54 01		one unit	on stock	
	59 00		pallet	on stock	



### LID WITH HANDLES



ART.		dim. mm	min. purchase order	units per pallet	availability
FAX EB 64SE 00	51 01	600 x 400	one unit		on stock
	51 XB		pallet	on stock	
	52 07		pallet	on stock	
	54 01		200 units	on request	
	59 00		200 units	on request	



closure with lead seal

### CLOSING HOOKS

ART.	min. purchase order	units per package	availability
FAX EB GN0 000 81 13	package	10	on stock


Pair of sliding hooks suitable for hinged lids for containers series Euro Box



### PACKING SLIP FIXING SPRING

ART.	dim. mm	min. purchase order	availability
FAX EB MB0 000 00 99	75 x 20 x 20 h	one unit	on stock

# DIVIDER BOX




ART.		dim. mm	min. purchase order	units per box	availability
FAX EB 64S0 00	54 07	277 x 177 x 99 h	box	20	on stock
	52 07		box		on stock



ART.		dim. mm	min. purchase order	units per box	availability
FAX EB 64S1 00	54 07	357 x 278 x 90 h	box	10	on stock
	52 07		box		on stock



ART.		dim. mm	min. purchase order	units per box	availability
FAX EB 64S2 00	54 07	357 x 278 x 90 h	box	10	on stock
	52 07		box		on stock



ART.		dim. mm	min. purchase order	units per box	availability
FAX EB 64S4 00	54 07	357 x 278 x 90 h	box	10	on stock
	52 07		box		on stock



TRANSPARENT LID

PS

ART.		dim. mm	min. purchase order	units per box	availability
FAX EB LID 600 68 96		357 x 278	box	20	on stock

## EXAMPLES OF BOX DIVISION



BOX DIVIDED WITH

1 ART. FAX EB 64S 100 \_\_\_\_\_  
1 ART. FAX EB 64S 200 \_\_\_\_\_



BOX DIVIDED WITH

1 ART. FAX EB 64S 100 \_\_\_\_\_  
1 ART. FAX EB 64S 400 \_\_\_\_\_



BOX DIVIDED WITH

1 ART. FAX EB 64S 200 \_\_\_\_\_  
1 ART. FAX EB 64S 400 \_\_\_\_\_



# EURO BOX

## 800x600 mm



ART.		container dim. mm		min. purchase order	sales lots	pallet dim. mm	availability
FAX EB 8612 C O	51 01	800 x 600 x 120 h	49	one unit	one unit	1200 x 800 x 2300 h	on stock
	51 XB			40 units (pallet)	40 units (pallet)		on stock
	52 07			40 units (pallet)	40 units (pallet)		on stock
	54 01			200 units	4 units		on request
	59 00			200 units	4 units		on request
FAX EB 8617 C O	51 01	800 x 600 x 170 h	69	one unit	one unit	1200 x 800 x 2300 h	on stock
	51 XB			28 units (pallet)	28 units (pallet)		on stock
	52 07			28 units (pallet)	28 units (pallet)		on stock
	54 01			201 units	3 units		on request
	59 00			201 units	3 units		on request
FAX EB 8622 C O	51 01	800 x 600 x 220 h	90	one unit	one unit	1200 x 800 x 2200 h	on stock
	51 XB			20 units (pallet)	20 units (pallet)		on stock
	52 07			20 units (pallet)	20 units (pallet)		on stock
	54 01			200 units	2 units		on request
	59 00			200 units	2 units		on request
FAX EB 8632 C O	51 01	800 x 600 x 325 h	130	one unit	one unit	1200 x 800 x 2320 h	on stock
	51 XB			14 units (pallet)	14 units (pallet)		on stock
	52 07			14 units (pallet)	14 units (pallet)		on stock
	54 01			200 units	2 units		on request
	59 00			200 units	2 units		on request
FAX EB 8643 C O	51 01	800 x 600 x 430 h	175	one unit	one unit	1200 x 800 x 2230 h	on stock
	51 XB			10 units (pallet)	10 units (pallet)		on stock
	52 07			10 units (pallet)	10 units (pallet)		on stock
	54 01			200 units	one unit		on request
	59 00			200 units	one unit		on request

 Material/colour range
 
 51 01 grey polypropylene
 

 51 XB turquoise polypropylene
 

 52 07 black PP - ESD
 

 59 00 white PP - food compliant
 

 54 01 grey ecogreen
 

 OTHER COLOURS ON REQUEST

**C**



SOLID side walls



SOLID side walls  
closed hand grip



REINFORCED bottom




**CUSTOMISED MARKING**  
On request



Volume in litres  
per single unit

## TECHNICAL MEASURES



ART. containers	A	B	C	D	E	F	G	H	I	L	M
FAX EB 8612 <b>C</b> 0	804	770	755	764	85	121	605	568	554	563	824
FAX EB 8617 <b>C</b> 0	803	769	754	763	135	173	602	568	554	563	818
FAX EB 8622 <b>C</b> 0	805	770	755	764	186	222	603	567	554	562	820
FAX EB 8632 <b>C</b> 0	804	771	756	764	293	329	603	569	554	563	820
FAX EB 8643 <b>C</b> 0	803	770	755	763	392	429	602	568	553	562	817



# EURO BOX 800x600 ACCESSORIES



## LID WITH HANDLES

ART.		dim. mm	min. purchase order	sales lots	availability
FAX EB 86SE 00	51 01	800 x 600	one unit	one unit	on stock
	51 XB		60 units (pallet)	60 units (pallet)	on stock
	52 07		60 units (pallet)	60 units (pallet)	on stock
	54 01		200 units	5 units	on request
	59 00		200 units	5 units	on request



## PACKING SLIP FIXING SPRING

ART.	dim. mm	availability
FAX EB MB0 000 00 99	75 x 20 x 20	on stock

 Material/colour range
 
 51 01 grey polypropylene
 
 51 XB turquoise polypropylene
 
 52 07 black PP - ESD
 
 59 00 white PP - food compliant
 
 54 01 grey ecogreen
 

 OTHER COLOURS ON REQUEST

### STANDARD RUBBER SWIVEL WHEEL WITH BRAKE



ART.	Ø mm	C mm	
C RG DAC11 100	100	128	
C RG DAC12 125	125	155	

### STANDARD RUBBER FIXED WHEEL



ART.	Ø mm	C mm	
C RG BAC11 100	100	128	
C RG BAC12 125	125	155	

### STANDARD RUBBER SWIVEL WHEEL WITHOUT BRAKE



ART.	Ø mm	C mm	
C RG CAC11 100	100	128	
C RG CAC12 125	125	155	

Set of 16 screws for fixing the wheels to the box.



ART. FVT01380000

### NYLON SWIVEL WITH BRAKE



ART.	Ø mm	C mm	
C RN DAD10 100	100	128	
C RN DAD11 125	125	155	

### NYLON FIXED WHEEL



ART.	Ø mm	C mm	
C RN BAD10 100	100	128	
C RN BAD11 125	125	155	

### NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE



ART.	Ø mm	C mm	
C RG DPH22 125	125	155	

### NON-MARKING RUBBER FIXED WHEEL



ART.	Ø mm	C mm	
C RG BPH22 125	125	155	

## TROLLEYS FOR CONTAINERS



ART.	kg	Ø mm	
F CP 2011 01 99	150	100 mm	

Dimensions mm 615x415x170 h  
4 standard rubber swivel wheels without brakes Ø 100 mm

TROLLEYS FOR CONTAINERS  
SERIES EURO BOX - EURO BOX LIGHT



ART.	kg	Ø mm	
F CP 2011 02 99	150	100 mm	

Dimensions mm 695x415x170/870 h  
4 standard rubber swivel wheels without brakes Ø 100 mm

TROLLEYS FOR CONTAINERS  
SERIES EURO BOX - EURO BOX LIGHT

LTR. 40

# EURO BOX LIGHT

The Euro Box Light series boxes have been designed and built for the most up-to-date storage and handling techniques concerning a wide variety of materials. Lightweight and handy, they are available in grey or turquoise polypropylene, in the food-safe and conductive versions. Unlike the Euro Box series, they are available with larger holes that allow for better ventilation and product visibility.

# HAND GRIP



open hand grip



closed hand grip



# SIDE WALLS

solid side walls



perforated side walls




# BOTTOM

solid bottom



perforated bottom



# SOLUTIONS

**A**



SOLID side walls



SOLID side walls  
closed hand grip



SOLID bottom

**B**



SOLID side walls



SOLID side walls  
open hand grip



SOLID bottom

**S**



PERFORATED  
side walls



PERFORATED side walls  
open hand grip



PERFORATED  
bottom

# RAW MATERIAL



**51 01**

grey  
polypropylene



**51 XB**

turquoise  
polypropylene



**52 07**

black  
PP - ESD



**54 01**


grey  
ecogreen



**59 00**

white  
PP - food compliant

# CODING Euro Box Light



# EURO BOX LIGHT 600x400 mm



LARGER HOLES ALLOWING FOR BETTER VENTILATION AND PRODUCT VISIBILITY

ART.		container dim. mm		min. purchase order	sales lots	pallet dim. mm	availability
FAX EL 6422 A O	51 01	600 x 400 x 220 h	40	40 units (pallet)	40 units (pallet)	1200 x 800 x 2200 h	on stock
	51 XB			40 units (pallet)	40 units (pallet)		on stock
	52 07			one unit	one unit		on stock
	54 01			200 units	2 units		on request
	59 00			200 units	2 units		on request
FAX EL 6422 B O	51 01	600 x 400 x 220 h	40	40 units (pallet)	40 units (pallet)	1200 x 800 x 2200 h	on stock
	51 XB			40 units (pallet)	40 units (pallet)		on stock
	52 07			200 units	2 units		on request
	59 00			200 units	2 units		on request
FAX EL 6422 S O	51 01	600 x 400 x 220 h	40	40 units (pallet)	40 units (pallet)	1200 x 800 x 2200 h	on stock
	51 XB			40 units (pallet)	40 units (pallet)		on stock
	52 07			200 units	2 units		on request
	59 00			200 units	2 units		on request

A

SOLID side walls

SOLID side walls  
closed hand grip

SOLID bottom

---

B

SOLID side walls

SOLID side walls  
open hand grip

SOLID bottom

---

S

PERFORATED  
side walls

PERFORATED side walls  
open hand grip

PERFORATED  
bottom

Volume in litres  
per single unit

**CUSTOMISED MARKING**  
On request

Material/  
colour range

51 01 grey polypropylene

51 XB turquoise polypropylene

52 07 black PP - ESD

59 00 white PP - food compliant

54 01 grey ecogreen

OTHER COLOURS  
ON REQUEST

971

# ACCESSORIES

## HINGED LID



ART.		dim. mm	min. purchase order	sales lots	availability
	51 01	600 x 400	one unit	one unit	on stock
	51 XB		320 units (pallet)	320 units (pallet)	on stock
FAX EB64 HG 00	52 07		320 units (pallet)	320 units (pallet)	on stock
	54 01		one unit	one unit	on stock
	59 00		320 units (pallet)	320 units (pallet)	on stock

## LID WITH HANDLES



ART.		dim. mm	min. purchase order	sales lots	availability
	51 01	600 x 400	one unit	one unit	on stock
	51 XB		240 units (pallet)	240 units (pallet)	on stock
FAX EB64 SE 00	52 07		240 units (pallet)	240 units (pallet)	on stock
	54 01		200 units	10 units	on request
	59 00		200 units	10 units	on request



closure with lead seal

## CLOSING HOOKS

ART.	min. purchase order	units per package	availability
FAX EB GN0 000 81 13	package	10	on stock




Pair of sliding hooks suitable for hinged lids for containers series Euro Box



## PACKING SLIP FIXING SPRING

ART.	dim. mm	min. purchase order	availability
FAX EB MB0 000 00 99	75 x 20 x 20 h	one unit	on stock

## TECHNICAL MEASURES



ART. containers	A	B	C	D	E	F	G	H	I	L
FAX EL 6422 A 0	601	568	554	560	200	220	401	367	355	361
FAX EL 6422 B 0	601	569	555	560	200	220	400	368	354	360
FAX EL 6422 S 0	600	568	554	559	198	220	400	367	354	360