MODULAR STRUCTURE FOR CONTAINERS AND BOXES SERIES: EURO BOX, EURO BOX LIGHT, PICKING BOX, STORAGE BOX





### **TECHNICAL SPECIFICATIONS**

Suitable for insertion of EURO BOX, EURO BOX LIGHT, PICKING BOX and STORAGE BOX series PP boxes/containers and Storage Steel iron containers, the F TR series shelving is available in two different heights:

- -1010 mm
- -2010 mm

The pair of guides supporting the container is height-adjustable, has a maximum capacity of 50 kg and allows the simultaneous use of containers of the same size but with different heights.

Each span capacity is 250 kg. The system modular construction allows for the expansion of existing systems at any time.



#### STRENGTHENING TOP SHELVES

The shelves are fixed to the top part of each span and, in addition to reinforcing the shelving, also act as dust covers.



#### PAIR OF GUIDES

The pair of guides is designed to ensure that the box sliders are fixed to the uprights and secured with the special clip. Height-adjustable.

CAPACITY 50 kg



#### SIDE PANELS

The sides are supplied pre-assembled, with 25 mm pitch side slots, and are equipped with foot supports for fixing to the floor.

SPAN CAPACITY 250 kg



#### PAIR OF STRENGTHENING SOCKETS

The sockets are fastened with four self-tapping screws to the sides of the side panels to improve the structure stability.





FOR CONTAINERS
400x300 mm



#### ART. F TR S200 B1 99

H = 2010 mm

9 art. FAX EB 4317 AO 51 O1, 18 art. FAX EB 4308 AO 51 O1 5 art. FAX EB 4332 BO 51 O1, 12 art. FAX EB 4312 AO 51 O1

METAL COLOURS



GALVANISED



BOXES AND CONTAINERS SEE PAGE B10 (EURO BOX)



AVAILABLE IN TWO DIFFERENT HEIGHTS

CONFIGURE YOUR SHELVING FROM PAGE B153

#### FLOOR FIXING SET

#### ART. F NC 8999 00 99



Floor fixing kit consisting of 2 M8x75 mm steel expansion bolts for non-cracked concrete floors, class higher than or equal to: C20/25.

FLOOR FIXING IS MANDATORY











## Configure your shelving






SHELF DEPTH 400 mm

#### INSERTION WORKING HEIGHT 1900 mm











	ART.	Type of span mm	kg
1	F TR D200 40 99	Dual basic span with crossbar 2010 H	250
2	F TR E200 40 99	Extra single span 2010 H	250
3	F TR F200 40 99	Extra dual span with crossbar 2010 H	250
4	F TR G100 40 99	Single basic span 1010 h	250
5	F TR E100 40 99	Single extra span 1010 h	250
6	F TR 9040 00 99	Pair of galvanised guides	50

dim. mm	guide pitch	
400x300x55 H	75 mm	
400x300x78 H	100 mm	
400x300x120 H	150 mm	
400x300x170 H	200 mm	
400x300x220 H	250 mm	
400x300x325 H	350 mm	

CONTAINERS SEE PAGE B10 (EURO BOX)	300 LOO
--	---------



### FOR CONTAINERS 600x400 mm



#### • ART. F TR S200 C1 99

H = 2010 mm 18 art. FAX EB 6412 AO 51 01, 11 art. FAX EB 6422 BO 51 01

METAL COLOURS



GALVANISED QQ



CONTAINERS
SEE PAGE B10 (EURO BOX)



AVAILABLE IN TWO DIFFERENT HEIGHTS

CONFIGURE YOUR SHELVING FROM PAGE B155

#### FLOOR FIXING SET

#### ART. F NC 8999 00 99



Floor fixing kit consisting of 2 M8x75 mm steel expansion bolts for non-cracked concrete floors, class higher than or equal to: C20/25.

FLOOR FIXING IS MANDATORY












## CONFIGURE YOUR SHELVING





#### SHELF DEPTH 600 mm

#### INSERTION WORKING HEIGHT 1900 mm












	ART.	Type of span mm	kg
1	FTR D200 60 99	Dual basic span with crossbar 2010 H	250
2	FTR E200 60 99	Extra single span 2010 H	250
3	FTR F200 60 99	Extra dual span with crossbar 2010 H	250
4	FTRG1006099	Single basic span 1010 h	250
5	F TR E100 60 99	Single extra span 1010 h	250
6	FTR90800099	Pair of galvanised guides	50

dim. mm	guide pitch	
600x400x78 H	100 mm	
600x400x120 H	150 mm	
600x400x170 H	200 mm	
600x400x220 H	250 mm	
600x400x285 H	325 mm	
600x400x325 H	350 mm	
600x400x430 H	450 mm	





FOR CONTAINERS
350/300x200 mm





#### ART. F TR S200 D1 99

H= 2010 mm

10 art. FAX PB C3A2 B0 51 03, 10 art. FAX PB C3A2 B0 51 04, 10 art. FAX PB C3A2 B0 51 02, 10 art. FAX PB C003 B0 51 05, 10 art. FAX PB C003 B0 51 03







GALVANISED



CONTAINERS

SEE PAGE B66 (PICKING BOX) - B80 (STORAGE BOX)



AVAILABLE IN TWO DIFFERENT HEIGHTS

CONFIGURE YOUR SHELVING FROM PAGE B157

#### FLOOR FIXING SET

#### ART. F NC 8999 00 99



Floor fixing kit consisting of 2 M8x75 mm steel expansion bolts for non-cracked concrete floors, class higher than or equal to: C20/25.

FLOOR FIXING IS MANDATORY












# CONFIGURE YOUR SHELVING






#### SHELF DEPTH 350 mm

INSERTION WORKING HEIGHT 1900 mm





#### INSERTION WORKING HEIGHT 900 mm





	ART.	Type of span mm	kg
1	F TR D200 35 99	Dual basic span with crossbar 2010 H	250
2	F TR E200 35 99	Extra single span 2010 H	250
3	F TR F200 35 99	Extra dual span with crossbar 2010 H	250
4	F TR G100 35 99	Single basic span 1010 h	250
5	F TR E100 35 99	Single extra span 1010 h	250
6	F TR 9020 00 99	Pair of galvanised guides	50

ref.	guide pitch
mes. 3A2	175 mm
mes. 3	225 mm
mes. 272-3A2	175 mm
mes. 272-3	225 mm

CONTAINERS	
SEE PAGE	30
B66 (PICKING BOX) -	300 350
B80 (STORAGE BOX)	
	350
	0 × × 350



#### • ART. F TR S200 E2 99

H = 2010 mm

8 art. FAX PB C004B0 51 02, 8 art. FAX PB C004B0 51 03, 8 art. FAX PB C004B0 51 04, 8 art. FAX PB C004B0 51 05

FOR CONTAINERS **500/450x300 mm** 



**PICKING BOX** 



STORAGE BOX





GALVANISED



CONTAINERS

SEE PAGE B66 (PICKING BOX) - B80 (STORAGE BOX)



AVAILABLE IN TWO DIFFERENT HEIGHTS

CONFIGURE YOUR SHELVING FROM PAGE B159

#### FLOOR FIXING SET

#### ART. F NC 8999 00 99



Floor fixing kit consisting of 2 M8x75 mm steel expansion bolts for non-cracked concrete floors, class higher than or equal to: C20/25.

FLOOR FIXING IS MANDATORY












### CONFIGURE YOUR SHELVING





#### SHELF DEPTH 500 mm

INSERTION WORKING HEIGHT 1900 mm











	ART.	Type of span mm	kg
1	F TR D200 50 99	Dual basic span with crossbar 2010 H	250
2	F TR E200 50 99	Extra single span 2010 H	250
3	F TR F200 50 99	Extra dual span with crossbar 2010 H	250
4	F TR G100 50 99	Single basic span 1010 h	250
5	F TR E100 50 99	Single extra span 1010 h	250
6	F TR 9060 00 99	Pair of galvanised guides	50

ref.	guide pitch
mes. 4A2	200 mm
mes. 4	225 mm
mes. 4A5	325 mm
mes. 272-4A2	150 mm
mes. 272-4	225 mm
mes. 272-4A5	325 mm

