


10 STEEL COLOURS

8 PLASTIC COLOURS

100% EXTENSIBLE DRAWERS

VERSATILE DRAWER CHESTS

OF THE MASTER SERIES






WORK MASTER

TECHNICAL SPECIFICATION

COLOURS

DRAWER CABINETS



10 colours for the metal parts



8 colours for plastic accessories



FRONT HANDLE



CABINET DRAWERS

New, flexible extension guide with mechanical adjustment of the drawer rear stop in 3 different positions.



92% = 100 Kg
96% = 75 Kg
100% = 50 Kg

MULTI-PURPOSE-PANEL

CAN BE ADDED ON REQUEST
TO COMPLETE YOUR WORK BENCH
SEE PAGE 859





CYLINDER CLOSURE




Transmission system from the cylinder to the head of the vertebrate bar by means of steel wire, with elastic sheath and linear movement.

The cylinder closure lock is divided into 23 different series: each series has keys numbered from 1 to 160, for a total of 3,680 different combinations.

SUPPLIED AS STANDARD WITH 2 KEYS

FLEXIBLE EXTENSION DRAWERS

LOCK WITH DIGITAL CODE




In addition to the standard cylinder closure system, Fami has decided to add a digital code locking system (it can handle up to 10 users with 3 to 8 digit codes), which controls the opening and closing of the vertebrate bar. The event history can be downloaded by connecting the keypad to the PC with a cable. Up to 10 remote controls are available on request.

VERTEBRATE BAR

THE SYSTEM'S HEART AND BRAINS

The bar is an aluminium profile section that is always fixed and never rotates. The closing movement is obtained via blocks that move vertically - driven by one of the basic forces of physics: gravity. The simpler the movement, the less likely the possible breaks. Bar locking is obtained via a locking bolt system provided on the bar head.





● ART. M BI A228 C0 10 04 04
H = 840 mm - 1 drawer

METAL COLOURS

GREY RAL 7000 .01	GREEN RAL 6011 .02	BLUE RAL 5012 .04	GREY RAL 7035 .08	GREY WHITE RAL 9002 .1F	RUBY RED RAL 3003 .1G	GENTIAN BLUE RAL 5010 .34	PURE WHITE RAL 9010 .35	ANTHRACITE GREY RAL 7016 .39	BLUE CAPRI RAL 5019 .48

PLASTIC parts
colour range



DARK GREY
.M0



CONFIGURE YOUR BENCH FROM PAGE 723

MULTI-PURPOSE-PANEL SEE PAGE 859



PARTITIONING MATERIAL SEE PAGE 721/379



DRAWER PRE-SETTING KIT SEE PAGE 722

KEY



DEPTH



BENCH
CLOSURE



BENCH
CAPACITY



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

MULTIPLEX WORKTOP THICKNESS 40 mm



ART.				
M BI A228 00 00 01 04	750 mm	-	1200	
M BI A328 00 00 01 04	800 mm	-	1200	

 Multiplex bottom shelf ART. F BI 1135 00 00
 Dimensions mm 1140x612x25 H
 Capacity 130 kg



Cabinet dim. mm 561x726x200 H (27x36 EH)

ART.				
M BI A228 C0 10 04 04	750 mm	key	1200	
M BI A328 C0 10 04 04	800 mm	key	1200	

 Multiplex bottom shelf ART. F BI 1135 00 00
 Dimensions mm 1140x612x25 H
 Capacity 130 kg



Cabinet dim. mm 561x726x300 H (27x36 EH)

ART.				
M BI A228 C0 10 07 04	750 mm	key	1200	
M BI A328 C0 10 07 04	800 mm	key	1200	

 Multiplex bottom shelf ART. F BI 1135 00 00
 Dimensions mm 1140x612x25 H
 Capacity 130 kg



Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A228 C0 10 16 04	750 mm	key	1500	
M BI A328 C0 10 16 04	800 mm	key	1500	
M BI A228 E2 10 16 04	750 mm	code	1500	
M BI A328 E2 10 16 04	800 mm	code	1500	

 Multiplex bottom shelf ART. F BI 0575 01 01
 Dimensions mm 580x612x25 H
 Capacity 180 kg



Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A228 C0 10 30 04	750 mm	key	1500	
M BI A328 C0 10 30 04	800 mm	key	1500	
M BI A228 E2 10 30 04	750 mm	code	1500	
M BI A328 E2 10 30 04	800 mm	code	1500	

 Multiplex bottom shelf ART. F BI 0575 01 01
 Dimensions mm 580x612x25 H
 Capacity 180 kg

MULTIPLEX WORKTOP THICKNESS 40 mm



Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A228 C0 10 31 04	750 mm	key	1500	
M BI A328 C0 10 31 04	800 mm	key	1500	
M BI A228 E2 10 31 04	750 mm	code	1500	
M BI A328 E2 10 31 04	800 mm	code	1500	



Multiplex bottom shelf ART. F BI 0575 01 01
Dimensions mm 580x612x25 H
Capacity 180 kg



Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A228 C0 10 32 04	750 mm	key	1500	
M BI A328 C0 10 32 04	800 mm	key	1500	
M BI A228 T2 10 32 04	750 mm	code	1500	
M BI A328 T2 10 32 04	800 mm	code	1500	



Multiplex bottom shelf ART. F BI 0575 01 01
Dimensions mm 580x612x25 H
Capacity 180 kg



ART.				
M BI A228 00 00 22 04	750 mm	key	1200	
M BI A328 00 00 22 04	800 mm	key	1200	

With 4 Schuko sockets 220-250V 10A 2P+E and
thermo-magnetic switch 2P 230V AC 10A, cabled



Multiplex bottom shelf ART. F BI 0947 01 01
Dimensions mm 951x612x25 H
Capacity 180 kg



ART.				
M BI A228 00 00 21 04	750 mm	key	1200	
M BI A328 00 00 21 04	800 mm	key	1200	

With recessed 120 mm steel vice



Multiplex bottom shelf ART. F BI 0825 01 01
Dimensions mm 829x612x25 H
Capacity 180 kg



ART. M BI A228 C0 10 AA NQ

Master workbench with 1 cabinet with 1 drawer

(H front 1x100 mm) + 2 legs H 800 mm

2 support columns H 632 mm

1 perforated panel mm 973x304 H

1 shelf mm 955x320 H

Dim.mm 1300x750x840 H

METAL COLOUR RED RAL 3003 +

WHITE RAL 9010

PLASTIC COLOUR DARK GREY

NOT INCLUDED TOOLS, HOOKS AND CONTAINERS



● ART. M BI A242 C0 10 07 04
H = 840 mm - 1 drawer

METAL COLOURS

GREY RAL 7000 .01	GREEN RAL 6011 .02	BLUE RAL 5012 .04	GREY RAL 7035 .08	GREY WHITE RAL 9002 .1F	RUBY RED RAL 3003 .1G	GENTIAN BLUE RAL 5010 .34	PURE WHITE RAL 9010 .35	ANTHRACITE GREY RAL 7016 .39	BLUE CAPRI RAL 5019 .48

PLASTIC parts
colour range



DARK GREY
.M0



CONFIGURE YOUR BENCH FROM PAGE 723

MULTI-PURPOSE-PANEL SEE PAGE 859



PARTITIONING MATERIAL SEE PAGE 721/379



DRAWER PRE-SETTING KIT SEE PAGE 722

KEY



DEPTH



BENCH
CLOSURE



BENCH
CAPACITY



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

MULTIPLEX WORKTOP THICKNESS 40 mm



ART.				
M BI A242 00 00 01 04	750 mm	-	800	
M BI A342 00 00 01 04	800 mm	-	800	



Multiplex bottom shelf ART. F BI 1340 00 00
Dimensions mm 1340x612x25 H
Capacity 130 kg



1 drawer
100

Cabinet dim. mm 561x726x200 H (27x36 EH)

ART.				
M BI A242 C0 10 04 04	750 mm	key	800	
M BI A342 C0 10 04 04	800 mm	key	800	



Multiplex bottom shelf ART. F BI 1340 00 00
Dimensions mm 1340x612x25 H
Capacity 130 kg



1 drawer
200

Cabinet dim. mm 561x726x300 H (27x36 EH)

ART.				
M BI A242 C0 10 07 04	750 mm	key	800	
M BI A342 C0 10 07 04	800 mm	key	800	



Multiplex bottom shelf ART. F BI 1340 00 00
Dimensions mm 1340x612x25 H
Capacity 130 kg



3 drawers
50
100
150

Cabinet dim. mm 561x726x400 H (27x36 EH)

ART.				
M BI A242 C0 10 10 04	750 mm	key	800	
M BI A342 C0 10 10 04	800 mm	key	800	
M BI A242 E2 10 10 04	750 mm	code	800	
M BI A342 E2 10 10 04	800 mm	code	800	



Multiplex bottom shelf ART. F BI 1340 00 00
Dimensions mm 1340x612x25 H
Capacity 130 kg



4 drawers
100
100
200
300

Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A242 C0 10 16 04	750 mm	key	1500	
M BI A342 C0 10 16 04	800 mm	key	1500	
M BI A242 E2 10 16 04	750 mm	code	1500	
M BI A342 E2 10 16 04	800 mm	code	1500	



Multiplex bottom shelf ART. F BI 0773 01 01
Dimensions mm 780x612x25 H
Capacity 180 kg

MULTIPLEX WORKTOP THICKNESS 40 mm



Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.					
M BI A242 C0 10 30 04	750 mm	key	1500		
M BI A342 C0 10 30 04	800 mm	key	1500		
M BI A242 E2 10 30 04	750 mm	code	1500		
M BI A342 E2 10 30 04	800 mm	code	1500		



Multiplex bottom shelf ART. F BI 0773 01 01
Dimensions mm 780x612x25 H
Capacity 180 kg



Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.					
M BI A242 C0 10 32 04	750 mm	key	1500		
M BI A342 C0 10 32 04	800 mm	key	1500		
M BI A242 T2 10 32 04	750 mm	code	1500		
M BI A342 T2 10 32 04	800 mm	code	1500		



Multiplex bottom shelf ART. F BI 0773 01 01
Dimensions mm 780x612x25 H
Capacity 180 kg



Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.					
M BI A242 C0 10 58 04	750 mm	key	1500		
M BI A342 C0 10 58 04	800 mm	key	1500		
M BI A242 E2 10 58 04	750 mm	code	1500		
M BI A342 E2 10 58 04	800 mm	code	1500		

With 4 Schuko sockets 220-250V 10A 2P+E and
thermo-magnetic switch 2P 230V AC 10A, cabled



Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.					
M BI A242 C0 10 49 04	750 mm	key	1500		
M BI A342 C0 10 49 04	800 mm	key	1500		
M BI A242 E2 10 49 04	750 mm	code	1500		
M BI A342 E2 10 49 04	800 mm	code	1500		


With recessed 120 mm steel vice



ART. M BI A242 C0 11 AB 1F

Master workbench with 1 cabinet with 6 drawers
(H front mm 1x50 - 2x100 - 2x150 - 1x200) + 1 leg H 850 mm
2 support columns H 1240 mm
2 perforated panels mm 1458x304 H
1 shelf mm 1440x220 H
1 aluminium slide track
Dim. mm 1500x750x890 H
METAL COLOUR GREY WHITE RAL 9002 +
PLASTIC COLOUR BLUE MEDITERRANEAN

NOT INCLUDED TOOLS, HOOKS, LAMP, RACEWAYS AND CONTAINERS



● **ART. M BI A270 C0 10 10 04**

H = 840 mm – 3 drawers

 METAL COLOURS

									
GREY RAL 7000	GREEN RAL 6011	BLUE RAL 5012	GREY RAL 7035	GREY WHITE RAL 9002	RUBY RED RAL 3003	GENTIAN BLUE RAL 5010	PURE WHITE RAL 9010	ANTHRACITE GREY RAL 7016	BLUE CAPRI RAL 5019
.01	.02	.04	.08	.1F	.1G	.34	.35	.39	.48

PLASTIC parts
colour range



DARK GREY
.M0



CONFIGURE YOUR BENCH FROM PAGE 723

MULTI-PURPOSE-PANEL SEE PAGE 859



PARTITIONING MATERIAL SEE PAGE 721/379



DRAWER PRE-SETTING KIT SEE PAGE 722

KEY



DEPTH



BENCH
CLOSURE



BENCH
CAPACITY



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

MULTIPLEX WORKTOP THICKNESS 40 mm



ART.				
M BI A270 00 00 01 04	750 mm	-	500	
M BI A370 00 00 01 04	800 mm	-	500	



Multiplex bottom shelf ART. F BI 1840 00 00
Dimensions mm 1840x612x25 H
Capacity 85 kg



1 drawer
100

Cabinet dim. mm 561x726x200 H (27x36 EH)

ART.				
M BI A270 C0 10 04 04	750 mm	key	500	
M BI A370 C0 10 04 04	800 mm	key	500	



Multiplex bottom shelf ART. F BI 1840 00 00
Dimensions mm 1840x612x25 H
Capacity 85 kg



1 drawer
200

Cabinet dim. mm 561x726x300 H (27x36 EH)

ART.				
M BI A270 C0 10 07 04	750 mm	key	500	
M BI A370 C0 10 07 04	800 mm	key	500	



Multiplex bottom shelf ART. F BI 1840 00 00
Dimensions mm 1840x612x25 H
Capacity 85 kg



3 drawers
50
100
150

Cabinet dim. mm 561x726x400 H (27x36 EH)

ART.				
M BI A270 C0 10 10 04	750 mm	key	500	
M BI A370 C0 10 10 04	800 mm	key	500	
M BI A270 E2 10 10 04	750 mm	code	500	
M BI A370 E2 10 10 04	800 mm	code	500	



Multiplex bottom shelf ART. F BI 1840 00 00
Dimensions mm 1840x612x25 H
Capacity 85 kg



4 drawers
100
100
200
300

Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A270 C0 10 16 04	750 mm	key	800	
M BI A370 C0 10 16 04	800 mm	key	800	
M BI A270 E2 10 16 04	750 mm	code	800	
M BI A370 E2 10 16 04	800 mm	code	800	



Multiplex bottom shelf ART. F BI 1275 01 01
Dimensions mm 1280x612x25 H
Capacity 130 kg

MULTIPLEX WORKTOP THICKNESS 40 mm



Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A270 C0 10 13 04	750 mm	key	1500	
M BI A370 C0 10 13 04	800 mm	key	1500	
M BI A270 E2 10 13 04	750 mm	code	1500	
M BI A370 E2 10 13 04	800 mm	code	1500	



Multiplex bottom shelf ART. F BI 0710 02 01
Dimensions mm 720x612x25 H
Capacity 180 kg



Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A270 C0 10 28 04	750 mm	key	1500	
M BI A370 C0 10 28 04	800 mm	key	1500	
M BI A270 T2 10 28 04	750 mm	code	1500	
M BI A370 T2 10 28 04	800 mm	code	1500	



Multiplex bottom shelf ART. F BI 0710 02 01
Dimensions mm 720x612x25 H
Capacity 180 kg



Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A270 C0 10 58 04	750 mm	key	800	
M BI A370 C0 10 58 04	800 mm	key	800	
M BI A270 E2 10 58 04	750 mm	code	800	
M BI A370 E2 10 58 04	800 mm	code	800	

With 4 Schuko sockets 220-250V 10A 2P+E and thermo-magnetic switch 2P 230V AC 10A, cabled



Multiplex bottom shelf ART. F BI 1082 02 01
Dimensions mm 1091x612x25 H
Capacity 130 kg




Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A270 C0 10 49 04	750 mm	key	800	
M BI A370 C0 10 49 04	800 mm	key	800	
M BI A270 E2 10 49 04	750 mm	code	800	
M BI A370 E2 10 49 04	800 mm	code	800	

With recessed 120 mm steel vice




Multiplex bottom shelf ART. F BI 0960 02 01
Dimensions mm 969x612x25 H
Capacity 180 kg



ART. M BI A270 T2 11 AC 50

Master workbench with 1 cabinet with 3 drawers
(H front mm 1x75 - 2x100) + 1 door H 400 mm + 1 piano
estraibile
1 bench leg H 800 mm with electric system
art. F BL 9620 10 00+ pneumatic system art. F BL 9660 80 07
3 support columns H 1240 mm
6 perforated panels mm 973x304 H
2 aluminium slide tracks
Dim.mm 2000x750x840 H
METAL COLOUR GREY RAL 7035 + BLUE RAL 5012
PLASTIC COLOUR BLUE MEDITERRANEAN

IT DOES NOT INCLUDE: TOOLS, HOOKS, LAMP, MULTIPLE
SOCKET BOX, BALANCER SET AND PARTITIONING MATERIAL



● **ART. M BI A284 C0 10 10 04**
H = 840 mm – 3 drawers

METAL COLOURS

									
GREY RAL 7000 .01	GREEN RAL 6011 .02	BLUE RAL 5012 .04	GREY RAL 7035 .08	GREY WHITE RAL 9002 .1F	RUBY RED RAL 3003 .1G	GENTIAN BLUE RAL 5010 .34	PURE WHITE RAL 9010 .35	ANTHRACITE GREY RAL 7016 .39	BLUE CAPRI RAL 5019 .48

PLASTIC parts
colour range



DARK GREY
.M0



CONFIGURE YOUR BENCH FROM PAGE 723

MULTI-PURPOSE-PANEL SEE PAGE 859



PARTITIONING MATERIAL SEE PAGE 721/379



DRAWER PRE-SETTING KIT SEE PAGE 722

KEY



DEPTH



BENCH
CLOSURE



BENCH
CAPACITY



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

MULTIPLEX WORKTOP THICKNESS 40 mm



ART.					
M BI A284 00 00 01 04	750 mm	-		800	
M BI A384 00 00 01 04	800 mm	-		800	


 Multiplex bottom shelf ART. F BI 2100 00 00
 Dimensions mm 2340x612x25 H
 Capacity 260 kg



Cabinet dim. mm 561x726x400 H (27x36 EH)

ART.					
M BI A284 C0 10 10 04	750 mm	key		800	
M BI A384 C0 10 10 04	800 mm	key		800	
M BI A284 E2 10 10 04	750 mm	code		800	
M BI A384 E2 10 10 04	800 mm	code		800	

 Multiplex bottom shelf ART. F BI 2100 00 00
 Dimensions mm 2340x612x25 H
 Capacity 260 kg



Cabinet dim. mm 561x726x400 H (27x36 EH)

ART.					
M BI A284 C0 10 61 04	750 mm	key		800	
M BI A384 C0 10 61 04	800 mm	key		800	
M BI A284 E2 10 61 04	750 mm	code		800	
M BI A384 E2 10 61 04	800 mm	code		800	


 Multiplex bottom shelf ART. F BI 2100 00 00
 Dimensions mm 2340x612x25 H
 Capacity 260 kg



Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.					
M BI A284 C0 10 16 04	750 mm	key		350	
M BI A384 C0 10 16 04	800 mm	key		350	
M BI A284 E2 10 16 04	750 mm	code		350	
M BI A384 E2 10 16 04	800 mm	code		350	

 Multiplex bottom shelf ART. F BI 1775 01 01
 Dimensions mm 1780x612x25 H
 Capacity 85 kg




Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A284 C0 10 30 04	750 mm	key	350	
M BI A384 C0 10 30 04	800 mm	key	350	
M BI A284 E2 10 30 04	750 mm	code	350	
M BI A384 E2 10 30 04	800 mm	code	350	



Multiplex bottom shelf ART. F BI 1775 01 01
Dimensions mm 1780x612x25 H
Capacity 85 kg




Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A284 C0 10 58 04	750 mm	key	350	
M BI A384 C0 10 58 04	800 mm	key	350	
M BI A284 E2 10 58 04	750 mm	code	350	
M BI A384 E2 10 58 04	800 mm	code	350	



Multiplex bottom shelf ART. F BI 1582 02 01
Dimensions mm 1591x612x25 H
Capacity 85 kg

With 4 Schuko sockets 220-250V 10A 2P+E and
thermo-magnetic switch 2P 230V AC 10A, cabled




Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A284 C0 10 13 04	750 mm	key	800	
M BI A384 C0 10 13 04	800 mm	key	800	
M BI A284 E2 10 13 04	750 mm	code	800	
M BI A384 E2 10 13 04	800 mm	code	800	



Multiplex bottom shelf ART. F BI 1210 02 01
Dimensions mm 1220x612x25 H
Capacity 130 kg



Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A284 C0 10 28 04	750 mm	key	800	
M BI A384 C0 10 28 04	800 mm	key	800	
M BI A284 T2 10 28 04	750 mm	code	800	
M BI A384 T2 10 28 04	800 mm	code	800	



Multiplex bottom shelf ART. F BI 1210 02 01
Dimensions mm 1220x612x25 H
Capacity 130 kg




ART. M BI A284 C0 14 AD 34

Master workbench with 1 cabinet with 4 drawers
(H front mm 2x100 - 1x200 - 1x300) + 1 leg H 800 mm
3 support columns H 936 mm
2 perforated panels mm 973x304 H + 1 mm 1458x304 H
1 shelf mm 955x320 + 1 mm 1440x220 + 1 mm 1440x320
1 bottom shelf

Dim.mm 2500x750x840 H
METAL COLOUR BLUE RAL 5010
PLASTIC COLOUR RED CARPET

IT DOES NOT INCLUDE: TOOLS, HOOKS AND CONTAINERS



● **ART. M BI A498 C0 10 16 04**

H = 840 mm – 4 drawers

METAL COLOURS

GREY RAL 7000 .01	GREEN RAL 6011 .02	BLUE RAL 5012 .04	GREY RAL 7035 .08	GREY WHITE RAL 9002 .1F	RUBY RED RAL 3003 .1G	GENTIAN BLUE RAL 5010 .34	PURE WHITE RAL 9010 .35	ANTHRACITE GREY RAL 7016 .39	BLUE CAPRI RAL 5019 .48

PLASTIC parts
colour range



DARK GREY
.M0



CONFIGURE YOUR BENCH FROM PAGE 723

MULTI-PURPOSE-PANEL SEE PAGE 859



PARTITIONING MATERIAL SEE PAGE 721/379



DRAWER PRE-SETTING KIT SEE PAGE 722

KEY



DEPTH



BENCH
CLOSURE



BENCH
CAPACITY



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

MULTIPLEX WORKTOP THICKNESS 50 mm



ART.				
M BI A498 00 00 01 04	750 mm	-	800	
M BI A598 00 00 01 04	800 mm	-	800	



 Multiplex bottom shelf ART. F BI 2690 00 00
 Dimensions mm 2840x612x25 H
 Capacity 210 kg



Cabinet dim. mm 561x726x400 H (27x36 EH)

ART.				
M BI A498 C0 10 10 04	750 mm	key	800	
M BI A598 C0 10 10 04	800 mm	key	800	
M BI A498 E2 10 10 04	750 mm	code	800	
M BI A598 E2 10 10 04	800 mm	code	800	



 Multiplex bottom shelf ART. F BI 2690 00 00
 Dimensions mm 2840x612x25 H
 Capacity 210 kg



Cabinet dim. mm 561x726x400 h (27x36 EH)

ART.				
M BI A498 C0 10 61 04	750 mm	key	800	
M BI A598 C0 10 61 04	800 mm	key	800	
M BI A498 E2 10 61 04	750 mm	code	800	
M BI A598 E2 10 61 04	800 mm	code	800	


 Multiplex bottom shelf ART. F BI 2690 00 00
 Dimensions mm 2840x612x25 H
 Capacity 210 kg



Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A498 C0 10 16 04	750 mm	key	800	
M BI A598 C0 10 16 04	800 mm	key	800	
M BI A498 E2 10 16 04	750 mm	code	800	
M BI A598 E2 10 16 04	800 mm	code	800	


 Multiplex bottom shelf ART. F BI 2510 01 01
 Dimensions mm 2275x612x25 H
 Capacity 210 kg




Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A498 C0 10 30 04	750 mm	key	800	
M BI A598 C0 10 30 04	800 mm	key	800	
M BI A498 E2 10 30 04	750 mm	code	800	
M BI A598 E2 10 30 04	800 mm	code	800	



Multiplex bottom shelf ART. F BI 2510 01 01
Dimensions mm 2280x612x25 H
Capacity 210 kg



Cabinet dim. mm 561x726x800 h (27x36 EH)

ART.				
M BI A498 C0 10 28 04	750 mm	key	1500	
M BI A598 C0 10 28 04	800 mm	key	1500	
M BI A498 T2 10 28 04	750 mm	code	1500	
M BI A598 T2 10 28 04	800 mm	code	1500	




Multiplex bottom shelf ART. F BI 1710 02 01
Dimensions mm 1710x612x25 h
Capacity 360 kg



Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A498 C0 10 58 04	750 mm	key	800	
M BI A598 C0 10 58 04	800 mm	key	800	
M BI A498 E2 10 58 04	750 mm	code	800	
M BI A598 E2 10 58 04	800 mm	code	800	


With 4 Schuko sockets 220-250V 10A 2P+E and
thermo-magnetic switch 2P 230V AC 10A, cabled



Cabinet dim. mm 561x726x800 H (27x36 EH)

ART.				
M BI A498 C0 10 63 04	750 mm	key	1500	
M BI A598 C0 10 63 04	800 mm	key	1500	
M BI A498 E2 10 63 04	750 mm	code	1500	
M BI A598 E2 10 63 04	800 mm	code	1500	

With recessed 120 mm steel vice




ART. M BI A598 CO 10 AE 39

Master workbench with 1 cabinet with 5 drawers
(H front mm 1x50 - 2x100 - 1x150 - 1x300)
1 leg H 800 mm
1 cabinet with steel vice H 800 mm
3 support columns H 936 mm
4 perforated panels mm 1458x304 H
2 shelves mm 1440x320
Dim.mm 3000x800x850 H
METAL COLOUR GREY RAL 7016
PLASTIC COLOUR DARK GREY

IT DOES NOT INCLUDE: TOOLS, HOOKS, CONTAINERS,
RACEWAYS AND MAT

27x36 EH


PARTITIONING MATERIAL



ART. For front heights mm

F FH 8605 01 00 50 – 300


Set including: 12 troughs 4 grooves, 50 plain partitions 36 mm



ART. For front heights mm

F FH 8605 06 00 50 – 300


Set including: 12 troughs 3 grooves, 27 plain partitions 47 mm



ART. For front heights mm

F FH 8605 04 00 50 – 300

Set including: 12 troughs 2 grooves, 18 plain partitions 73 mm




ART. For front heights mm

F FH 8605 17 00 50

F FH 8607 17 00 75

Set including: 16 plastic boxes 75x75 mm, 8 plastic boxes 150x75 mm, 4 plastic boxes 150x150 mm




ART. For front heights mm

F FH 8605 18 00 50

F FH 8607 18 00 75

F FH 8610 18 00 100 – 125

Set including: 12 plastic boxes 150x75 mm, 6 plastic boxes 150x150 mm



ART. For front heights mm

F FH 8605 08 00 50

F FH 8607 08 00 75


F FH 8610 08 00 100 – 125

F FH 8615 08 00 150

F FH 8620 08 00 200 – 250

F FH 8630 08 00 300

Set including: 2 slotted partitions 610 mm, 3 plain partitions 149 mm



ART. For front heights mm

F FH 8605 09 00 50


F FH 8607 09 00 75

F FH 8610 09 00 100 – 125

F FH 8615 09 00 150

F FH 8620 09 00 200 – 250

Set including: 2 slotted partitions 610 mm, 10 plain partitions 149 mm



ART. For front heights mm


F FH 8605 10 00 50

F FH 8607 10 00 75

F FH 8610 10 00 100 – 125

F FH 8615 10 00 150

Set including: 3 slotted partitions 610 mm, 6 plain partitions 98 mm, 2 plain partitions 149 mm



ART. For front heights mm

F FH 8605 13 00 50

F FH 8607 13 00 75

F FH 8610 13 00 100 – 125


F FH 8615 13 00 150

F FH 8620 13 00 200 – 250

F FH 8630 13 00 300

Set including: 2 slotted partitions 610 mm

CONFIGURE A FAMI DRAWER WITH BETA TOOLS



ART. F FH 0907 50 07

Drawer pre-setting kit for Beta thermoformed trays consisting of:

no. 2 F HC 6071 00 07

no. 4 F HC 6471 00 07

no. 2 F HC 6871 00 07



no. 1 F HA 1120 00 99

no. 1 F HA 2120 00 99

1 unit = 1 Beta thermoformed tray (367x147 mm)

2 unit = 1 Beta thermoformed tray (367x294 mm)

EXEMPLES OF THERMOFORMED TRAY USE



CONFIGURE YOUR BENCH

ART. M BI A270 CO 11 AF 1F

Master workbench with 2 cabinets H 850 mm
with 6 drawers
(H front mm 1x50 - 2x100 - 2x150 - 1x200)
3 support colomns H 1240 mm
2 perforated panels mm 973x304 H
1 shelf mm 955x320
1 roller shutter cabinet
Dim.mm 2000x750x890 H
METAL COLOUR GREY WHITE RAL 9002
PLASTIC COLOUR BLUE MEDITERRANEAN

IT DOES NOT INCLUDE: TOOLS, HOOKS,
CONTAINERS AND WINDER



WORKTOP LOAD CAPACITY
LENGTH 1300 mm



TYPE OF WORKTOP	THICKNESS mm	kg	kg
Multiplex	40	1200	1500
Multiplex	50	1500	1500
3 CROSS-GLUED LAYERS	50	1500	1500
Laminate with solid wood/	40	1200	1500
Laminate	50	1500	1500

WORKTOP LOAD CAPACITY LENGTH 1500 mm



TYPE OF WORKTOP	THICKNESS mm	kg	kg	kg
Multiplex	40	800	1500	1500
Multiplex	50	1000	1500	1500
3 CROSS-GLUED LAYERS	50	1000	1500	1500
Laminate with solid wood/	40	800	1500	1500
Laminate	50	1000	1500	1500

WORKTOP LOAD CAPACITY LENGTH 2000 mm



TYPE OF WORKTOP	THICKNESS mm	kg	kg	kg
Multiplex	40	500	800	1500
Multiplex	50	700	1000	1500
3 CROSS-GLUED LAYERS	50	700	1000	1500
Laminate with solid wood/	40	500	800	1500
Laminate	50	700	1000	1500

WORKTOP LOAD CAPACITY LENGTH 2500 mm



TYPE OF WORKTOP	THICKNESS mm	kg	kg	kg
Multiplex	40	800	350	800
Multiplex	50	1000	500	1000
3 CROSS-GLUED LAYERS	50	1000	500	1000
Laminate with solid wood/	40	800	350	800
Laminate	50	1000	500	1000

WORKTOP LOAD CAPACITY LENGTH 3000 mm



TYPE OF WORKTOP	THICKNESS mm	kg	kg	kg	kg
Multiplex	50	800	800	1500	350
3 CROSS-GLUED LAYERS	50	800	800	1500	350
Laminate with solid wood/	50	800	800	1500	350
Laminate	50	800	800	1500	350

TOP

MULTIPLEX
BEECH WOOD



3 BEECH
WOOD CROSS
LAYERS




MULTIPLEX
WITH LAMINATE
AND SOLID WOOD
EDGES



GREY

MULTIPLEX
WITH LAMINATE
AND SOLID WOOD
EDGES



BLUE


THICKNESS mm	DIM. mm	ART.	ART.	ART.	ART.
30	1024x750	F BI A014 02 00	-	-	-
	1024x800	-	-	-	-
	1300x750	-	-	-	-
	1300x800	-	-	-	-
	1500x750	F BI A042 02 00	-	-	-
	1500x800	F BI A142 00 00	-	F BH A142 00 08	F BH A142 00 04
	2000x750	F BI A070 02 00	-	-	-
	2000x800	F BI A170 00 00	-	F BH A170 00 08	F BH A170 00 04
	2500x750	F BI A084 02 00	-	-	-
	2500x800	-	-	-	-
	3000x750	-	-	-	-
	3000x800	-	-	-	-
40	1024x750	F BI A214 00 00	-	F BH A214 00 08	F BH A214 00 04
	1024x800	-	-	-	-
	1300x750	F BI A228 00 00	-	F BH A228 00 08	F BH A228 00 04
	1300x800	F BI A328 00 00	-	F BH A328 00 08	F BH A328 00 04
	1500x750	F BI A242 00 00	-	F BH A242 00 08	F BH A242 00 04
	1500x800	F BI A342 00 00	-	F BH A342 00 08	F BH A342 00 04
	2000x750	F BI A270 00 00	-	F BH A270 00 08	F BH A270 00 04
	2000x800	F BI A370 00 00	-	F BH A370 00 08	F BH A370 00 04
	2500x750	F BI A284 00 00	-	F BH A284 00 08	F BH A284 00 04
	2500x800	F BI A384 00 00	-	F BH A384 00 08	F BH A384 00 04
50	1024x750	-	-	-	-
	1024x800	F BI A514 00 00	-	F BH A514 00 08	F BH A514 00 04
	1300x750	F BI A428 00 00	F BK A428 00 00	F BH A428 00 08	F BH A428 00 04
	1300x800	F BI A528 00 00	F BK A528 00 00	F BH A528 00 08	F BH A528 00 04
	1500x750	F BI A442 00 00	F BK A442 00 00	F BH A442 00 08	F BH A442 00 04
	1500x800	F BI A542 00 00	F BK A542 00 00	F BH A542 00 08	F BH A542 00 04
	2000x750	F BI A470 00 00	F BK A470 00 00	F BH A470 00 08	F BH A470 00 04
	2000x800	F BI A570 00 00	F BK A570 00 00	F BH A570 00 08	F BH A570 00 04
	2500x750	F BI A484 00 00	F BK A484 00 00	F BH A484 00 08	F BH A484 00 04
	2500x800	F BI A584 00 00	F BK A584 00 00	F BH A584 00 08	F BH A584 00 04
	3000x750	F BI A498 00 00	F BK A498 00 00	F BH A498 00 08	F BH A498 00 04
	3000x800	F BI A598 00 00	F BK A598 00 00	F BH A598 00 08	F BH A598 00 04

LAMINATE
COVERED
MULTIPLEX



GREY

LAMINATE
COVERED
MULTIPLEX



BLUE

ESD WORKTOP
ON REQUEST



ART.	ART.
-	-
-	-
-	-
-	-
-	-
F BH B142 00 08	F BH B142 00 04
-	-
F BH B170 00 08	F BH B170 00 04
-	-
-	-
-	-
F BH B214 00 08	F BH B214 00 04
-	-
F BH B228 00 08	F BH B228 00 04
F BH B328 00 08	F BH B328 00 04
F BH B242 00 08	F BH B242 00 04
F BH B342 00 08	F BH B342 00 04
F BH B270 00 08	F BH B270 00 04
F BH B370 00 08	F BH B370 00 04
F BH B284 00 08	F BH B284 00 04
F BH B384 00 08	F BH B384 00 04
-	-
F BH B514 00 08	F BH B514 00 04
F BH B428 00 08	F BH B428 00 04
F BH B528 00 08	F BH B528 00 04
F BH B442 00 08	F BH B442 00 04
F BH B542 00 08	F BH B542 00 04
F BH B470 00 08	F BH B470 00 04
F BH B570 00 08	F BH B570 00 04
F BH B484 00 08	F BH B484 00 04
F BH B584 00 08	F BH B584 00 04
F BH B498 00 08	F BH B498 00 04
F BH B598 00 08	F BH B598 00 04



LAMINATE
THICKNESS 9/10 mm



COVERS



COVER THICKNESS 12/10 mm IN MICROPERFORATED STEEL FOR MULTIPLEX SHELVES WITH H 20 mm "L"-SHAPING AT THE FRONT AND REAR, RESISTANT TO ABRASION AND EXPOSURE TO OIL AND GREASE

DIM. mm	ART. THICKNESS 20 mm	
1024x750	F BL 7900 00 99	
1024x800	F BL 7905 00 99	
1300x750	F BL 7915 00 99	
1300x800	F BL 7920 00 99	
1500x750	F BL 7930 00 99	
1500x800	F BL 7935 00 99	
2000x750	F BL 7960 00 99	
2000x800	F BL 7965 00 99	
2500x750	F BL 7975 00 99	
2500x800	F BL 7980 00 99	
3000x750	F BL 7990 00 99	
3000x800	F BL 7995 00 99	



COVER THICKNESS 8/10 mm MADE OF STEEL COVERED WITH OIL-PROOF RUBBER 12/10 - 15/10 mm FOR MULTIPLEX SHELVES, H 20 mm, AT THE FRONT AND REAR "L" SHAPING

DIM. mm	ART. THICKNESS 20 mm	
1024x750	F BL 2230 00 07	
1024x800	F BL 2235 00 07	
1300x750	F BL 2245 00 07	
1300x800	F BL 2250 00 07	
1500x750	F BL 2260 00 07	
1500x800	F BL 2265 00 07	
2000x750	F BL 2290 00 07	
2000x800	F BL 2295 00 07	
2500x750	F BL 2305 00 07	
2500x800	F BL 2310 00 07	
3000x750	F BL 2320 00 07	
3000x800	F BL 2325 00 07	







ART. F BL 9021 00 00
PRE-ASSEMBLING SET FOR BENCH LEG/CABINET
INCLUDING DRILLING AND FIXING SCREWS



MULTI-PURPOSE-PANEL
SEE PAGE 859



ACCESSORIES
SEE PAGE 871



BENCH LEG


ART.	Dim. mm
M 03 G070 0000 00 04	80x726x700 H
M 03 G080 0000 00 04	80x726x800 H
M 03 G085 0000 00 04	80x726x850 H



ADJUSTABLE BENCH LEG

ART.	Dim. mm
M 03 G110 0000 00	80x726x700/1100 H

	57		58		59		60		AB
	BX		HZ		ER		AF		DJ



CABINET WITH STEEL VICE

ART.	Dim. mm
M 03 M080 0101 00 04	312x726x800 H



BENCH LEG FOR ELECTRIC AND PNEUMATIC SYSTEM

ART.	Dim. mm
M 03 E070 0100 00 04	190x726x700 H
M 03 E080 0100 00 04	190x726x800 H



PLINTH 50 mm

ART.	Dim. mm
M 03 Z050 4000 00 04	312x726x50 H



PLINTH 50 mm

ART.	Dim. mm
M 03 Z050 3000 00 04	190x726x50 H



PNEUMATIC SYSTEM WITH SINGLE WINDER AND FILTER

ART.	H cabinet mm	
F BL 9670 70 07	700	
F BL 9670 80 07	800	

THE PNEUMATIC SYSTEM INCLUDES:

- 1 fix rear inlet with Ø 10 mm hose and connector (1/4") with pin (Ø 9-12 mm) used to link up to the pneumatic supply by means of an extension hose (not supplied standard).
- 1 front winder including 4 metres of hose with an internal diameter of 5,5 and a 1/4" threaded tool connector, capacity approx. 9 litres per second*.
- 1 fixed front outlet with Ø 10 mm hose and 1/4" threaded connector complete with plug, capacity approx. 11 litres per second*.
- 1 filter reducer assembly with pressure gauge which can be used at maximum pressure of 10 bar, capacity approx. 11 metres per second* at an operating pressure of 6.3 bar.

*capacity can vary according to the technical characteristics of the pneumatic supply to which the system is connected.



PNEUMATIC SYSTEM WITH SINGLE WINDER

ART.	H cabinet mm	
F BL 9660 70 07	700	
F BL 9660 80 07	800	

THE PNEUMATIC SYSTEM INCLUDES:

- 1 fix rear inlet with Ø 10 mm hose and connector (3/8") with pin (Ø 9-12 mm) used to link up to the pneumatic supply by means of an extension hose (not supplied standard).
- 1 front winder including 4 metres of hose with an internal diameter of 5,5 and a 1/4" threaded tool connector.
- 1 fixed front outlet with Ø 10 mm hose and 3/8" threaded connector complete with plug.

N.B. ALL THE UNIONS (EXCEPT FOR THOSE OF THE WINDER) ARE 3/8"



APPLICABLE ONLY ON BENCH LEG FOR POWER FITTINGS



ELECTRIC SYSTEM

ART.	D	F	GB	I	CH	IL	
F BL 9620 10 00	4	-	-	-	-	-	
F BL 9620 20 00	-	4	-	-	-	-	
F BL 9620 30 00	-	-	3	-	-	-	
F BL 9620 40 00	-	-	-	4	-	-	
F BL 9620 50 00	-	-	-	-	4	-	
F BL 9620 70 00	-	-	-	-	-	4	

The bench legs for power fittings are supplied standard with a side door with a cylinder lock and 2 keys. An electric and/or a pneumatic system can be fitted in these bench legs. The socket box is also fitted standard with a thermo-magnetic switch 2P 230V AC 10A and is connected (with a hard-wearing cable sheath) to a heavy duty socket 220-240V 16A 2P+E at the rear featuring a vertically sliding cover. The system is protected to IP30.

THE ELECTRIC SYSTEM INCLUDES A MULTIPLE SOCKET BOX FEATURING 6 TYPE OF SOCKETS:

- 4 sockets for large and small italian plugs 220-250V 10A 2P+E
- 4 Schuko sockets 220-250V 10A 2P+E
- 4 French sockets 220-250V 10A 2P+E
- 3 British sockets 220-250V 10A 2P+E
- 4 Swiss sockets 220-250V 10A 2P+E
- 4 Israeli sockets 220-250V 10A 2P+E



ART. F BL 9011 00 00

PRE-ASSEMBLING SET FOR CABINET INCLUDING DRILLING AND FIXING SCREWS

ART. M 00 T030 MD 00 FO 00

CABINET TOP SHELF DRILLING

(M 23 A020 C0 10 05 04 - M 23 A030 C0 10 06 04 NOT INCLUDED)

H 200 mm



27x36 EH

ART.				
M 23 A020 C0 10 05 04	50-75-100	100-96-92%	key	

CABINET WITHOUT DRAWER ART. **M 23 A020 C0 00 00 04**

DRAWER WITH DARK GREY PLASTIC ART. **M 23 C100 02 10 0F 04**

DRAWER WITHOUT DARK GREY PLASTIC ART. **M 23 C100 02 00 0F 04**

H 300 mm



27x36 EH

ART.				
M 23 A030 C0 10 06 04	50-75-100	100-96-92%	key	

CABINET WITHOUT DRAWER ART. **M 23 A030 C0 00 00 04**

DRAWER WITH DARK GREY PLASTIC ART. **M 23 C200 02 10 0F 04**

DRAWER WITHOUT DARK GREY PLASTIC ART. **M 23 C200 02 00 0F 04**

H 400 mm



27x36 EH

ART.				
M 23 A040 C0 10 01 04	50-75-100	100-96-92%	key	
M 23 A040 E2 10 01 04	50-75-100	100-96-92%	code	

H 800 mm



27x36 EH

ART.				
M 23 A080 C0 10 55 04	50-75-100	100-96-92%	key	
M 23 A080 E2 10 55 04	50-75-100	100-96-92%	code	

H 800 mm



27x36 EH

ART.				
M 23 A080 C0 10 54 04	50-75-100	100-96-92%	key	
M 23 A080 E2 10 54 04	50-75-100	100-96-92%	code	



OTHER SOLUTIONS SEE PAGE 137

H 800 mm



27x36 EH

ART.		kg			
M 23 A080 C0 10 56 04		50-75-100	100-96-92%	key	
M 23 A080 E2 10 56 04		50-75-100	100-96-92%	code	

H 800 mm



27x36 EH

ART.		kg			
M 23 A080 C0 10 66 04		50-75-100	100-96-92%	key	
M 23 A080 E2 10 66 04		50-75-100	100-96-92%	code	

H 800 mm



27x36 EH

ART.		kg			
M 23 A080 C0 10 69 04		50-75-100	100-96-92%	key	
M 23 A080 T2 10 69 04		50-75-100	100-96-92%	code	

H 800 mm



27x36 EH

ART.		kg			
M 23 A080 C0 10 57 04		50-75-100	100-96-92%	key	
M 23 A080 T2 10 57 04		50-75-100	100-96-92%	code	



PLINTH mm 50-100 H

ART.		Dim. mm	
M 23 Z050 00 00 00 04		559x725x50 H	
M 23 Z100 00 00 00 04		559x725x100 H	