iMilani

innovative
italian
ideas


OUR PRICE LIST
ALWAYS UPDATED

TECHNOLOGY.
DYNAMISM.
PEOPLE.



iMiCUBE

A brand of:
i'M



i'M

A GROUP, AN IDEOLOGY, THREE SPECIFIC AREAS OF MEMBERSHIP

We are people who regard research, innovation, sustainability and the human factor as indispensable values of any business. From kindergartens to work organisation, all the way to health plans: **i'M** is a family, a laboratory of ideas where the team determines the Group's success and outlines a strategy that favours not only the economic aspect, but also an efficient style of service that knows how to meet market demands.

anicrin
transparency • safety • people

Investments in training and innovation enable **Anicrin** to design and produce in vitro diagnostic devices and plastic medical instruments for the fields of bacteriology, clinical chemistry and pharmaceuticals, dynamically responding to the needs of scientific research.

GAM
GONZAGARREDI
MONTESSORI

From Montessori educational materials to furniture for kindergartens, schools, libraries and cultural centres, **GAM** imagines and designs interconnected and functional learning environments to support the individual in its growth and education.

iMilani
innovative italian ideas

For 50 years we have been looking for ethical and sustainable solutions for the molding of plastic bins.

We are people who believe in quality, innovation and sustainability as essential values in business, as guides to behaviour and as the real substance of any modern vision. These are the values we rely on to inform the everyday conduct of our work, with the deep conviction that espousing them does not invite the risk being unprepared for an already imminent future, with its need for interaction, speed and mutual satisfaction between customer and supplier, who, now more than ever, are partners in the challenge for competitiveness.
These are the values of our present and our past, rooted in **the story of an enterprise begun by Mario Milani in 1929** and carried forward by **Gianni Milani**. It was the latter who, in 1972, had the illuminated idea of the innovative importance of plastic containers as a tool to help businesses manage space more rationally.

Now the third generation will write the next chapter of this story with iMilani CEO **Roberto Milani**, who envisioned this new business venture as a natural consequence of the need to enter the market with a streamlined, “open space and open mind” production process.

Gianluca Marzano, also CEO of iMilani, follows the technical, marketing and commercial offices with his twenty-years experience as CEO in companies in this field.

iMilani is therefore eager to face the challenge of the present as a modern and reliable player, ready to accommodate the demands of the industrial world and of the wider community. Regarding the latter, it pursues 100% environmentally friendly policies and positions itself as an eco-sustainable company that prioritises the use of recycled and recyclable materials, within a controlled and fully internal production chain.

iMilani wants to serve customers with product lines tailored to their needs. It has thus come up with the "iMiCUBE” line, a series of boxes and containers with a wide usage spectrum and the "iMiLOG" line, a range of specialised containers designed exclusively for use with automatic systems, whether they are stacker cranes or mini-shuttles.

iMilani is ready.



Roberto Milani
ceo

Gianluca Marzano
ceo



TEAM

PEOPLE AT THE CENTRE OF THE SYSTEM

People are our strength, the vehicle to increase and develop knowledge, skills, design and experience that only people can activate.

We put our experience in designing standard products and customised solutions to suit all storage and handling requirements at the service of the customer. Together we define dimensions, openings and characteristics of the crates, from the choice of colour to the application of the logo, following customers from customization of the order to after-sales.



WIN:WIN

THE SPORTS AND SOLIDARITY EVENT BETWEEN COMPANIES

Every year **iMilani** hosts the most highly awaited inter-company summer tournament. Born as a challenge between departments of the company itself, since 2015 it has taken the name **"Win:Win who does good always wins"** and today includes more than 20 participating and organising companies, which compete in football, beach volleyball and basketball.

The spirit that unites the companies is the desire to do sport, to create a bridge between companies and employees, enhance partnerships and concretely help the territory. The result is an event that involves the community and combines sport, fun, territory, music and ecology under a single objective: that of social commitment.

THE BENEFICENT SOUL

The entire proceeds of the tournament have always been donated to the non-profit organisation “Le scarpette delle formichine” and other associations in the area that finance projects for the inclusion and reintegration of people in the community and the world of work, as well as supporting social and health facilities.









VOLUNTEERS

Every year a team of volunteers devotes their time and enthusiasm to the organisation, preparation and service of the tournament, to ensure the best possible success of the evenings.



THE PHOTO CONTEST

In each edition of the tournament, photography enthusiasts compete to capture the most special and significant moments of the evenings: athletes, spectators, the kitchen, volunteers and participants become the subjects of the photo contest. The shots of the registered participants will be voted by a social jury and a quality jury: the most voted ones will receive attractive prizes.

WELFARE: LEARNING HOW TO LIVE BETTER

We care about the well-being of our team, because not only it improves the company productivity, but also determines a positive impact on the society.
We believe in the importance of listening to our collaborators and we are constantly working to offer a welfare program that concretely responds to the needs of workers.

CONTINUOUS TRAINING FOR SPECIFIC SKILLS

iMilani supports the professional growth of its employees, providing professional and language training courses to its collaborators, which contribute to the formation of a diversified and competent team.

A COMPLETE PREVENTION PROGRAMME

We are committed to ensuring and concretely improving the health of our employees by raising awareness of the importance of prevention and a balanced lifestyle. Thanks to the Sanbassiano Oncology Association, we have introduced in-company days dedicated to healthy eating and cancer prevention, to learn about one's own body and detect any physiological changes at an early stage. Added to these are the first physiotherapy project with a mobile clinic directly in the company thanks to the collaboration with Fisiolab 8.14 and the creation of a company gym. The iMilani team is periodically followed by physiotherapists and personal trainers who create a specific and complete programme of physiotherapy prevention and rehabilitation, through gym workouts, designed for the needs and objectives of each employee.



Fisiolab 8.14



iMiGYM

WIN:WIN SUMMER CAMP

iMilani hosts the Win: Win Camp, the multisport summer camp dedicated to children who want to grow through sport and fun.



SCHOOL-TO-WORK ALTERNATION

Every year we host local high school students who have to carry out an alternation school-to-work period, with the aim of consolidating through practical experience the knowledge acquired during their studies.
At iMilani we support and accompany students in their vocational training and in the process of enhancing and developing the transversal skills that the world of work requires.





ECOLOGY AND SUSTAINABILITY.

BECAUSE THE EARTH IS THE MOST IMPORTANT VESSEL OF ALL

ALESSIA ZECCHINI

APNEA WORLD CHAMPION
WORLD RECORD HOLDER

The planet is the biggest home we have. The home that someone tomorrow will live in without even having anticipated it. It is a home open to anyone. It is perfect. That's how we find it, and how we should leave when we finally go. Or even better than we found it.
We want to make the same commitment also when our plastic product reaches the end of its life, meaning after 450 years.


Environmental protection is a priority, not an option. And we don't just mean our surrounding environment, but also, and above all, that expanse of water so vast that it covers over 70% of the Earth's surface: the sea.

The iMilani commitment to recycling of post-consumption household plastic, involves the processing of more than 1200 tons per year: a little contribution towards a *"Plastic-free Sea".*



But we should not view plastic as a demon, but rather as we would the clay of the ancients, lending itself to man's imagination and taking on forms and applications useful to us in everyday life, giving rein to the imaginative project, *"Plastic-free Sea"*.

SEA SHEPHERD



Our commitment to environmental protection is concretely translated into the **Ghostnet Campaign**, the operation supported together with **Sea Shepherd Italy** aimed at fighting "ghost nets", fishing gear made of plastic that are abandoned in the seas and deposited on the seabed, polluting the environment and threatening the marine ecosystem.

Together with Sea Shepherd Italy we are committed to recovering hundreds of thousands of ghost nets to process them into a new recycled and recyclable product, useful for new Sea Shepherd operations.


Il futuro è un contenitore
di innovazione
The future is a container
of innovation

ACADiMi





Emotion Centre



EMOTION CENTRE

THE FUTURE IS A CONTAINER OF INNOVATION

Everyone talks about innovation. We like to make it happen.

We strongly believe in this word, we put it into effect and place it at the heart of every design, every product and every process we create.

The iMilani Emotion Centre is intended to be a representation of our history and technological evolution in plastic crate moulding. From the first container to today, we have innovated our production processes, producing sustainable products that adapt to every logistical and storage need.



MATERIAL: POLYPROPYLENE AT ITS BEST


PP

TOP QUALITY POLYPROPYLENE AND POLYPROPYLENE FOR FOOD PRODUCTS

Top quality polypropylene is a non-toxic, odourless plastic that is resistant to solvents and acids. It can be washed and sterilised and is water-resistant and non-hygroscopic. Its chemical and mechanical properties make it perfect for the manufacture of boxes and containers, ideal for handling in automatic warehouses.

Food safety

Polypropylene for food use is a material that conforms to current EU legislation governing the characteristics of packaging and containers for contact with food. This plastic material is very widespread in the food industry, from product preparation and packaging to storage and shipment.



PP branching under presses.

ECOGREEN

Ecogreen is an environmentally friendly solution that gives new life to recycled plastic, derived from the re-use of post-consumption plastic waste.

CONDUCTIVE POLYPROPYLENE – ESD

Conductive polypropylene is a high-quality plastic, perfect for protection against electrostatic discharges. Boxes made from conductive polypropylene are perfect for storing and transporting sensitive electrical components.

PP V0

FIREPROOF POLYPROPYLENE CLASS V0

Fireproof polypropylene, replicable in different colours, prevents fire risks in automated warehouses and is a viable alternative where the use of traditional fire sprinkler systems is not possible.



Impact test
with pendulum.

MATERIAL CHARACTERISATION DEPARTMENT

THE RAW MATERIAL AT THE CENTRE OF OUR ATTENTION

When materials arrive at our company, the first thing they see are our laboratories. Each new arrival is carefully checked and certified according to our strict quality standards, with composition tests and mechanical, thermal and functional tests. Only materials that pass these tests are placed in our silos.

When the products have been moulded and the plastic has stabilised, this is the time for further tests: bottom bending and box structure resilience. Only after this process takes place products are released from the plant and sent to customers.

MELT FLOW TESTER

This is a testing machine that determines the Melt Flow Rate of plastic, in other words the fluidity properties of the raw material in accordance with ASTM and ISO international standards.
This value is extremely important during the raw material transformation phase, because thermoplastic materials are processed under pressure and at a certain temperature. The ability of these melted materials to flow under pressure at a certain temperature is essential to the science and technology behind polymers.





Melt Flow Tester.

TRACTION TEST

During the product design phase, we need to optimise the usage of materials in order to create items that are strong, but also light and rigid at the same time. Two of the reference properties are elasticity and resistance to traction. The traction test is carried out using two vices that secure the extremities of specifically-shaped test pieces and subject them to traction. The test result is a value indicating the breakage or yield load of the raw material. When suitably measured with an extensometer, the test piece also provides the traction elasticity module. The machine is designed to carry out tests on a wide range of test pieces in accordance with ASTM and ISO international standards.

IMPACT TEST WITH PENDULUM

For users of the materials, impact resistance is one of the most important properties. It provides an efficient assessment of the cost/performance ratio during product development and quality control.
Because components might yield when subjected to a force that is lesser than the critical breakage force, it is necessary to accurately determine the propagation of fractures following an impact. The pendulum machine is designed to carry out Charpy and Izod type tests on a wide range of test pieces in accordance with ASTM and ISO international standards.



MOULD DEPARTMENT


THE MOST INNOVATIVE INJECTION MOULDING IS MADE IN IMILANI

18 injection moulds operating on **3 shifts**.
From the moulding of small parts to boxes sized 800 x 600 mm. The moulds are designed for the application of labels with an IML In-Mould Labelling system. This is used both for customisation and the application of barcodes, on-machine weighing and tolerance testing.



THE PROCESS

The mixture of various “grains” and colours is heated until a homogeneous and mouldable paste is achieved. This is then inserted into the mould to create a product in the desired shape: a box, a finishing element or a mechanical part. The presses and moulds are connected via silos, rollers, testing positions, and technical and commercial information systems making up the company’s control and value chain. At the end of the process each product is tested and checked to ensure that there are no imperfections.
The product is delivered to the customer only if it is just perfect.




Roller conveyor

NOISE TESTING AREA

LA SILENZIOSITÀ COME GARANZIA

L'innovazione richiede ricerca, controllo e investimenti.
Sottoponiamo le cassette a numerosi test di silenziosità, per garantire il massimo comfort acustico in magazzino durante il loro impatto sulle rulliere automatiche.

L'area di test permette di migliorare la superficie e la geometria delle cassette, in modo da evitare interruzioni accidentali e favorirne la massima aderenza sui rulli dei sistemi convogliatori, anche a pieno carico.



iMiLOG

In addition to offering a wide range of boxes and containers, as well as accessories such as pallets and covers, iMilani also provides expertise in logistics automation.
In this regard, the **iMiLOG** specialist division can provide its technical staff for advice and the implementation of specific systems, using either the dedicated **SPACE** series or boxes and trays made to specific customer requirements.
iMiLOG works with leading manufacturers of logistics automation nationally and in Europe.
To request assistance from our technicians, send an email to ***automation@imilog.it***

Our boxes are integrated with the systems of:

AUTOMHA

cassioli
AUTOMATIC MATERIAL HANDLING

CUBAR

DEMATIC

Ferretto Group
on, just one provider

FRETOR
BROVEDANI GROUP

JUNGHEINRICH

Logico

MECALUX

TGW
LIVING LOGISTICS

trascar
AUTOMATION and LOGISTICS

zancaner
Handling Automation & More

Jo-Box

THE AMR THAT OPTIMISES WAREHOUSE OPERATIONS FOR SMALL LOADS

Jo-Box *is the Autonomous Mobile Robot (AMR) to support human labor;*
it is a compact and efficient system that moves within programmed routes performing the required missions.

Anyone can activate ***Jo-Box*** *and call it to carry out a mission. The interface management software is extremely functional. Available A.P.I. for mission management by higher-level software.*





From the ***FMS*** *(Fleet Management System) web interface it is possible to view the status of the AMR fleet, remotely connect to each robot, assign tasks, consult the history of missions performed, view any alarm statuses, set preferred and repetitive missions.*



From the ***Map Editor*** *it is possible to define and edit the predetermined paths of the robots, the docking points and the navigation rules in each area of the work area*



One or more maps on one or more layers, can be added and configured through a simple and intuitive interface





Through the ***Fleet Lookout*** *it is possible to graphically view the progress of a fleet in real time and reconstruct the progress of a mission in all its parameters, instant by instant*

Jo-Box

THE LOW COST AGV
FOR HANDLING OF SMALL LOADS






1 iMilani HQ

2 GAM GONZAGARREDI MONTESSORI HQ

3 anicrin HQ

DISTRIBUTORS IMILANI

I'M IN THE WORLD



4

GAM GONZAGARREDI MONTESSORI

CARPENTERY

5

STORAGE COMPAT™

6

i'M Shanghai

OUR COLOURS





PP 2X signal yellow **RAL 1003**	PP 05 yellow **RAL 1021**	PP 1C melon yellow **RAL 1028**	PP HE signal orange **RAL 2010**	PP 24 deep orange **RAL 2011**
PP 2N carmine **RAL 3002**	PP 1G ruby red **RAL 3003**	PP 03 red **RAL 3020**	PP JV signal purple **RAL 4008**	PP 3Z telemagenta **RAL 4010**
PP 04 blue **PANTONE 660C**	PP XB turquoise **PANTONE 2925C**	PP 3P aqua blue **RAL 5021**	PP 27 signal blue **RAL 5005**	PP IG sapphire blue **RAL 5003**
PP QD leaf green **RAL 6002**	PP JW plastic green **RAL 6011**	PP 14 iMilani green **PANTONE 382C**	PP 2F light green **RAL 6027**	PP 02 green **RAL 6032**
PP 1B signal grey **RAL 7004**	PP XL anthracite grey **RAL 7016**	PP 08 light grey **RAL 7035**	PP 01 grey **RAL 7046**	PP 07 black **RAL 9011**

Colours on request **+7%**

PERSONALISED MARKING

In addition to the application of adhesive or IML labels for RFID radio frequency tracking and barcode identification, it is possible to customise the bins with your company logo using two different systems, for quantity and shipment within 60 days of design approval:

- Logo embossed in the crates, obtained during the moulding stage, therefore the same colour as the boxes



Available in all colours

- Hot marking using mobile characters or with a clichè accurate to the company logo.

Available colours:

WHITE BLACK RED GREEN YELLOW BLUE



INDEX

Discover our products

LOGISTIC


NX **NEXIT** 28


AT **ATHENA 86** 86

SPACE SAVER


KR **KRONOS** 98


DE **DELTA** 106


MI **MINERVA** 114

C-PARTS


CO **COMPAT** 120


ZE **ZEUS** 130


PR **PRACTIBOX** 136


RK **RK** 156

AUTOMOTIVE


KLT **R-KLT** 178


KLT **RL-KLT** 186


KLT **1421-KLT** 194


KLT **4618-KLT** 196
4680-KLT


OD **ODETTE** 200

ACCESSORIES


CA **MATS** 206


SA **SAFELID** 208


MO **MOTION** 212


CN **CONTAINER** 216


PA-CV **PALLET** & COVER 222


LH **HOLDER** 230

STEEL


STEEL **FOX** 246


STEEL **QUICK** 260


STEEL **FRAME** 280


STEEL **PICK** 290


STEEL **SQUARE** 300



NEXIT

5
PP

The new **NEXIT** programme offers a complete range of solutions for any requirement.
Each EURO based dimension of this programme is available in different heights.
Each height offers aesthetic and functional versions.
Available in the:
200x150 - 300x200 - 400x300 - 600x400 series, heights from:
75 - 120 - 170 - 220 - 270 -320 - 420 mm.

HANDLES

moulded closed



H	75	120	170	220	270	320	420
200 x 150	■	■					
200 x 150	■	■					
300 x 200	■	■	■	■			
300 x 200	■	■	■	■			
400 x 300	■	■					
400 x 300	■	■	■	■	■	■	
600 x 400	■	■					
600 x 400	■	■	■	■			

open



H	75	120	170	220	270	320	420
400 x 300			■	■	■	■	
400 x 300							
600 x 400			■	■	■	■	■
600 x 400					■	■	■

PP

ECOGREEN

CARTER

iMiCUBE

handles closing casing included *



H	75	120	170	220	270	320	420
400 x 300			■	■	■	■	
400 x 300							
600 x 400			■	■	■	■	■
600 x 400					■	■	■

ECOGREEN

* supplied assembled


BOTTOMS

closed bottom




load capacity 20 kg

reinforced bottom



load capacity 50 kg

reinforced perforated bottom



load capacity 50 kg

WALLS

closed walls



perforated walls

only for 400 x 300 and 600 x 400



available in heights:
120 - 170 - 220 - 270 - 320 - 420

picking

only for 400 x 300 and 600 x 400



available in heights:
220 - 270 - 320 - 420

ACCESSORIES

separate lid



hinged lid




snap hinged lid

only for 200 x 150 and 300 x 200



2 parts lid

only for 400 x 300 and 600 x 400



200 x 150 mm H 75 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
♻ PP ECOGREEN	A	NX 2108A 5101	■			■			■		184	32	1152	
		NX 2108A 5401	■			■			■		192	32	1152	

A

Closed bottom
Load capacity 15 kg





A	
Stacked edge height	60 mm
Usable stacked height / with lid	57 mm / 61 mm
Usable internal dimensions	163 x 113 x 72 H mm
Volume	1,4 L
Pieces per package / pallet	32 1152
Package dimensions	620 x 420 x 290 H mm
Pallet dimensions	1200 x 800 x 2325 H mm

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

200 x 150 mm

	ARTICLE	SEPARATE LID	HINGED LID	SNAP HINGED LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 21SE 5101	■			72	1	1920	
	NX 21SE 5401	■			75	1	1920	
2	NX 21HG 5101		■		72	1	1920	
	NX 21HG 5401		■		75	1	1920	
3	NX 21HH 5101			■	73	1	1920	
	NX 21HH 5401			■	76	1	1920	
4	NX SEAL23 5113		1 x	1 x		500		



1



2



3



4

DATASHEET

1	Separate lid	200 x 150 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1920 / 1200 x 800 x 942 H mm

2	Hinged lid	200 x 150 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1920 / 1200 x 800 x 942 H mm

3	Snap hinged lid	200 x 150 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1920 / 1200 x 800 x 942 H mm

4	Disposable security seal	
	Pieces per pack	500

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

200 x 150 mm H 120 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	NX 2112A 5101	■			■			■		258	24	672	
A	NX 2112A 5401	■			■			■		269	24	672	

ECOGREEN

A

Closed bottom
Load capacity 15 kg





DATASHEET

A	
Stacked edge height	105 mm
Usable stacked height / with lid	102 mm / 106 mm
Usable internal dimensions	163 x 113 x 117 H mm
Volume	2,3 L
Pieces per package / pallet	24 672
Package dimensions	620 x 420 x 365 H mm
Pallet dimensions	1200 x 800 x 2370 H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

200 x 150 mm

	ARTICLE	SEPARATE LID	HINGED LID	SNAP HINGED LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 21SE 5101	■			72	1	1920	
	NX 21SE 5401	■			75	1	1920	
2	NX 21HG 5101		■		72	1	1920	
	NX 21HG 5401		■		75	1	1920	
3	NX 21HH 5101			■	73	1	1920	
	NX 21HH 5401			■	76	1	1920	
4	NX SEAL23 5113		1 x	1 x		500		



1



2



3



4

DATASHEET

1	Separate lid	200 x 150 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1920 / 1200 x 800 x 942 H mm

2	Hinged lid	200 x 150 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1920 / 1200 x 800 x 942 H mm

3	Snap hinged lid	200 x 150 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1920 / 1200 x 800 x 942 H mm

4	Disposable security seal	
	Pieces per pack	500

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

300 x 200 mm H 75 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	NX 3208A 5101	■			■			■		335	20	560	
A	NX 3208A 5401	■			■			■		350	20	560	

ECOGREEN



Closed bottom
Load capacity 15 kg

A	
Stacked edge height	60 mm
Usable stacked height / with lid	57 mm / 61 mm
Usable internal dimensions	261 x 161 x 72 H mm
Volume	3,2 L
Pieces per package / pallet	20 560
Package dimensions	620 x 420 x 350 H mm
Pallet dimensions	1200 x 800 x 2325 H mm

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

300 x 200 mm

	ARTICLE	SEPARATE LID	HINGED LID	SNAP HINGED LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 32SE 5101	■			138	1	1120	
	NX 32SE 5401	■			134	1	1120	
2	NX 32HG 5101		■		136	1	1120	
	NX 32HG 5401		■		142	1	1120	
3	NX 32HH 5101			■	137	1	1120	
	NX 32HH 5401			■	143	1	1120	
4	NX SEAL23 5113		2 x	2 x		500		



1



2



3



4

DATASHEET

1	Separate lid	300 x 200 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1120/1200 x 800 x 1072 H mm

2	Hinged lid	300 x 200 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1120/1200 x 800 x 1072 H mm

3	Snap hinged lid	300 x 200 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1120/1200 x 800 x 1072 H mm

4	Disposable security seal	
	Pieces per pack	500

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

300 x 200 mm H 120 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	NX 3212A 5101	■			■			■		450	16	320	
A	NX 3212A 5401	■			■			■		470	16	320	

ECOGREEN

A



Closed bottom
Load capacity 15 kg



A	
Stacked edge height	105 mm
Usable stacked height / with lid	102 mm / 106 mm
Usable internal dimensions	261 x 161 x 117 H mm
Volume	5,2 L
Pieces per package / pallet	16 320
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2370 H mm

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

300 x 200 mm

	ARTICLE	SEPARATE LID	HINGED LID	SNAP HINGED LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 32SE 5101	■			138	1	1120	
	NX 32SE 5401	■			134	1	1120	
2	NX 32HG 5101		■		136	1	1120	
	NX 32HG 5401		■		142	1	1120	
3	NX 32HH 5101			■	137	1	1120	
	NX 32HH 5401			■	143	1	1120	
4	NX SEAL23 5113		2 x	2 x		500		
5	LH TYT	Label holders - for long sides only				10		



1




2



3



4



5

DATASHEET

1	Separate lid	300 x 200 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1120/1200 x 800 x 1072 H mm

2	Hinged lid	300 x 200 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1120/1200 x 800 x 1072 H mm

3	Snap hinged lid	300 x 200 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1120/1200 x 800 x 1072 H mm

4	Disposable security seal	
	Pieces per pack	500


5	Label holders	
	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

300 x 200 mm H 170 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	NX 3217A 5101	■			■			■		552	12	240	
A	NX 3217A 5401	■			■			■		576	12	240	

ECOGREEN



A	
Stacked edge height	155 mm
Usable stacked height / with lid	152 mm / 156 mm
Usable internal dimensions	261 x 161 x 167 H mm
Volume	7,4 L
Pieces per package / pallet	12 240
Package dimensions	620 x 420 x 515 H mm
Pallet dimensions	1200 x 800 x 2490 H mm

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

300 x 200 mm

	ARTICLE	SEPARATE LID	HINGED LID	SNAP HINGED LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 32SE 5101	■			138	1	1120	
	NX 32SE 5401	■			134	1	1120	
2	NX 32HG 5101		■		136	1	1120	
	NX 32HG 5401		■		142	1	1120	
3	NX 32HH 5101			■	137	1	1120	
	NX 32HH 5401			■	143	1	1120	
4	NX SEAL23 5113		2 x	2 x		500		
5	LH TYT	Label holders - for long sides only				10		



1




2



3



4



5

DATASHEET

1	Separate lid	300 x 200 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1120/1200 x 800 x 1072 H mm

2	Hinged lid	300 x 200 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1120/1200 x 800 x 1072 H mm

3	Snap hinged lid	300 x 200 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1120/1200 x 800 x 1072 H mm

4	Disposable security seal	
	Pieces per pack	500


5	Label holders	
	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

300 x 200 mm H 220 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	NX 3222A 5101	■			■			■		654	8	160	
A	NX 3222A 5401	■			■			■		683	8	160	

ECOGREEN



Closed bottom
Load capacity 15 kg

DATASHEET

A	
Stacked edge height	205 mm
Usable stacked height / with lid	202 mm / 206 mm
Usable internal dimensions	261 x 161 x 217 H mm
Volume	9,6 L
Pieces per package / pallet	8 160
Package dimensions	620 x 420 x 460 H mm
Pallet dimensions	1200 x 800 x 2215 H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

300 x 200 mm

	ARTICLE	SEPARATE LID	HINGED LID	SNAP HINGED LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 32SE 5101	■			138	1	1120	
	NX 32SE 5401	■			134	1	1120	
2	NX 32HG 5101		■		136	1	1120	
	NX 32HG 5401		■		142	1	1120	
3	NX 32HH 5101			■	137	1	1120	
	NX 32HH 5401			■	143	1	1120	
4	NX SEAL23 5113		2 x	2 x		500		
5	LH TYT	Label holders - for long sides only				10		



1




2



3



4



5

DATASHEET

1	Separate lid	300 x 200 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1120/1200 x 800 x 1072 H mm

2	Hinged lid	300 x 200 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1120/1200 x 800 x 1072 H mm

3	Snap hinged lid	300 x 200 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	1120/1200 x 800 x 1072 H mm

4	Disposable security seal	
	Pieces per pack	500

5	Label holders	
	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 75 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	NX 4308A 5101	■			■			■		595	14	280	
ECOGREEN		NX 4308A 5401	■			■			■		621	14	280	
PP	C	NX 4308C 5101	■					■	■		810	14	280	
⚠		ARTICLE ON REQUEST												
ECOGREEN	C	NX 4308C 5401	■					■	■		864	14	280	

A


Closed bottom
Load capacity 20 kg





C

Reinforced bottom
Load capacity 50 kg





DATASHEET

A	
Stacked edge height	60 mm
Usable stacked height / with lid	57 mm / 61 mm
Usable internal dimensions	361 x 261 x 72 H mm
Volume	6,9 L
Pieces per package / pallet	14 280
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2325 H mm

C	
Stacked edge height	60 mm
Usable stacked height / with lid	45 mm / 49 mm
Usable internal dimensions	361 x 261 x 60 H mm
Volume	5,8 L
Pieces per package / pallet	14 280
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2325 H mm

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm


	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 43SE 5101	■			327	1	480		PP
	NX 43SE 5401	■			341	1	480		ECOGREEN
2	NX 43HG 5101		■		319	1	480		PP
	NX 43HG 5401		■		333	1	480		ECOGREEN
3	NX 43CR 5101			■	486	1	480		PP
	NX 43CR 5401			■	508	1	480		ECOGREEN
4	NX SEAL46 5113			2 x		500			PP
5	AT LOCK 8113		2 x			10			PP



1



2



3



4



5

DATASHEET

1	Separate lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm

2	Hinged lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm

3	2-parts lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm

4	Disposable security seal	
	Pieces per pack	500

5	Pair closing clips	
	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 120 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	NX 4312A 5101	■			■			■		761	8	160	
ECOGREEN	A	NX 4312A 5401	■			■			■		794	8	160	
PP	C	NX 4312C 5101	■					■	■		976	8	160	
PP	P	NX 4312P 5101		■			■	■	■		914	8	160	
⚠		ARTICLE ON REQUEST												
ECOGREEN	C	NX 4312C 5401	■					■	■		1020	8	160	
ECOGREEN	P	NX 4312P 5401		■			■	■	■		955	8	160	

A


Closed bottom
Load capacity 20 kg





C


Reinforced bottom
Load capacity 50 kg





P

Reinforced perforated bottom
Load capacity 50 kg





iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

A	
Stacked edge height	105 mm
Usable stacked height / with lid	102 mm / 106 mm
Usable internal dimensions	361 x 261 x 117 H mm
Volume	11,3 L
Pieces per package / pallet	8 160
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2370 H mm

C	
Stacked edge height	105 mm
Usable stacked height / with lid	90 mm / 94 mm
Usable internal dimensions	361 x 261 x 105 H mm
Volume	10,1 L
Pieces per package / pallet	8 160
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2370 H mm

P	
Stacked edge height	105 mm
Usable stacked height / with lid	90 mm / 94 mm
Usable internal dimensions	361 x 261 x 105 H mm
Volume	10,1 L
Pieces per package / pallet	8 160
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2370 H mm

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

400 x 300 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 43SE 5101	■			327	1	480	
	NX 43SE 5401	■			341	1	480	
2	NX 43HG 5101		■		319	1	480	
	NX 43HG 5401		■		333	1	480	
3	NX 43CR 5101			■	486	1	480	
	NX 43CR 5401			■	508	1	480	
4	NX SEAL46 5113			2 x		500		
5	AT LOCK 8113		2 x			10		
6	LH TYT	Label holders for all sides				10		



1



2



3



4



5



6

DATASHEET

1	Separate lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
2	Hinged lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
3	2-parts lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
4	Disposable security seal	
	Pieces per pack	10
5	Pair closing clips	
	Pieces per pack	500
6	Label holders	
	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 170 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	B	NX 4317B 5101	■			■				■	899	6	120	
ECOGREEN	A	NX 4317A 5401	■			■			■		939	6	120	
PP	D	NX 4317D 5101	■					■		■	1115	6	120	
PP	S	NX 4317S 5101	■				■	■		■	1034	6	120	
⚠		ARTICLE ON REQUEST												
ECOGREEN	C	NX 4317C 5401	■					■	■		1165	6	120	
ECOGREEN	P	NX 4317P 5401		■			■	■	■		1081	6	120	

A*- B


Closed bottom
Load capacity 20 kg





C*- D


Reinforced bottom
Load capacity 50 kg





P*- S

Reinforced perforated bottom
Load capacity 50 kg





* **ECOGREEN** with closed moulded handle

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

A - B	
Stacked edge height	155 mm
Usable stacked height / with lid	152 mm / 156 mm
Usable internal dimensions	361 x 261 x 167 H mm
Volume	16,1 L
Pieces per package / pallet	6 120
Package dimensions	620 x 420 x 515 H mm
Pallet dimensions	1200 x 800 x 2490 H mm

C - D	
Stacked edge height	155 mm
Usable stacked height / with lid	140 mm / 144 mm
Usable internal dimensions	361 x 261 x 155 H mm
Volume	15 L
Pieces per package / pallet	6 120
Package dimensions	620 x 420 x 515 H mm
Pallet dimensions	1200 x 800 x 2490 H mm

P - S	
Stacked edge height	155 mm
Usable stacked height / with lid	140 mm / 144 mm
Usable internal dimensions	361 x 261 x 155 H mm
Volume	15 L
Pieces per package / pallet	6 120
Package dimensions	620 x 420 x 515 H mm
Pallet dimensions	1200 x 800 x 2490 H mm

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

400 x 300 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 43SE 5101	■			327	1	480	
	NX 43SE 5401	■			341	1	480	
2	NX 43HG 5101		■		319	1	480	
	NX 43HG 5401		■		333	1	480	
3	NX 43CR 5101			■	486	1	480	
	NX 43CR 5401			■	508	1	480	
4	NX SEAL46 5113			2 x		500		
5	AT LOCK 8113		2 x			10		
6	LH TYT	Label holders for all sides				10		



1



2



3



4



5



6

DATASHEET

1	Separate lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
2	Hinged lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
3	2-parts lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
4	Disposable security seal	
	Pieces per pack	10
5	Pair closing clips	
	Pieces per pack	500
6	Label holders	
	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 220 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	B	NX 4322B 5101	■			■				■	1146	4	80	
ECOGREEN	A	NX 4322A 5401	■			■			■		1198	4	80	
PP	D	NX 4322D 5101	■					■		■	1257	4	80	
⚠		ARTICLE ON REQUEST												
ECOGREEN	C	NX 4322C 5401	■					■	■		1314	4	80	

A*- B


Closed bottom
Load capacity 20 kg





C*- D

Reinforced bottom
Load capacity 50 kg





A - B

Stacked edge height	205 mm
Usable stacked height / with lid	202 mm / 206 mm
Usable internal dimensions	361 x 261 x 217 H mm
Volume	20,9 L
Pieces per package / pallet	4 80
Package dimensions	620 x 420 x 460 H mm
Pallet dimensions	1200 x 800 x 2215 H mm

C - D

Stacked edge height	205 mm
Usable stacked height / with lid	190 mm / 194 mm
Usable internal dimensions	361 x 261 x 205 H mm
Volume	19,8 L
Pieces per package / pallet	4 80
Package dimensions	620 x 420 x 460 H mm
Pallet dimensions	1200 x 800 x 2215 H mm

DATASHEET

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

* **ECOGREEN** with closed moulded handle

CONTINUED ON NEXT PAGE >>

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 43SE 5101	■			327	1	480	
	NX 43SE 5401	■			341	1	480	
2	NX 43HG 5101		■		319	1	480	
	NX 43HG 5401		■		333	1	480	
3	NX 43CR 5101			■	486	1	480	
	NX 43CR 5401			■	508	1	480	
4	NX SEAL46 5113			2 x		500		
5	AT LOCK 8113		2 x			10		
6	LH TYT	Label holders for all sides				10		



1



2



3



4



5



6

DATASHEET

1	Separate lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
2	Hinged lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
3	2-parts lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
4	Disposable security seal	
	Pieces per pack	10
5	Pair closing clips	
	Pieces per pack	500
6	Label holders	
	Pieces per pack	10


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 220 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated	Picking short side	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	S	NX 4322S 5101		■			■	■		■	1153	4	80	
PP	U	NX 4322U 5101			■	■				■	1080	4	80	
	⚠	ARTICLE ON REQUEST												
ECOGREEN	P	NX 4322P 5401		■			■	■	■		1205	4	80	
ECOGREEN	V	NX 4322V 5401			■	■			■		1129	4	80	

P*- S

Reinforced perforated bottom
Load capacity 50 kg






V*- U

Closed bottom
Load capacity 20 kg







A	202
B	106
B1	91

* **ECOGREEN** with closed moulded handle

<< CONTINUED ON PREVIOUS PAGE

P - S

Stacked edge height	205 mm
Usable stacked height / with lid	190 mm / 194 mm
Usable internal dimensions	361 x 261 x 205 H mm
Volume	19,8 L
Pieces per package / pallet	4 80
Package dimensions	620 x 420 x 460 H mm
Pallet dimensions	1200 x 800 x 2215 H mm

V - U

Stacked edge height	205 mm
Usable stacked height / with lid	202 mm / 206 mm
Usable internal dimensions	361 x 261 x 217 H mm
Volume	20,9 L
Pieces per package / pallet	4 80
Package dimensions	620 x 420 x 460 H mm
Pallet dimensions	1200 x 800 x 2215 H mm

DATASHEET

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 43SE 5101	■			327	1	480	
	NX 43SE 5401	■			341	1	480	
2	NX 43HG 5101		■		319	1	480	
	NX 43HG 5401		■		333	1	480	
3	NX 43CR 5101			■	486	1	480	
	NX 43CR 5401			■	508	1	480	
4	NX SEAL46 5113			2 x		500		
5	AT LOCK 8113		2 x			10		
6	LH TYT	Label holders for all sides				10		
7	NX WC43326896	H 220 Door				1		



1



2




3



4



5



6



7

DATASHEET

1	Separate lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
2	Hinged lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
3	2-parts lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
4	Disposable security seal	
	Pieces per pack	500
5	Pair closing clips	
	Pieces per pack	10
6	Label holders	
	Pieces per pack	10
7	H 220 Door	
	Pieces per pack	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 270 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	B	NX 4327B 5101	■			■				■	1186	4	64	
ECOGREEN	A	NX 4327A 5401	■			■			■		1239	4	64	
PP	D	NX 4327D 5101	■					■		■	1401	4	64	
⚠		ARTICLE ON REQUEST												
ECOGREEN	C	NX 4327C 5401	■					■	■		1463	4	64	

A*- B


Closed bottom
Load capacity 20 kg





C*- D

Reinforced bottom
Load capacity 50 kg





A - B

Stacked edge height	255 mm
Usable stacked height / with lid	252 mm / 256 mm
Usable internal dimensions	361 x 261 x 267 H mm
Volume	25,8 L
Pieces per package / pallet	4 64
Package dimensions	620 x 420 x 560 H mm
Pallet dimensions	1200 x 800 x 2205 H mm

C - D

Stacked edge height	255 mm
Usable stacked height / with lid	240 mm / 244 mm
Usable internal dimensions	361 x 261 x 255 H mm
Volume	24,6 L
Pieces per package / pallet	4 64
Package dimensions	620 x 420 x 560 H mm
Pallet dimensions	1200 x 800 x 2205 H mm

DATASHEET

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

* **ECOGREEN** with closed moulded handle

CONTINUED ON NEXT PAGE >>

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 43SE 5101	■			327	1	480	
	NX 43SE 5401	■			341	1	480	
2	NX 43HG 5101		■		319	1	480	
	NX 43HG 5401		■		333	1	480	
3	NX 43CR 5101			■	486	1	480	
	NX 43CR 5401			■	508	1	480	
4	NX SEAL46 5113			2 x		500		
5	AT LOCK 8113		2 x			10		
6	LH TYT	Label holders for all sides				10		



1



2



3



4



5



6

DATASHEET

1	Separate lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
2	Hinged lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
3	2-parts lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
4	Disposable security seal	
	Pieces per pack	10
5	Pair closing clips	
	Pieces per pack	500
6	Label holders	
	Pieces per pack	10


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 270 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated	Picking short side	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	S	NX 4327S 5101		■			■	■		■	1271	4	64	
PP	U	NX 4327U 5101			■	■				■	1144	4	64	
⚠		ARTICLE ON REQUEST												
ECOGREEN	P	NX 4327P 5401		■			■	■	■		1328	4	64	
ECOGREEN	V	NX 4327V 5401			■	■			■		1195	4	64	

P*- S

Reinforced perforated bottom
Load capacity 50 kg






V*- U

Closed bottom
Load capacity 20 kg







A	202
B	131
B1	116

* **ECOGREEN** with closed moulded handle

CONTINUED ON PREVIOUS PAGE

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

P - S	
Stacked edge height	255 mm
Usable stacked height / with lid	240 mm / 244 mm
Usable internal dimensions	361 x 261 x 255 H mm
Volume	25,8 L
Pieces per package / pallet	4 64
Package dimensions	620 x 420 x 560 H mm
Pallet dimensions	1200 x 800 x 2205 H mm

V - U	
Stacked edge height	255 mm
Usable stacked height / with lid	252 mm / 256 mm
Usable internal dimensions	361 x 261 x 267 H mm
Volume	24,6 L
Pieces per package / pallet	4 64
Package dimensions	620 x 420 x 560 H mm
Pallet dimensions	1200 x 800 x 2205 H mm

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

400 x 300 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 43SE 5101	■			327	1	480	
	NX 43SE 5401	■			341	1	480	
2	NX 43HG 5101		■		319	1	480	
	NX 43HG 5401		■		333	1	480	
3	NX 43CR 5101			■	486	1	480	
	NX 43CR 5401			■	508	1	480	
4	NX SEAL46 5113			2 x		500		
5	AT LOCK 8113		2 x			10		
6	LH TYT	Label holders for all sides				10		
7	NX WC43326896	H 270 Door				1		



1



2




3



4



5



6



7

DATASHEET

1	Separate lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
2	Hinged lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
3	2-parts lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
4	Disposable security seal	
	Pieces per pack	500
5	Pair closing clips	
	Pieces per pack	10
6	Label holders	
	Pieces per pack	10
7	H 270 Door	
	Pieces per pack	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 320 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	B	NX 4332B 5101	■			■				■	1362	2	56	
ECOGREEN	A	NX 4332A 5401	■			■			■		1423	2	56	
PP	D	NX 4332D 5101	■					■		■	1577	2	56	
⚠		ARTICLE ON REQUEST												
ECOGREEN	C	NX 4332C 5401	■					■	■		1648	2	56	

A*- B


Closed bottom
Load capacity 20 kg





C*- D

Reinforced bottom
Load capacity 50 kg





A - B

Stacked edge height	305 mm
Usable stacked height / with lid	302 mm / 306 mm
Usable internal dimensions	361 x 261 x 317 H mm
Volume	30,6 L
Pieces per package / pallet	2 56
Package dimensions	620 x 420 x 355 H mm
Pallet dimensions	1200 x 800 x 2300 H mm

C - D

Stacked edge height	305 mm
Usable stacked height / with lid	290 mm / 294 mm
Usable internal dimensions	361 x 261 x 305 H mm
Volume	29,5 L
Pieces per package / pallet	2 56
Package dimensions	620 x 420 x 355 H mm
Pallet dimensions	1200 x 800 x 2300 H mm

DATASHEET

* **ECOGREEN** with closed moulded handle

CONTINUED ON NEXT PAGE >>

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 43SE 5101	■			327	1	480	
	NX 43SE 5401	■			341	1	480	
2	NX 43HG 5101		■		319	1	480	
	NX 43HG 5401		■		333	1	480	
3	NX 43CR 5101			■	486	1	480	
	NX 43CR 5401			■	508	1	480	
4	NX SEAL46 5113			2 x		500		
5	AT LOCK 8113		2 x			10		
6	LH TYT	Label holders for all sides				10		



1



2



3



4



5



6

DATASHEET

1	Separate lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
2	Hinged lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
3	2-parts lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
4	Disposable security seal	
	Pieces per pack	10
5	Pair closing clips	
	Pieces per pack	500
6	Label holders	
	Pieces per pack	10


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 320 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated	Picking short side	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	S	NX 4332S 5101		■			■	■		■	1434	2	56	
	U	NX 4332U 5101			■	■				■	1307	2	56	
	⚠	ARTICLE ON REQUEST												
ECOGREEN	P	NX 4332P 5401		■			■	■	■		1499	2	56	
ECOGREEN	V	NX 4332V 5401			■	■			■		1366	2	56	

P*- S

Reinforced perforated bottom
Load capacity 50 kg







V*- U

Closed bottom
Load capacity 20 kg







A	202
B	156
B1	141

* **ECOGREEN** with closed moulded handle

CONTINUED ON PREVIOUS PAGE

DATASHEET

P - S	
Stacked edge height	305 mm
Usable stacked height / with lid	290 mm / 294 mm
Usable internal dimensions	361 x 261 x 305 H mm
Volume	29,5 L
Pieces per package / pallet	2 56
Package dimensions	620 x 420 x 355 H mm
Pallet dimensions	1200 x 800 x 2300 H mm

V - U	
Stacked edge height	305 mm
Usable stacked height / with lid	302 mm / 306 mm
Usable internal dimensions	361 x 261 x 317 H mm
Volume	30,6 L
Pieces per package / pallet	2 56
Package dimensions	620 x 420 x 355 H mm
Pallet dimensions	1200 x 800 x 2300 H mm

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 43SE 5101	■			327	1	480		PP
	NX 43SE 5401	■			341	1	480		ECOGREEN
2	NX 43HG 5101		■		319	1	480		PP
	NX 43HG 5401		■		333	1	480		ECOGREEN
3	NX 43CR 5101			■	486	1	480		PP
	NX 43CR 5401			■	508	1	480		ECOGREEN
4	NX SEAL46 5113			2 x		500			PP
5	AT LOCK 8113		2 x			10			PP
6	LH TYT	Label holders for all sides				10			PP
7	NX WC43326896	H 320 Door				1			PP



1



2




3



4



5



6



7

DATASHEET

1	Separate lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
2	Hinged lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
3	2-parts lid	400 x 300 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	480 / 1200 x 800 x 870 H mm
4	Disposable security seal	
	Pieces per pack	500
5	Pair closing clips	
	Pieces per pack	10
6	Label holders	
	Pieces per pack	10
7	H 320 Door	
	Pieces per pack	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Per container

400 x 300 mm

		ARTICLE	1 PARTITION	2 PARTITIONS	4 PARTITIONS	GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
ECOGREEN	1	AT 43S1 5407	■			230	20	320	
ECOGREEN	2	AT 43S2 5407		■		246	20	320	
ECOGREEN	3	AT 43S4 5407			■	272	20	320	
	4	AT LID4 6896	Transparent lid			118	20		

1




2



3




4










Subdivision with 1 and 2 compartments



Subdivision with 1 and 4 compartments



Subdivision with 2 and 4 compartments

DATASHEET

1	
Partitioned box 1 partition	256 x 178 x 90 H mm
Pieces per pack / pallet	20 320
Package dimensions	565 x 375 x 460 H mm
Pallet dimensions	1200 x 800 x 1990 H mm


2	
Partitioned box 2 partitions	256 x 178 x 90 H mm
Pieces per pack / pallet	20 320
Package dimensions	565 x 375 x 460 H mm
Pallet dimensions	1200 x 800 x 1990 H mm

3	
Partitioned box 4 partitions	256 x 178 x 90 H mm
Pieces per pack / pallet	20 320
Package dimensions	565 x 375 x 460 H mm
Pallet dimensions	1200 x 800 x 1990 H mm

4	
Transparent polystyrene lid	
Pieces per pack	20
Package dimensions	265 x 195 x 180 H mm

400 x 300 mm

	ARTICLE	H 45	H 70	H 90	H 120	H 180	H 220	PACKAGING		UNIT PRICE €
								Qty. per pack.	Qty. per pallet	
1	DI 25545246801	■						10		
	DI 35545246801	■						10		
2	DI 25570246801		■					10		
	DI 35570246801		■					10		
3	DI 25590246801			■				10		
	DI 35590246801			■				10		
4	DI 25512246801				■			10		
	DI 35512246801				■			10		
5	DI 25518246801					■		10		
	DI 35518246801					■		10		
6	DI 25522246801						■	10		
	DI 35522246801						■	10		
7	DI 43SHT5101							10		



6801

Pitch 24 mm





1



2



3




4



5



6



7

DATASHEET

1	Comb divider 255 x 45 H mm per box 400 x 300 x 75H mm	10 items
	Séparateur type peigne 355 x H 45 mm per box 400 x 300 x H 75 mm	10 items
2	Comb divider 255 x 70 H mm per box 400 x 300 x 120 H mm	10 items
	Comb divider 355 x 70 H mm per box 400 x 300 x 120 H mm	10 items
3	Comb divider 255 x 90 H mm per box 400 x 300 x 120 H mm	10 items
	Comb divider 355 x 90 H mm per box 400 x 300 x 120 H mm	10 items
4	Comb divider 255 x 120 H mm per box 400 x 300 x 170 H mm	10 items
	Comb divider 355 x 120 H mm per box 400 x 300 x 170 H mm	10 items
5	Comb divider 255 x 180 H mm per box 400 x 300 x 220 H mm	10 items
	Comb divider 355 x 180 H mm per box 400 x 300 x 220 H mm	10 items
6	Comb divider 255 x 220 H mm per box 400 x 300 x 270 H mm	10 items
	Comb divider 355 x 220 H mm per box 400 x 300 x 270 H mm	10 items

7

Intermediate partition shelf 355 x 255 mm	10 items


600 x 400 mm H 75 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	NX 6408A 5101	■			■			■		1178	7	140	
ECOGREEN	A	NX 6408A 5401	■			■			■		1231	7	140	
PP	C	NX 6408C 5101	■					■	■		1699	7	140	
PP	P	NX 6408P 5101		■			■	■	■		1604	7	140	
⚠		ARTICLE ON REQUEST												
ECOGREEN	C	NX 6408C 5401	■					■	■		1775	7	140	
ECOGREEN	P	NX 6408P 5401		■			■	■	■		1676	7	140	

A


Closed bottom
Load capacity 20 kg






C


Reinforced bottom
Load capacity 50 kg





P

Reinforced perforated bottom
Load capacity 50 kg





iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

A	
Stacked edge height	60 mm
Usable stacked height / with lid	57 mm / 61 mm
Usable internal dimensions	561 x 361 x 72 H mm
Volume	14,7 L
Pieces per package / pallet	7 — 140
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2325 H mm

C	
Stacked edge height	60 mm
Usable stacked height / with lid	45 mm / 49 mm
Usable internal dimensions	561 x 361 x 60 H mm
Volume	11,8 L
Pieces per package / pallet	7 — 140
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2325 H mm

P	
Stacked edge height	60 mm
Usable stacked height / with lid	45 mm / 49 mm
Usable internal dimensions	561 x 361 x 60 H mm
Volume	11,8 L
Pieces per package / pallet	7 — 140
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2325 H mm

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

600 x 400 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €	
1	NX 64SE 5101	■			751	1	176		PP
	NX 64SE 5401	■			785	1	176		ECOGREEN
2	NX 64HG 5101		■		710	1	176		PP
	NX 64HG 5401		■		742	1	176		ECOGREEN
3	NX 64CR 5101			■	1016	1	176		PP
	NX 64CR 5401			■	1062	1	176		ECOGREEN
4	NX 64CV 5101	Cover			845	1	176		PP
	NX 64CV 5401				883	1	176		ECOGREEN
5	NX SEAL46 5113			2 x		500			PP
6	AT LOCK 8113		2 x			10			PP



1



2



3



4



5



6

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
3	2-parts lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
4	Cover	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
5	Disposable security seal	
	Pieces per pack	500
6	Pair closing clips	
	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


600 x 400 mm H 120 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	NX 6412A 5101	■			■			■		1441	4	80	
ECOGREEN		NX 6412A 5401	■			■			■		1506	4	80	
PP	C	NX 6412C 5101	■					■	■		1961	4	80	
PP	P	NX 6412P 5101		■			■	■	■		1828	4	80	
⚠		ARTICLE ON REQUEST												
ECOGREEN	C	NX 6412C 5401	■					■	■		2049	4	80	
ECOGREEN	P	NX 6412P 5401		■			■	■	■		1910	4	80	

A


Closed bottom
Load capacity 20 kg






C


Reinforced bottom
Load capacity 50 kg





P

Reinforced perforated bottom
Load capacity 50 kg





DATASHEET

A	
Stacked edge height	105 mm
Usable stacked height / with lid	102 mm / 106 mm
Usable internal dimensions	561 x 361 x 117 H mm
Volume	23,9 L
Pieces per package / pallet	4 80
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2370 H mm

C	
Stacked edge height	105 mm
Usable stacked height / with lid	90 mm / 94 mm
Usable internal dimensions	561 x 361 x 105 H mm
Volume	21,1 L
Pieces per package / pallet	4 80
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2370 H mm

P	
Stacked edge height	105 mm
Usable stacked height / with lid	90 mm / 94 mm
Usable internal dimensions	561 x 361 x 105 H mm
Volume	21,1 L
Pieces per package / pallet	4 80
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2370 H mm

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 64SE 5101	■			751	1	176	
	NX 64SE 5401	■			785	1	176	
2	NX 64HG 5101		■		710	1	176	
	NX 64HG 5401		■		742	1	176	
3	NX 64CR 5101			■	1016	1	176	
	NX 64CR 5401			■	1062	1	176	
4	NX 64CV 5101	Cover			845	1	176	
	NX 64CV 5401				883	1	176	
5	NX SEAL46 5113			2 x		500		
6	AT LOCK 8113		2 x			10		
7	LH TYT	Label holders for all sides				10		



1



2



3



4



5



6



7

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
3	2-parts lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
4	Cover	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
5	Disposable security seal	
	Pieces per pack	500
6	Pair closing clips	
	Pieces per pack	10
7	Label holders	
	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 170 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	B	NX 6417B 5101	■			■				■	1680	3	60	
ECOGREEN	A	NX 6417A 5401	■			■			■		1756	3	60	
PP	D	NX 6417D 5101	■					■		■	2191	3	60	
PP	S	NX 6417S 5101		■			■	■		■	2022	3	60	
⚠		ARTICLE ON REQUEST												
ECOGREEN	C	NX 6417C 5401	■					■	■		2290	3	60	
ECOGREEN	P	NX 6417P 5401		■			■	■	■		2113	3	60	

A*- B


Closed bottom
Load capacity 20 kg





C*- D


Reinforced bottom
Load capacity 50 kg





P*- S

Reinforced perforated bottom
Load capacity 50 kg





* **ECOGREEN** with closed moulded handle

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

A - B	
Stacked edge height	155 mm
Usable stacked height / with lid	152 mm / 156 mm
Usable internal dimensions	561 x 361 x 167 H mm
Volume	14,7 L
Pieces per package / pallet	3 60
Package dimensions	620 x 420 x 515 H mm
Pallet dimensions	1200 x 800 x 2490 H mm

C - D	
Stacked edge height	155 mm
Usable stacked height / with lid	140 mm / 144 mm
Usable internal dimensions	561 x 361 x 155 H mm
Volume	11,8 L
Pieces per package / pallet	3 60
Package dimensions	620 x 420 x 515 H mm
Pallet dimensions	1200 x 800 x 2490 H mm

P - S	
Stacked edge height	155 mm
Usable stacked height / with lid	140 mm / 144 mm
Usable internal dimensions	561 x 361 x 155 H mm
Volume	11,8 L
Pieces per package / pallet	3 60
Package dimensions	620 x 420 x 515 H mm
Pallet dimensions	1200 x 800 x 2490 H mm

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

600 x 400 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 64SE 5101	■			751	1	176	
	NX 64SE 5401	■			785	1	176	
2	NX 64HG 5101		■		710	1	176	
	NX 64HG 5401		■		742	1	176	
3	NX 64CR 5101			■	1016	1	176	
	NX 64CR 5401			■	1062	1	176	
4	NX 64CV 5101	Cover			845	1	176	
	NX 64CV 5401				883	1	176	
5	NX SEAL46 5113			2 x		500		
6	AT LOCK 8113		2 x			10		
7	LH TYT	Label holders for all sides				10		



1



2



3



4



5



6



7

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
3	2-parts lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
4	Cover	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
5	Disposable security seal	
	Pieces per pack	500
6	Pair closing clips	
	Pieces per pack	10
7	Label holders	
	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 220 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	B	NX 6422B 5101	■			■				■	1901	2	40	
ECOGREEN	A	NX 6422A 5401	■			■			■		1987	2	40	
PP	D	NX 6422D 5101	■					■		■	2421	2	40	
⚠		ARTICLE ON REQUEST												
ECOGREEN	C	NX 6422C 5401	■					■	■		2530	2	40	

A*- B


Closed bottom
Load capacity 20 kg





C*- D

Reinforced bottom
Load capacity 50 kg





A - B

Stacked edge height	205 mm
Usable stacked height / with lid	202 mm / 206 mm
Usable internal dimensions	561 x 361 x 217 H mm
Volume	44,5 L
Pieces per package / pallet	2 40
Package dimensions	620 x 420 x 460 H mm
Pallet dimensions	1200 x 800 x 2215 H mm

C - D

Stacked edge height	205 mm
Usable stacked height / with lid	190 mm / 194 mm
Usable internal dimensions	561 x 361 x 205 H mm
Volume	41,7 L
Pieces per package / pallet	2 40
Package dimensions	620 x 420 x 460 H mm
Pallet dimensions	1200 x 800 x 2215 H mm

DATASHEET

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

* **ECOGREEN** with closed moulded handle

CONTINUED ON NEXT PAGE >>

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €	
1	NX 64SE 5101	■			751	1	176		PP
	NX 64SE 5401	■			785	1	176		ECOGREEN
2	NX 64HG 5101		■		710	1	176		PP
	NX 64HG 5401		■		742	1	176		ECOGREEN
3	NX 64CR 5101			■	1016	1	176		PP
	NX 64CR 5401			■	1062	1	176		ECOGREEN
4	NX 64CV 5101	Cover			845	1	176		PP
	NX 64CV 5401				883	1	176		ECOGREEN
5	NX SEAL46 5113			2 x		500			PP
6	AT LOCK 8113		2 x			10			PP
7	LH TYT	Label holders for all sides				10			PP



1



2



3



4



5



6



7

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
3	2-parts lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
4	Cover	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
5	Disposable security seal	
	Pieces per pack	500
6	Pair closing clips	
	Pieces per pack	10
7	Label holders	
	Pieces per pack	10


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 220 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated	Picking short side	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	S	NX 6422S 5101		■			■	■		■	2164	2	40	
	U	NX 6422U 5101			■	■				■	1838	2	40	
	⚠	ARTICLE ON REQUEST												
ECOGREEN	P	NX 6422P 5401		■			■	■	■		2261	2	40	
ECOGREEN	V	NX 6422V 5401			■	■			■		1921	2	40	

P*- S

Reinforced perforated bottom
Load capacity 50 kg






V*- U

Closed bottom
Load capacity 20 kg







A	294
B	106
B1	91

* **ECOGREEN** with closed moulded handle

CONTINUED ON PREVIOUS PAGE

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

P - S	
Stacked edge height	205 mm
Usable stacked height / with lid	190 mm / 194 mm
Usable internal dimensions	561 x 361 x 205 H mm
Volume	41,7 L
Pieces per package / pallet	2 40
Package dimensions	620 x 420 x 460 H mm
Pallet dimensions	1200 x 800 x 2215 H mm

V - U	
Stacked edge height	205 mm
Usable stacked height / with lid	202 mm / 206 mm
Usable internal dimensions	561 x 361 x 217 H mm
Volume	44,5 L
Pieces per package / pallet	2 40
Package dimensions	620 x 420 x 460 H mm
Pallet dimensions	1200 x 800 x 2215 H mm

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

600 x 400 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 64SE 5101	■			751	1	176	
	NX 64SE 5401	■			785	1	176	
2	NX 64HG 5101		■		710	1	176	
	NX 64HG 5401		■		742	1	176	
3	NX 64CR 5101			■	1016	1	176	
	NX 64CR 5401			■	1062	1	176	
4	NX 64CV 5101	Cover			845	1	176	
	NX 64CV 5401				883	1	176	
5	NX SEAL46 5113			2 x		500		
6	AT LOCK 8113		2 x			10		
7	LH TYT	Label holders for all sides				10		
8	NX WC64226896	Door for H 220				10		



1



2



3



4



5



6



7



8

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
3	2-parts lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
4	Cover	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
5	Disposable security seal	
	Pieces per pack	500
6	Pair closing clips	
	Pieces per pack	10
7	Label holders	
	Pieces per pack	10
8	Door for H 220	
	Pieces per pack	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 270 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	B	NX 6427B 5101	■			■				■	2133	2	32	
ECOGREEN	B	NX 6427B 5401	■			■			■		2229	2	32	
PP	D	NX 6427D 5101	■					■		■	2654	2	32	
⚠		ARTICLE ON REQUEST												
ECOGREEN	D	NX 6427D 5401	■					■	■		2773	2	32	

B


Closed bottom
Load capacity 20 kg





D

Reinforced bottom
Load capacity 50 kg





B

Stacked edge height	255 mm
Usable stacked height / with lid	252 mm / 256 mm
Usable internal dimensions	561 x 361 x 267 H mm
Volume	54,8 L
Pieces per package / pallet	2 — 32
Package dimensions	620 x 420 x 560 H mm
Pallet dimensions	1200 x 800 x 2205 H mm

D

Stacked edge height	255 mm
Usable stacked height / with lid	240 mm / 244 mm
Usable internal dimensions	561 x 361 x 255 H mm
Volume	52 L
Pieces per package / pallet	2 — 32
Package dimensions	620 x 420 x 560 H mm
Pallet dimensions	1200 x 800 x 2205 H mm

DATASHEET

CONTINUED ON NEXT PAGE >>

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 64SE 5101	■			751	1	176	
	NX 64SE 5401	■			785	1	176	
2	NX 64HG 5101		■		710	1	176	
	NX 64HG 5401		■		742	1	176	
3	NX 64CR 5101			■	1016	1	176	
	NX 64CR 5401			■	1062	1	176	
4	NX 64CV 5101	Cover			845	1	176	
	NX 64CV 5401				883	1	176	
5	NX SEAL46 5113			2 x		500		
6	AT LOCK 8113		2 x			10		
7	LH TYT	Label holders for all sides				10		



1



2



3



4



5



6



7

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
3	2-parts lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
4	Cover	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
5	Disposable security seal	
	Pieces per pack	500
6	Pair closing clips	
	Pieces per pack	10
7	Label holders	
	Pieces per pack	10


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 270 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated	Picking short side	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	S	NX 6427S 5101		■			■	■		■	2394	2	32	
PP	U	NX 6427U 5101			■	■				■	2056	2	32	
⚠		ARTICLE ON REQUEST												
ECOGREEN	S	NX 6427S 5401		■			■	■	■		2502	2	32	
ECOGREEN	U	NX 6427U 5401			■	■			■		2149	2	32	

S

Reinforced perforated bottom
Load capacity 50 kg






U

Closed bottom
Load capacity 20 kg







A	294
B	131
B1	116

DATASHEET

S	
Stacked edge height	255 mm
Usable stacked height / with lid	240 mm / 244 mm
Usable internal dimensions	561 x 361 x 255 H mm
Volume	52 L
Pieces per package / pallet	2 — 32
Package dimensions	620 x 420 x 560 H mm
Pallet dimensions	1200 x 800 x 2205 H mm

U	
Stacked edge height	255 mm
Usable stacked height / with lid	252 mm / 256 mm
Usable internal dimensions	561 x 361 x 267 H mm
Volume	54,8 L
Pieces per package / pallet	2 — 32
Package dimensions	620 x 420 x 560 H mm
Pallet dimensions	1200 x 800 x 2205 H mm

<< CONTINUED ON PREVIOUS PAGE

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 64SE 5101	■			751	1	176	
	NX 64SE 5401	■			785	1	176	
2	NX 64HG 5101		■		710	1	176	
	NX 64HG 5401		■		742	1	176	
3	NX 64CR 5101			■	1016	1	176	
	NX 64CR 5401			■	1062	1	176	
4	NX 64CV 5101	Cover			845	1	176	
	NX 64CV 5401				883	1	176	
5	NX SEAL46 5113			2 x		500		
6	AT LOCK 8113		2 x			10		
7	LH TYT	Label holders for all sides				10		
8	NX WC64276896	Door for H 270				1		



1



2



3



4



5



6



7



8

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
3	2-parts lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
4	Cover	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
5	Disposable security seal	
	Pieces per pack	500
6	Pair closing clips	
	Pieces per pack	10
7	Label holders	
	Pieces per pack	10
8	Door for H 270	
	Pieces per pack	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 320 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	B	NX 6432B 5101	■			■				■	2423	3	40	
ECOGREEN	B	NX 6432B 5401	■			■			■		2532	3	40	
PP	D	NX 6432D 5101	■					■		■	2944	3	40	
⚠		ARTICLE ON REQUEST												
ECOGREEN	D	NX 6432D 5401	■					■	■		3076	3	40	

B


Closed bottom
Load capacity 20 kg





D

Reinforced bottom
Load capacity 50 kg





B

Stacked edge height	305 mm
Usable stacked height / with lid	302 mm / 306 mm
Usable internal dimensions	561 x 361 x 317 H mm
Volume	65,1 L
Pieces per package / pallet	3 40
Package dimensions	620 x 420 x 675 H mm
Pallet dimensions	1200 x 800 x 2390 H mm

D

Stacked edge height	305 mm
Usable stacked height / with lid	290 mm / 294 mm
Usable internal dimensions	561 x 361 x 305 H mm
Volume	62,2 L
Pieces per package / pallet	3 40
Package dimensions	620 x 420 x 675 H mm
Pallet dimensions	1200 x 800 x 2390 H mm

DATASHEET

CONTINUED ON NEXT PAGE >>

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 64SE 5101	■			751	1	176		PP
	NX 64SE 5401	■			785	1	176		ECOGREEN
2	NX 64HG 5101		■		710	1	176		PP
	NX 64HG 5401		■		742	1	176		ECOGREEN
3	NX 64CR 5101			■	1016	1	176		PP
	NX 64CR 5401			■	1062	1	176		ECOGREEN
4	NX 64CV 5101	Cover			845	1	176		PP
	NX 64CV 5401				883	1	176		ECOGREEN
5	NX SEAL46 5113			2 x		500			PP
6	AT LOCK 8113		2 x			10			PP
7	LH TYT	Label holders for all sides				10			PP



1



2



3



4



5



6



7

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
3	2-parts lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
4	Cover	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
5	Disposable security seal	
	Pieces per pack	500
6	Pair closing clips	
	Pieces per pack	10
7	Label holders	
	Pieces per pack	10


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 320 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated	Picking short side	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	S	NX 6432S 5101		■			■	■		■	2655	3	40	
	U	NX 6432U 5101			■	■				■	2323	3	40	
	⚠	ARTICLE ON REQUEST												
ECOGREEN	S	NX 6432S 5401		■			■	■	■		2774	3	40	
ECOGREEN	U	NX 6432U 5401			■	■			■		2428	3	40	

S

Reinforced perforated bottom
Load capacity 50 kg






U

Closed bottom
Load capacity 20 kg







A	294
B	156
B1	141

DATASHEET

S	
Stacked edge height	305 mm
Usable stacked height / with lid	290 mm / 294 mm
Usable internal dimensions	561 x 361 x 305 H mm
Volume	62,2 L
Pieces per package / pallet	3 40
Package dimensions	620 x 420 x 675 H mm
Pallet dimensions	1200 x 800 x 2390 H mm

U	
Stacked edge height	305 mm
Usable stacked height / with lid	302 mm / 306 mm
Usable internal dimensions	561 x 361 x 317 H mm
Volume	65,1 L
Pieces per package / pallet	3 40
Package dimensions	620 x 420 x 675 H mm
Pallet dimensions	1200 x 800 x 2390 H mm

<< CONTINUED ON PREVIOUS PAGE

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 64SE 5101	■			751	1	176	
	NX 64SE 5401	■			785	1	176	
2	NX 64HG 5101		■		710	1	176	
	NX 64HG 5401		■		742	1	176	
3	NX 64CR 5101			■	1016	1	176	
	NX 64CR 5401			■	1062	1	176	
4	NX 64CV 5101	Cover			845	1	176	
	NX 64CV 5401				883	1	176	
5	NX SEAL46 5113			2 x		500		
6	AT LOCK 8113		2 x			10		
7	LH TYT	Label holders for all sides				10		
8	NX WC64326896	Door for H 320				1		



1



2



3



4



5



6



7



8

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
3	2-parts lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
4	Cover	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
5	Disposable security seal	
	Pieces per pack	500
6	Pair closing clips	
	Pieces per pack	10
7	Label holders	
	Pieces per pack	10
8	Door for H 320	
	Pieces per pack	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 420 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	B	NX 6442B 5101	■			■				■	2886	1	20	
ECOGREEN	B	NX 6442B 5401	■			■			■		3016	1	20	
PP	D	NX 6442D 5101	■					■		■	3407	1	20	
⚠		ARTICLE ON REQUEST												
ECOGREEN	D	NX 6442D 5401	■					■	■		3560	1	20	

B


Closed bottom
Load capacity 20 kg





D

Reinforced bottom
Load capacity 50 kg





DATASHEET

B	
Stacked edge height	405 mm
Usable stacked height / with lid	402 mm / 406 mm
Usable internal dimensions	561 x 361 x 417 H mm
Volume	85,6 L
Pieces per package / pallet	1 — 20
Package dimensions	620 x 420 x 455 H mm
Pallet dimensions	1200 x 800 x 2190 H mm

D	
Stacked edge height	405 mm
Usable stacked height / with lid	390 mm / 394 mm
Usable internal dimensions	561 x 361 x 405 H mm
Volume	82,8 L
Pieces per package / pallet	1 — 20
Package dimensions	620 x 420 x 455 H mm
Pallet dimensions	1200 x 800 x 2190 H mm

CONTINUED ON NEXT PAGE >>

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 64SE 5101	■			751	1	176	
	NX 64SE 5401	■			785	1	176	
2	NX 64HG 5101		■		710	1	176	
	NX 64HG 5401		■		742	1	176	
3	NX 64CR 5101			■	1016	1	176	
	NX 64CR 5401			■	1062	1	176	
4	NX 64CV 5101	Cover			845	1	176	
	NX 64CV 5401				883	1	176	
5	NX SEAL46 5113			2 x		500		
6	AT LOCK 8113		2 x			10		
7	LH TYT	Label holders for all sides				10		



1



2



3



4



5



6



7

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
3	2-parts lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
4	Cover	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
5	Disposable security seal	
	Pieces per pack	500
6	Pair closing clips	
	Pieces per pack	10
7	Label holders	
	Pieces per pack	10


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 420 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated	Picking short side	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	S	NX 6442S 5101		■			■	■		■	3018	1	20	
	U	NX 6442U 5101			■	■				■	2759	1	20	
	⚠	ARTICLE ON REQUEST												
ECOGREEN	S	NX 6442S 5401		■			■	■	■		3154	1	20	
ECOGREEN	U	NX 6442U 5401			■	■			■		2883	1	20	

S

Reinforced perforated bottom
Load capacity 50 kg






U

Closed bottom
Load capacity 20 kg







A	294
B	206
B1	191

DATASHEET

S	
Stacked edge height	405 mm
Usable stacked height / with lid	390 mm / 394 mm
Usable internal dimensions	561 x 361 x 405 H mm
Volume	82,8 L
Pieces per package / pallet	1 — 20
Package dimensions	620 x 420 x 455 H mm
Pallet dimensions	1200 x 800 x 2190 H mm

U	
Stacked edge height	405 mm
Usable stacked height / with lid	402 mm / 406 mm
Usable internal dimensions	561 x 361 x 417 H mm
Volume	85,6 L
Pieces per package / pallet	1 — 20
Package dimensions	620 x 420 x 455 H mm
Pallet dimensions	1200 x 800 x 2190 H mm

CONTINUED ON PREVIOUS PAGE

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	NX 64SE 5101	■			751	1	176	
	NX 64SE 5401	■			785	1	176	
2	NX 64HG 5101		■		710	1	176	
	NX 64HG 5401		■		742	1	176	
3	NX 64CR 5101			■	1016	1	176	
	NX 64CR 5401			■	1062	1	176	
4	NX 64CV 5101	Cover			845	1	176	
	NX 64CV 5401				883	1	176	
5	NX SEAL46 5113			2 x		500		
6	AT LOCK 8113		2 x			10		
7	LH TYT	Label holders for all sides				10		
8	NX WC64426896	Door for H 420				1		



1



2



3




4



5



6



7



8

DATASHEET

1	Separate lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
3	2-parts lid	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
4	Cover	600 x 400 mm
	Pieces per pack.	1
	Pieces per pallet / dimens.	176 / 1200 x 800 x 870 H mm
5	Disposable security seal	
	Pieces per pack	500
6	Pair closing clips	
	Pieces per pack	10
7	Label holders	
	Pieces per pack	10
8	Door for H 420	
	Pieces per pack	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Per container

600 x 400 mm

		ARTICLE	1 SÉPARATION	2 SÉPARATIONS	4 SÉPARATIONS	GR.	EMBALLAGE		PRIX UNITAIRE €
							Qté par paq.	Qté par palette	
ECOGREEN	1	AT 64S1 5407	■			428	10	160	
ECOGREEN	2	AT 64S2 5407		■		460	10	160	
ECOGREEN	3	AT 64S4 5407			■	489	10	160	
ECOGREEN	4	AT 64S0 5407	■			345	20	320	
	5	AT LID6 6896	Transparent lid				20		


1



2



3




4




5







Subdivision with 1 and 2 compartments



Subdivision with 1 and 4 compartments




Subdivision with 2 and 4 compartments

DATASHEET

1	Partitioned box 1 partition	357 x 278 x 90 H mm
	Pieces per pack / pallet	10 160
	Package dimensions	565 x 375 x 460 H mm
	Pallet dimensions	1200 x 800 x 1990 H mm
2	Partitioned box 2 partitions	357 x 278 x 90 H mm
	Pieces per pack / pallet	10 160
	Package dimensions	565 x 375 x 460 H mm
	Pallet dimensions	1200 x 800 x 1990 H mm
3	Partitioned box 4 partitions	357 x 278 x 90 H mm
	Pieces per pack / pallet	10 160
	Package dimensions	565 x 375 x 460 H mm
	Pallet dimensions	1200 x 800 x 1990 H mm
4	Partitioned box 1 partition	277 x 177 x 99 H mm
	Pieces per pack / pallet	20 320
	Package dimensions	565 x 375 x 460 H mm
	Pallet dimensions	1200 x 800 x 1990 H mm
5	Transparent polystyrene lid	
	Pieces per pack / pallet	20
	Package dimensions	365 x 295 x 180 H mm

600 x 400 mm

	ARTICLE	H 45	H 70	H 90	H 120	H 180	H 220	PACKAGING		UNIT PRICE €
								Qty. per pack.	Qty. per pallet	
1	DI 35545246801	■						10		
	DI 55545246801	■						10		
2	DI 35570246801		■					10		
	DI 55570246801		■					10		
3	DI 35590246801			■				10		
	DI 55590246801			■				10		
4	DI 35512246801				■			10		
	DI 55512246801				■			10		
5	DI 35518246801					■		10		
	DI 55518246801					■		10		
6	DI 35522246801						■	10		
	DI 55522246801						■	10		
7	DI 64SHT5101							10		



6801

Pitch 24 mm





1



2



3




4



5



6



7

DATASHEET

1	Comb divider 355 x 45 H mm per box 600 x 400 x 75H mm	10 items
	Comb divider 555 x 45 H mm per box 600 x 400 x H 75 mm	10 items
2	Comb divider 355 x 70 H mm per box 600 x 400 x 120 H mm	10 items
	Comb divider 555 x 70 H mm per box 600 x 400 x 120 H mm	10 items
3	Comb divider 355 x 90 H mm per box 600 x 400 x 120 H mm	10 items
	Comb divider 555 x 90 H mm per box 600 x 400 x 120 H mm	10 items
4	Comb divider 355 x 120 H mm per box 600 x 400 x 170 H mm	10 items
	Comb divider 555 x 120 H mm per box 600 x 400 x 170 H mm	10 items
5	Comb divider 355 x 180 H mm per box 600 x 400 x 220 H mm	10 items
	Comb divider 555 x 180 H mm per box 600 x 400 x 220 H mm	10 items
6	Comb divider 355 x 220 H mm per box 600 x 400 x 270 H mm	10 items
	Comb divider 555 x 220 H mm per box 600 x 400 x 270 H mm	10 items

7	
Intermediate partition shelf 555 x 355 mm	10 items



ATHENA

5
PP


The variety of materials and sizes of the **ATHENA** series of boxes make them suitable for use in all sectors, with optimal adaptability to storage and distribution requirements. They are stackable with and without lids and conform to euro-pallet sizes.

Edges and reinforcements are designed to give the boxes structural strength to withstand the heaviest loads. The bottoms and walls of the boxes can be closed or perforated.

The handles can also be in open or closed mode. The varied composition of these elements permits a wide range of solutions and does not exclude the option of customised solutions.

BOTTOM

800x600 mm
bottom for accessories



ACCESSORIES

with feet



with crossbars



to add to the feet

with wheels






800 x 600 mm H 120 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	C	AT 8612C 5101	■					■	■		3458	4	40	
		AT 8612C 5207	■					■	■		3873	4	40	
ECOGREEN		AT 8612C 5401	■					■	■		3614	4	40	
		ACCESSORIES												
PP	1	AT FEET 5101	Foot Order 4 pieces								136	1		
		AT FEET 5207									152	1		
ECOGREEN		AT FEET 5401									142	1		
PP	2	AT RUNN 5101	Crossbar to be slotted under the feet AT FEET Order 2 pieces								382	1		
		AT RUNN 5207									428	1		
ECOGREEN		AT RUNN 5401									400	1		
	3	AT WRCT 100	Swivel wheel D. 100 mm in rubber									1		
		AT WRCT 125	Swivel wheel D. 125 mm in rubber									1		


C

Reinforced bottom
Load capacity 60 kg






1



Order 4 feet

2



Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on the opposite page

All accessories include fixing screws when required

Accessories supplied mounted
When fitted with wheels, the boxes are not stackable

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

C	
Stacked edge height	105 mm
Usable stacked height / with lid	86 mm / 93 mm
Usable internal dimensions	755 x 555 x 101 H mm
Volume	49 L
Pieces per package / pallet	4 — 40
Package dimensions	820 x 620 x 455 H mm
Pallet dimensions	1200 x 800 x 2265 H mm

1	
Feet with fixing screws	100 H mm
Pieces per package	1

2	
Crossbar	25 H mm
Pieces per package	1

3	
Swivel wheel in rubber	diamètre 100/125 mm
Pieces per package	1

800 x 600 mm H 120 mm

	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5101	■	1978	5	60	
	AT 86SE 5207	■	2215	5	60	
	AT 86SE 5401	■	2067	5	60	
2	SPRING 0099	Document holder spring		10		
3	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		
4	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		
5	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		
6	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		
7	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		
8	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		

PP

ECOGREEN


All accessories include fixing screws when required




1



2



3 4



5 6



7 8

DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	5 / 60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per package	10
3	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
4	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
5	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
6	Fixed wheel in nylon diameter 100 mm footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm footprint 155 mm H	
7	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
8	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

800 x 600 mm H 170 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	C	AT 8617C 5101	■					■	■		3804	3	28	
		AT 8617C 5207	■					■	■		4260	3	28	
ECOGREEN		AT 8617C 5401	■					■	■		3975	3	28	
		ACCESSORIES												
PP	1	AT FEET 5101	Foot Order 4 pieces								136	1		
		AT FEET 5207									152	1		
ECOGREEN		AT FEET 5401									142	1		
PP	2	AT RUNN 5101	Crossbar to be slotted under the feet AT FEET Order 2 pieces								382	1		
		AT RUNN 5207									428	1		
ECOGREEN		AT RUNN 5401									400	1		
	3	AT WRCT 100	Swivel wheel D. 100 mm in rubber									1		
		AT WRCT 125	Swivel wheel D. 125 mm in rubber									1		


C

Reinforced bottom
Load capacity 60 kg






1




Order 4 feet

2



Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on the opposite page

All accessories include fixing screws when required

Accessories supplied mounted

C	
Stacked edge height	155 mm
Usable stacked height / with lid	136 mm / 143 mm
Usable internal dimensions	755 x 555 x 151 H mm
Volume	69 L
Pieces per package / pallet	3 28
Package dimensions	820 x 620 x 500 H mm
Pallet dimensions	1200 x 800 x 2335 H mm

1	
Feet with fixing screws	100 H mm
Pieces per package	1

2	
Crossbar	25 H mm
Pieces per package	1

3	
Swivel wheel in rubber	diamètre 100/125 mm
Pieces per package	1

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

800 x 600 mm H 170 mm

	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5101	■	1978	5	60	
	AT 86SE 5207	■	2215	5	60	
	AT 86SE 5401	■	2067	5	60	
2	SPRING 0099	Document holder spring		10		
3	AT LH64 5107	Label holders		10		
4	LB 21081 0325	A4 sheet with 3 labels		25		
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		
9	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		
10	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		

PP

ECOGREEN


All accessories include fixing screws when required

DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	5 / 60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per package	10
3	Label holders	215 x 85 H mm
	Pieces per package	10
4	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per package	25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	















iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

800 x 600 mm H 220 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	C	AT 8622C 5101	■					■	■		4588	2	20	
		AT 8622C 5207	■					■	■		5138	2	20	
ECOGREEN		AT 8622C 5401	■					■	■		4795	2	20	
		ACCESSORIES												
PP	1	AT FEET 5101	Foot Order 4 pieces								136	1		
		AT FEET 5207									152	1		
ECOGREEN		AT FEET 5401									142	1		
PP	2	AT RUNN 5101	Crossbar to be slotted under the feet AT FEET Order 2 pieces								382	1		
		AT RUNN 5207									428	1		
ECOGREEN		AT RUNN 5401									400	1		
	3	AT WRCT 100	Swivel wheel D. 100 mm in rubber									1		
		AT WRCT 125	Swivel wheel D. 125 mm in rubber									1		


C

Reinforced bottom
Load capacity 60 kg






1




Order 4 feet

2



Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on the opposite page

All accessories include fixing screws when required

Accessories supplied mounted

DATASHEET

C	
Stacked edge height	205 mm
Usable stacked height / with lid	186 mm / 193 mm
Usable internal dimensions	755 x 555 x 201 H mm
Volume	90 L
Pieces per package / pallet	2 20
Package dimensions	820 x 620 x 445h Hmm
Pallet dimensions	1200 x 800 x 2215 H mm

1	
Feet with fixing screws	100 H mm
Pieces per package	1

2	
Crossbar	25 H mm
Pieces per package	1

3	
Swivel wheel in rubber	diamètre 100/125 mm
Pieces per package	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

800 x 600 mm H 220 mm

	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5101	■	1978	5	60	
	AT 86SE 5207	■	2215	5	60	
	AT 86SE 5401	■	2067	5	60	
2	SPRING 0099	Document holder spring		10		
3	AT LH64 5107	Label holders		10		
4	LB 21081 0325	A4 sheet with 3 labels		25		
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		
9	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		
10	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		

PP

ECOGREEN


All accessories include fixing screws when required

DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	5 / 60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per package	10
3	Label holders	215 x 85 H mm
	Pieces per package	10
4	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per package	25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	















iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

800 x 600 mm H 320 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	C	AT 8632C 5101	■					■	■		5422	2	14	
	C	AT 8632C 5207	■					■	■		6072	2	14	
ECOGREEN	C	AT 8632C 5401	■					■	■		5665	2	14	
		ACCESSORIES												
	1	AT FEET 5101	Foot Order 4 pieces								136	1		
	1	AT FEET 5207									152	1		
ECOGREEN	1	AT FEET 5401									142	1		
	2	AT RUNN 5101	Crossbar to be slotted under the feet AT FEET Order 2 pieces								382	1		
	2	AT RUNN 5207									428	1		
ECOGREEN	2	AT RUNN 5401									400	1		
	3	AT WRCT 100	Swivel wheel D. 100 mm in rubber									1		
	3	AT WRCT 125	Swivel wheel D. 125 mm in rubber									1		


C

Reinforced bottom
Load capacity 60 kg






1



Order 4 feet


All accessories include fixing screws when required

2



Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on the opposite page

Accessories supplied mounted

DATASHEET

C	
Stacked edge height	310 mm
Usable stacked height / with lid	291 mm / 298 mm
Usable internal dimensions	755 x 555 x 306 H mm
Volume	130 L
Pieces per package / pallet	2 — 14
Package dimensions	820 x 620 x 655 H mm
Pallet dimensions	1200 x 800 x 2335 H mm

1	
Feet with fixing screws	100 H mm
Pièces par paquet	1

2	
Crossbar	25 H mm
Pieces per package	1

3	
Swivel wheel in rubber	diamètre 100/125 mm
Pièces par paquet	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


800 x 600 mm H 320 mm

	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5101	■	1978	5	60	
	AT 86SE 5207	■	2215	5	60	
	AT 86SE 5401	■	2067	5	60	
2	SPRING 0099	Document holder spring		10		
3	AT LH64 5107	Label holders		10		
4	LB 21081 0325	A4 sheet with 3 labels		25		
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		
9	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		
10	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		

PP

ECOGREEN

All accessories include fixing screws when required



DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	5 60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per package	10
3	Label holders	215 x 85 H mm
	Pieces per package	10
4	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per package	25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

800 x 600 mm H 430 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	C	AT 8643C 5101	■					■	■		6238	1	10	
	C	AT 8643C 5207	■					■	■		6986	1	10	
ECOGREEN	C	AT 8643C 5401	■					■	■		6518	1	10	
		ACCESSORIES												
PP	1	AT FEET 5101	Foot Order 4 pieces								136	1		
	1	AT FEET 5207									152	1		
ECOGREEN	1	AT FEET 5401									142	1		
PP	2	AT RUNN 5101	Crossbar to be slotted under the feet AT FEET Order 2 pieces								382	1		
	2	AT RUNN 5207									428	1		
ECOGREEN	2	AT RUNN 5401									400	1		
	3	AT WRCT 100	Swivel wheel D. 100 mm in rubber									1		
	3	AT WRCT 125	Swivel wheel D. 125 mm in rubber									1		

C

Reinforced bottom
Load capacity 60 kg






1




Order 4 feet

2



Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on the opposite page

All accessories include fixing screws when required

Accessories supplied mounted

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

C	
Stacked edge height	415 mm
Usable stacked height / with lid	396 mm / 403 mm
Usable internal dimensions	755 x 555 x 411 H mm
Volume	175 L
Pieces per package / pallet	1 10
Package dimensions	820 x 620 x 450 H mm
Pallet dimensions	1200 x 800 x 2240 H mm

1	
Feet with fixing screws	100 H mm
Pieces per package	1

2	
Crossbar	25 H mm
Pieces per package	1

3	
Swivel wheel in rubber	diamètre 100/125 mm
Pieces per package	1

800 x 600 mm H 430 mm

	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5101	■	1978	5	60	
	AT 86SE 5207	■	2215	5	60	
	AT 86SE 5401	■	2067	5	60	
2	SPRING 0099	Document holder spring		10		
3	AT LH64 5107	Label holders		10		
4	LB 21081 0325	A4 sheet with 3 labels		25		
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		
9	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		
10	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		

PP

ECOGREEN


All accessories include fixing screws when required

DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	5 / 60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per package	10
3	Label holders	215 x 85 H mm
	Pieces per package	10
4	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per package	25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	














iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



KRONOS

5
PP


KRONOS foldable boxes have been designed and manufactured to significantly reduce the overall space occupied when not in use and during transport of empties. Their volume reduction of up to 75% therefore leads to high savings in storage and transport costs. KRONOS foldable boxes are equipped with a sturdy stacking edge and ribbed outer walls at the highest stress points:

these structural features give the boxes extra durability over time.

Lightweight and manageable, they adapt perfectly to normalised pallets. Their flat bottoms allow use on all types of roller beds, thus giving great flexibility also in internal handling.

The short sides are supplied with handy label holders and comfort handles for easy grip; the handles can be closed with the use of special casings.

WALLS




handle closure casing





When used with the lid, the box can be fastened shut with disposable seals that are also customisable: the seals are applied on the two-flap lid and on the opening mechanism positioned on the two short sides of the box.



Clamping system

FOLDABILITY


1




2



3



4





H 220/320 = 80 mm
H 420 = 100 mm

DIMENSIONS

400 x 300 x 220 H mm



600 x 400 x 220 H mm



600 x 400 x 320 H mm



600 x 400 x 420 H mm



800 x 400 x 420 H mm



FRAME COLOR CUSTOMIZATION
ON REQUEST

MINIMUM OF 200 PIECES
(with surcharge)




iMilani
TECHNOLOGY. DYNAMISM. PEOPLE.
cisalfa
#IAMTHESPORT

400 x 300 mm H 220 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
B	KR 4322B 5101	■			■				■	1510	10	240	
	ACCESSORIES												
1	KR 43HG 51XL									277	5	700	
2	KR PLUG 5101									18	10		
3	KR SEAL 5113										500		



B

Closed bottom
Load capacity 20 kg





1



2



3

DATASHEET

B	
Height closed	80 mm
Stacked edge height closed	72 mm
Stacked edge height open	212 mm
Usable stacked height / with lid	202 mm / 202 mm
Usable internal dimensions	354 x 256 x 216 H mm
Maximum stacking load capacity	160 kg
Volume	20 L
Pieces per pack / pallet	10 240
Package dimensions	620 x 420 x 388 H mm
Pallet dimensions	1200 x 800 x 2318 H mm

1	
Lid	400 x 300 mm
Pieces per pack. / dimension	5 / 410 x 180 x 150 H mm
Pieces per pallet / dimension	700 / 1200 x 800 x 870 H mm

2	
Handle closure casing	
Pieces per pack	10

3	
Disposable security seal	
Pieces per pack	500

THE LIDS ARE SUPPLIED SEPARATELY

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


600 x 400 mm H 220 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	B	KR 6422B 5101	■			■				■	2192	5	120	
		ACCESSORIES												
PP	1	KR 64HG 51XL									590	5	350	
PP	2	KR PLUG 5101									18	10		
PP	3	KR SEAL 5113										500		

B

Closed bottom
Load capacity 20 kg





1



2



3



DATASHEET

B	
Height closed	80 mm
Stacked edge height closed	72 mm
Stacked edge height open	212 mm
Usable stacked height / with lid	202 mm / 202 mm
Usable internal dimensions	554 x 356 x 216 H mm
Maximum stacking load capacity	160 kg
Volume	40 L
Pieces per pack / pallet	5 120
Package dimensions	620 x 420 x 388 H mm
Pallet dimensions	1200 x 800 x 2318 H mm

1	
Lid	600 x 400 mm
Pieces per pack. / dimension	5/ 610 x 250 x 150 H mm
Pieces per pallet / dimension	350/1200x800x870Hmm

2	
Handle closure casing	
Pieces per pack	10

3	
Disposable security seal	
Pieces per pack	500

THE LIDS ARE SUPPLIED SEPARATELY

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 320 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
B	KR 6432B 5101	■			■				■	2780	5	120	
	ACCESSORIES												
1	KR 64HG 51XL									590	10	180	
2	KR PLUG 5101									18	10		
3	KR SEAL 5113										500		



B

Closed bottom
Load capacity 20 kg





1



2



3

DATASHEET

B	
Height closed	80 mm
Stacked edge height closed	72 mm
Stacked edge height open	312 mm
Usable stacked height / with lid	302 mm / 302 mm
Usable internal dimensions	554 x356 x 316 H mm
Maximum stacking load capacity	160 kg
Volume	60 L
Pieces per pack / pallet	5 120
Package dimensions	620 x 420 x 388 H mm
Pallet dimensions	1200 x 800 x 2318 H mm

1	
Lid	600 x 400 mm
Pieces per pack. / dimension	10/ 620 x 250 x 180 H mm
Pieces per pallet / dimension	180/1240x800x670 H mm

2	
Handle closure casing	
Pieces per pack	10

3	
Disposable security seal	
Pieces per pack	500

THE LIDS ARE SUPPLIED SEPARATELY

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 420 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	B	KR 6442B 5101	■			■				■	4010	4	96	
		ACCESSORIES												
	1	KR 64HG 51XL									590	10	180	
	2	KR PLUG 5101									18	10		
	3	KR SEAL 5113										500		

B

Closed bottom
Load capacity 20 kg





1



2



3



B

Height closed	100 mm
Stacked edge height closed	92 mm
Stacked edge height open	412 mm
Usable stacked height / with lid	402 mm / 402 mm
Usable internal dimensions	554 x 356 x 416 H mm
Maximum stacking load capacity	160 kg
Volume	80 L
Pieces per pack / pallet	4 96
Package dimensions	620 x 420 x 411 H mm
Pallet dimensions	1200 x 800 x 2346 H mm

1

Lid	600 x 400 mm
Pieces per pack. / dimension	10 / 620 x 250 x 180 H mm
Pieces per pallet / dimension	180 / 1240 x 800 x 670 H mm

2

Handle closure casing	
Pieces per pack	10

3

Disposable security seal	
Pieces per pack	500

THE LIDS ARE SUPPLIED SEPARATELY

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

800 x 400 mm H 420 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
B	KR 8442B 5101	■			■				■	4891	4	72	
	ACCESSORIES												
1	KR 64HG 51XL									808	10	200	
2	KR PLUG 5101									18	10		
3	KR SEAL 5113										500		



B

Closed bottom
Load capacity 20 kg





1



2



3

DATASHEET

B	
Height closed	100 mm
Stacked edge height closed	92 mm
Stacked edge height open	412 mm
Usable stacked height / with lid	402 mm / 402 mm
Usable internal dimensions	754 x 356 x 416 H mm
Maximum stacking load capacity	160 kg
Volume	100 L
Pieces per pack / pallet	4 / 72
Package dimensions	820 x 420 x 411 H mm
Pallet dimensions	1200 x 800 x 2346 H mm

1	
Lid	800 x 400 mm
Pieces per pack. / dimension	10 / 820 x 250 x 180 H mm
Pieces per pallet / dimension	200 / 1250 x 820 x 850 H mm

2	
Handle closure casing	
Pieces per pack	10

3	
Disposable security seal	
Pieces per pack	500

THE LIDS ARE SUPPLIED SEPARATELY

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



DELTA

5
PP

Boxes in the **DELTA** series have a truncated cone structure, allowing for stable and safe stacking at full load. When empty they can be inserted one inside the other, resulting in a 70% reduction in volume.

These properties make them perfect for maximising warehouse space and transport space. They are particularly useful in shipment returns when empty or when packaging must take up the least possible space.

SAFETY







With the separate or hinged two-flap lids, the box can be fastened shut with dedicated disposable seals as well with commercially available nylon ties.

In addition to these, straps can be used both on the short and long sides, with containment points provided to prevent unauthorised removal of the straps.

STACKING



By shifting the pair of yellow supports towards the inside or the outside, the boxes can be stacked and interlocked.




In the version with the two-flap lid, you can stack the boxes and interlock them. Stacking with the lids open ensures geometrical consistency of the battery of boxes.

TRANSPORT

The wedges on the edges of short sides ensure the stability of the box in the event of accidental interruptions during the advance of automatic rollers and conveyor belts.

The external surface of the bottom has a smooth frame and rounded edge, for a silent impact on conveyor system rollers. Additionally, the surface of the central part is designed for increased adherence, ideal for safe transport over flat surfaces and conveyor belt ramps in ascent and descent.








FOOD DELIVERY
CORN FLAKES
CORN FLAKES

600 x 400 mm H 175 mm Version A
600 x 400 mm H 180 mm Version I
600 x 400 mm H 190 mm Version Z

	ARTICLE	BOTTOM WALLS HANDLES	SUPPORTS FOR STACKING	HINGED LID	GR.	PACKAGING		UNIT PRICE €
		Closed				Qté par paq.	Qté par palette	
A	DE 6417A 5101	■			1560	5	136	
I	DE 6417I 5101	■	■		1776	5	136	
Z	DE 6417Z 5101	■		■	2460	5	104	
	ACCESSORIES							
1	DE 64SE 5101				960	1	160	
2	DE SEAL 5113					500		



A

Closed bottom
Load capacity 20 kg





I

Closed bottom
Load capacity 20 kg






Z

Closed bottom
Load capacity 20 kg





1



2

DATASHEET

A - I

Stacked edge height	50 mm
Usable height with lid	165 mm
Usable internal dimensions at the base	500 x 330 x 170 H mm
Volume	30 L
Pieces per pack / pallet	5 — 136
Package dimensions	620 x 420 x 395 H mm
Pallet dimensions	1220 x 800 x 1955 H mm

Z

Stacked edge height	90 mm
Usable H.	165 mm
Usable internal dimensions at the base	500 x 330 x 170 H mm
Volume	27 L
Pieces per pack / pallet	5 — 104
Package dimensions	630 x 510 x 463 H mm
Pallet dimensions	1300 x 1000 x 1896 H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30 H mm
Pieces per pallet / dimension	160 / 1220x800x1000H mm

2

Disposable security seal	
Pieces per pack	500

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Version A	600 x 400 mm	H 225 mm
Version I	600 x 400 mm	H 230 mm
Version Z	600 x 400 mm	H 240 mm

		ARTICLE	BOTTOM WALLS HANDLES Closed	SUPPORTS FOR STACKING	HINGED LID	GR.	PACKAGING Qté par paq.	PACKAGING Qté par palette	UNIT PRICE €
PP	A	DE 6422A 5101	■			1706	5	136	
PP	I	DE 6422I 5101	■	■		1922	5	136	
PP	Z	DE 6422Z 5101	■		■	2606	5	104	
		ACCESSORIES							
PP	1	DE 64SE 5101				960	1	160	
PP	2	DE SEAL 5113					500		

A

Closed bottom
Load capacity 20 kg





I

Closed bottom
Load capacity 20 kg





Z

Closed bottom
Load capacity 20 kg





1



2



DATASHEET

A - I

Stacked edge height	50 mm
Usable height with lid	215 mm
Usable internal dimensions at the base	500 x 330 x 220 H mm
Volume	38 L
Pieces per pack / pallet	5 — 136
Package dimensions	620 x 420 x 445 H mm
Pallet dimensions	1220 x 800 x 2005 H mm

Z

Stacked edge height	90 mm
Usable H.	215 mm
Usable internal dimensions at the base	500 x 330 x 220 H mm
Volume	38 L
Pieces per pack / pallet	5 — 104
Package dimensions	630 x 510 x 513 H mm
Pallet dimensions	1300 x 1000 x 1946 H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30 H mm
Pieces per pallet / dimension	160/1220x800x1000H mm

2

Disposable security seal	
Pieces per pack	500

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 275 mm Version A
600 x 400 mm H 280 mm Version I
600 x 400 mm H 290 mm Version Z

	ARTICLE	BOTTOM WALLS HANDLES	SUPPORTS FOR STACKING	HINGED LID	GR.	PACKAGING		UNIT PRICE €
		Closed				Qté par paq.	Qté par palette	
A	DE 6427A 5101	■			2110	5	104	
I	DE 6427I 5101	■	■		2326	5	104	
Z	DE 6427Z 5101	■		■	2606	5	80	
	ACCESSORIES							
1	DE 64SE 5101				960	1	160	
2	DE SEAL 5113					500		



A

Closed bottom
Load capacity 20 kg





I

Closed bottom
Load capacity 20 kg






Z

Closed bottom
Load capacity 20 kg





1



2

DATASHEET

A - I

Stacked edge height	65 mm
Usable height with lid	265 mm
Usable internal dimensions at the base	500 x 330 x 270 H mm
Volume	48 L
Pieces per pack / pallet	5 104
Package dimensions	620 x 420 x 555 H mm
Pallet dimensions	1220 x 800 x 2030 H mm

Z

Stacked edge height	105 mm
Usable H.	265 mm
Usable internal dimensions at the base	500 x 330 x 270 H mm
Volume	45 L
Pieces per pack / pallet	5 80
Package dimensions	630 x 510 x 623 H mm
Pallet dimensions	1300 x 1000 x 1903 H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30 H mm
Pieces per pallet / dimension	160 / 1220x800x1000H mm

2

Disposable security seal	
Pieces per pack	500

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Version A	600 x 400 mm	H 325 mm
Version I	600 x 400 mm	H 330 mm
Version Z	600 x 400 mm	H 340 mm

		ARTICLE	BOTTOM WALLS HANDLES Closed	SUPPORTS FOR STACKING	HINGED LID	GR.	PACKAGING Qté par paq.	PACKAGING Qté par palette	UNIT PRICE €
PP	A	DE 6432A 5101	■			2270	4	80	
PP	I	DE 6432I 5101	■	■		2486	4	80	
PP	Z	DE 6432Z 5101	■		■	3170	4	76	
		ACCESSORIES							
PP	1	DE 64SE 5101				960	1	160	
PP	2	DE SEAL 5113					500		

A

Closed bottom
Load capacity 20 kg





I

Closed bottom
Load capacity 20 kg






Z

Closed bottom
Load capacity 20 kg





1



2



DATASHEET

A - I

Stacked edge height	80 mm
Usable height with lid	315 mm
Usable internal dimensions at the base	500 x 330 x 320 H mm
Volume	58 L
Pieces per pack / pallet	4 — 80
Package dimensions	620 x 420 x 585 H mm
Pallet dimensions	1220 x 800 x 1975 H mm

Z

Stacked edge height	120 mm
Usable H.	315 mm
Usable internal dimensions at the base	500 x 330 x 320 H mm
Volume	58 L
Pieces per pack / pallet	4 — 76
Package dimensions	630 x 510 x 640 H mm
Pallet dimensions	1300 x 1000 x 2145 H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30 H mm
Pieces per pallet / dimension	160/1220x800x1000Hmm

2

Disposable security seal	
Pieces per pack	500

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 425 mm Version A
600 x 400 mm H 430 mm Version I
600 x 400 mm H 440 mm Version Z

	ARTICLE	BOTTOM WALLS HANDLES	SUPPORTS FOR STACKING	HINGED LID	GR.	PACKAGING		UNIT PRICE €
		Closed				Qté par paq.	Qté par palette	
A	DE 6442A 5101	■			2890	3	64	
I	DE 6442I 5101	■	■		3106	3	64	
Z	DE 6442Z 5101	■		■	3790	3	56	
	ACCESSORIES							
1	DE 64SE 5101				960	1	160	
2	DE SEAL 5113					500		



A

Closed bottom
Load capacity 20 kg





I

Closed bottom
Load capacity 20 kg






Z

Closed bottom
Load capacity 20 kg





1



2

DATASHEET

A - I

Stacked edge height	100 mm
Usable height with lid	415 mm
Usable internal dimensions at the base	500 x 330 x 420 H mm
Volume	74 L
Pieces per pack / pallet	3 64
Package dimensions	620 x 420 x 645 H mm
Pallet dimensions	1220 x 800 x 2055 H mm

Z

Stacked edge height	140 mm
Usable H.	415 mm
Usable internal dimensions at the base	500 x 330 x 420 H mm
Volume	74 L
Pieces per pack / pallet	3 56
Package dimensions	630 x 510 x 687 H mm
Pallet dimensions	1300 x 1000 x 2040 H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30 H mm
Pieces per pallet / dimension	160 / 1220x800x1000H mm

2

Disposable security seal	
Pieces per pack	500

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



MINERVA

5
PP

Boxes in the **MINERVA** series have a truncated cone structure, allowing for stable and safe stacking at full load. When empty they can be inserted one inside the other, resulting in a 60% reduction in volume.

These properties make them perfect for maximising warehouse space and transport space. They are particularly useful in shipment returns when empty or when packaging must take up the least possible space.

HANDLES

open handle





WALLS

closed walls



perforated walls



BOTTOMS

closed bottom



perforated bottom



The Minerva series boxes have asymmetrical wall geometry. This characteristic means that, without having to use the lid, you can create a stack when they are empty, or when they are full by simply rotating the box by 180°; they can thus be nested when empty or stacked when full.

When the separate lid is used, however, stacking of the full box does not require any rotation.

Boxes stacked with lid



Boxes stacked without lid







600 x 400 mm H 200 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
B	MI 6420B 5101	■			■				■	1650	6	128	
	MI 6420B 5900	■			■				■	1650	6	128	
S	MI 6420S 5101		■			■			■	1502	6	128	
	MI 6420S 5900		■			■			■	1502	6	128	
	ACCESSORIES												
1	MI 64SE 5101									1000	1	160	
	MI 64SE 5900									1000	1	160	
2	SPRING 0099										10		
3	MI LOCK 0099										10		

B



Closed bottom
Load capacity 20 kg



S




Perforated bottom
Capacité 20 kg



1



2



3



DATASHEET

B-S

Stacked edge height	60 mm
Usable stacked height / with lid	178 mm / 195 mm
Usable internal dimensions	453 x 336 x 197 H mm
Volume	32 L
Pieces per pack / pallet	6 128
Package dimensions	620 x 420 x 520 H mm
Pallet dimensions	1200 x 800 x 2210 H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30 H mm
Pieces per pallet / dimension	160/1230x820x950Hmm

2

Labels and document holder spring	
Pieces per pack	10

3

Lid holder spring	
Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


600 x 400 mm H 300 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	B	MI 6430B 5101	■			■				■	2432	4	88	
		MI 6430B 5900	■			■				■	2432	4	88	
	S	MI 6430S 5101		■			■			■	2294	4	88	
		MI 6430S 5900		■			■			■	2294	4	88	
		ACCESSORIES												
	1	MI 64SE 5101									1000	1	160	
		MI 64SE 5900									1000	1	160	
	2	SPRING 0099										10		
	3	MI LOCK 0099										10		

B

Closed bottom
Load capacity 20 kg






S

Perforated bottom
Capacité 20 kg






1



2



3



B - S

Stacked edge height	86 mm
Usable stacked height / with lid	272 mm / 295 mm
Usable internal dimensions	453 x 336 x 297 H mm
Volume	50 L
Pieces per pack / pallet	4 88
Package dimensions	620 x 420 x 578 H mm
Pallet dimensions	1200 x 800 x 2256 H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30 H mm
Pieces per pallet / dimension	160 / 1230x820x950H mm

2

Labels and document holder spring	
Pieces per pack	10

3

Lid holder spring	
Pieces per pack	10

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 400 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
B	MI 6440B 5101	■			■				■	2865	3	60	
	MI 6440B 5900	■			■				■	2865	3	60	
S	MI 6440S 5101		■			■			■	2654	3	60	
	MI 6440S 5900		■			■			■	2654	3	60	
	ACCESSORIES												
1	MI 64SE 5101									1000	1	160	
	MI 64SE 5900									1000	1	160	
2	SPRING 0099										10		
3	MI LOCK 0099										10		



B

Closed bottom
Load capacity 20 kg






S

Perforated bottom
Capacité 20 kg





1



2



3

DATASHEET

B-S

Stacked edge height	117 mm
Usable stacked height / with lid	372 mm / 395 mm
Usable internal dimensions	453 x 336 x 397 H mm
Volume	70 L
Pieces per pack / pallet	3 60
Package dimensions	620 x 420 x 654H mm
Pallet dimensions	1200 x 800 x 2188 H mm

1

Lid nominal measurement	600 x 400 mm
Pieces per pack. / dimension	1 / 610 x 410 x 30 H mm
Pieces per pallet / dimension	160/1230x820x950Hmm

2

Labels and document holder spring	
Pieces per pack	10

3

Lid holder spring	
Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



COMPAT

5
PP

The **COMPAT** container series is the ideal solution to any storage problems in the warehouse, workshop or on assembly lines. They allow you to have the contents always at hand and in full view, making them easily extractable.

These containers can be stacked stably and safely and the material is just as easily accessible even when they are one on top of the other.

BOTTOMS

smooth bottom



ribbed bottom



bottom ribbed at 45° with crossbar



CROSSBAR



The largest containers are equipped with a frontal crossbar that helps prevent any deformation of the side walls due to large loads and to facilitate grip.

HANDLES



Lifting and transport are aided by convenient handles that allow for quick grip even with gloves.

SIDE REINFORCEMENT



Lateral reinforcement on the bottom allows the containers to be stacked safely even when fully loaded.

ACCESSORIES



The containers can be divided longitudinally and transversely for load units with multiple products inside them.



Practical transparent doors protect against dust.



Internal partition with removable boxes


Size 01 - Size 0

		ARTICLE	SMOOTH BOTTOM	SIZE 01	SIZE 0	GR.	PACKAGING		UNIT PRICE €
			Closed				Qty. per pack.	Qty. per pallet	
PP	A	CO Z001 5101	■	■		18	100	-	
PP		CO Z001 5102	■	■		18	100	-	
PP		CO Z001 5103	■	■		18	100	-	
PP		CO Z001 5104	■	■		18	100	-	
PP		CO Z001 5105	■	■		18	100	-	
PP	B	CO Z000 5101	■		■	38	98	-	
PP		CO Z000 5102	■		■	38	98	-	
PP		CO Z000 5103	■		■	38	98	-	
PP		CO Z000 5104	■		■	38	98	-	
PP		CO Z000 5105	■		■	38	98	-	
PP		CO Z000 5207	■		■	43	98	-	
	C	LB 4911 8001	■		■		1		

A

Smooth bottom







B

Closed bottom





C



A

Volume	0,08 L
Pieces per pack	100
Package dimensions	350 x 270 x 170 H mm

B

Volume	0,25 L
Pieces per pack	98
Package dimensions	470 x 300 x 350 H mm

C


Sheet of 80 labels for size 0	49 x 11 H mm

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Size 1 - Size 2


	ARTICLE	SMOOTH BOTTOM	SIZE 1	SIZE 2	GR.	PACKAGING		UNIT PRICE €
		Closed				Qty. per pack.	Qty. per pallet	
A	CO C001 5101	■	■		78	50	1750	
	CO C001 5102	■	■		78	50	1750	
	CO C001 5103	■	■		78	50	1750	
	CO C001 5104	■	■		78	50	1750	
	CO C001 5105	■	■		78	50	1750	
	CO C001 5401	■	■		82	50	1750	
	CO C001 5207	■	■		87	50	1750	
B	CO C002 5101	■		■	214	54	1080	
	CO C002 5102	■		■	214	54	1080	
	CO C002 5103	■		■	214	54	1080	
	CO C002 5104	■		■	214	54	1080	
	CO C002 5105	■		■	214	54	1080	
	CO C002 5207	■		■	240	54	1080	
	CO C002 5401	■		■	224	54	1080	
C	CO C1S2 5407		■		40	25	-	
	CO C1S2 5207		■		45	25	-	
	CO C2S2 5407			■	100	25	-	
	CO C2S2 5207			■	112	25	-	
D	CO C1S4 5407		■		50	25	-	
	CO C1S4 5207		■		56	25	-	
	CO C2S4 5407			■	120	25	-	
	CO C2S4 5207			■	134	25	-	
E	LB 7520 3601		■			1		
	LB 10433 1601			■		1		



A

Closed bottom
Load capacity 2 kg





B

Closed bottom
Load capacity 5 kg






C



D



E

DATASHEET

A

Volume	1 L
Pieces per pack / pallet	50 / 1750
Package dimensions	520 x 350 x 370 H mm
Pallet dimensions	1300 x 1100 x 2000 H mm

B

Volume	3,8 L
Pieces per pack / pallet	54 / 1080
Package dimensions	720 x 460 x 500 H mm
Pallet dimensions	1450 x 1200 x 2100 H mm

C

Divider 2 compartments for size 1
Divider 2 compartments for size 2

D

Divider 4 compartments for size 1
Divider 4 compartments for size 2

E

Sheet of 36 labels for size 1	75 x 20 H mm
Sheet of 16 labels for size 2	104 x 33 H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


Size 3A2 - Size 3 - Size 3L5

		ARTICLE	RIBBED BOTTOM	SIZE 3A2	SIZE 3	SIZE 3L5	GR.	PACKAGING		UNIT PRICE €
								Qty. per pack.	Qty. per pallet	
PP	A	CO C3A2 5101	■	■			598	21	252	
PP		CO C3A2 5102	■	■			598	21	252	
PP		CO C3A2 5103	■	■			598	21	252	
PP		CO C3A2 5104	■	■			598	21	252	
PP		CO C3A2 5105	■	■			598	21	252	
ECOGREEN		CO C3A2 5401	■	■			625	21	252	
		CO C3A2 5207	■	■			670	21	252	
PP	B	CO C003 5101	■		■		784	15	180	
PP		CO C003 5102	■		■		784	15	180	
PP		CO C003 5103	■		■		784	15	180	
PP		CO C003 5104	■		■		784	15	180	
PP		CO C003 5105	■		■		784	15	180	
ECOGREEN		CO C003 5401	■		■		819	15	180	
		CO C003 5207	■		■		878	15	180	
PP	C	CO Z3L5 5101	■			■	1074	14	112	
PP		CO Z3L5 5102	■			■	1074	14	112	
PP		CO Z3L5 5103	■			■	1074	14	112	
PP		CO Z3L5 5104	■			■	1074	14	112	
PP		CO Z3L5 5105	■			■	1074	14	112	

A

Ribbed bottom
Load capacity 15 kg






B

Ribbed bottom
Load capacity 20 kg






C

Ribbed bottom
Load capacity 20 kg





DATASHEET

A

Volume	9,4 L	
Pieces per pack / pallet	21	252
Package dimensions	360 x 640 x 980 H mm	
Pallet dimensions	1300 x 1000 x 2000 H mm	

B

Volume	12,5 L	
Pieces per pack / pallet	15	180
Package dimensions	360 x 640 x 980 H mm	
Pallet dimensions	1300 x 1000 x 2000 H mm	

C

Volume	19 L	
Pieces per pack / pallet	14	112
Package dimensions	710 x 960 x 480 H mm	
Pallet dimensions	1450 x 1000 x 2100 H mm	

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Size 3A2 - Size 3 - Size 3L5

	ARTICLE	SIZE 3A2	SIZE 3	SIZE 3L5	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	CD C3A2 0099	■			200	1		
	CD C003 0099		■		300	1		
	CD Z3L5 0099			■	250	1		
B	CD C3A2 7107	■			108	10		
	CD C003 7107		■		160	10		
	CD Z3L5 7107			■	114	10		
C	CW C3A2 6896	■			28	10		
	CW C003 6896		■		40	10		
D	LH C000 0099	■	■		100	1		
E	LB 7731 1801	■		■		1		
	LB 7742 1201		■			1		



A




B



C



D



E

DATASHEET

A

Galvanised longit. divider size 3A2	302 x 105 H mm
Galvanised longit. divider size 3	307 x 160 H mm
Galvanised longit. divider size 3L5	326 x 115 H mm
Pieces per pack	1

B

Plastic longit. divider size 3A2	300 x 105 H mm
Plastic longit. divider size 3	305 x 160 H mm
Plastic longit. divider size 3L5	325 x 105 H mm
Pieces per pack	10

C

Dust cover size 3A2	
Dust cover size 3	
Pieces per pack	10

D

Inclined galvanised tag holder for size 3 - 3A2	100 x 67 mm
Pieces per pack	1

E

Sheet of 18 labels for size 3A2 - 3L5	77 x 31 mm
Sheet of 12 labels for size 3	77 x 42 mm
Pieces per pack	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


Size 4A2 - Size 4 - Size 4A5

		ARTICLE	RIBBED BOTTOM	SIZE 4A2	SIZE 4	SIZE 4A5	GR.	PACKAGING		UNIT PRICE €
								Qty. per pack.	Qty. per pallet	
♻ PP	A	CO C4A2 5101	■	■			1222	14	112	
♻ PP		CO C4A2 5102	■	■			1222	14	112	
♻ PP		CO C4A2 5103	■	■			1222	14	112	
♻ PP		CO C4A2 5104	■	■			1222	14	112	
♻ PP		CO C4A2 5105	■	■			1222	14	112	
♻ PP	B	CO C004 5101	■		■		1335	10	80	
♻ PP		CO C004 5102	■		■		1335	10	80	
♻ PP		CO C004 5103	■		■		1335	10	80	
♻ PP		CO C004 5104	■		■		1335	10	80	
♻ PP		CO C004 5105	■		■		1335	10	80	
ECOGREEN		CO C004 5401	■		■		1395	10	80	
		CO C004 5207	■		■		1495	10	80	
♻ PP	C	CO C4A5 5101	■			■	1874	6	48	
♻ PP		CO C4A5 5102	■			■	1874	6	48	
♻ PP		CO C4A5 5103	■			■	1874	6	48	
♻ PP		CO C4A5 5104	■			■	1874	6	48	
♻ PP		CO C4A5 5105	■			■	1874	6	48	

A

Ribbed bottom
Load capacity 30 kg






B

Ribbed bottom
Load capacity 35 kg






C

Ribbed bottom
Load capacity 35 kg





DATASHEET

A	
Volume	20 L
Pieces per pack / pallet	14 / 112
Package dimensions	640 x 520 x 900 H mm
Pallet dimensions	1300 x 1000 x 2150 H mm

B	
Volume	28 L
Pieces per pack / pallet	10 / 80
Package dimensions	640 x 520 x 980 H mm
Pallet dimensions	1300 x 1000 x 2150 H mm

C	
Volume	42 L
Pieces per pack / pallet	6 / 48
Package dimensions	640 x 520 x 900 H mm
Pallet dimensions	1300 x 1000 x 2150 H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Size 4A2 - Size 4 - Size 4A5

	ARTICLE	SIZE 4A2	SIZE 4	SIZE 4A5	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	CD C4A2 0099	■			360	1		
	CD C004 0099		■		500	1		
	CD C4A5 0099			■	540	1		
B	CD C004 7107		■		236	10		
	CD C4A5 7107			■	390	10		
C	CD C004 0199		■		368	1		
D	CW C004 6896		■		66	10		
	CW C4A5 6896			■	92	10		
E	LH C000 0099		■	■	100	1		
F	LB 7731 1801	■				1		
	LB 7742 1201		■	■		1		



A



B




C



D



E



F

DATASHEET

A

Galvanised longit. divider size 4A2	457 x 120 H mm
Galvanised longit. divider size 4	426 x 160 H mm
Galvanised longit. divider size 4A5	460 x 249 H mm
Pieces per pack	1

B

Plastic longit. divider size 4	460 x 160 H mm
Plastic longit. divider size 4A5	460 x 250 H mm
Pieces per pack	10

C

Pair of galvanised transverse dividers size 4	
Pieces per pack	1

D

Dust cover size 4	
Dust cover size 4A5	
Pieces per pack	10

E

Inclined galvanised tag holder for size 4 - 4A5	100 x 67 mm
Pieces per pack	1

F

Sheet 18 labels for size 4A2	77 x 31 mm
Sheet 12 labels for size 4 - 4A5	77 x 42 mm
Pieces per pack	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Size 5P4 - Size 5

		ARTICLE	RIBBED BOTTOM A 45°	SIZE 5P4	SIZE 5	GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
		CO Z5P4 5101	■	■		3370	18	42	
		CO Z5P4 5102	■	■		3370	18	42	
	A	CO Z5P4 5103	■	■		3370	18	42	
		CO Z5P4 5104	■	■		3370	18	42	
		CO Z5P4 5105	■	■		3370	18	42	
		CO Z005 5101	■		■	4378	12	28	
		CO Z005 5102	■		■	4378	12	28	
	B	CO Z005 5103	■		■	4378	12	28	
		CO Z005 5104	■		■	4378	12	28	
		CO Z005 5105	■		■	4378	12	28	

A

Ribbed bottom 45°
Load capacity 35 kg






B

Ribbed bottom 45°
Load capacity 35 kg





DATASHEET

A

Volume	63 L	
Pieces per pack / pallet	18	42
Package dimensions	1400 x 1100 x 1050 H mm	
Pallet dimensions	1400 x 1100 x 2100 H mm	


B

Volume	88 L	
Pieces per pack / pallet	12	28
Package dimensions	1450 x 1000 x 1050 H mm	
Pallet dimensions	1450 x 1000 x 2100 H mm	

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Size 5P4 - Size 5

	ARTICLE	SIZE 5P4	SIZE 5	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
A	CS Z5P4 0199	■		1420	1		
	CS Z005 0199		■	1750	1		
B	CD Z5P4 0099	■		680	1		
	CD Z005 0099		■	1000	1		
C	LH Z000 0099	■	■	150	1		
D	LB 12739 1001	■	■		1		
E	LB 18985 0301	■	■		1		
F	ZE Z002 5101	■	■	264	54	1080	
	ZE Z002 5102	■	■	264	54	1080	
	ZE Z002 5103	■	■	264	54	1080	
	ZE Z002 5104	■	■	264	54	1080	
	ZE Z002 5105	■	■	264	54	1080	



A



B



C



D



E



F

DATASHEET

A

Galvanised longit. divider size 5P4 with pair of galvanised transverse supports	473 x 215 H mm
Galvanised longit. divider size 5 with pair of galvanised transverse supports	654 x 214 H mm
Pieces per pack	1 set

B

Galvanised longit. divider size 5P4	473 x 215 H mm
Galvanised longit. divider size 5	654 x 214 H mm
Pieces per pack	1

C

Inclined galvanised tag holder for size 5P4 - 5	128 x 90 mm
Pieces per pack	1

D

Sheet 10 upper labels for size 5P4 - 5	127 x 39 mm
Pieces per pack	1

E

Sheet 3 lower labels for size 5P4 - 5	189 x 85 mm
Pieces per pack	1

F

Box for division into 6 compartments size 5P4 and into 8 compartments size 5	200 x 140 x 130 H mm	
Volume	88 L	
Pieces per pack / pallet	54	1080
Package dimensions	640 x 460 x 500 H mm	
Pallet dimensions	1400 x 1100 x 1660 H mm	

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



ZEUS

5
PP

The **ZEUS** box series meets the most exacting needs for goods containment, handling and storage.

Manageable, lightweight and easy to clean thanks to a perfectly smooth interior, they have a sturdy edge that allows stable and safe stacking. Stackability combined with high storage capacity results in ideal use of space.

BOTTOMS

smooth bottom



ribbed bottom



bottom ribbed at 45° with crossbar



SIDE REINFORCEMENT



Lateral reinforcement on the bottom allows the boxes to be stacked safely even when fully loaded.

HANDLES - WALLS

closed handle closed walls





Size 701 - Size 702 - Size 272-2

	ARTICLE	SMOOTH BOTTOM	SIZE 701	SIZE 702	SIZE 272-2	GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
A	ZE Z701 5101	■	■			66	50	1600	
	ZE Z701 5102	■	■			66	50	1600	
	ZE Z701 5103	■	■			66	50	1600	
	ZE Z701 5104	■	■			66	50	1600	
	ZE Z701 5105	■	■			66	50	1600	
	ZE Z701 5207	■	■			74	50	1600	
B	ZE Z702 5101	■		■		106	30	960	
	ZE Z702 5102	■		■		106	30	960	
	ZE Z702 5103	■		■		106	30	960	
	ZE Z702 5104	■		■		106	30	960	
	ZE Z702 5105	■		■		106	30	960	
	ZE Z702 5207	■		■		119	30	960	
C	ZE Z002 5101	■			■	264	54	1080	
	ZE Z002 5102	■			■	264	54	1080	
	ZE Z002 5103	■			■	264	54	1080	
	ZE Z002 5104	■			■	264	54	1080	
	ZE Z002 5105	■			■	264	54	1080	
	ZE Z002 5207	■			■	296	54	1080	

Size 701
144 x 91 x 70 H mm

A



Smooth bottom



Size 702
144 x 139 x 70 H mm

B



Smooth bottom



Size 272-2
211 x 148 x 126 H mm

C



Smooth bottom
Load capacity 5 kg



DATASHEET

A	
Stacked edge height	65 mm
Usable stacked height / Volume	63 mm / 0,9 L
Dimensions	144 x 91 x 70 H mm
Usable internal dimensions	123 x 81 x 68 H mm
Pieces per pack / pallet	50 / 1600
Package dimensions	470 x 300 x 350 H mm
Pallet dimensions	1200 x 1000 x 1550 H mm

B	
Stacked edge height	65 mm
Usable stacked height / Volume	63 mm / 1,4 L
Dimensions	144 x 139 x 70 H mm
Usable internal dimensions	124 x 126 x 68 H mm
Pieces per pack / pallet	30 / 960
Package dimensions	470 x 300 x 350 H mm
Pallet dimensions	1200 x 1000 x 1550 H mm

C	
Stacked edge height	112 mm
Usable stacked height / Volume	110 mm / 3,6 L
Dimensions	211 x 148 x 126 H mm
Usable internal dimensions	187 x 125 x 124 H mm
Pieces per pack / pallet	54 / 1080
Package dimensions	720 x 460 x 500 H mm
Pallet dimensions	1450 x 1200 x 2100 H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Size 272-3A2 - Size 272-4A2 - Size 272-4

		ARTICLE	RIBBED BOTTOM	SIZE 272-3A2	SIZE 272-4A2	SIZE 272-4	GR.	PACKAGING		UNIT PRICE €
								Qty. per pack.	Qty. per pallet	
PP	A	ZE Z3A2 5101	■	■			522	21	252	
PP		ZE Z3A2 5102	■	■			522	21	252	
PP		ZE Z3A2 5103	■	■			522	21	252	
PP		ZE Z3A2 5104	■	■			522	21	252	
PP		ZE Z3A2 5105	■	■			522	21	252	
		ZE Z3A2 5207	■	■			585	21	252	
PP	B	ZE Z4A2 5101	■		■		972	16	128	
PP		ZE Z4A2 5102	■		■		972	16	128	
PP		ZE Z4A2 5103	■		■		972	16	128	
PP		ZE Z4A2 5104	■		■		972	16	128	
PP		ZE Z4A2 5105	■		■		972	16	128	
		ZE Z4A2 5207	■		■		1089	16	128	
PP	C	ZE Z004 5101	■			■	1270	10	80	
PP		ZE Z004 5102	■			■	1270	10	80	
PP		ZE Z004 5103	■			■	1270	10	80	
PP		ZE Z004 5104	■			■	1270	10	80	
PP		ZE Z004 5105	■			■	1270	10	80	
		ZE Z004 5207	■			■	1422	10	80	
	D	LB 18292 0301			■			1		
		LB 18985 0301				■		1		

A

Size 272-3A2
310 x 210 x 145 H mm

Ribbed bottom
Load capacity 15 kg





B

Size 272-4A2
465 x 315 x 120 H mm

Ribbed bottom
Load capacity 15 kg





C


Size 272-4
465 x 315 x 200 H mm

Fondo nervato
Load capacity 20 kg





D



DATASHEET

A	
Stacked edge height	132 mm
Usable stacked height / Volume	130 mm / 8,7 L
Dimensions	310 x 210 x 145 H mm
Usable internal dimensions	284 x 184 x 142 H mm
Pieces per pack / pallet	21 252
Package dimensions	360 x 640 x 980 H mm
Pallet dimensions	1350 x 1100 x 2110 H mm

B	
Stacked edge height	107 mm
Usable stacked height / Volume	105 mm / 16,2 L
Dimensions	465 x 315 x 120 H mm
Usable internal dimensions	423 x 275 x 118 H mm
Pieces per pack / pallet	16 128
Package dimensions	640 x 520 x 900 H mm
Pallet dimensions	1300 x 1000 x 2150 H mm

C	
Stacked edge height	183 mm
Usable stacked height / Volume	181 mm / 27 L
Dimensions	465 x 315 x 200 H mm
Usable internal dimensions	423 x 277 x 195 H mm
Pieces per pack / pallet	10 80
Package dimensions	640 x 520 x 980 H mm
Pallet dimensions	1300 x 1000 x 2150 H mm

D	
Sheet of 3 labels for size 272-4A2	182 x 92 H mm
Sheet of 3 labels for size 272-4	189 x 85 H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Size 272-4A5 - Size 272-5

	ARTICLE	RIBBED BOTTOM 45°	SIZE 272-4A5	SIZE 272-5	GR.	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €
A	ZE Z4A5 5101	■	■		1824	6	48	
	ZE Z4A5 5102	■	■		1824	6	48	
	ZE Z4A5 5103	■	■		1824	6	48	
	ZE Z4A5 5104	■	■		1824	6	48	
	ZE Z4A5 5105	■	■		1824	6	48	
B	ZE Z005 5101	■		■	4355	3	28	
	ZE Z005 5102	■		■	4355	3	28	
	ZE Z005 5103	■		■	4355	3	28	
	ZE Z005 5104	■		■	4355	3	28	
	ZE Z005 5105	■		■	4355	3	28	
C	LB 18985 0301		■	■		1		

Size 272-4A5
465 x 315 x 300 H mm

A



Ribbed bottom 45°
Load capacity 35 kg




Size 272-5
655 x 470 x 300 H mm

B



Ribbed bottom 45°
Load capacity 35 kg





C

DATASHEET

A	
Stacked edge height	285 mm
Usable stacked height / Volume	283 mm / 40,5 L
Dimensions	465 x 315 x 300 H mm
Usable internal dimensions	426 x 276 x 297 H mm
Pieces per pack / pallet	6 48
Package dimensions	640 x 520 x 900 H mm
Pallet dimensions	1300 x 1000 x 2150 H mm

B	
Stacked edge height	278 mm
Usable stacked height / Volume	276 mm / 85 L
Dimensions	655 x 470 x 300 H mm
Usable internal dimensions	604 x 429 x 297 H mm
Pieces per pack / pallet	3 28
Package dimensions	675 x 490 x 900 H mm
Pallet dimensions	1300 x 1000 x 2150 H mm

C	
Sheet of 3 labels for size 272-4A5 and 272-5	189 x 85 H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



PRACTIBOX

9 ABS 6 PS

The **PRACTIBOX** series of drawer units consists of grey ABS structures and high mechanical strength drawers in transparent polystyrene.

Available in models of different depth and height, they share a standard 600 mm width that allows stacking in a wide range of combinations.

DRAWERS



The drawers, made in high mechanical strength transparent polystyrene, are housed in the ABS container, designed to be positioned on Practibox shelves and in trolleys or fixed to the wall with anchor bolts.

STACKING



Practibox drawer units are available in different depths and heights but have a standard width of 600 mm. This features means that modules of the same depth or lesser depth can be stacked, allowing a wide range of combinations.

TILTED OPENING



Equipped with a handy tilting door opening, Practibox drawer units offer excellent access to the product.

ORDER




Equipped with a practical handle, Practibox drawer units meet the most varied needs.

Module width 600 mm

		ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
ABS PS	A	PR 9077 0001	600	69	77	9	2	468	
		LB 03510 0901					10		
ABS PS	B	PR 6112 0001	600	98	112	6	2	216	
		LB 05315 0601					10		
ABS PS	C	PR 5164 0001	600	141	164	5	1	120	
		LB 08022 0501					10		
ABS PS	D	PR 4206 0001	600	174	206	4	1	80	
		LB 08028 0401					10		
ABS PS	E	PR 3240 0001	600	209	240	3	1	56	
		LB 12134 0301					10		
ABS PS	F	PR 2353 0001	600	311	353	2	1	30	
		LB 12150 0201					10		


A






B






C






D






E





F





DATASHEET

A - 9 drawers

Pieces per pack / pallet	2 / 468
Package dimensions	610 x 155 x 95 H mm
Pallet dimensions	1300 x 1000 x 1600 H mm
LB035100901	Sheet of 9 labels included

B - 6 drawers

Pieces per pack / pallet	2 / 216
Package dimensions	610 x 210 x 125 H mm
Pallet dimensions	1300 x 1000 x 1600 H mm
LB053150601	Sheet of 6 labels included

C - 5 drawers

Pieces per pack / pallet	1 / 120
Package dimensions	610 x 155 x 175 H mm
Pallet dimensions	1300 x 1000 x 2000 H mm
LB080220501	Sheet of 5 labels included

D - 4 drawers

Pieces per pack / pallet	1 / 80
Package dimensions	610 x 155 x 175 H mm
Pallet dimensions	1300 x 1000 x 2000 H mm
LB080280401	Sheet of 4 labels included

E - 3 drawers

Pieces per pack / pallet	1 / 56
Package dimensions	610 x 225 x 255 H mm
Pallet dimensions	1300 x 1000 x 2000 H mm
LB121340301	Sheet of 3 labels included


F - 2 drawers

Pieces per pack / pallet	1 / 30
Package dimensions	610 x 325 x 365 H mm
Pallet dimensions	1300 x 1000 x 2000 H mm
LB121500201	Sheet of 2 labels included

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 610 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR D050 015 0301	610	174	500	15	1	-	
B	PR D050 0001	610	150	500	-	1	-	
C	PRT BOX 5104	350	200	465	18	1	-	
D	PR ST90 0099	600				1	-	
	PR ST61 0099	600				1	-	
	PR ST51 0099	600				1	-	
	PR ST42 0099	600				1	-	
	PR ST32 0099	600				1	-	
	PR ST23 0099	600				1	-	



DATASHEET

A

Bench frame with drawers	1 x PR D050 0001
Drawers set	1 x PR 6112 0001
	1 x PR 5164 0001
	1 x PR 4206 0001



A

B

Bench frame without drawers	1 x PR D050 0001



B

C

Top Box case	18 drawers type PR 6112 0001



Release system



C

D

Galvanised stop for PR 9077...	1 x PR ST90 0099
Galvanised stop for PR 6112...	1 x PR ST61 0099
Galvanised stop for PR 5164...	1 x PR ST51 0099
Galvanised stop for PR 4206...	1 x PR ST42 0099
Galvanised stop for PR 3240...	1 x PR ST32 0099
Galvanised stop for PR 2353...	1 x PR ST23 0099



Galvanised stops



D

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm


	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR F030 0001	600	28	300	-	1	-	
B	PR F030036 0101	600	78	308	36	1	-	
C	PR F030021 0201	600	107	300	21	1	-	
D	PR F030010 0101	600	150	328	10	1	-	

B



A





C



D



DATASHEET

A	
Rear panel	1 x PR F030 0001

B	
Rear panel	1 x PR F030 0001
Drawers set	4 x PR 9077 0001


C	
Rear panel	1 x PR F030 0001
Drawers set	1 x PR 9077 0001
	2 x PR 6112 0001

D	
Rear panel	1 x PR F030 0001
Drawers set	2 x PR 5164 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


Module width 600 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR F050 0001	600	28	500	-	1	-	
B	PR F050054 0101	600	78	500	54	1	-	
C	PR F050036 0201	600	107	500	36	1	-	
D	PR F050015 0301	600	183	500	15	1	-	





A



B



C



D

DATASHEET

A

Rear panel	1 x PR F050 0001

B

Rear panel	1 x PR F050 0001
Drawers set	6 x PR 9077 0001

C

Rear panel	1 x PR F050 0001
Drawers set	2 x PR 9077 0001
	3 x PR 6112 0001

D

Rear panel	1 x PR F050 0001
Drawers set	1 x PR 6112 0001
	1 x PR 5164 0001
	1 x PR 4206 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm


	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR F065 0001	600	28	650	-	1	-	
B	PR F065072 0101	600	78	650	72	1	-	
C	PR F065039 0201	600	107	650	39	1	-	
D	PR F065028 0201	600	150	664	28	1	-	

B



A





C



D



DATASHEET

	A
Rear panel	1 x PR F065 0001

	B
Rear panel	1 x PR F065 0001
Drawers set	8 x PR 9077 0001


	C
Rear panel	1 x PR F065 0001
Drawers set	1 x PR 9077 0001
	5 x PR 6112 0001


	C
Rear panel	1 x PR F065 0001
Drawers set	3 x PR 6112 0001
	2 x PR 5164 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR F100 0001	600	41	1000	-	1	-	
B	PR F100 084 0201	600	113	1022	84	1	-	
C	PR F100 054 0101	600	113	1008	54	1	-	
D	PR F100 029 0401	600	224	1000	29	1	-	
E	PR DBAS 0001	600	300	100		1		





A



B



C



D



E

DATASHEET

A	
Rear panel	1 x PR F100 0001

B	
Rear panel	1 x PR F100 0001
Drawers set	6 x PR 9077 0001
	5 x PR 6112 0001

B	
Rear panel	1 x PR F100 0001
Drawers set	9 x PR 6112 0001

D	
Rear panel	1 x PR F100 0001
Drawers set	2 x PR 6112 0001
	2 x PR 5164 0001
	1 x PR 4206 0001
	1 x PR 3240 0001

E	
Optional base for shelf	1 x PR DBAS 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm


		ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
	A	PR F150 0001	600	41	1500	-	1	-	
ABS PS	B	PR F150123 0201	600	113	1500	123	1	-	
ABS PS	C	PR F150084 0101	600	113	1568	84	1	-	
ABS PS	D	PR F150064 0501	600	224	1540	64	1	-	
	E	PR DBAS 0001	600	300	100	-	1	-	

B



A





C



D



E



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

A	
Rear panel	1 x PR F150 0001

B	
Rear panel	1 x PR F150 0001
Drawers set	9 x PR 9077 0001
	7 x PR 6112 0001


C	
Rear panel	1 x PR F150 0001
Drawers set	14 x PR 6112 0001


D	
Rear panel	1 x PR F150 0001
Drawers set	2 x PR 9077 0001
	4 x PR 6112 0001
	3 x PR 5164 0001
	1 x PR 4206 0001
	1 x PR 3240 0001

E	
Optional base for shelf	1 x PR DBAS 0001

Module width 600 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR F175 0001	600	41	1750	-	1	-	
B	PR F175132 0201	600	113	1750	132	1	-	
C	PR F175099 0201	600	113	1750	99	1	-	
D	PR F175066 0501	600	224	1750	66	1	-	
E	PR DBAS 0001	600	300	100		1		





A



B



C



D



E

DATASHEET

A	
Rear panel	1 x PR F175 0001

B	
Rear panel	1 x PR F175 0001
Drawers set	8 x PR 9077 0001
	10 x PR 6112 0001

C	
Rear panel	1 x PR F175 0001
Drawers set	1 x PR 9077 0001
	15 x PR 6112 0001

D	
Rear panel	1 x PR F175 0001
Drawers set	1 x PR 9077 0001
	6 x PR 6112 0001
	2 x PR 5164 0001
	2 x PR 4206 0001
	1 x PR 3240 0001

E	
Optional base for shelf	1 x PR DBAS 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


Module width 600 mm


	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR F195 0001	600	41	1950	-	1	-	
B	PR F195144 0201	600	113	1960	144	1	-	
C	PR F195100 0301	600	156	1950	100	1	-	
D	PR F195043 0401	600	326	1989	43	1	-	
E	PR DBAS 0001	600	300	100	-	1	-	

B



A





C



D



E



DATASHEET

A	
Rear panel	1 x PR F195 0001

B	
Rear panel	1 x PR F195 0001
Drawers set	8 x PR 9077 0001
	12 x PR 6112 0001

C	
Rear panel	1 x PR F195 0001
Drawers set	3 x PR 9077 0001
	8 x PR 6112 0001
	5 x PR 5164 0001

D	
Rear panel	1 x PR F195 0001
Drawers set	6 x PR 5164 0001
	2 x PR 4206 0001
	1 x PR 3240 0001
	1 x PR 2353 0001


E	
Optional base for shelf	1 x PR DBAS 0001


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm

Module depth 325 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR D150 0001	600	325	1500	-	1	-	
B	PR D150 114 0201	600	325	1500	114	1	-	
C	PR D150078 0101	600	325	1556	78	1	-	
D	PR D150058 0501	600	325	1528	58	1	-	





A



B



C



D

DATASHEET

A	
Rear panel with base	1 x PR D150 0001

B	
Rear panel with base	1 x PR D150 0001
Drawers set	8 x PR 9077 0001
	7 x PR 6112 0001

C	
Rear panel with base	1 x PR D150 0001
Drawers set	13 x PR 6112 0001

D	
Rear panel with base	1 x PR D150 0001
Drawers set	2 x PR 9077 0001
	3 x PR 6112 0001
	3 x PR 5164 0001
	1 x PR 4206 0001
	1 x PR 3240 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Module width 600 mm


Module depth 325 mm


	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR D175 0001	600	325	1750	-	1	-	
B	PR D175 112 0301	600	325	1786	112	1	-	
C	PR D175 062 0501	600	325	1750	62	1	-	
D	PR D175 057 0301	600	325	1770	57	1	-	

B



A





C



D



DATASHEET

A	
Rear panel with base	1 x PR F175 0001

B	
Rear panel with base	1 x PR D175 0001
Drawers set	6 x PR 9077 0001
	8 x PR 6112 0001
	2 x PR 5164 0001

C	
Rear panel with base	1 x PR D175 0001
Drawers set	2 x PR 9077 0001
	3 x PR 6112 0001
	3 x PR 5164 0001
	2 x PR 4206 0001
	1 x PR 3240 0001


D	
Rear panel with base	1 x PR D175 0001
Drawers set	5 x PR 6112 0001
	3 x PR 5164 0001
	3 x PR 4206 0001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


Module width 600 mm

Module depth 325 mm

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR D195 0001	600	325	1950	-	1	-	
B	PR D195 117 0401	600	325	1950	117	1	-	
C	PR D195 066 0501	600	325	1950	66	1	-	
D	PR D195 061 0301	600	325	1976	61	1	-	



A



B



C



D



DATASHEET

A

Rear panel with base	1 x PR D195 0001

B

Rear panel with base	1 x PR D195 0001
Drawers set	6 x PR 9077 0001
	9 x PR 6112 0001
	1 x PR 5164 0001
	1 x PR 4206 0001

C

Rear panel with base	1 x PR D195 0001
Drawers set	2 x PR 9077 0001
	3 x PR 6112 0001
	3 x PR 5164 0001
	3 x PR 4206 0001
	1 x PR 3240 0001

D


Rear panel with base	1 x PR D195 0001
Drawers set	5 x PR 6112 0001
	3 x PR 5164 0001
	4 x PR 4206 0001


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Swivel structure


	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR R186260 0401	900	900	1865	260	1	-	
B	PR R161 0001	900	900	1615	-	1	-	
C	PR R186 0001	900	900	1865	-	1	-	
D	PR R206 0001	900	900	2065	-	1	-	

A





B
C
D



The Practibox swivel shelf consists of a 360° swivel base that houses 4 Practibox drawer unit holder frames, available in 3 different heights. Capacious, robust, practical – characteristics that make it usable in both large and small spaces.

⚠ The swivel base must be fixed to the floor

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

A

Swivel structure with 4 frames	1 x PR R186 0001
Drawers set	2 x PR 9077 0001
	18 x PR 6112 0001
	22 x PR 5164 0001
	6 x PR 4206 0001

B

Swivel structure with 4 frames	1 x PR R161 0001

C

Swivel structure with 4 frames	1 x PR R186 0001

D

Swivel structure with 4 frames	1 x PR R206 0001



14.021
14.022
14.023
14.024
14.025
14.027.24
14.028
14.032
14.033
T4.039
T4.039.36
T4.040
T4.041
T4.042
T4.043.32
T4.044.40
T4.045




Cabinets with removable frames

Extractable frame holder 400 kg

	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	PR COOL 5001	1073	705	2000	-	1	-	
B	PR COOL 7001	1481	705	2000	-	1	-	
C	PR C000 0401	-	705	1900	1765	1	-	
D	PR FIX 0099	-	-	-	-	2	-	





A
B



C



D

⚠ The cabinet comes assembled

The cabinet must be fixed to the floor

DATASHEET

A

Cabinet for extractable frames with lock	PR COOL 5001
Usable cabinet widtH mm	967

B

Cabinet for extractable frames with lock	PR COOL 7001
Usable cabinet widtH mm	1375

C

Removable frame capacity 400 kg	PR C000 0401

D

Pair of anchor bolts for fixing a side unit — PR FIX 0099

Drawer unit	A	B*	C	Q.ty H1	Q.ty H2
PR 2353 ...	330,5	650	352	2	2
PR 3240 ...	228,5	445	241	3	3
PR 4206 ...	203,5	380	207	4	4
PR 5164 ...	177,5	315	164	5	5
PR 6112 ...	126,5	225	112	7	8
PR 9077 ...	101,5	170	77	10	11

B* - see usable width of cabinets without removable frames

* see useful width of cabinets without drawers


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Compositions with and without drawers


Extractable frame 400 kg

		ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
	A	PR C41L 5401	1073	705	2000	-	1	-	
ABS PS	B	PR C41L720 5401	1073	705	2000	720	1	-	
	C	PR C32L 5401	1073	705	2000	-	1	-	
ABS PS	D	PR C32L380 5401	1073	705	2000	380	1	-	
	E	PR C33L 5401	1073	705	2000	-	1		
ABS PS	F	PR C33L344 5401	1073	705	2000	344	1		


A
B



C
D



E
F



⚠ The cabinet must be fixed to the floor

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

A	
Cabinet with 4 extractable frames with lock	1 x PR C41L 5401

B	
Cabinet with 4 extractable frames with lock	1 x PR C41L 5401
Drawers set	120 x PR 6112 001

C	
Cabinet with 3 extractable frames with lock	1 x PR C32L 5401

D	
Cabinet with 3 extractable frames with lock	1 x PR C32L 5401
Drawers set	30 x PR 6112 001
	40 x PR 5164 001


E	
Cabinet with 3 extractable frames with lock	1 x PR C33L 5401

F	
Cabinet with 3 extractable frames with lock	1 x PR C33L 5401
Drawers set	30 x PR 6112 001
	20 x PR 5164 001
	16 x PR 4206 001


Compositions with and without drawers

Extractable frame 400 kg


	ARTICLE	WIDTH	DEPTH	HEIGHT	NUMBER OF TILTING DRAWERS	PACKAGING		*UNIT PRICE €*
						Qty. per pack.	Qty. per pallet	
A	PR C51L 7401	1481	705	2000	-	1	-	
B	PR C51L 900 7401	1481	705	2000	900	1	-	
C	PR C42L 7401	1481	705	2000	-	1	-	
D	PR C42L 480 7401	1481	705	2000	480	1	-	
E	PR C31L 7401	1481	705	2000	-	1		
F	PR C31L 192 7401	1481	705	2000	192	1		



A
B



C
D



E
F

⚠ The cabinet must be fixed to the floor

DATASHEET

A

Cabinet with 5 extractable frames with lock	1 x PR C51L 7401

B

Cabinet with 5 extractable frames with lock	1 x PR C51L 7401
Drawers set	150 x PR 6112 001

C

Cabinet with 4 extractable frames with lock	1 x PR C42L 7401

D

Cabinet with 4 extractable frames with lock	1 x PR C42L 7401
Drawers set	30 x PR 6112 001
	60 x PR 5164 001

E

Cabinet with 3 extractable frames with lock	1 x PR C31L 7401

F

Cabinet with 3 extractable frames with lock	1 x PR C31L 7401
Drawers set	48 x PR 4206 001

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



5
PP

RK

Everything in order and clearly visible for flexible and functional storage: this is the result of the design and construction of the **RK** series of polypropylene boxes and their dedicated shelving system.

Available in eleven different sizes to meet every need, the drawers are ideal for spare parts dealers on account of their resistance to oils and their internal divisibility.

WALLS



Made of top quality polypropylene, the RK boxes have walls strengthened with special ribbing to protect against shocks.

LABELS





Fitted with label holders available in various sizes proportionate to the size of the boxes to which they are applied.

HANDLES



A special handle can be supplied on request for easy lifting and transportation of the RK boxes.

BOTTOMS

smooth bottom



DIVIDERS



Made of transparent polystyrene, the dividers allow the inside of the boxes to be partitioned into several compartments.

Depth 300 mm

Width 120 - 160 mm H 100

		ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING		UNIT PRICE €
			Closed				Qty. per pack.	Qty. per pallet	
PP		RK 3012 5104	■	4	1	340	32	512	
	A	RK 3012 5207	■	4	1	380	32	512	
ECOGREEN		RK 3012 5401	■	4	1	374	32	512	
PP		RK 3016 5104	■	4	1	370	24	384	
	B	RK 3016 5207	■	4	1	414	24	384	
ECOGREEN		RK 3016 5401	■	4	1	387	24	384	

A



B



A

Usable internal dimensions	257 x 95 x 97 H mm
Pieces per pack / pallet	32 512
Package dimensions	970 x 310 x 385 H mm
Pallet dimensions	1300 x 1000 x 1700 H mm

B

Usable internal dimensions	257 x 136 x 97 H mm
Pieces per pack / pallet	24 384
Package dimensions	970 x 310 x 390 H mm
Pallet dimensions	1300 x 1000 x 1700 H mm


DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 300 mm

Width 120 - 160 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
D	RK H120 5104	Handle facilitated grip for width 120 mm	16	1		
	RK H120 5401		18	1		
	RK H120 5207		19	1		
	RK H160 5104	Handle facilitated grip for width 160 mm	18	1		
	RK H160 5207		20	1		
	RK H160 5401		19	1		
E	RK D120 5207	Handle facilitated grip for width 120 mm	25	1		
	RK D120 6896		22	1		
	RK D160 5207	Handle facilitated grip for width 160 mm	32	1		
	RK D160 6896		28	1		
F	RK D300 0099	Galvanised longitudinal divider	200	1		
G	LB 08024 2401	Divider label 120 mm		1		
	LB 12124 1601	Divider label 160 mm		1		
H	LB 08142 1201	Front Label for W=120 mm		1		
	LB 12144 0801	Front Label for W=160 mm		1		



D



E



F



G



H

DATASHEET

D

Handle for RK 3012	70 x 90 H mm
Handle for RK 3016	110 x 90 H mm

E

Galvanised transverse divider size RK 3012	100 x 90 H mm
Galvanised transverse divider size RK 3016	145 x 90 H mm

F

Galvanised longitudinal divider	268 x 88 H mm

G

Sheet of 24 labels for RK D120	80 x 24 mm
Sheet of 16 labels for RK D160	121 x 24 mm

H

Sheet of 12 labels for RK 3012	81 x 42 mm
Sheet of 8 labels for RK 3016	121 x 44 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 400 mm

Width 120 - 160 - 240 mm H 100

	ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING		UNIT PRICE €
		Closed				Qty. per pack.	Qty. per pallet	
	RK 4012 5104	■	6	1	438	32	384	
A	RK 4012 5207	■	6	1	491	32	384	
ECOGREEN	RK 4012 5401	■	6	1	458	32	384	
	RK 4016 5104	■	6	1	448	24	288	
B	RK 4016 5207	■	6	1	502	24	288	
ECOGREEN	RK 4016 5401	■	6	1	468	24	288	
	RK 4024 5104	■	6	3	644	16	192	
C	RK 4024 5207	■	6	3	721	16	192	
ECOGREEN	RK 4024 5401	■	6	3	673	16	192	

A



B



C



DATASHEET

A

Usable internal dimensions	357 x 95 x 97 H mm
Pieces per pack / pallet	32 384
Package dimensions	970 x 415 x 400 H mm
Pallet dimensions	1300 x 1000 x 1700 H mm

B

Usable internal dimensions	357 x 136 x 97 H mm
Pieces per pack / pallet	24 288
Package dimensions	970 x 415 x 400 H mm
Pallet dimensions	1300 x 1000 x 1700 H mm

C

Usable internal dimensions	357 x 215 x 97 H mm
Pieces per pack / pallet	16 192
Package dimensions	970 x 415 x 400 H mm
Pallet dimensions	1300 x 1000 x 1700 H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 400 mm

Width 120 - 160 - 240 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
D	RK H120 5104	Handle facilitated grip for width 120 mm	16	1		
	RK H120 5207		19	1		
	RK H120 5401		18	1		
	RK H160 5104	Handle facilitated grip for width 160 mm	18	1		
	RK H160 5207		20	1		
	RK H160 5401		19	1		
	RK H240 5104	Handle facilitated grip for width 240 mm	20	1		
	RK H240 5207		23	1		
	RK H240 5401		22	1		
E	RK D120 5207	Divider for width 120 mm	25	1		
	RK D120 6896		22	1		
	RK D160 5207	Divider for width 160 mm	32	1		
	RK D160 6896		28	1		
	RK D240 5207	Divider for width 240 mm	56	1		
	RK D240 6896		50	1		
F	RK D400 0099	Galvanised longitudinal divider	280	1		
G	LB 08024 2401	Divider label 120 mm		1		
	LB 12124 1601	Divider label 160 - 240 mm		1		
H	LB 08142 1201	Front Label for W=120 mm		1		
	LB 12144 0801	Front Label for W=160 mm		1		
	LB 20043 0601	Front Label for W=240 mm		1		



D



E



F



G



H

DATASHEET

D

Handle for RK 4012	70 x 90 H mm
Handle for RK 4016	110 x 90 H mm
Handle for RK 4024	120 x 80 H mm

E

Galvanised transverse divider size RK 4012	100 x 90 H mm
Galvanised transverse divider size RK 4016	145 x 90 H mm
Galvanised transverse divider size RK 4024	225 x 90 H mm

F

Galvanised longitudinal divider	368 x 88 H mm

G

Sheet of 24 labels for RK D120	80 x 24 mm
Sheet of 16 labels for RK D160/RK D240	121 x 24 mm

H

Sheet of 12 labels for RK 4012	81 x 42 mm
Sheet of 8 labels for RK 4016	121 x 44 mm
Sheet of 6 labels for RK 4024	200 x 43 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 500 mm

Width 120 - 160 - 240 mm H 100

		ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING		UNIT PRICE €
			Closed				Qty. per pack.	Qty. per pallet	
PP		RK 5012 5104	■	8	1	528	32	256	
	A	RK 5012 5207	■	8	1	591	32	256	
ECOGREEN		RK 5012 5401	■	8	1	552	32	256	
PP		RK 5016 5104	■	8	1	540	24	192	
	B	RK 5016 5207	■	8	1	605	24	192	
ECOGREEN		RK 5016 5401	■	8	1	564	24	192	
PP		RK 5024 5104	■	8	3	766	16	128	
	C	RK 5024 5207	■	8	3	858	16	128	
ECOGREEN		RK 5024 5401	■	8	3	800	16	128	

A



B



C



A

Usable internal dimensions	457 x 95 x 97 H mm
Pieces per pack / pallet	32 256
Package dimensions	970 x 515 x 390 H mm
Pallet dimensions	1050 x 1000 x 1700 H mm

B

Usable internal dimensions	457 x 136 x 97 H mm
Pieces per pack / pallet	24 192
Package dimensions	970 x 515 x 390 H mm
Pallet dimensions	1050 x 1000 x 1700 H mm

C

Usable internal dimensions	457 x 215 x 97 H mm
Pieces per pack / pallet	16 128
Package dimensions	970 x 515 x 390 H mm
Pallet dimensions	1050 x 1000 x 1700 H mm

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 500 mm

Width 120 - 160 - 240 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
D	RK H120 5104	Handle facilitated grip for width 120 mm	16	1		
	RK H120 5207		18	1		
	RK H120 5401		19	1		
	RK H160 5104	Handle facilitated grip for width 160 mm	16	1		
	RK H160 5207		18	1		
	RK H160 5401		19	1		
	RK H240 5104	Handle facilitated grip for width 240 mm	20	1		
	RK H240 5207		22	1		
	RK H240 5401		23	1		
E	RK D120 5207	Divider for width 120 mm	25	1		
	RK D120 6896		22	1		
	RK D160 5207	Divider for width 160 mm	32	1		
	RK D160 6896		28	1		
	RK D240 5207	Divider for width 240 mm	56	1		
	RK D240 6896		50	1		
F	RK D500 0099	Galvanised longitudinal divider	360	1		
G	LB 08024 2401	Divider label 120 mm		1		
	LB 12124 1601	Divider label 160 - 240 mm		1		
H	LB 08142 1201	Front Label for W=120 mm		1		
	LB 12144 0801	Front Label for W=160 mm		1		
	LB 20043 0601	Front Label for W=240 mm		1		



D



E



F



G



H

DATASHEET

D

Handle for RK 5012	70 x 90 H mm
Handle for RK 5016	110 x 90 H mm
Handle for RK 5024	120 x 80 H mm

E

Galvanised transverse divider size RK 5012	100 x 90 H mm
Galvanised transverse divider size RK 5016	145 x 90 H mm
Galvanised transverse divider size RK 5024	225 x 90 H mm

F

Galvanised longitudinal divider	468 x 88 H mm

G

Sheet of 24 labels for RK D120	80 x 24 mm
Sheet of 16 labels for RK D160/RK D240	121 x 24 mm

H

Sheet of 12 labels for RK 5012	81 x 42 mm
Sheet of 8 labels for RK 5016	121 x 44 mm
Sheet of 6 labels for RK 5024	200 x 43 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 600 mm

Width 160 mm H 100

		ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING		UNIT PRICE €
			Closed				Qty. per pack.	Qty. per pallet	
PP		RK 6016 5104	■	10	1	662	24	192	
	A	RK 6016 5207	■	10	1	741	24	192	
ECOGREEN		RK 6016 5401	■	10	1	692	24	192	

Depth 655 mm

Width 160 mm H 100

		ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING		UNIT PRICE €
			Closed				Qty. per pack.	Qty. per pallet	
	B	RK 6516 5207	■	11	1	816	24	192	

Depth 434 mm

Width 140 mm H 80

		ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING		UNIT PRICE €
			Closed				Qty. per pack.	Qty. per pallet	
PP	C	RK 4314 5104	■	7	-	324	30	540	

A



B



C



A

Usable internal dimensions	560 x 136 x 97 H mm
Pieces per pack / pallet	24 192
Package dimensions	970 x 620 x 390 H mm
Pallet dimensions	1300 x 1000 x 1700 H mm

B

Usable internal dimensions	613 x 136 x 97 H mm
Pieces per pack / pallet	24 192
Package dimensions	980 x 670 x 390 H mm
Pallet dimensions	1300 x 1000 x 1700 H mm

C

Usable internal dimensions	403 x 121 x 76 H mm
Pieces per pack / pallet	30 540
Package dimensions	450 x 410 x 460 H mm
Pallet dimensions	1300 x 1000 x 1530 H mm

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 600 mm

Width 160 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
D	RK H160 5104	Handle facilitated grip for width 160 mm	16	1		
	RK H160 5207		18	1		
	RK H160 5401		19	1		
E	RK D140 6896	Divider for width 140 mm	22	1		
	RK D160 5207	Divider for width 160 mm	32	1		
	RK D160 6896		28	1		
F	RK D600 0099	Galvanised longitudinal divider	420	1		
G	LB 8024 2401	Divider label 140 mm		1		
	LB 12124 1601	Divider label 160 mm		1		
H	LB 12144 0801	Front Label for W=140/160 mm		1		

D



E



F



G



H



DATASHEET

D

Handle for RK 6016	120 x 90 H mm

E

Galvanised transverse divider size RK 4314	137 x 75 H mm
Galvanised transverse divider size RK 6016	145 x 90 H mm

F

Galvanised transverse divider size RK6016	568 x 88 H mm

G

Sheet of 24 labels for RK D140	80 x 24 mm
Sheet of 16 labels for RK D160	121 x 24 mm

H

Sheet of 8 labels for RK 4314-6016-6516	121 x 44 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 300 mm

		ARTICLE	RK 3012	RK 3016		GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
	A	RK BX30 0001					1		
PP	B	RK BX31 5104	16				1		
PP	C	RK BX32 5104		12			1		
PP	D	RK BX33 5104	8	6			1		

Compositions complete with guides and rear stops

A



B



C



D



A	
Box	1 x RK BX30 0001

B	
Box	1 x RK BX30 0001
Drawers set	16 x RK 3012 5104

C	
Box	1 x RK BX30 0001
Drawers set	12 x RK 3016 5104

D	
Box	1 x RK BX30 0001
Drawers set	8 x RK 3012 5104
	6 x RK 3016 5104

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 300 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
I	RK F300 0001	Plinth for RK-BOX depth 300		1		
L	RK RL30 0099	Guide for RK-BOX depth 300		1		
M	RK S500 0099	Galvanised front stop		1		
N	RK S120 1099	Galvanised rear front 120 mm		1		
	RK S160 2099	Galvanised rear front 160 mm		1		


I



L



M



N



DATASHEET

I	
Plinth for BX30	485 x 275 x 90 H mm

L	
Galvanised guides for BX30	300 mm

M	
Galvanised stop for RK-BOX	485 mm

N	
Galvanised rear stop	120 - 160 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



500 x 545 H - Depth 400 mm

	ARTICLE	RK 4012	RK 4016	RK 4024	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	RK BX40 0001					1		
B	RK BX41 5104	16				1		
C	RK BX42 5104		12			1		
D	RK BX43 5104	8	6			1		

Compositions complete with guides and rear stops



A



B



C



D

DATASHEET

A	
Box	1 x RK BX40 0001

B	
Box	1 x RK BX40 0001
Drawers set	16 x RK 4012 5104

C	
Box	1 x RK BX40 0001
Drawers set	12 x RK 4016 5104

D	
Box	1 x RK BX40 0001
Drawers set	8 x RK 4012 5104
	6 x RK 4016 5104

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 400 mm

	ARTICLE	RK 4012	RK 4016	RK 4024	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
E	RK BX44 5104			8		1		
F	RK BX45 5104	8		4		1		
G	RK BX46 5104		6	4		1		
H	RK BX47 5104	4	6	2		1		

Compositions complete with guides and rear stops

E



F



G



H



DATASHEET

E	
Box	1 x RK BX40 0001
Drawers set	8 x RK 4024 5104

F	
Box	1 x RK BX40 0001
Drawers set	8 x RK 4012 5104
	4 x RK 4024 5104

G	
Box	1 x RK BX40 0001
Drawers set	6 x RK 4016 5104
	4 x RK 4024 5104

H	
Box	1 x RK BX40 0001
Drawers set	4 x RK 4012 5104
	6 x RK 4016 5104
	2 x RK 4024 5104

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 400 mm


	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
I	RK F400 0001	Plinth for RK-BOX depth 400		1		
L	RK RL40 0099	Guide for RK-BOX depth 400		1		
M	RK S500 0099	Galvanised stop for RK-BOX		1		
N	RK S120 0099	Galvanised rear front 120 mm		1		
	RK S160 0099	Galvanised rear front 160/240 mm		1		



I



L



M



N

DATASHEET

I

Plinth for BX40	485 x 375 x 90 H mm

L

Galvanised guides for BX40	400 mm

M

Galvanised stop for RK-BOX	485 mm

N

Galvanised rear stop	120 - 160 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



500 x 545 H - Depth 500 mm

	ARTICLE	RK 5012	RK 5016	RK 5024	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	RK BX50 0001					1		
B	RK BX51 5104	16				1		
C	RK BX52 5104		12			1		
D	RK BX53 5104	8	6			1		

Compositions complete with guides and rear stops



A



B



C



D

DATASHEET

A	
Box	1 x RK BX50 0001

B	
Box	1 x RK BX50 0001
Drawers set	16 x RK 5012 5104

C	
Box	1 x RK BX50 0001
Drawers set	12 x RK 5016 5104

D	
Box	1 x RK BX50 0001
Drawers set	8 x RK 5012 5104
	6 x RK 5016 5104

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 500 mm

		ARTICLE	RK 5012	RK 5016	RK 5024	GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
PP	E	RK BX54 5104			8		1		
PP	F	RK BX55 5104	8		4		1		
PP	G	RK BX56 5104		6	4		1		
PP	H	RK BX57 5104	4	6	2		1		

Compositions complete with guides and rear stops

E



F



G



H



DATASHEET

E	
Box	1 x RK BX50 0001
Drawers set	8 x RK 5024 5104

F	
Box	1 x RK BX50 0001
Drawers set	8 x RK 5012 5104
	4 x RK 5024 5104


G	
Box	1 x RK BX50 0001
Drawers set	6 x RK 5016 5104
	4 x RK 5024 5104

H	
Box	1 x RK BX50 0001
Drawers set	4 x RK 5012 5104
	6 x RK 5016 5104
	2 x RK 5024 5104


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 500 mm


	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
I	RK F500 0001	Plinth for RK-BOX depth 500		1		
L	RK RL50 0099	Guide for RK-BOX depth 500		1		
M	RK S500 0099	Galvanised stop for RK-BOX		1		
N	RK S120 0099	Galvanised rear front 120 mm		1		
	RK S160 0099	Galvanised rear front 160/240 mm		1		




I



L



M



N

DATASHEET

I	
Plinth for BX50	485 x475 x 90 H mm

L	
Galvanised guides for BX50	500 mm

M	
Galvanised stop for RK-BOX	485 mm

N	
Galvanised rear stop	120 - 160 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

500 x 545 H - Depth 600 mm

	ARTICLE	RK 6016			GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	RK BX60 0001					1		
B	RK BX61 5104	12				1		

Compositions complete with guides and rear stops

A



B



A	
Box	1 x RK BX60 0001

B	
Box	1 x RK BX60 0001
Drawers set	12 x RK 6016 5104

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 600 mm


	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
I	RK F600 0001	Plinth for RK-BOX depth 600		1		
L	RK RL60 0099	Guide for RK-BOX depth 600		1		
M	RK S500 0099	Galvanised stop for RK-BOX		1		
N	RK S120 0099	Galvanised rear front 120 mm		1		
	RK S160 0099	Galvanised rear front 160 mm		1		



I



L



M



N

DATASHEET

I	
Plinth for BX60	485 x 575 x 90 H mm

L	
Galvanised guides for BX60	600 mm

M	
Galvanised stop for RK-BOX	485 mm

N	
Galvanised rear stop	120 - 160 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



R-KLT

5
PP

The **R-KLT** series, created within the VDA - German Association of the Automotive Industry project, is ideally applied in the automotive industry, facilitating the movement of goods between the components industries and car manufacturers.


Good resistance to oils, various automated handling options, tough ergonomic handles, a high level of safety and strength and a reinforced bottom to withstand heavy loads.

BOTTOMS


300 x 200



400 x 300



600 x 400



label holders
on both sides





slot



600 mm


300 mm + 300 mm



hand grip









300 x 200 mm H 147 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	KL 3215 51IG	■				■		■		2670	2	32	
B	KL LI35 51IG									680	4	240	
⚠	ARTICLE ON REQUEST												
A	KL 3115 5207	■				■		■		2990	2	32	
B	KL LI31 5207									762	4	240	
	ACCESSORIES												
C	KL PROT 5100									25	8		



A

Closed bottom
Load capacity 20 kg





B



C

DATASHEET

A

Stacked edge height	132 mm
Usable stacked height / with lid	127 mm / 116 mm
Usable internal dimensions	243 x 161 x 142 H mm
Volume	5,3 L
Pieces per pack / pallet	16 256
Package dimensions	620 x 420 x 563 H mm
Pallet dimensions	1200 x 800 x 2277 H mm

B

Lid	300 x 200 mm
Pieces per pack. / dimension	8 / 300 x 200 x 150 H mm
Pieces per pallet / dimension	1280 / 1200 x 800 x 1000 H mm

C

Semi-opaque label protection	150 x 67 H mm
Pieces per pack	8

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 147 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	KL 4315 51IG	■					■	■		1290	8	128	
PP	B	KL LI45 51IG									279	4	640	
⚠		ARTICLE ON REQUEST												
	A	KL 4115 5207	■					■	■		1445	8	128	
	B	KL LI41 5207									312	4	640	
		ACCESSORIES												
PP	C	KL PROT 5100									25	8		


A

Reinforced bottom
Load capacity 20 kg





B



C



DATASHEET

A	
Stacked edge height	132 mm
Usable stacked height / with lid	110 mm / 98 mm
Usable internal dimensions	345 x 264 x 124 H mm
Volume	10 L
Pieces per pack / pallet	8 128
Package dimensions	620 x 420 x 563 H mm
Pallet dimensions	1200 x 800 x 2277 H mm

B	
Lid	400 x 300 mm
Pieces per pack. / dimension	4 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000 H mm

C	
Semi-opaque label protection	150 x 67 H mm
Pieces per pack	8

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 280 mm


	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	KL 4329 51IG	■					■	■		1850	4	64	
B	KL LI45 51IG									279	4	640	
⚠	ARTICLE ON REQUEST												
A	KL 4129 5207	■				■		■		2072	4	64	
B	KL LI41 5207									312	4	640	
	ACCESSORIES												
C	KL PROT 5100									25	8		



A

Reinforced bottom
Load capacity 20 kg





B

C



DATASHEET

A

Stacked edge height	265 mm
Usable stacked height / with lid	243 mm / 231 mm
Usable internal dimensions	345 x 264 x 257 H mm
Volume	22 L
Pieces per pack / pallet	4 / 64
Package dimensions	620 x 420 x 565 H mm
Pallet dimensions	1200 x 800 x 2285 H mm

B

Lid	400 x 300 mm
Pieces per pack. / dimension	4 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000 H mm

C

Semi-opaque label protection	150 x 67 H mm
Pieces per pack	8

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 147 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
♻ PP	A	KL 6415 51IG	■					■	■		2100	4	64	
♻ PP	B	KL LI65 51IG									680	4	240	
	⚠	ARTICLE ON REQUEST												
	A	KL 6115 5207	■					■	■		2352	4	64	
	B	KL LI61 5207									762	4	240	
		ACCESSORIES												
♻ PP	C	KL PROT 5100									25	8		


A

Reinforced bottom
Load capacity 20 kg





B



C



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

A	
Stacked edge height	132 mm
Usable stacked height / with lid	110 mm / 98 mm
Usable internal dimensions	543 x 363 x 124 H mm
Volume	22 L
Pieces per pack / pallet	4 64
Package dimensions	620 x 420 x 563 H mm
Pallet dimensions	1200 x 800 x 2277 H mm

B	
Lid	600 x 400 mm
Pieces per pack. / dimension	4 / 600 x 400 x 100 H mm
Pieces per pallet / dimension	240 / 1200 x 800 x 1000 H mm

C	
Semi-opaque label protection	210 x 74 H mm
Pieces per pack	8

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days


600 x 400 mm H 280 mm


	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €	
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet		
A	KL 6429 51IG	■					■	■		2970	2	32		PP
B	KL LI65 51IG									680	4	240		PP
⚠	ARTICLE ON REQUEST													
A	KL 6129 5207	■					■	■		3326	2	32		
B	KL LI61 5207									762	4	240		
	ACCESSORIES													
C	KL PROT 5100									25	8			PP



A

Reinforced bottom
Load capacity 20 kg





B



C

DATASHEET

A

Stacked edge height	265 mm
Usable stacked height / with lid	243 mm / 231 mm
Usable internal dimensions	543 x 363 x 257 H mm
Volume	48 L
Pieces per pack / pallet	2 / 32
Package dimensions	620 x 420 x 565 H mm
Pallet dimensions	1200 x 800 x 2285 H mm

B

Lid	600 x 400 mm
Pieces per pack. / dimension	4 / 600 x 400 x 100 H mm
Pieces per pallet / dimension	240 / 1200 x 800 x 1000 H mm

C

Semi-opaque label protection	150 x 67 H mm
Pieces per pack	8

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



RL-KLT

5
PP

The **R-KLT** series, created within the VDA - German Association of the Automotive Industry project, is ideally applied in the automotive industry, facilitating the movement of goods between the components industries and car manufacturers.

Good resistance to oils, various automated handling options, tough ergonomic handles, a high level of safety and strength and a reinforced bottom to withstand heavy loads.

BOTTOMS

300 x 200



400 x 300



600 x 400



label holders
on both sides







hand grip









300 x 200 mm H 147 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €	
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet		
A	KL 3147 5127	■			■			■		570	16	256		
B	KL LI35 5127									91	8	1280		
⚠	ARTICLE ON REQUEST													
A	KL 3115 5207	■			■			■		638	16	256		
B	KL LI31 5207									102	8	1280		
	ACCESSORIES													
C	KL PROT 5100									25	8			



A

Closed bottom
Load capacity 20 kg



B

C



DATASHEET

A

Stacked edge height	132 mm
Usable stacked height / with lid	127 mm / 116 mm
Usable internal dimensions	243 x 161 x 142 H mm
Volume	5,3 L
Pieces per pack / pallet	16 / 256
Package dimensions	620 x 420 x 563 H mm
Pallet dimensions	1200 x 800 x 2277 H mm

B

Lid	300 x 200 mm
Pieces per pack. / dimension	8 / 300 x 200 x 150 H mm
Pieces per pallet / dimension	1280 / 1200 x 800 x 1000 H mm

C

Semi-opaque label protection	150 x 67 H mm
Pieces per pack	8

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 147 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
♻ PP	A	KL 4147 5127	■				■		■		1080	8	128	
♻ PP	B	KL LI45 5127									279	4	640	
	⚠	ARTICLE ON REQUEST												
	A	KL 4047 5207	■				■		■		1210	8	128	
	B	KL LI41 5207									312	4	640	
		ACCESSORIES												
♻ PP	C	KL PROT 5100									25	8		

A

Perforated bottom
Load capacity 20 kg





B



C



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

A

Stacked edge height	132 mm
Usable stacked height / with lid	127 mm / 116 mm
Usable internal dimensions	346 x 262 x 142 H mm
Volume	11,8 L
Pieces per pack / pallet	8 128
Package dimensions	620 x 420 x 563 H mm
Pallet dimensions	1200 x 800 x 2277 H mm

B

Lid	400 x 300 mm
Pieces per pack. / dimension	4 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000 H mm

C

Semi-opaque label protection	150 x 67 H mm
Pieces per pack	8

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

400 x 300 mm H 280 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €	
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet		
A	KL 4280 5127	■				■		■		1700	4	64		
B	KL LI45 5127									279	4	640		
⚠	ARTICLE ON REQUEST													
A	KL 4080 5207	■				■		■		1904	4	64		
B	KL LI41 5207									312	4	640		
	ACCESSORIES													
C	KL PROT 5100									25	8			



A

Perforated bottom
Load capacity 20 kg





B



C

DATASHEET

A

Stacked edge height	265 mm
Usable stacked height / with lid	260 mm / 249 mm
Usable internal dimensions	346 x 262 x 275 H mm
Volume	24,1 L
Pieces per pack / pallet	4 / 64
Package dimensions	620 x 420 x 565 H mm
Pallet dimensions	1200 x 800 x 2285 H mm

B

Lid	400 x 300 mm
Pieces per pack. / dimension	4 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000 H mm

C

Semi-opaque label protection	150 x 67 H mm
Pieces per pack	8

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 147 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
♻ PP	A	KL 6147 5127	■				■		■		1820	4	64	
♻ PP	B	KL LI65 5127									680	4	240	
⚠		ARTICLE ON REQUEST												
	A	KL 6047 5207	■				■		■		2038	4	64	
	B	KL LI61 5207									762	4	240	
		ACCESSORIES												
♻ PP	C	KL PROT 5100									25	8		

A

Perforated bottom
Load capacity 20 kg





B



C



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

DATASHEET

A

Stacked edge height	132 mm
Usable stacked height / with lid	127 mm / 116 mm
Usable internal dimensions	543 x 358 x 142 H mm
Volume	25 L
Pieces per pack / pallet	4 64
Package dimensions	600 x 400 x 563 H mm
Pallet dimensions	1200 x 800 x 2277 H mm

B

Lid	600 x 400 mm
Pieces per pack. / dimension	4 / 600 x 400 x 100 H mm
Pieces per pallet / dimension	240 / 1200 x 800 x 1000 H mm

C

Semi-opaque label protection	150 x 67 H mm
Pieces per pack	8

⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

600 x 400 mm H 280 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €	
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet		
A	KL 6280 5127	■				■		■		2670	2	32		
B	KL LI65 5127									680	4	240		
⚠	ARTICLE ON REQUEST													
A	KL 6080 5207	■				■		■		2990	2	32		
B	KL LI61 5207									762	4	240		
	ACCESSORIES													
C	KL PROT 5100									25	8			



A

Perforated bottom
Load capacity 20 kg





B

C



DATASHEET

A

Stacked edge height	265 mm
Usable stacked height / with lid	260 mm / 249 mm
Usable internal dimensions	543 x 358 x 275 H mm
Volume	51,9 L
Pieces per pack / pallet	2 / 32
Package dimensions	600 x 400 x 565 H mm
Pallet dimensions	1200 x 800 x 2285 H mm

B

Lid	600 x 400 mm
Pieces per pack. / dimension	4 / 600 x 400 x 100 H mm
Pieces per pallet / dimension	240 / 1200 x 800 x 1000 H mm

C


Semi-opaque label protection	150 x 67 H mm
Pieces per pack	8


⚠ **ARTICLES ON REQUEST**

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.







1000 x 400 mm H 214 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	KL 1421 5127	■					■	■		4000	9	33	



A

Reinforced bottom
Load capacity 20 kg



DATASHEET

	A
Stacked edge height	199 mm
Usable stacked height / with lid	177 mm
Usable internal dimensions	935 x 345 x 191 H mm
Volume	63 L
Pieces per pack / pallet	9 / 33
Package dimensions	1200 x 1000 x 782 H mm
Pallet dimensions	1200 x 1000 x 2354 H mm



4618-KLT
4680-KLT

5
PP

The **4618-KLT** and **4680-KLT** folding bins have been specifically designed and manufactured to significantly reduce their footprint when not in use and when transporting empty items. The reduction in volume up to 80% allows for considerable savings in terms of storage and handling costs.

Made of high grade polypropylene, the 4618-KLT and 4680-KLT folding bins are equipped with four folding walls hinged at the base, with several ribs at critical points: these structural features extend the bins' life span.

HANDLES

lifting hole



SIDE WALLS

folding walls



locking clips



BOTTOM

perforated bottom



STACKABILITY





FOLDING SYSTEM













600 x 400 mm H 218 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
⚠	ARTICLE ON REQUEST												
A	KL 4618 5101			■		■			■	2230	10	180	
B	KL 4618 5127			■		■			■	2230	10	180	
C	KL 4618 51JV			■		■			■	2230	10	180	

A

Perforated bottom
Load capacity 20 kg





B

Perforated bottom
Load capacity 20 kg





C

Perforated bottom
Load capacity 20 kg





A-B-C

Stacked edge height	48 mm
Usable stacked height	198 mm
Usable internal dimensions	547 x 359 x 215 H mm
Volume	42 L
Pieces per pack / pallet	10 180
Package dimensions	620 x 425 x 560 H mm
Pallet dimensions	1200 x 800 x 2302 H mm

DATASHEET

⚠ **ARTICLES ON REQUEST**

Minimum order..... 500 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 280 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
⚠	ARTICLE ON REQUEST												
A	KL 4680 5101			■		■			■	2540	10	180	
B	KL 4680 5127			■		■			■	2540	10	180	
C	KL 4680 51JV			■		■			■	2540	10	180	

A



Perforated bottom
Load capacity 20 kg



B



Perforated bottom
Load capacity 20 kg



C



Perforated bottom
Load capacity 20 kg



DATASHEET

A-B-C	
Stacked edge height	48 mm
Usable stacked height	260 mm
Usable internal dimensions	547 x 359 x 277 H mm
Volume	54 L
Pieces per pack / pallet	10 180
Package dimensions	620 x 425 x 560 H mm
Pallet dimensions	1200 x 800 x 2302 H mm

⚠ **ARTICLES ON REQUEST**

Minimum order..... 500 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



ODETTE

5
PP


The distinctive yellow-coloured boxes of the **ODETTE** series were designed and built under the "Odette" project (Organisation for Data Exchange by Tele Transmission in Europe).


The organisation's membership includes a number of important Italian and international companies, operating in particular in the automotive industry.


The Odette boxes came into being thanks to close cooperation with European car makers. The Odette project was launched Europe-wide in 1985 to create harmonised standards for containers for the handling and transport of small volumes or amounts.

BOTTOM

reinforced bottom









PICKING


picking from above




picking from below



side picking





400 x 300 mm H 147 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	OD 4950 5105	■					■	■		600	16	256	
PP	B	OD 32SE 5105									110	8	1440	
		ACCESSORIES												
PP	C	OD BEAM 0099										8		

A

Reinforced bottom
Load capacity 20 kg





B



C



A	
Stacked edge height	132 mm
Usable stacked height / with lid	118 mm / 107 mm
Usable internal dimensions	235 x 161 x 133 H mm
Volume	4,6 L
Pieces per pack / pallet	16 256
Package dimensions	620 x 420 x 563 H mm
Pallet dimensions	1200 x 800 x 2277 H mm

B	
Lid	300 x 200 mm
Pieces per pack. / dimension	8 / 300 x 200 x 160 H mm
Pieces per pallet / dimension	1440 / 1200 x 800 x 1000 H mm

C	
Metal document holder rod	
Pieces per pack	8

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

400 x 300 mm H 214 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	OD 4930 5105	■					■	■		1740	6	88	
B	OD 43SE 5105									240	6	640	
	ACCESSORIES												
C	OD BEAM 0099										8		



A

Reinforced bottom
Load capacity 20 kg





B



C

DATASHEET

A

Stacked edge height	199 mm
Usable stacked height / with lid	185 mm / 174 mm
Usable internal dimensions	335 x 261 x 200 H mm
Volume	15,8 L
Pieces per pack / pallet	6 88
Package dimensions	620 x 420 x 632 H mm
Pallet dimensions	1200 x 800 x 2354 H mm

B

Lid	400 x 300 mm
Pieces per pack. / dimension	6 / 400 x 300 x 120 H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000 H mm

C

Metal document holder rod	
Pieces per pack	8

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 214 mm

		ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
			Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
PP	A	OD 4910 5105	■					■	■		2820	3	44	
PP	B	OD 64SE 5105									500	3	320	
		ACCESSORIES												
PP	C	OD BEAM 0099										8		

A

Reinforced bottom
Load capacity 20 kg





B



C



A	
Stacked edge height	199 mm
Usable stacked height / with lid	185 mm / 174 mm
Usable internal dimensions	535 x 361 x 200 H mm
Volume	34,8 L
Pieces per pack / pallet	3 44
Package dimensions	620 x 420 x 632 H mm
Pallet dimensions	1200 x 800 x 2354 H mm

B	
Lid	600 x 400 mm
Pieces per pack. / dimension	3 / 600 x 400 x 60 H mm
Pieces per pallet / dimension	320 / 1200 x 800 x 1000 H mm

C	
Metal document holder rod	
Pieces per pack	8

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 314 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	OD 4900 5105	■					■	■		4020	3	40	
B	OD 64SE 5105									500	3	320	
	ACCESSORIES												
C	OD BEAM 0099										8		



A

Reinforced bottom
Load capacity 20 kg





B



C

DATASHEET

A

Stacked edge height	299 mm
Usable stacked height / with lid	285 mm / 274 mm
Usable internal dimensions	535 x 361 x 300 H mm
Volume	53 L
Pieces per pack / pallet	3 40
Package dimensions	620 x 420 x 648 H mm
Pallet dimensions	1200 x 800 x 2369 H mm

B

Lid	600 x 400 mm
Pieces per pack. / dimension	3 / 600 x 400 x 60 H mm
Pieces per pallet / dimension	320 / 1200 x 800 x 1000 H mm


C

Metal document holder rod	
Pieces per pack	8


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



MATS




ANTI-SLIP
The particular pattern in relief on the upper part has a non-slip design, ensuring maximum grip even when wet.



SAFETY
The linear and corner connecting ramps increase safety for operators using trolleys, ease the rolling of wheels and improve visual characteristics for accident prevention.



WIRING
The non-slip mats are suitable for the totally safe housing of electric cables laid on the floor.



CLIP
All parts can be joined and removed quickly and easily by means of the special galvanised clip system.

4
LDPE

These **MATS** are made of PE-LD (low density polyethylene) and are suitable especially in engineering workshops, metal processing industries, washing installations, food industries, warehouses, bathing facilities, campsites, wardrobes, etc.


The summary results of testing in the Plastics Centre of Southern Germany were as follows: the mats showed good floor adherence both in no-load and full-load conditions; they did not form bevels (which may cause the user to stumble) or large gaps. Also, they remain equally usable in damp conditions as they have a raised surface.

800 x 400 mm H 25 mm

	ARTICLE	CLOSED WALKING SURFACE	PERFORATED WALKING SURFACE	GR.	PACKAGING		UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
A	CA 0804A 4101	■		1968	4	105		LDPE
	CA 0804A 4106	■		1968	4	105		LDPE
	CA 0804A 4107	■		1968	4	105		LDPE
	CA 0804A 4207	■		2339	4	105		
B	CA 0804B 4101		■	1979	4	105		LDPE
	CA 0804B 4106		■	1979	4	105		LDPE
	CA 0804B 4107		■	1979	4	105		LDPE
	ACCESSORIES							
C	CA 0401A 4105	■		240	20			LDPE
	CA 0401A 4207	■		269	20			
D	CA 0101A 4105	■		68	10			LDPE
	CA 0101A 4207	■		69	10			
E	CA CLIP				10			



A




B



C



D



E

DATASHEET

A - CLOSED NON-SLIP MAT

Dimensions	800 x 400 x 25 H mm
Walking surface	without slots
Pieces per pack / pallet	4 105
Package dimensions	800 x 400 x 100 H mm
Pallet dimensions	1200 x 800 x 1025 H mm

B - PERFORATED NON-SLIP MAT

Dimensions	800 x 400 x 25 H mm
Walking surface	with slots
Pieces per pack / pallet	4 105
Package dimensions	800 x 400 x 100 H mm
Pallet dimensions	1200 x 800 x 1025 H mm

C - LINEAR CONNECTING RAMP FOR MAT

Dimensions	400 x 120 x 25 H mm
Pieces per pack	20

D - CORNER CONNECTING RAMP FOR MAT

Dimensions	120 x 120 x 25 H mm
Pieces per pack	10

E - GALVANISED CONNECTION CLIP

Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



SAFELID

5
PP

SAFELID is the safest, most versatile and affordable way to secure loads during transport. Available in 3 sizes – 800x600 mm, 1200x800 mm and 1200x1000 m – SafeLid can be supplemented with security seals, thus ensuring load inaccessibility. Also, there is no longer any need to use stretch film, thus increasing savings in time, cost and environmental protection.

LOAD SAFETY

extendible belt extraction



positioning of fixing hook



load securing with ratchet handle



COMPONENTS

ratchet handle



lifting handle



extendible belt



SEAL




EPAL
EPAL

800 x 600 mm H 93 mm
1200 x 800 mm H 100 mm
1200 x 1000 mm H 100 mm

	ARTICLE	2 SHORT SIDE STRAPS	2 LONG SIDE STRAPS	2 STRAPS ATTACHABLE ON EITHER SIDE	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	SL 0806 5107	■			6150	1	60	
B	SL 1208 5107		■	■	10000	1	25	
C	SL 1210 5107		■	■	9930	1	25	

A



B



C



DATASHEET

A

Dimensions	822 x 618 x 93 H mm
Stacked edge height	62,5 mm
Maximum load weight	2000 kg
Operating temperature	-20C° / +40C°
Strap length	2000 mm
Pieces per pack / pallet	1 60
Package dimensions	850 x 650 x 120 H mm
Pallet dimensions	1200 x 800 x 1980 H mm

B

Dimensions	1210 x 810 x 100 H mm
Stacked edge height	71 mm
Maximum load weight	2000 kg
Operating temperature	-20C° / +40C°
Strap length	2000 mm
Pieces per pack / pallet	1 25
Package dimensions	1210 x 810 x 100 H mm
Pallet dimensions	1200 x 800 x 2200 H mm

C

Dimensions	1227 x 1027 x 100 H mm
Stacked edge height	71 mm
Maximum load weight	2000 kg
Operating temperature	-20C° / +40C°
Strap length	2000 mm
Pieces per pack / pallet	1 25
Package dimensions	1260 x 1060 x 130 H mm
Pallet dimensions	1250 x 1100 x 1930 H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



MOTION

5
PP

MOTION is a trolley made of high-impact polypropylene and can be stacked when not in use.

A simple coupling system means you can create rows of trolleys with a single movement.

Available with black nylon wheels as standard.

Blue non-marking wheels are available on request.

With the use of a top lid, it is also suitable for the transport of Delta boxes, stably and safely.

To facilitate the transport of multiple trolleys, a height-adjustable telescopic drawbar is provided.

COUPLING SYSTEM



The MOTION coupling system gives the option of connecting trolleys both on the short and long sides, enabling the user to shift more loads together or to prepare them for transport.

STACKING



The special design of the MOTION supporting surface allows trolleys to be stacked safely and stably, with cross-positioning of the various levels.

SWIVEL WHEELS



The MOTION trolley is equipped with 4 thermoplastic swivel wheels as standard, 100 mm in diameter.
Upon request, it is also possible to have TPR 75 mm diameter wheels in non-marking material, to help maintain the appearance of resin flooring.

BARCODE AND LOGO



A customisation option is available for a logo to be applied by hot marking on the sides of the MOTION trolley. There is also provision for 2 protected areas on each side of the MOTION trolley for the application of barcode labels or tags; they can be supplied together with the trolleys in accordance with the customer's specifications.



Motion combination with Kronos



Motion combination with Delta



Motion combination with KLT



Motion combination with Odette

600 x 400 mm H 173 mm

		ARTICLE	NYLON WHEELS DIAM. 100 MM	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
♻ PP	A	MO 64TP 5107	■	3540	1	64	
		ACCESSORIES					
	1	MO HELM			1		
♻ PP	2	DE 64SE 5101		960	1	160	
♻ PP	3	MI 64SE 5101		1000	1	160	

A



1








2



3



DATASHEET

A	
Dimensions	594 x 396 x 173 H mm
Cross-stacked inter-axle pitch	75 mm
In-line stacked inter-axle pitch	135 mm
Height from ground	117 mm
Type of wheels	4 swivel wheels
Wheel material as a standard	thermoplastic
Wheel diameter	100 mm
Wheel upper plate	in galvanised steel
Maximum No. of stacked units	1+15 trolleys
Load capacity kg	250
Pieces per pack / pallet	1 75
Pallet dimensions	1200 x 1000 x 2200 H mm


1
Height-adjustable telescopic drawbar

2-3	
Lid for use with Delta/Minerva box	600 x 400 mm
Pieces per pack	1
Package dimensions	620 x 420 x 100 H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

800 x 600 mm H 196 mm


	ARTICLE	NYLON WHEELS DIAM. 100 MM	NYLON WHEELS DIAM. 80 MM	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
A	MO 86NY 5107	■	■	12000	1	20	



2 swivel wheels and 2 fixed wheels



Locking system



A

DATASHEET

	A
Dimensions	800 x 600 x 196 H mm
Cross-stacked inter-axle pitch	75 mm
In-line stacked inter-axle pitch	196 mm
Height from ground	36 mm
Color	grey RAL7040
Material	High impact PP
Type of wheels	2 swivel wheels - 2 fixed wheels
Wheel material as a standard	nylon
Fixed wheels diameter	100 mm
Swivel wheels diameter	80 mm
Maximum No. of stacked units	1+15 trolleys
Load capacity kg	250
Pieces per pack / pallet	1 20
Pallet dimensions	1200 x 800 x 2110 H mm



Combinaison avec cassettes 600x400

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



CONTAINER

2
HDPE

Injection moulded **CONTAINER** in High Density Polyethylene (HDPE), also suitable for food use.

Fully recyclable material, initial melting guarantee and certification. Easy to clean and impervious to rust; insensitive to weight changes on contact with water.

Highly resistant to UV and infrared rays, high and low temperatures, acids and alkalis. Designed to be stackable, thus facilitating storage and handling operations.

VERSIONS

with 4 feet





with 2 skids



with 4 wheels





ACCESSORIES

separate lid



bar handle





1000 x 640 mm H 655 mm
1165 x 790 mm H 800 mm


	ARTICLE	4 FEET	6 FEET WITH SKIDS	VIRGIN PE - HD	REGEN PE - HD	KG	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
A	CN 1006FJ4001	■		■		14,3	1	6	
	CN 1006FJ4007	■			■	14,3	1	6	
B	CN 1107FJ 4001	■		■		25	1	3	
	CN 1107FJ 4007	■			■	25	1	3	
C	CN 1107SJ 4001		■	■		26,2	1	3	
	CN 1107SJ 4007		■		■	26,2	1	3	

HDPE R-PE

Raw material for black articles: Regenerated High Density Polyethylene





A



A

B





C

DATASHEET

A - CONTAINER WITH 4 FEET

Dimensions	1000 x 640 x 655 H mm
Internal dimensions	925 x 580 x 520 H mm
Load capacity	150 kg
Volume	280 L
Pieces per pack / pallet	1 — 6



B

B - CONTAINER WITH 4 FEET

Dimensions	1165 x 790 x 800 H mm
Internal dimensions	1100 x 735 x 650 H mm
Load capacity	250 kg
Volume	520 L
Pieces per pack / pallet	1 — 3



C

C - CONTAINER WITH 2 CROSSBARS


Dimensions	1165 x 790 x 800 H mm
Internal dimensions	1100 x 735 x 650 H mm
Load capacity	250 kg
Volume	520 L
Pieces per pack / pallet	1 — 3

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


1000 x 640 mm H 790/815 mm
1165 x 790 mm H 935/960 mm

		ARTICLE	WHEEL Ø 100 MM	WHEEL Ø 125 MM	OPTIONAL BAR HANDLE ATTACHMENT	WEIGHT WITHOUT WHEELS KG	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €
HDPE	A	CN 1006R1J 4001	■		■	14,3	1	6	
HDPE	A	CN 1006R2J 4001		■	■	14,3	1	6	
HDPE	B	CN 1107R1J 4001	■		■	25,0	1	3	
HDPE	B	CN 1107R2J 4001		■	■	25,0	1	3	


A



B



A



B



DATASHEET

A	
Dimensions with wheels diam. 100 mm	1000 x 640 x 790 H mm
Dimensions with wheels diam. 125 mm	1000 x 640 x 815 H mm
Internal dimensions	925 x 580 x 520 H mm
Wheels without brake	4
Load capacity	150 kg
Volume	280 L
Pieces per pack / pallet	1 6

B	
Abmessungen mit Rädern, Durchm. 100 mm	1165 x 790 x 935 H mm
Abmessungen mit Rädern, Durchm. 125 mm	1165 x 790 x 960 H mm
Internal dimensions	1100 x 735 x 650 H mm
Wheels without brake	4
Load capacity	250 kg
Volume	520 L
Pieces per pack / pallet	1 3

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

1200 x 1000 mm H 760 mm


	ARTICLE	4 FEET	9 FEET WITH 3 SKIDS	VIRGIN PE - HD	REGEN PE - HD	KG	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €
A	CN 1210BJ 4001		■	■			1	3	

Special container for collecting used batteries
Lid to be ordered separately

	ARTICLE	FOR CONTAINER CN121...	FOR CONTAINER CN100...	FOR CONTAINER CN110...	GR.	PACKAGING Qty. per pack.	PACKAGING Qty. per pallet	UNIT PRICE €
1	CN CV12 4001	■				1		
2	CN CV10 4001		■			1		
3	CN CV11 4001			■		1		
4	CN HAND480001		■			1		
	CN HAND670001			■		1		



A





1



2



3



4

DATASHEET

A - CONTAINER COLLECTION OF USED BATTERIES WITH 3 CROSSBARS

Dimensions	1200 x 1000 x 760 H mm
Internal dimensions	1120 x 920 x 600 H mm
Load capacity	450 kg
Volume	610 L
Pieces per pack / pallet	1 — 3

1 - LID FOR COLLECTION OF USED BATTERIES

Nominal dimensions	1200 x 1000 mm
Pieces per pack / pallet	1

2 - LID

Nominal dimensions	1000 x 640 mm
Pieces per pack / pallet	1

3 - LID

Nominal dimensions	1165 x 790
Pieces per pack / pallet	1

4 - TRANSPORT HANDLES

Length	480 mm / 670 mm
Pieces per pack / pallet	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



PALLET & LID

5 PP 2 HDPE 2 R-PE

The **PALLET** was invented over 80 years ago, in the form of a simple wooden structure to be placed under material to facilitate handling.

Since then, much progress has been made, not only as regards vehicles but also in materials and geometrical research to make pallets endlessly reusable, easy to wash and producible in sustainable materials.

For increased load retention and safety, goods placed on pallets can be protected with the use of lids, of thermoforming or injection moulding construction.

PALLET K SERIES

This is a pallet with a new-generation monolithic structure without seams or joints, designed to improve the entire logistics process. It facilitates mechanical and manual handling and has been tested to ISO 8611-1991 standards.

It is has excellent resistance to falls and is highly tolerant to twisting and pressure exerted from top to bottom and vice versa.

Made of 100% recyclable black polypropylene. The grid support surface facilitates cleaning.

Can be customised with hot marking, barcodes and RFID.



PALLET J SERIES

Injection moulded pallet in High Density Polyethylene (HDPE) also suitable for food use, made of fully recyclable material, initial melting guarantee and certification.

Easy to clean and impervious to rust, insensitive to weight changes on contact with water.

Highly resistant to UV and infrared rays, high and low temperatures, acids and alkalis.

Can be customised with hot marking, barcodes and RFID.



PALLET M SERIES

Made from recycled polyethylene, fully environmentally-friendly.

The M Series pallets can be inserted one inside the other, thanks to their specially designed feet.

It is available for light and medium loads. The light-load model is nevertheless very durable and can also be used as a disposable pallet.

The honeycomb structure surface of the medium-load model makes it suitable also for intensive use.

Both versions can be customised with hot marking, barcodes and RFID.



LIDS

Available in 800x1200 mm and 1000x1200 mm sizes, they are made of high density polyethylene in the thermoforming version, which is lighter and more manageable, while polypropylene is used for the injection version.


Easily cleaned and reusable, they can be customised with hot marking, barcodes and RFID.




1200 x 800 mm
1200 x 1000 mm

		ARTICLE	ATHENA ATHENA LIGHT KRONOS	RL-KLT R-KLT	ODETTE	KG	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
♻ PP	A	PA 1208EK 5107	■			17,3	1	15	
♻ PP	B	PA 1210IK 5107		■	■	17,9	1	15	

A



B



A



B



A - PALLET WITH FLUSH EDGE

Dimensions	1200 x 800 x 160 H mm
Static load capacity	5000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 — 15

B - PALLET WITH RIM

Dimensions	1200 x 1000 x 160 H mm
Static load capacity	5000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 — 15

DATASHEET


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

1200 x 800 mm
1200 x 1000 mm


	ARTICLE	ATHENA ATHENA LIGHT KRONOS	RL-KLT R-KLT	ODETTE	KG	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
D	PA 1208FJ 5100	General use			12,3	1	15	
E	PA 1210FJ 5100	General use			15,1	1	15	
F	PA 1208HJ 5100		■	■	14,5	1	15	
G	PA 1210HJ 5100		■	■	17,0	1	15	
H	PA 1208LJ 5100	■			14,0	1	15	
I	PA 1210LJ 5100	■			16,9	1	15	



D
E



D
F
H



E
G
I

DATASHEET

D - PALLET WITHOUT RIM

Dimensions	1200 x 800 x 145 H mm
Static load capacity	4000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 — 15

E - PALLET WITHOUT RIM

Dimensions	1200 x 1000 x 145 H mm
Static load capacity	4000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 — 15

F - G PALLET WITH HIGH SECTION OUTER EDGE IN GALVANISED STEEL - FOR R-KLT - RL-KLT - ODETTE

Dimensions	1200 x 800/1000 x 145 H mm
Static load capacity	4000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 — 15

H - I PALLET WITH LOW SECTION OUTER EDGE IN GALVANISED STEEL - FOR ATHENA - ATHENA LIGHT - KRONOS

Dimensions	1200 x 800/1000 x 145 H mm
Static load capacity	4000 kg
Dynamic load capacity	1500 kg
Pieces per pack / pallet	1 — 15



F
G



H
I


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

1200 x 800 mm
1200 x 1000 mm


		ARTICLE	ATHENA ATHENA LIGHT KRONOS	RL-KLT R-KLT	ODETTE	KG	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
PP	A	PA 1208LM 5107	■		■	4,8	1	66	
PP	B	PA 1210LM 5107	■		■	6,9	1	60	

Raw materials: Regenerated High Density Polyethylene

A



B



A



B



A

Dimensions	1200 x 800 x 135 H mm
Static load capacity	1500 kg
Dynamic load capacity	600 kg
Pieces per pack / pallet	1 — 15

B

Dimensions	1200 x 1000 x 135 H mm
Static load capacity	1500 kg
Dynamic load capacity	600 kg
Pieces per pack / pallet	1 — 60

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


800 x 600 mm
1200 x 800 mm
1200 x 1000 mm

	ARTICLE	ATHENA ATHENA LIGHT KRONOS	RL-KLT R-KLT	ODETTE	KG	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
D	PA 0806AM 5107	■	■		3,2	1	60		R-PE
E	PA 1208AM 5107	■	■		8,1	1	55		R-PE
F	PA 1208AM 5107	■	■		9,25	1	60		R-PE


Raw materials: Regenerated High Density Polyethylene




C



C



D



E

DATASHEET

C

Dimensions	800 x 600 x 140 H mm
Static load capacity	3000 kg
Dynamic load capacity	600 kg
Pieces per pack / pallet	1 — 60



D

D

Dimensions	1200 x 800 x 140 H mm
Static load capacity	4000 kg
Dynamic load capacity	1200 kg
Pieces per pack / pallet	1 — 55



E

E

Dimensions	1200 x 1000 x 140 H mm
Static load capacity	4000 kg
Dynamic load capacity	1200 kg
Pieces per pack / pallet	1 — 60

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



1200 x 800 mm
1200 x 1000 mm

	ARTICLE	THERMOFORMING	INJECTION	KG	PACKAGING		UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
D	CV 1208SC 5107		■	5770	1	20		HDPE
E	CV 1210SH 5107		■	7390	1	20		HDPE

DATASHEET

C

C Nominal dimensions	1200 x 800 mm
Height space when in use	20 mm
Pieces per pack / pallet	1 20
Pallet dimensions	1250 x 850 x 960 H mm



C

D - LID FOR USE SPECIFICALLY WITH R-KLT / RL-KLT / ODETTE

C Nominal dimensions	1200 x 1000 mm
Height space when in use	20 mm
Pieces per pack / pallet	1 20
Pallet dimensions	1250 x 1050 x 960 H mm



D

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



HOLDER

RS

rigid with support



ARTICLE	DIMENSIONS MM	FOR LABEL FORMAT MM	*PRICE € PACK. 10 PCS*
LH A414 RS	215 x 80 x 17 h	1/4 DIN A4 - 210 x 75	
LH A500 RS	215 x 155 x 17 h	DIN A5 - 210 x 148	

RA

rigid with adhesive



ARTICLE	DIMENSIONS MM	FOR LABEL FORMAT MM	*PRICE € PACK. 10 PCS*
LH A700 RA	110 x 83	DIN A5 - 105 x 74	
LH A414 RA	220 x 83	1/4 DIN A4 - 210 x 75	
LH A500 RA	220 x 160	DIN A5 - 210 x 148	

MI

soft insertion



ARTICLE	DIMENSIONS MM	FOR LABEL FORMAT MM	*PRICE € PACK. 10 PCS*
LH A414 MI	210 x 80	1/4 DIN A4 - 210 x 75	
LH A413 MI	210 x 100	1/3 DIN A4 - 210 x 99	
LH A500 MI	210 x 147	DIN A5 - 210 x 148	

MF

soft with slot



ARTICLE	DIMENSIONS MM	FOR LABEL FORMAT MM	*PRICE € PACK. 10 PCS*
LH A414 MF	210 x 80	1/4 DIN A4 - 210 x 75	

INSERTABLE LABEL FORMATS

DIN size in mm

DIN A7	1/4 DIN A4	1/3 DIN A4	DIN A5
110 x 83	210 x 75	210 x 99	210 x 160

ATHENA BOX SERIES



LABEL HOLDER WITH SUPPORT



ARTICLE
LH A414 RS



ARTICLE
LH A500 RS

ART. NEXIT	EDGE 1/4 A4		EDGE A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
NX 2108 A	0	0	0	0
NX 2112 A	0	0	0	0
NX 3208 A	0	0	0	0
NX 3212 A	0	2	0	0
NX 3217 A	0	2	0	2
NX 3222 A	0	2	0	2
NX 4308 A	0	0	0	0
NX 4308 C	0	0	0	0
NX 4312 A	2	2	0	0
NX 4312 C	2	2	0	0
NX 4312 P	2	2	0	0
NX 4317 B	2	2	2	2
NX 4317 D	2	2	2	2
NX 4317 S	2	2	2	2
NX 4322 B	2	2	2	2
NX 4322 D	2	2	2	2
NX 4322 S	2	2	2	2
NX 4322 U	1	2	1	2
NX 4327 B	2	2	2	2
NX 4327 D	2	2	2	2
NX 4327 S	2	2	2	2
NX 4327 U	1	2	1	2
NX 4332 B	2	2	2	2
NX 4332 D	2	2	2	2
NX 4332 S	2	2	2	2
NX 4332 U	1	2	1	2

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE
WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE

ATHENA BOX SERIES



LABEL HOLDER WITH SUPPORT





ART. NEXIT	ARTICLE LH A414 RS		ARTICLE LH A500 RS	
	EDGE 1/4 A4		EDGE A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
NX 6408 A	0	0	0	0
NX 6408 C	0	0	0	0
NX 6408 P	0	0	0	0
NX 6412 A	2	2	0	0
NX 6412 C	2	2	0	0
NX 6412 P	2	2	0	0
NX 6417 B	2	2	2	2
NX 6417 D	2	2	2	2
NX 6417 S	2	2	2	2
NX 6422 B	2	2	2	2
NX 6422 D	2	2	2	2
NX 6422 S	2	2	2	2
NX 6422 U	1	2	1	2
NX 6427 B	2	2	2	2
NX 6427 D	2	2	2	2
NX 6427 S	2	2	2	2
NX 6427 U	1	2	1	2
NX 6432 B	2	2	2	2
NX 6432 D	2	2	2	2
NX 6432 S	2	2	2	2
NX 6432 U	1	2	1	2
NX 6442 B	2	2	2	2
NX 6442 D	2	2	2	2
NX 6442 S	2	2	2	2
NX 6442 U	1	2	1	2

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE

ATHENA BOX SERIES



LABEL HOLDER WITH ADHESIVE



ARTICLE
LH A414 RA



ARTICLE
LH A500 RA



ARTICLE
LH A700 RA

ART. NEXIT	ADHESIVE 1/4 A4		ADHESIVE A5		ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
NX 2108 A	0	0	0	0	0	0
NX 2112 A	0	0	0	0	0	0
NX 3208 A	0	0	0	0	0	0
NX 3212 A	0	0	0	0	0	0
NX 3217 A	0	0	0	0	2	2
NX 3222 A	0	0	0	0	2	2
NX 4308 A	0	0	0	0	0	0
NX 4308 C	0	0	0	0	0	0
NX 4312 A	0	0	0	0	0	0
NX 4312 C	0	0	0	0	0	0
NX 4312 P	0	0	0	0	0	0
NX 4317 B	0	2	0	0	2	2
NX 4317 D	0	2	0	0	2	2
NX 4317 S	0	0	0	0	0	2
NX 4322 B	0	2	0	2	0	2
NX 4322 D	0	2	0	2	0	2
NX 4322 S	0	0	0	0	0	2
NX 4322 U	0	2	0	2	1	2
NX 4327 B	2	2	0	2	2	2
NX 4327 D	2	2	0	2	2	2
NX 4327 S	2	2	0	0	2	2
NX 4327 U	1	2	0	2	2	2
NX 4332 B	2	2	2	2	2	2
NX 4332 D	2	2	2	2	2	2
NX 4332 S	2	2	2	0	2	2
NX 4332 U	1	2	1	2	2	2

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE
WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE

ATHENA BOX SERIES



LABEL HOLDER WITH ADHESIVE



ARTICLE
LH A414 RA



ARTICLE
LH A500 RA



ARTICLE
LH A700 RA

ART. NEXIT	ADHESIVE 1/4 A4		ADHESIVE A5		ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
NX 6408 A	0	0	0	0	0	0
NX 6408 C	0	0	0	0	0	0
NX 6408 P	0	0	0	0	0	0
NX 6412 A	0	0	0	0	0	0
NX 6412 C	0	0	0	0	0	0
NX 6412 P	0	0	0	0	0	0
NX 6417 B	0	2	0	0	0	2
NX 6417 D	0	2	0	0	0	2
NX 6417 S	0	2	0	0	0	2
NX 6422 B	2	2	0	1	2	2
NX 6422 D	2	2	0	1	2	2
NX 6422 S	2	2	0	1	2	2
NX 6422 U	1	2	0	2	1	2
NX 6427 B	2	2	2	2	2	2
NX 6427 D	2	2	2	2	2	2
NX 6427 S	2	2	2	2	2	2
NX 6427 U	2	2	1	2	2	2
NX 6432 B	2	2	2	2	2	2
NX 6432 D	2	2	2	2	2	2
NX 6432 S	1	2	2	2	2	2
NX 6432 U	1	2	1	2	2	2
NX 6442 B	2	2	2	2	2	2
NX 6442 D	2	2	2	2	2	2
NX 6442 S	2	2	2	2	2	2
NX 6442 U	2	2	2	2	2	2

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE
WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE



LABEL HOLDER WITH SUPPORT





ART. ATHENA	ARTICLE LH A414 RS		ARTICLE LH A500 RS	
	EDGE 1/4 A4		EDGE A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
AT 3212 A	0	2	0	0
AT 3217 A	0	2	0	2
AT 4305 A	0	0	0	0
AT 4308 A	0	0	0	0
AT 4312 A	2	2	0	0
AT 4312 C	2	2	0	0
AT 4312 P	2	2	0	0
AT 4317 A	2	2	2	2
AT 4317 C	2	2	2	2
AT 4322 A	2	2	2	2
AT 4322 B	2	2	2	2
AT 4322 D	2	2	2	2
AT 4332 A	2	2	2	2
AT 4332 B	2	2	2	2
AT 6408 A	0	0	0	0
AT 6412 A	2	2	0	0
AT 6412 C	2	2	0	0
AT 6412 G	2	2	0	0
AT 6412 H	2	2	0	0
AT 6417 A	2	2	2	2
AT 6417 C	2	2	2	2
AT 6422 A	2	2	2	2
AT 6422 B	2	2	2	2
AT 6422 D	2	2	2	2
AT 6422 S	2	2	2	2
AT 6428 A	2	2	2	2
AT 6428 B	2	2	2	2
AT 6428 D	2	2	2	2
AT 6432 A	2	2	2	2
AT 6432 B	2	2	2	2
AT 6432 D	2	2	2	2
AT 6432 R	2	2	2	2
AT 6443 B	2	2	2	2
AT 6443 R	2	2	2	2
AT 6443 V	2	1	2	1
AT 6443 U	1	2	1	2
AT 8612 C	0	0	0	0
AT 8617 C	0	0	0	0
AT 8622 C	0	0	0	0
AT 8632 C	0	0	0	0
AT 8643 W	0	0	0	0

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE

ATHENA BOX SERIES



LABEL HOLDER WITH ADHESIVE







ART. ATHENA	ARTICLE LH A414 RA ADHESIVE 1/4 A4		ARTICLE LH A500 RA ADHESIVE A5		ARTICLE LH A700 RA ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
AT 3212 A	0	0	0	0	0	0
AT 3217 A	0	0	0	0	2	2
AT 4305 A	0	0	0	0	0	0
AT 4308 A	0	0	0	0	0	0
AT 4312 A	0	0	0	0	0	0
AT 4312 C	0	0	0	0	0	0
AT 4312 P	0	0	0	0	0	0
AT 4317 A	0	2	0	0	2	2
AT 4317 C	0	2	0	0	2	2
AT 4322 A	0	2	0	1	2	2
AT 4322 B	0	2	0	1	2	2
AT 4322 D	0	2	0	1	2	2
AT 4332 A	0	2	0	2	2	2
AT 4332 B	0	2	0	2	2	2
AT 6408 A	0	0	0	0	0	0
AT 6412 A	0	0	0	0	0	0
AT 6412 C	0	0	0	0	0	0
AT 6412 G	0	0	0	0	0	0
AT 6412 H	0	0	0	0	0	0
AT 6417 A	1	2	0	0	2	2
AT 6417 C	1	2	0	0	2	2
AT 6422 A	2	2	0	2	2	2
AT 6422 B	2	2	0	2	2	2
AT 6422 D	2	2	0	2	2	2
AT 6422 S	0	0	0	0	0	0
AT 6428 A	2	2	2	2	2	2
AT 6428 B	2	2	2	2	2	2
AT 6428 D	2	2	2	2	2	2
AT 6432 A	2	2	2	2	2	2
AT 6432 B	2	2	2	2	2	2
AT 6432 D	2	2	2	2	2	2
AT 6432 R	0	0	0	0	0	0
AT 6443 B	2	1	2	0	2	2
AT 6443 R	0	0	0	0	0	0
AT 6443 V	2	1	2	0	2	2
AT 6443 U	2	1	1	0	2	2
AT 8612 C	0	0	0	0	0	0
AT 8617 C	2	2	0	0	2	2
AT 8622 C	2	2	0	0	2	2
AT 8632 C	2	2	2	2	2	2
AT 8643 W	2	2	2	2	2	2

ATHENA LIGHT BOX SERIES



LABEL HOLDER WITH SUPPORT



ARTICLE
LH A414 RS



ARTICLE
LH A500 RS

ART. ATHENA LIGHT	EDGE 1/4 A4		EDGE A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
AL 6422 A	2	2	2	2
AL 6422 B	2	2	2	2
AL 6422 D	2	2	2	2



LABEL HOLDER WITH ADHESIVE



ARTICLE
LH A414 RA



ARTICLE
LH A500 RA



ARTICLE
LH A700 RA

ART. ATHENA LIGHT	ADHESIVE 1/4 A4		ADHESIVE A5		ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
AL 6422 A	1	0	0	0	2	2
AL 6422 B	1	0	0	0	2	2
AL 6422 S	0	0	0	0	0	0

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE

ODETTE BOX SERIES



LABEL HOLDER WITH SUPPORT



ARTICLE
LH A414 RS



ARTICLE
LH A500 RS

ART. ODETTE	EDGE 1/4 A4		EDGE A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
OD 4950	0	2	0	0
OD 4930	2	2	2	2
OD 4910	2	2	2	2
OD 4900	2	2	2	2



LABEL HOLDER WITH ADHESIVE



ARTICLE
LH A414 RA



ARTICLE
LH A500 RA



ARTICLE
LH A700 RA

ART. ODETTE	ADHESIVE 1/4 A4		ADHESIVE A5		ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
OD 4950	0	0	0	0	0	0
OD 4930	0	0	0	0	0	1
OD 4910	0	0	0	0	0	1
OD 4900	0	0	0	0	2	0

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE
WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE



LABEL HOLDER WITH SUPPORT



ARTICLE
LH A414 RS



ARTICLE
LH A500 RS

ART. RL-KLT	EDGE 1/4 A4		EDGE A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
KL 3147	0	2	0	0
KL 4147	2	2	0	0
KL 4280	2	2	2	2
KL 6147	2	2	0	0
KL 6280	2	2	2	2



LABEL HOLDER WITH ADHESIVE



ARTICLE
LH A414 RA



ARTICLE
LH A500 RA



ARTICLE
LH A700 RA

ART. RL-KLT	ADHESIVE 1/4 A4		ADHESIVE A5		ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
KL 3147	0	0	0	0	0	1
KL 4147	0	0	0	0	0	1
KL 4280	0	1	0	1	2	2
KL 6147	0	0	0	0	0	2
KL 6280	1	0	0	0	2	2

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE
WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE

R-KLT BOX SERIES



LABEL HOLDER WITH SUPPORT



ARTICLE
LH A414 RS



ARTICLE
LH A500 RS

ART. R-KLT	EDGE 1/4 A4		EDGE A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
K L 3 2 1 5	0	2	0	0
K L 4 3 1 5	2	2	0	0
K L 4 3 2 9	2	2	2	2
K L 6 4 1 5	2	2	0	0
K L 6 4 2 9	2	2	2	2



LABEL HOLDER WITH ADHESIVE



ARTICLE
LH A414 RA



ARTICLE
LH A500 RA



ARTICLE
LH A700 RA

ART. R-KLT	ADHESIVE 1/4 A4		ADHESIVE A5		ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
K L 3 2 1 5	0	0	0	0	0	0
K L 4 3 1 5	0	0	0	0	0	0
K L 4 3 2 9	0	1	0	1	2	2
K L 6 4 1 5	0	0	0	0	0	0
K L 6 4 2 9	1	0	0	0	2	2

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE
WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE



LABEL HOLDER WITH SUPPORT



ARTICLE
LH A414 RS



ARTICLE
LH A500 RS

ART. MINERVA	EDGE 1/4 A4		EDGE A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
MI 6420 B	0	0	0	0
MI 6420 S	0	0	0	0
MI 6430 B	0	2	0	0
MI 6430 S	0	2	0	0
MI 6440 B	0	2	0	0
MI 6440 S	0	2	0	0



LABEL HOLDER WITH ADHESIVE



ARTICLE
LH A414 RA



ARTICLE
LH A500 RA



ARTICLE
LH A700 RA

ART. MINERVA	ADHESIVE 1/4 A4		ADHESIVE A5		ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
MI 6420 B	0	2	0	0	2	2
MI 6420 S	0	0	0	0	0	0
MI 6430 B	0	2	0	2	2	2
MI 6430 S	0	0	0	0	0	0
MI 6440 B	0	2	0	2	2	2
MI 6440 S	0	0	0	0	0	0

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE

DELTA BOX SERIES



LABEL HOLDER WITH SUPPORT





ART. DELTA	ARTICLE LH A414 RS EDGE 1/4 A4		ARTICLE LH A500 RS EDGE A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
DE 6417 A	0	0	0	0
DE 6422 A	0	0	0	0
DE 6427 A	0	0	0	0
DE 6432 A	0	2	0	0
DE 6442 A	0	2	0	0
DE 6417 I	0	0	0	0
DE 6422 I	0	0	0	0
DE 6427 I	0	0	0	0
DE 6432 I	0	2	0	0
DE 6442 I	0	2	0	0
DE 6417 Z	0	0	0	0
DE 6422 Z	0	0	0	0
DE 6427 Z	0	0	0	0
DE 6432 Z	0	0	0	0
DE 6442 Z	0	0	0	0



LABEL HOLDER WITH ADHESIVE







ART. DELTA	ARTICLE LH A414 RA ADHESIVE 1/4 A4		ARTICLE LH A500 RA ADHESIVE A5		ARTICLE LH A700 RA ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
DE 6417 A	2	2	0	0	2	2
DE 6422 A	2	2	0	0	2	2
DE 6427 A	2	2	2	2	2	2
DE 6432 A	2	2	2	2	2	2
DE 6442 A	2	2	2	2	2	2
DE 6417 I	2	2	0	0	2	2
DE 6422 I	2	2	0	0	2	2
DE 6427 I	2	2	2	2	2	2
DE 6432 I	2	2	2	2	2	2
DE 6442 I	2	2	2	2	2	2
DE 6417 Z	2	2	0	0	2	2
DE 6422 Z	2	2	0	0	2	2
DE 6427 Z	2	2	2	2	2	2
DE 6432 Z	2	2	2	2	2	2
DE 6442 Z	2	2	2	2	2	2

ZEUS BOX SERIES



LABEL HOLDER WITH ADHESIVE



ARTICLE
LH A414 RA



ARTICLE
LH A500 RA



ARTICLE
LH A700 RA

ART. ZEUS	ADHESIVE 1/4 A4		ADHESIVE A5		ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
ZE Z002	0	0	0	0	0	2
ZE Z3A2	0	2	0	0	0	2
ZE Z4A2	1	2	0	0	1	2
ZE Z004	1	2	0	2	1	2
ZE Z4A5	1	2	1	2	1	2
ZE Z005	0	0	0	0	2	2

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE

COMPAT BOX SERIES



LABEL HOLDER WITH ADHESIVE



ARTICLE
LH A414 RA



ARTICLE
LH A500 RA



ARTICLE
LH A700 RA

ART. ZEUS COMPAT	ADHESIVE 1/4 A4		ADHESIVE A5		ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
CO C001	0	0	0	0	0	0
CO C002	0	0	0	0	0	2
CO C3A2	0	2	0	0	0	2
CO C003	0	2	0	2	0	2
CO Z3L5	0	2	0	0	0	2
CO C4A2	0	2	0	0	0	2
CO C004	0	2	0	2	0	2
CO CA45	0	2	0	2	1	2
CO Z5P4	0	0	0	0	1	2
CO Z005	0	0	0	0	1	2

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE



FOX

FOX trolleys are supplied complete with 2 shelves and NEXIT boxes or alternatively with 2 shelves and Compat containers.


Additional shelves complete with boxes and containers can be supplied separately.


Alternatively, FOX trolleys can also be ordered complete with 2 groups of Practibox tilting containers.

Again, the trolley can be supplemented by ordering additional shelves equipped as per the user's needs.

WIDTH

The FOX trolley series is available with a height of 1430 mm and 2 different widths:
- Free span shelves 657 mm for FOX 06 trolleys
- Free span shelves 955 mm for FOX 08 trolleys





SHELVES AND WHEELS





The tiltable shelves for FOX trolleys of length 955 mm and pitch 985 mm can be in 4 depths: 220, 320, 420 and 600 mm.
The tiltable shelves for FOX trolleys of length 657 mm and pitch 687 mm can be in 2 depths: 220 and 420 mm.
In addition to tilted shelves, the trolley is also configurable for fixed shelves for containers, with different depths available in both cases.
The trolleys are supplied as standard with mounted wheels and disassembled frame.
125 mm diameter rubber wheels, 2 fixed and 2 swivel with brakes,
are supplied as standard.


ACCESSORIES

To make the best use of the trolley spaces, optional accessories are available such as Practibox containers and reinforcing cross supports.



ADJUSTMENTS


The perforated crosspiece base allows for adjustment of the uprights and the insertion of different types of boxes, giving maximum flexibility for installation of the smallest to the largest boxes.



1023 x 613 mm H 1430mm























725 x 613 mm H 1430 mm














Trolley dimensions


1023 x 613 mm H 1430mm




















974 x 150 mm
974 x 205 mm
974 x 295 mm

Shelves COMPAT containers

Fixed shelf in galvanised steel

Capacity 25 kg - L=974 mm

KIT consisting of

- Trolley 1023 x 613 x 1430H mm

- 2 identical shelves complete with containers


SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF ADDITIONAL SHELF WITH CONTAINERS €
		L	P	H					
1 150	9	95	160/140	75	PP	FXT 00199 5101		FX 00199 5101	
		 SIZE 1				FXT 00199 5102		FX 00199 5102	
						FXT 00199 5103		FX 00199 5103	
						FXT 00199 5104		FX 00199 5104	
						FXT 00199 5105		FX 00199 5105	
					ECOGREEN	FXT 00199 5401		FX 00199 5401	
2 205	6	140	230/200	130	PP	FXT00269 5101		FX 00269 5101	
		 SIZE 2				FXT 00269 5102		FX 00269 5102	
						FXT 00269 5103		FX 00269 5103	
						FXT 00269 5104		FX 00269 5104	
						FXT 00269 5105		FX 00269 5105	
					ECOGREEN	FXT 00269 5401		FX 00269 5401	
3 295	4	200	350/300	200	PP	FXT 00349 5101		FX 00349 5101	
		 SIZE 3				FXT 00349 5102		FX 00349 5102	
						FXT 00349 5103		FX 00349 5103	
						FXT 00349 5104		FX 00349 5104	
						FXT 00349 5105		FX 00349 5105	
					ECOGREEN	FXT 00349 5401		FX 00349 5401	
3 295	4	200	350/300	145	PP	FXT 3A249 5101		FX 3A249 5101	
		 SIZE 3A2				FXT 3A249 5102		FX3 A249 5102	
						FXT 3A249 5103		FX3 A249 5103	
						FXT 3A249 5104		FX 3A249 5104	
						FXT 3A249 5105		FX 3A249 5105	
					ECOGREEN	FXT 3A249 5401		FX 3A249 5401	


Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.


Trolley dimensions


1023 x 613 mm H 1430mm

















955 x 220 mm - 955 x 320 mm
955 x 420 mm - 955 x 600 mm

NEXIT box shelves

Tiltable shelf in galvanised steel

Load capacity 50 kg - L=955 mm

KIT consisting of

- Trolley 1023 x 613 x 1430H mm


- 2 identical shelves complete with boxes


SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm L	P	H	FRONT PICKING mm	MATERIAL	CODE	*KIT PRICE €*	CODE	*PRICE OF ADDITIONAL SHELF WITH BOXES €*
4 220		3	300	200	120	300	PP	FXT3212A39N101		FX3212A39N101	
							ECOGREEN	FXT3212A39N401		FX3212A39N401	
		3	300	200	170	300	PP	FXT3217B39N101		FX3217B39N101	
							ECOGREEN	FXT3217B39N401		FX3217B39N401	
5		4	300	200	120	200	PP	FXT3212A49N101		FX3212A49N101	
							ECOGREEN	FXT3212A49N401		FX3212A49N401	
		4	300	200	170	200	PP	FXT3217B49N101		FX3217B49N101	
							ECOGREEN	FXT3217B49N401		FX3217B49N401	
320		2	400	300	120	400	PP	FXT4312A29N101		FX4312A29N101	
							ECOGREEN	FXT4312A29N401		FX4312A29N401	
		2	400	300	170	400	PP	FXT4317B29N101		FX4317B29N101	
							ECOGREEN	FXT4317B29N401		FX4317B29N401	
		2	400	300	220	400	PP	FXT4322B29N101		FX4322B29N101	
							ECOGREEN	FXT4322B29N401		FX4322B29N401	
6 420		3	400	300	120	300	PP	FXT4312A39N101		FX4312A39N101	
							ECOGREEN	FXT4312A39N401		FX4312A39N401	
		3	400	300	170	300	PP	FXT4317B39N101		FX4317B39N101	
							ECOGREEN	FXT4317B39N401		FX4317B39N401	
		3	400	300	220	300	PP	FXT4322B39N101		FX4322B39N101	
							ECOGREEN	FXT4322B39N401		FX4322B39N401	
7 600		2	600	400	120	400	PP	FXT6412A29N101		FX6412A29N101	
							ECOGREEN	FXT6412A29N401		FX6412A29N401	
		2	600	400	170	400	PP	FXT6417B29N101		FX6417B29N101	
							ECOGREEN	FXT6417B29N401		FX6417B29N401	
		2	600	400	220	400	PP	FXT6422B29N101		FX6422B29N101	
							ECOGREEN	FXT6422B29N401		FX6422B29N401	
		1	800	600	120	800	PP	FXT8612C195101		FX8612C195101	
							ECOGREEN	FXT8612C195401		FX8612C195401	
		1	800	600	170	800	PP	FXT8617C195101		FX8617C195101	
							ECOGREEN	FXT8617C195401		FX8617C195401	
		1	800	600	220	800	PP	FXT8622C195101		FX8622C195101	
							ECOGREEN	FXT8622C195401		FX8622C195401	


Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.


725 x 613 mm H 1430mm














657 x 220 mm
657 x 420 mm

Shelves COMPAT containers

Tiltable shelf in galvanised steel

Capacity 50 kg - L=657 mm

KIT consisting of

- Trolley 725 x 613 x 1430H mm


- 2 identical shelves complete with containers


SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	*KIT PRICE €*	CODE	*PRICE OF ADDITIONAL SHELF WITH CONTAINERS €*
		L	P	H					
1 220	6	95	160/140	75	5 PP	FXT 00166 5101		FX 00166 5101	
						FXT 00166 5102		FX 00166 5102	
						FXT 00166 5103		FX 00166 5103	
						FXT 00166 5104		FX 00166 5104	
						FXT 00166 5105		FX 00166 5105	
		SIZE 1			ECOGREEN	FXT 00166 5401		FX 00166 5401	
1 220	4	140	230/200	130	5 PP	FXT 00246 5101		FX 00246 5101	
						FXT 00246 5102		FX 00246 5102	
						FXT 00246 5103		FX 00246 5103	
						FXT 00246 5104		FX 00246 5104	
						FXT 00246 5105		FX 00246 5105	
		SIZE 2			ECOGREEN	FXT00246 5401		FX 00246 5401	
2 420	3	200	350/300	200	5 PP	FXT 00336 5101		FX 00336 5101	
						FXT00336 5102		FX 00336 5102	
						FXT 00336 5103		FX 00336 5103	
						FXT 00336 5104		FX 00336 5104	
						FXT 00336 5105		FX 00336 5105	
		SIZE 3			ECOGREEN	FXT00336 5401		FX 00336 5401	
2 420	3	200	350/300	145	5 PP	FXT 3A236 5101		FX 3A236 5101	
						FXT 3A236 5102		FX 3A236 5102	
						FXT 3A236 5103		FX 3A236 5103	
						FXT 3A236 5104		FX 3A236 5104	
						FXT 3A236 5105		FX 3A236 5105	
		SIZE 3A2			ECOGREEN	FXT 3A236 5401		FX 3A236 5401	


Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.


725 x 613 mm H 1430mm











657 x 220 mm
657 x 420 mm

NEXIT box shelves

Tiltable shelf in galvanised steel

Load capacity 50 kg - L=657 mm

KIT consisting of

- Trolley 725 x 613 x 1430H mm
- 2 identical shelves complete with boxes


SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm L	P	H	FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF ADDITIONAL SHELF WITH BOXES €
1 220		2	300	200	120	300	PP	FXT 3212A26 N101		FX 3212A26 N101	
							ECOGREEN	FXT 3212A26 N401		FX 3212A26 N401	
		2	300	200	170	300	PP	FXT 3217B26 N101		FX 3217B26 N101	
							ECOGREEN	FXT 3217B26 N401		FX 3217B26 N401	
2 420		2	400	300	120	300	PP	FXT4312A26N101		FX 4312A26 N101	
							ECOGREEN	FXT 4312A26 N401		FX 4312A26 N401	
		2	400	300	170	300	PP	FXT 4317B26 N101		FX 4317B26 N101	
							ECOGREEN	FXT 4317B26 N401		FX 4317B26 N401	
		2	400	300	220	300	PP	FXT 4322B26 N101		FX 4322B26 N101	
							ECOGREEN	FXT 4322B26 N401		FX 4322B26 N401	
		1	600	400	120	600	PP	FXT 6412A16 N101		FX 6412A16 N101	
							ECOGREEN	FXT 6412A16 N401		FX 6412A16 N401	
		1	600	400	170	600	PP	FXT 6417B16 N101		FX 6417B16 N101	
							ECOGREEN	FXT 6417B16 N401		FX 6417B16 N401	
		1	600	400	220	600	PP	FXT 6422B16 N101		FX 6422B16 N101	
							ECOGREEN	FXT 6422B16 N401		FX 6422B16 N401	


Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

Trolley dimensions

725 x 613 mm H 1430mm











Rail total height

1200 mm - 280 mm

Usable insertion height of Practibox

1264 mm - 276 mm

iMiCUBE

KIT consisting of

- Trolley 725 x 613 x H 1430 mm
- 2 pairs of rails height 1200
- 2 Practibox drawers
- 2 galvanised stops

For each additional Practibox drawer unit, always order the relevant stops shown on page 163 position D

RAILS HEIGHT mm	PRACTIBOX RAILS	CODE	PRICE €
Total H. 1200 Usable H. 1264		FXRAIL12	
Total H. 280 Usable H. 276		FXRAIL28	

HEIGHT mm	PRACTIBOX DRAWER UNIT	NO. TILTING PIECES	CODE	KIT PRICE €	CODE	PRICE € ADDITIONAL PRACTIBOX
77		9	FXTPR9		PR90770001	
112		6	FXTPR6		PR61120001	
164		5	FXTPR5		PR51640001	
206		4	FXTPR4		PR42060001	
240		3	FXTPR3		PR3240001	



QUICK

QUICK shelf units are supplied complete with 2 shelves and NEXIT boxes or alternatively with 2 shelves and Compat containers.

Additional shelves complete with boxes and containers can be supplied separately.

QUICK shelf units make picking operations more efficient, reducing the frequency errors and providing high visibility of stocks.

STRUCTURE


The QUICK series shelf unit, with a height of 1817 mm, is available with two different solutions: single-sided and double-sided, allowing insertion of shelves on one or both sides.

double-sided frame
with cross support



single-sided frame
with cross support





The tiltable shelves for QUICK shelf units of length 955 mm and pitch 985 mm are available in 4 depths: 220 - 320 - 420 - 600 mm.
In addition to tilted shelves, the trolley is also configurable for fixed shelves for containers, with different depths available in both cases.

BOXES AND CONTAINERS

The slots in the uprights allow the use of different types of containers including COMPAT sizes 1/2/3/3A2/4/4A2 and NEXIT series boxes.

COMPAT



NEXIT



ADDITIONAL SHELF UNITS

With additional shelves it is possible to connect a new bay to the existing one, thus saving space and the cost of an additional upright and foot.



1065 x 542 mm H 1813mm









1065 x 925 mm H 1813 mm










Shelf unit dimensions

1065 x 542 mm H 1813mm



QUICK + COMPAT SINGLE SIDE

Shelves COMPAT containers

Fixed shelf in galvanised steel

Capacity 25 kg - L=974 mm

KIT consisting of

- Shelft unit 1065 x 542 x 1813H mm


- 2 identical shelves complete with containers

SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF ADDITIONAL SHELF WITH CONTAINERS €
		L	P	H					
150	9	95	160/140	75	PP	QUR 00199 5101		QU 00199 5101	
		 SIZE 1				QUR 00199 5102		QU 00199 5102	
						QUR 00199 5103		QU 00199 5103	
						QUR 00199 5104		QU 00199 5104	
						QUR 00199 5105		QU 00199 5105	
					ECOGREEN	QUR 00199 5401		QU 00199 5401	
205	6	140	230/200	130	PP	QUR 00269 5101		QU 00269 5101	
		 SIZE 2				QUR 00269 5102		QU 00269 5102	
						QUR 00269 5103		QU 00269 5103	
						QUR 00269 5104		QU 00269 5104	
						QUR 00269 5105		QU 00269 5105	
					ECOGREEN	QUR 00269 5401		QU 00269 5401	
295	4	200	350/300	200	PP	QUR 00349 5101		QU 00349 5101	
		 SIZE 3				QUR 00349 5102		QU 00349 5102	
						QUR 00349 5103		QU 00349 5103	
						QUR 00349 5104		QU 00349 5104	
						QUR 00349 5105		QU 00349 5105	
					ECOGREEN	QUR 00349 5401		QU 00349 5401	
295	4	200	350/300	145	PP	QUR 3A249 5101		QU 3A249 5101	
		 SIZE 3A2				QUR 3A249 5102		QU 3A249 5102	
						QUR 3A249 5103		QU 3A249 5103	
						QUR 3A249 5104		QU 3A249 5104	
						QUR 3A249 5105		QU 3A249 5105	
					ECOGREEN	QUR 3A249 5401		QU 3A249 5401	

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

Shelf unit dimensions

985 x 542 mm H 1813mm



QUICK + COMPAT ADDITIONAL SINGLE SIDE

Shelves COMPAT containers

Fixed shelf in galvanised steel

Capacity 25 kg - L=974 mm

KIT consisting of

- Additional shelft unit 985 x 542 x 1813H mm

- 2 identical shelves complete with containers

SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	*KIT PRICE €*	CODE	*PRICE OF SHELF KIT + CONTAINERS €*
		L	P	H					
150	9	95	160/140	75		QUE 00199 5101		QU 00199 5101	
		 SIZE 1				QUE 00199 5102		QU 00199 5102	
						QUE 00199 5103		QU 00199 5103	
						QUE 00199 5104		QU 00199 5104	
						QUE 00199 5105		QU 00199 5105	
					ECOGREEN	QUE 00199 5401		QU 00199 5401	
205	6	140	230/200	130		QUE 00269 5101		QU 00269 5101	
		 SIZE 2				QUE 00269 5102		QU 00269 5102	
						QUE 00269 5103		QU 00269 5103	
						QUE 00269 5104		QU 00269 5104	
						QUE 00269 5105		QU 00269 5105	
					ECOGREEN	QUE 00269 5401		QU 00269 5401	
295	4	200	350/300	200		QUE 00349 5101		QU 00349 5101	
		 SIZE 3				QUE 00349 5102		QU 00349 5102	
						QUE 00349 5103		QU 00349 5103	
						QUE 00349 5104		QU 00349 5104	
						QUE 00349 5105		QU 00349 5105	
					ECOGREEN	QUE 00349 5401		QU 00349 5401	
295	4	200	350/300	145		QUE 3A249 5101		QU 3A249 5101	
		 SIZE 3A2				QUE 3A249 5102		QU 3A249 5102	
						QUE 3A249 5103		QU 3A249 5103	
						QUE 3A249 5104		QU 3A249 5104	
						QUE 3A249 5105		QU 3A249 5105	
					ECOGREEN	QUE 3A249 5401		QU 3A249 5401	

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

Shelf unit dimensions

1065 x 542 mm h 1813mm



QUICK + NEXIT SINGLE SIDE

NEXIT box shelves

Tiltable shelf in galvanised steel

Load capacity 50 kg - L=955 mm

KIT consisting of

- Shelf unit 1065 x 542 x 1813H mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm L	P	H	FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
220		3	300	200	120	300	PP	QUR3212A39N101		QU3212A39N101	
							ECOGREEN	QUR3212A39N401		QU3212A39N401	
		3	300	200	170	300	PP	QUR3217B39N101		QU3217B39N101	
							ECOGREEN	QUR3217B39N401		QU3217B39N401	
320		4	300	200	120	200	PP	QUR3212A49N101		QU3212A49N101	
							ECOGREEN	QUR3212A49N401		QU3212A49N401	
		4	300	200	170	200	PP	QUR3217B49N101		QU3217B49N101	
							ECOGREEN	QUR3217B49N401		QU3217B49N401	
		2	400	300	120	400	PP	QUR4312A29N101		QU4312A29N101	
							ECOGREEN	QUR4312A29N401		QU4312A29N401	
		2	400	300	170	400	PP	QUR4317B29N101		QU4317B29N101	
							ECOGREEN	QUR4317B29N401		QU4317B29N401	
		2	400	300	220	400	PP	QUR4322B29N101		QU4322B29N101	
							ECOGREEN	QUR4322B29N401		QU4322B29N401	
420		3	400	300	120	300	PP	QUR4312A39N101		QU4312A39N101	
							ECOGREEN	QUR4312A39N401		QU4312A39N401	
		3	400	300	170	300	PP	QUR4317B39N101		QU4317B39N101	
							ECOGREEN	QUR4317B39N401		QU4317B39N401	
		3	400	300	220	300	PP	QUR4322B39N101		QU4322B39N101	
							ECOGREEN	QUR4322B39N401		QU4322B39N401	
600		2	600	400	120	400	PP	QUR6412A29N101		QU6412A29N101	
							ECOGREEN	QUR6412A29N401		QU6412A29N401	
		2	600	400	170	400	PP	QUR6417B29N101		QU6417B29N101	
							ECOGREEN	QUR6417B29N401		QU6417B29N401	
		2	600	400	220	400	PP	QUR6422B29N101		QU6422B29N101	
							ECOGREEN	QUR6422B29N401		QU6422B29N401	
		1	800	600	120	800	PP	QUR8612C195101		QU8612C195101	
							ECOGREEN	QUR8612C195401		QU8612C195401	
		1	800	600	170	800	PP	QUR8617C195101		QU8617C195101	
							ECOGREEN	QUR8617C195401		QU8617C195401	
		1	800	600	220	800	PP	QUR8622C195101		QU8622C195101	
							ECOGREEN	QUR8622C195401		QU8622C195401	

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

Shelf unit dimensions

985 x 542 mm H 1813mm



QUICK + NEXIT ADDITIONAL SINGLE SIDE

NEXIT box shelves

Tiltable shelf in galvanised steel

Load capacity 50 kg - L=955 mm

KIT consisting of


- Additional shelf unit 985 x 542 x 1813H mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm L	P	H	FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
220		3	300	200	120	300	PP	QUE3212A39N101		QU3212A39N101	
							ECOGREEN	QUE3212A39N401		QU3212A39N401	
		3	300	200	170	300	PP	QUE3217B39N101		QU3217B39N101	
							ECOGREEN	QUE3217B39N401		QU3217B39N401	
320		4	300	200	120	200	PP	QUE3212A49N101		QU3212A49N101	
							ECOGREEN	QUE3212A49N401		QU3212A49N401	
		4	300	200	170	200	PP	QUE3217B49N101		QU3217B49N101	
							ECOGREEN	QUE3217B49N401		QU3217B49N401	
		2	400	300	120	400	PP	QUE4312A29N101		QU4312A29N101	
							ECOGREEN	QUE4312A29N401		QU4312A29N401	
		2	400	300	170	400	PP	QUE4317B29N101		QU4317B29N101	
							ECOGREEN	QUE4317B29N401		QU4317B29N401	
		2	400	300	220	400	PP	QUE4322B29N101		QU4322B29N101	
							ECOGREEN	QUE4322B29N401		QU4322B29N401	
420		3	400	300	120	300	PP	QUE4312A39N101		QU4312A39N101	
							ECOGREEN	QUE4312A39N401		QU4312A39N401	
		3	400	300	170	300	PP	QUE4317B39N101		QU4317B39N101	
							ECOGREEN	QUE4317B39N401		QU4317B39N401	
		3	400	300	220	300	PP	QUE4322B39N101		QU4322B39N101	
							ECOGREEN	QUE4322B39N401		QU4322B39N401	
600		2	600	400	120	400	PP	QUE6412A29N101		QU6412A29N101	
							ECOGREEN	QUE6412A29N401		QU6412A29N401	
		2	600	400	170	400	PP	QUE6417B29N101		QU6417B29N101	
							ECOGREEN	QUE6417B29N401		QU6417B29N401	
		2	600	400	220	400	PP	QUE6422B29N101		QU6422B29N101	
							ECOGREEN	QUE6422B29N401		QU6422B29N401	
		1	800	600	120	800	PP	QUE8612C195101		QU8612C195101	
							ECOGREEN	QUE8612C195401		QU8612C195401	
		1	800	600	170	800	PP	QUE8617C195101		QU8617C195101	
							ECOGREEN	QUE8617C195401		QU8617C195401	
		1	800	600	220	800	PP	QUE8622C195101		QU8622C195101	
							ECOGREEN	QUE8622C195401		QU8622C195401	

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

Shelf unit dimensions

1065 x 925 mm H 1813mm



QUICK + COMPAT DOUBLE SIDE

Shelves COMPAT containers

Fixed shelf in galvanised steel

Capacity 25 kg - L=974 mm

KIT consisting of

- Shelft unit 1065 x 925 x 1813H mm

- 2 identical shelves complete with containers

SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
		L	P	H					
150	9	95	160/140	75		QU2R 00199 5101		QU 00199 5101	
		 SIZE 1				QU2R 00199 5102		QU 00199 5102	
						QU2R 00199 5103		QU 00199 5103	
						QU2R 00199 5104		QU 00199 5104	
						QU2R 00199 5105		QU 00199 5105	
					ECOGREEN	QU2R 00199 5401		QU 00199 5401	
205	6	140	230/200	130		QU2R 00269 5101		QU 00269 5101	
		 SIZE 2				QU2R 00269 5102		QU 00269 5102	
						QU2R 00269 5103		QU 00269 5103	
						QU2R 00269 5104		QU 00269 5104	
						QU2R 00269 5105		QU 00269 5105	
					ECOGREEN	QU2R 00269 5401		QU 00269 5401	
295	4	200	350/300	200		QU2R 00349 5101		QU 00349 5101	
		 SIZE 3				QU2R 00349 5102		QU 00349 5102	
						QU2R 00349 5103		QU 00349 5103	
						QU2R 00349 5104		QU 00349 5104	
						QU2R 00349 5105		QU 00349 5105	
					ECOGREEN	QU2R 00349 5401		QU 00349 5401	
295	4	200	350/300	145		QU2R 3A249 5101		QU 3A249 5101	
		 SIZE 3A2				QU2R 3A249 5102		QU 3A249 5102	
						QU2R 3A249 5103		QU 3A249 5103	
						QU2R 3A249 5104		QU 3A249 5104	
						QU2R 3A249 5105		QU 3A249 5105	
					ECOGREEN	QU2R 3A249 5401		QU 3A249 5401	

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

Shelf unit dimensions

985 x 925 mm H 1813mm



QUICK + COMPAT ADDITIONAL DOUBLE SIDE

Shelves COMPAT containers

Fixed shelf in galvanised steel

Capacity 25 kg - L=974 mm

KIT consisting of

- Additional shelft unit 985 x 925 x 1813H mm

- 2 identical shelves complete with containers

SHELF DEPTH mm	NO. OF CONTAINERS	CONTAINER DIMENSIONS mm			MATERIAL	CODE	*KIT PRICE €*	CODE	*PRICE OF SHELF KIT + CONTAINERS €*
		L	P	H					
150	9	95	160/140	75		QU2E 00199 5101		QU 00199 5101	
		 SIZE 1				QU2E 00199 5102		QU 00199 5102	
						QU2E 00199 5103		QU 00199 5103	
						QU2E 00199 5104		QU 00199 5104	
						QU2E 00199 5105		QU 00199 5105	
					ECOGREEN	QU2E 00199 5401		QU 00199 5401	
205	6	140	230/200	130		QU2E 00269 5101		QU 00269 5101	
		 SIZE 2				QU2E 00269 5102		QU 00269 5102	
						QU2E 00269 5103		QU 00269 5103	
						QU2E 00269 5104		QU 00269 5104	
						QU2E 00269 5105		QU 00269 5105	
					ECOGREEN	QU2E 00269 5401		QU 00269 5401	
295	4	200	350/300	200		QU2E 00349 5101		QU 00349 5101	
		 SIZE 3				QU2E 00349 5102		QU 00349 5102	
						QU2E 00349 5103		QU 00349 5103	
						QU2E 00349 5104		QU 00349 5104	
						QU2E 00349 5105		QU 00349 5105	
					ECOGREEN	QU2E 00349 5401		QU 00349 5401	
295	4	200	350/300	145		QU2E 3A249 5101		QU 3A249 5101	
		 SIZE 3A2				QU2E 3A249 5102		QU 3A249 5102	
						QU2E 3A249 5103		QU 3A249 5103	
						QU2E 3A249 5104		QU 3A249 5104	
						QU2E 3A249 5105		QU 3A249 5105	
					ECOGREEN	QU2E 3A249 5401		QU 3A249 5401	

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

Shelf unit dimensions

1065 x 925 mm H 1813mm



QUICK + NEXIT DOUBLE SIDE

NEXIT box shelves

Tiltable shelf in galvanised steel

Load capacity 50 kg - L=955 mm

KIT consisting of

- Shelf unit 1065 x 925 x 1813H mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm L	P	H	FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
220		3	300	200	120	300	PP	QU2R3212A39N101		QU3212A39N101	
							ECOGREEN	QU2R3212A39N401		QU3212A39N401	
		3	300	200	170	300	PP	QU2R3217B39N101		QU3217B39N101	
							ECOGREEN	QU2R3217B39N401		QU3217B39N401	
320		4	300	200	120	200	PP	QU2R3212A49N101		QU3212A49N101	
							ECOGREEN	QU2R3212A49N401		QU3212A49N401	
		4	300	200	170	200	PP	QU2R3217B49N101		QU3217B49N101	
							ECOGREEN	QU2R3217B49N401		QU3217B49N401	
		2	400	300	120	400	PP	QU2R4312A29N101		QU4312A29N101	
							ECOGREEN	QU2R4312A29N401		QU4312A29N401	
		2	400	300	170	400	PP	QU2R4317B29N101		QU4317B29N101	
							ECOGREEN	QU2R4317B29N401		QU4317B29N401	
		2	400	300	220	400	PP	QU2R4322B29N101		QU4322B29N101	
							ECOGREEN	QU2R4322B29N401		QU4322B29N401	
420		3	400	300	120	300	PP	QU2R4312A39N101		QU4312A39N101	
							ECOGREEN	QU2R4312A39N401		QU4312A39N401	
		3	400	300	170	300	PP	QU2R4317B39N101		QU4317B39N101	
							ECOGREEN	QU2R4317B39N401		QU4317B39N401	
		3	400	300	220	300	PP	QU2R4322B39N101		QU4322B39N101	
							ECOGREEN	QU2R4322B39N401		QU4322B39N401	
600		2	600	400	120	400	PP	QU2R6412A29N101		QU6412A29N101	
							ECOGREEN	QU2R6412A29N401		QU6412A29N401	
		2	600	400	170	400	PP	QU2R6417B29N101		QU6417B29N101	
							ECOGREEN	QU2R6417B29N401		QU6417B29N401	
		2	600	400	220	400	PP	QU2R6422B29N101		QU6422B29N101	
							ECOGREEN	QU2R6422B29N401		QU6422B29N401	
		1	800	600	120	800	PP	QU2R8612C195101		QU8612C195101	
							ECOGREEN	QU2R8612C195401		QU8612C195401	
		1	800	600	170	800	PP	QU2R8617C195101		QU8617C195101	
							ECOGREEN	QU2R8617C195401		QU8617C195401	
		1	800	600	220	800	PP	QU2R8622C195101		QU8622C195101	
							ECOGREEN	QU2R8622C195401		QU8622C195401	

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.

Shelf unit dimensions

985 x 925 mm H 1813mm



QUICK + NEXIT ADDITIONAL DOUBLE SIDE

NEXIT box shelves

Tiltable shelf in galvanised steel

Load capacity 50 kg - L=955 mm

KIT consisting of

- Additional shelf unit 985 x 925 x 1813H mm
- 2 identical shelves complete with containers

SHELF DEPTH mm	EXAMPLE	NO. OF BOXES	BOX DIMENSIONS mm L	P	H	FRONT PICKING mm	MATERIAL	CODE	KIT PRICE €	CODE	PRICE OF SHELF KIT + CONTAINERS €
220		3	300	200	120	300	PP	QU2E3212A39N101		QU3212A39N101	
							ECOGREEN	QU2E3212A39N401		QU3212A39N401	
		3	300	200	170	300	PP	QU2E3217B39N101		QU3217B39N101	
							ECOGREEN	QU2E3217B39N401		QU3217B39N401	
320		4	300	200	120	200	PP	QU2E3212A49N101		QU3212A49N101	
							ECOGREEN	QU2E3212A49N401		QU3212A49N401	
		4	300	200	170	200	PP	QU2E3217B49N101		QU3217B49N101	
							ECOGREEN	QU2E3217B49N401		QU3217B49N401	
		2	400	300	120	400	PP	QU2E4312A29N101		QU4312A29N101	
							ECOGREEN	QU2E4312A29N401		QU4312A29N401	
		2	400	300	170	400	PP	QU2E4317B29N101		QU4317B29N101	
							ECOGREEN	QU2E4317B29N401		QU4317B29N401	
		2	400	300	220	400	PP	QU2E4322B29N101		QU4322B29N101	
							ECOGREEN	QU2E4322B29N401		QU4322B29N401	
420		3	400	300	120	300	PP	QU2E4312A39N101		QU4312A39N101	
							ECOGREEN	QU2E4312A39N401		QU4312A39N401	
		3	400	300	170	300	PP	QU2E4317B39N101		QU4317B39N101	
							ECOGREEN	QU2E4317B39N401		QU4317B39N401	
		3	400	300	220	300	PP	QU2E4322B39N101		QU4322B39N101	
							ECOGREEN	QU2E4322B39N401		QU4322B39N401	
600		2	600	400	120	400	PP	QU2E6412A29N101		QU6412A29N101	
							ECOGREEN	QU2E6412A29N401		QU6412A29N401	
		2	600	400	170	400	PP	QU2E6417B29N101		QU6417B29N101	
							ECOGREEN	QU2E6417B29N401		QU6417B29N401	
		2	600	400	220	400	PP	QU2E6422B29N101		QU6422B29N101	
							ECOGREEN	QU2E6422B29N401		QU6422B29N401	
		1	800	600	120	800	PP	QU2E8612C195101		QU8612C195101	
							ECOGREEN	QU2E8612C195401		QU8612C195401	
		1	800	600	170	800	PP	QU2E8617C195101		QU8617C195101	
							ECOGREEN	QU2E8617C195401		QU8617C195401	
		1	800	600	220	800	PP	QU2E8622C195101		QU8622C195101	
							ECOGREEN	QU2E8622C195401		QU8622C195401	

Load capacities are net and refer to evenly distributed loads.
The accessories and the materials stored in the truck must not protrude from the base of the truck.



FRAME

The **FRAME** shelf unit is precisely sized to house Nexit, Kronos, Odette, Compat and Zeus boxes.

There are two available heights: 1010 mm and 2010 mm. The paired guides that support the box container are adjustable in height and have a pitch of 25 mm and maximum load capacity of 50 kg; boxes and containers of the same width but with different depths and heights can be inserted in the same bay.

The load capacity of the bay is 250 kg.

The modularity of the system allows the existing systems to be extended at any time without removal of the existing one.

UPPER SUPPORT SURFACE

The surfaces are fixed to the top of each bay and, as well as strengthening the shelf unit, act as dust covers and bearing surfaces.



SHELVES

The guides for the sliding of the boxes are fastened to the uprights and secured using the attachment clip.
Adjustable height with 25 mm pitch.



SIDES

The sides are supplied mounted and have a lateral fissure with a pitch of 25 mm and are complete with legs for fixing to the ground.
Load capacity 250 kg.



PAIR OF RETAINING BRACKETS

The brackets are fixed to the sides of the uprights with four self-tapping screws to make the structure more stable.





Dimensions of this composition 1440x400x2010H mm

Front picking 300 mm
Depth 400 mm



NEXIT



KRONOS



ODETTE






R-KLT



RL-KLT

400 mm



						
DOUBLE BAY BASE WITH CROSS SUPPORT 2010 H	ADDITIONAL SINGLE BAY 2010 H	CROSS SUPPORT	SINGLE BAY BASE 1010 H	ADDITIONAL SINGLE BAY 1010 H	GALVANISED PAIR OF GUIDES	PAIR OF ANCHOR BOLTS M8X75
250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	1 CROSS SUPPORT EVERY 6 SINGLE BAYS	250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	50 kg LOAD CAPACITY PER PAIR OF GUIDES	REQUIREMENT FOR FIXING TO GROUND
USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm		USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	REAR END STOP	
FR2004099	**FRE2004099**	**FRCROSS**	**FR1004099**	**FRE1004099**	**FRRAIL40**	**FRFIX**

Note: fixing material consisting of 2 M8x75 mm expansion screws in steel for uncracked concrete floors equal to or greater than C20/25 class.

BOX HEIGHT	GUIDE PITCH HEIGHT	NEXIT	KRONOS	ODETTE	R-KLT	RL-KLT
55	75	■				
78	100	■				
120	150	■				
147	175			■	■	■
170	200	■				
220	250	■	■			
270/280	300				■	■
320	350	■				




Dimensions of this composition 1390x600x2010H mm

Front picking 400 mm
Depth 600 mm



NEXIT



KRONOS



ODETTE






R-KLT



RL-KLT

600 mm



						
DOUBLE BAY BASE WITH CROSS SUPPORT 2010 H	ADDITIONAL SINGLE BAY 2010 H	CROSS SUPPORT	SINGLE BAY BASE 1010 H	ADDITIONAL SINGLE BAY 1010 H	GALVANISED PAIR OF GUIDES	PAIR OF ANCHOR BOLTS M8X75
250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	1 CROSS SUPPORT EVERY 6 SINGLE BAYS	250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	50 kg LOAD CAPACITY PER PAIR OF GUIDES	REQUIREMENT FOR FIXING TO GROUND
USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm		USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	REAR END STOP	
FR2006099	**FRE2006099**	**FRCROSS**	**FR1006099**	**FRE1006099**	**FRRAIL60**	**FRFIX**

Note: fixing material consisting of 2 M8x75 mm expansion screws in steel for uncracked concrete floors equal to or greater than C20/25 class.

BOX HEIGHT	GUIDE PITCH HEIGHT	NEXIT	KRONOS	ODETTE	R-KLT	RL-KLT
78	100	■				
120	150	■				
147	175				■	■
170	200	■				
220	250	■	■	■		
270/280	300	■			■	■
320	350	■	■	■		
430	450	■				



Dimensions of this composition 1355x350x2010H mm

Front picking 200 mm
Depth 350 mm





COMPACT





ZEUS

350 mm





						
DOUBLE BAY BASE WITH CROSS SUPPORT 2010 H	ADDITIONAL SINGLE BAY 2010 H	CROSS SUPPORT	SINGLE BAY BASE 1010 H	ADDITIONAL SINGLE BAY 1010 H	GALVANISED PAIR OF GUIDES	PAIR OF ANCHOR BOLTS M8X75
250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	1 CROSS SUPPORT EVERY 6 SINGLE BAYS	250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	50 kg LOAD CAPACITY PER PAIR OF GUIDES	REQUIREMENT FOR FIXING TO GROUND
USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm		USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	REAR END STOP	
FR2003599	**FRE2003599**	**FRCROSS**	**FR1003599**	**FRE1003599**	**FRRAIL35**	**FRFIX**

Note: fixing material consisting of 2 M8x75 mm expansion screws in steel for uncracked concrete floors equal to or greater than C20/25 class.

BOX HEIGHT	GUIDE PITCH HEIGHT	COMPAT	ZEUS
145	175	■	■
200	225	■	



Dimensions of this composition 1492x500x2010H mm


Front picking 300 mm
Depth 500 mm






COMPACT

ZEUS

500 mm





						
DOUBLE BAY BASE WITH CROSS SUPPORT 2010 H	ADDITIONAL SINGLE BAY 2010 H	CROSS SUPPORT	SINGLE BAY BASE 1010 H	ADDITIONAL SINGLE BAY 1010 H	GALVANISED PAIR OF GUIDES	PAIR OF ANCHOR BOLTS M8X75
250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	1 CROSS SUPPORT EVERY 6 SINGLE BAYS	250 kg LOAD CAPACITY PER BAY	250 kg LOAD CAPACITY PER BAY	50 kg LOAD CAPACITY PER PAIR OF GUIDES	REQUIREMENT FOR FIXING TO GROUND
USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 1900 mm - GUIDE PITCH H 25 mm		USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	USABLE INSERTION HEIGHT 900 mm - GUIDE PITCH H 25 mm	REAR END STOP	
FR2005099	**FRE2005099**	**FRCROSS**	**FR1005099**	**FRE1005099**	**FRRAIL50**	**FRFIX**

Note: fixing material consisting of 2 M8x75 mm expansion screws in steel for uncracked concrete floors equal to or greater than C20/25 class.

BOX HEIGHT	GUIDE PITCH HEIGHT	COMPAT	ZEUS
120	150		■
145	175	■	
200	225	■	■
300	325	■	■



PICK

PICK container holder cabinets are the ideal commercial and industrial storage solution for small parts and small items.


They consist of a steel sheet structure with height-adjustable shelves, which can be variable in number according to the user's needs.

They are compatible for insertion of Compat containers series size 1 or 2 and Practibox container series, from 3 to 9 tilting.

These cabinets can be supplied without door or with door and lock.

ADJUSTABLE SHELVES

THE cabinet can be partitioned with height-adjustable shelves, 25 mm in pitch, with insertion of as many shelves as needed.



CONTAINERS


The PICK cabinets can be fitted with Compat series containers in sizes 1 and 2, as well as the Practibox tilting drawer unit series, numbers 3 - 4 -5 - 6 - 9.





REAR STOP

A rear stop can be applied to the shelf to prevent the depthways displacement of container size 1



SAFETY

For safety purposes, PICK container holder cabinets must be fixed to the floor or wall.



Some examples of possible compositions with PICK 100 cabinets

1



2



3



4



5



6



700 x 270 H 1000 mm



Cabinet load capacity **450 kg**.

Cabinet available in the following colours:

grey	**RAL7000**	code 01
green	**RAL6011**	code 02
blue	**RAL5012**	code 04
grey	**RAL7035**	code 08

Other colours available on request.



RAL 7000 .01 | RAL 6011 .02 | RAL 5012 .04 | RAL 7035 .08

COMP.	HINGED DOORS	LOCK	SHELVES	COMPAT SIZE 1	STOPS FOR CONTAINERS	COMPAT SIZE 2	SHELF LOAD CAPACITY KG	CABINET COLOUR	ARTICLE	*PRICE €*
1			8	54	9		50	blue 04	PK 1000 1 04	
2	■	■	8	54	9		50	blue 04	PK 1001 1 04	
3			6	24	4	12	50	blue 04	PK 1000 2 04	
4	■	■	6	24	4	12	50	blue 04	PK 1001 2 04	
5			5			24	50	blue 04	PK 1000 3 04	
6	■	■	5			24	50	blue 04	PK 1001 3 04	

⚠ *Safety: for safety purposes, the container holder cabinets must be fixed to the floor or wall.*

Some examples of possible compositions with PICK 165 cabinets

1



2



3



700 x 270 H 1655 mm



Cabinet load capacity **500 kg**.

Cabinet available in the following colours:

grey	**RAL7000**	code 01
green	**RAL6011**	code 02
blue	**RAL5012**	code 04
grey	**RAL7035**	code 08

Other colours available on request.



RAL 7000 .01 | RAL 6011 .02 | RAL 5012 .04 | RAL 7035 .08

COMP.	HINGED DOORS	LOCK	SHELVES	COMPAT SIZE 1	STOPS FOR CONTAINERS	COMPAT SIZE 2	SHELF LOAD CAPACITY KG	CABINET COLOUR	ARTICLE	*PRICE €*
1			12	42	7	24	50	blue 04	PK 16501 04	
2	■	■	12	42	7	24	50	blue 04	PK 16511 04	
COMP.	**HINGED DOORS**	**LOCK**	**PRACTIBOX HOLDER FRAME**	**PRACTIBOX PR 9077...**	**PRACTIBOX PR 6112...**	**PRACTIBOX PR 5164...**	**PRACTIBOX PR 4206...**	**PRACTIBOX PR 3240...**	**ARTICLE**	***PRICE €***
3	■	■	1 x 1500H	2	4	3	1	1	PK 16512 04	

⚠ *Safety: for safety purposes, the container holder cabinets must be fixed to the floor or wall.*

Some examples of possible compositions with PICK 200 cabinets

1



2



3



700 x 270 H 2000 mm



Cabinet load capacity **500 kg**.

Cabinet available in the following colours:

grey	**RAL7000**	code 01
green	**RAL6011**	code 02
blue	**RAL5012**	code 04
grey	**RAL7035**	code 08

Other colours available on request.



RAL 7000 .01 | RAL 6011 .02 | RAL 5012 .04 | RAL 7035 .08

COMP.	HINGED DOORS	LOCK	SHELVES	COMPAT SIZE 1	STOPS FOR CONTAINERS	COMPAT SIZE 2	SHELF LOAD CAPACITY KG	CABINET COLOUR	ARTICLE	*PRICE €*
1			15	54	9	28	50	blue 04	PK16501 04	
2	■	■	15	54	9	28	50	blue 04	PK16511 04	
COMP.	**HINGED DOORS**	**LOCK**	**PRACTIBOX HOLDER FRAME**	**PRACTIBOX PR 9077...**	**PRACTIBOX PR 6112...**	**PRACTIBOX PR 5164...**	**PRACTIBOX PR 4206...**	**PRACTIBOX PR 3240...**	**ARTICLE**	***PRICE €***
3	■	■	1 x 1750H	1	6	2	2	1	PK16512 04	

⚠ *Safety: for safety purposes, the container holder cabinets must be fixed to the floor or wall.*

Empty cabinets for other configurations

1



H 1000 mm

2



3



H 1650 mm

4



5



H 2000 mm

6



700 x 270 H 1000/1650/2000 mm







When size 1 containers are inserted, the stop bracket on the shelf must be used.
Art. PK STOP -



Galvanised steel shelf, complete with 4 hooks
Art. PK SHELF -



Practibox holder frame for cabinets 2000 mm in height, including fixing screws
Art. PK FR20 01 -



Practibox holder frame for cabinets 1650 mm in height, including fixing screws
Art. PK FR16 01 -

Cabinet load capacity **500 kg**.

Cabinet available in the following colours:

grey	**RAL7000**	code 01
green	**RAL6011**	code 02
blue	**RAL5012**	code 04
grey	**RAL7035**	code 08

Other colours available on request.





2 HILTI anchor bolts suitable for uncracked concrete floors greater than or equal to C20/25 class
Recommended anchor bolt traction: 2.9 KN
Anchor bolt diameter: Ø 6 mm
Art. PK FIX -

RAL 7000	RAL 6011	RAL 5012	RAL 7035
.01	.02	.04	.08

COMP.	HINGED DOORS	LOCK	SHELVES	COMPAT SIZE 1	STOPS FOR CONTAINERS	COMPAT SIZE 2	SHELF LOAD CAPACITY KG	CABINET COLOUR	ARTICLE	*PRICE €*
1								blue 04	PK 10000 04	
2	■	■						blue 04	PK 10010 04	
3								blue 04	PK 16500 04	
4	■	■						blue 04	PK 16510 04	
5								blue 04	PK 20000 04	
6	■	■						blue 04	PK 20010 04	

⚠ *Safety: for safety purposes, the container holder cabinets must be fixed to the floor or wall.*



SQUARE

SQUARE shelf units are stackable and can be used to create complete wall shelving installations units, in accordance with available space.

SQUARE shelf units consist of steel structures in RAL7000 grey colour and 8 different configurations, for Zeus series boxes and Compat series containers.

The warehouse configurations of SQUARE shelf units can be easily modified since the individual compositions are monobloc structures – a solution that not only allows for rapid preparation of the area, but also imparts considerable strength even at full load.

DUST PROTECTION COVER

Use of the dust cover also protects the material from accidental loads.
Constructed in RAL7000 grey steel.



WORKTOP

The worktop allows the creation of comfortable, practical workstations for the distribution of materials.
Constructed in RAL7000 grey steel.



PLINTH

The plinth raises the shelf unit 85 mm from the ground, insulates it from the floor and prevents the bottom row of boxes/containers from touching the ground during extraction.
Constructed in RAL7000 grey steel.



CONTAINERS

Individual boxes/containers can be extracted easily and quickly and a special hook positioned at the front on the guides prevents total or accidental ejection.

COMPAT



size 3



size 4A5



size 4



size 5

ZEUS



size 272-4



size 272-4A5



size 272-5

SQUARE TYPES



size 3

1



1025 x 310 x H 885 mm

2



1765 x 310 x H 885 mm

3



1075 x 460 x H 885 mm

4



1765 x 460 x H 885 mm



size 4



size 272-4

5



1765 x 460 x H 1300 mm




size 4A5



size 272-4A5

6



1765 x 460 x H 1300 mm



size 5



size 272-5

7




1125 x 660 x H 1180 mm

8



1670 x 660 x H 1180 mm

FRAME STACKABILITY





Worktop



Dust protection cover



Plinth

FRAME		SINGLE FRAME LOAD CAPACITY KG	BOX LOAD CAPACITY KG	NUMBER OF BOXES / CONTAINERS	*PRICE € EXCLUDING CONTAINERS*
1 SQ16003	1 frame	960	60	16	
	2 frames stacked	960	60		
	3 frames stacked	640	40		
SQB1023	Plinth	1020 x 315 x H 85 mm			
SQC1023	Dust protection cover	1020 X 315 x H 20 mm			
SQW1023	Worktop	1025 x 315 x H 32 mm			
2 SQ28003	1 frame	1680	60	28	
	2 frames stacked	1680	60		
	3 frames stacked	1120	40		
SQB1763	Plinth	1765 x 315 x H 85 mm			
SQC1763	Dust protection cover	1765 x 315 x H 20 mm			
SQW1773	Worktop	1770 x 315 x H 32 mm			
3 SQ12004	1 frame	1200	100	12	
	2 frames stacked	1200	100		
	3 frames stacked	1200	100		
SQB1074	Plinth	1070 x 465 x H 85 mm			
SQC1074	Dust protection cover	1070 x 465 x H 20 mm			
SQW1074	Worktop	1075 x 465 x H 32 mm			
4 SQ20004	1 frame	1600	80	20	
	2 frames stacked	1600	80		
	3 frames stacked	160	80		
SQB1764	Plinth	1765 x 465 x H 85 mm			
SQC1764	Dust protection cover	1765 x 465 x H 20 mm			
SQW1774	Worktop	1770 x 465 x H 32 mm			

FRAME		SINGLE FRAME LOAD CAPACITY KG	BOX LOAD CAPACITY KG	NUMBER OF BOXES / CONTAINERS	*PRICE € EXCLUDING CONTAINERS*
5 SQ30004	1 frame	2400	80	30	
	2 frames stacked	2400	80		
	3 frames stacked	1500	50		
SQB1764	Plinth	1765 x 465 x H 85 mm			
SQC1764	Dust protection cover	1765 x 465 x H 20 mm			
SQW1774	Worktop	1770 x 465 x H 32 mm			
6 SQ204A5	1 frame	1600	80	20	
	2 frames stacked	1000	80		
	3 frames stacked	1000	50		
SQB1764	Plinth	1765 x 465 x 85h mm			
SQC1764	Dust protection cover	1765 x 465 x 20h mm			
SQW1774	Worktop	1770 x 465 x 32h mm			
7 SQ06005	1 frame	1200	200	6	
	2 frames stacked	1200	200		
	3 frames stacked	1200	200		
SQB1126	Plinth	1125 x 660 x H 155 mm			
SQC1126	Dust protection cover	1120 x 665 x H 30 mm			
8 SQ09005	1 frame	1800	200	9	
	2 frames stacked	1800	200		
	3 frames stacked	1800	200		
SQB1676	Plinth	1670 x 660 x H 155 mm			
SQC1666	Dust protection cover	1667 x 665 x H 30 mm			

GENERAL TERMS AND CONDITIONS OF SALE FOR IMILANI PRODUCTS

1. DEFINITIONS
1.1 WITHIN THIS AGREEMENT, THE TERMS SPECIFIED BELOW SHALL HAVE THE FOLLOWING MEANING:
A) BUYER: ANY TRADER WHO PURCHASES OR PROPOSES TO PURCHASE FROM IMILANI THE PRODUCTS MARKETED BY IMILANI;
B) ORDER CONFIRMATION: REFERS TO THE DOCUMENT WITH WHICH IMILANI ACCEPTS A PROPOSAL;
C) INCOTERMS2010: INCOTERMS OF THE INTERNATIONAL CHAMBER OF COMMERCE, IN THE TEXT IN FORCE AT THE DATE OF FINALISING THE ORDER;
D) ORDER(S): MEANS THE CONTRACT, FORMED BY THE PROPOSAL SUBMITTED BY THE BUYER AND THE ORDER CONFIRMATION ISSUED BY IMILANI, WHICH REGULATES THE SUPPLY OF PRODUCTS;
E) PARTS: IMILANI AND THE BUYER;
F) PRODUCTS: GOODS COVERED BY A SALE OR SALE NEGOTIATION;
G) PROPOSAL(S): THE REQUEST(S) TO PURCHASE THE PRODUCTS SENT BY THE BUYER TO IMILANI.

2. FIELD OF APPLICATION
2.1 THESE CONDITIONS OF SALE (HEREINAFTER THE "CONDITIONS") APPLY BETWEEN IMILANI SRL (HEREINAFTER "IMILANI") AND THE BUYER EVEN WHEN THEY HAVE NOT BEEN AGREED UPON OR REFERRED TO BY THE PARTIES.
2.2 ANY EXCEPTIONS SHALL BE VALID ONLY IF CONTAINED IN SEPARATE DOCUMENTS SIGNED BY THE PARTIES.
2.3 THE GENERAL TERMS AND CONDITIONS OF SALE ARE AN INTEGRAL PART OF ALL ORDERS, INCLUDING WHEN FINALISED BY TELEPHONE, VERBALLY, BY FAX, EMAIL OR INTERNET.
2.4 IN THE EVENT OF DISCREPANCIES BETWEEN THE PROVISIONS REFERRED TO HEREIN AND THOSE CONTAINED IN THE ORDER, THE LATTER SHALL IN ANY CASE PREVAIL.

3. FINALISATION OF THE ORDER
3.1 THE BUYER MAY SUBMIT PROPOSALS TO IMILANI EITHER DIRECTLY OR THROUGH AGENTS AND THEIR REPRESENTATIVES. HOWEVER, AN ORDER SHALL BE FINALISED ONLY AFTER AN ORDER CONFIRMATION HAS BEEN SENT BY IMILANI FOR EACH INDIVIDUAL PROPOSAL.
3.2 IMILANI EXPRESSLY RESERVES THE RIGHT TO EVALUATE ANY PROPOSAL AND SHALL NOT BE BOUND TO THE ACCEPTANCE THEREOF.
3.3 ANY SUPPLY OFFERS FROM IMILANI TO THE BUYER SHALL ONLY BE CONSIDERED FIRM AND IRREVOCABLE IF QUALIFIED AS SUCH IN WRITING BY IMILANI.
3.4 THE REGISTERED OFFICES OF IMILANI SHALL ALWAYS BE THE PLACE OF FINALISATION OF THE ORDER, INCLUDING ORDERS THAT ARE FINALISED ELECTRONICALLY.

4. DELIVERY TERMS
4.1. IMILANI SHALL DELIVER THE PRODUCTS EX-WORKS (EXW INCOTERMS2010). IF REQUESTED, IMILANI SHALL TAKE CARE OF THE TRANSPORTATION OF THE PRODUCTS, AT THE RISK, COST AND EXPENSE OF THE BUYER. THE PAYMENT OF TRANSPORT COSTS BY IMILANI SHALL NOT AFFECT THE RISKS OF THE SHIPMENT, WHICH SHALL CONTINUE TO BE BORNE BY THE BUYER AT THE LATEST UPON DELIVERY OF THEPRODUCTS TO THE FIRST CARRIER.
4.2. THE DELIVERY OF THE PRODUCTS MUST TAKE PLACE BY THE DEADLINE SPECIFIED IN THE ORDER, CALCULATED IN WORKING DAYS. HOWEVER, THE DELIVERY DEADLINE IS PURELY INDICATIVE AND IS NOT AN ESSENTIAL TERM OF THE CONTRACT AND, IN ANY CASE, DOES NOT INCLUDE TRANSPORT TIME.
4.3. UPON RECEIPT OF THE NOTICE OF GOODS READY FOR PICK-UP, THE BUYER MUST COLLECT THE PRODUCTS WITHIN A DEADLINE OF 10 (TEN) DAYS. SHOULD THE BUYER DEFAULT, THE PRODUCTS MAY BE STORED OUTDOORS, WITH IMILANI RELEASED FROM ANY LIABILITY, AND ALL GUARANTEES BEING FORFEITED IN FAVOUR OF IMILANI; THE BUYER SHALL BE CHARGED FOR ANY HANDLING AND STORAGE COSTS INCURRED BY IMILANI, WHICH MAY ALSO, AT ITS DISCRETION, HAVE THE PRODUCTS PLACED IN STORAGE AT THE BUYER'S EXPENSE.
4.4. IMILANI SHALL BE ENTITLED TO ISSUE A REGULAR INVOICE WITHIN 10 (TEN) DAYS FROM THE NOTICE OF GOODS READY FOR PICK UP.

5. COMPLAINTS
5.1. ANY COMPLAINTS REGARDING THE PACKAGING CONDITION, QUANTITY, NUMBER OR EXTERNAL CHARACTERISTICS OF THE PRODUCTS (APPARENT DEFECTS) MUST BE SUBMITTED TO IMILANI IN WRITING, UNDER PENALTY OF FORFEITURE, WITHIN 8 (EIGHT) BUSINESS DAYS FROM THE DATE OF RECEIPT OF THE PRODUCTS.
5.2. ANY COMPLAINTS RELATING TO DEFECTS THAT CANNOT BE IDENTIFIED THROUGH DILIGENT CONTROL UPON RECEIPT (HIDDEN DEFECTS) MUST BE SUBMITTED TO IMILANI, UNDER PENALTY OF FORFEITURE, WITHIN 8 (EIGHT) DAYS FROM THE DATE OF DISCOVERY OF THE DEFECT AND REPORTED TO IMILANI IN THE MANNER PROVIDED UNDER THE WARRANTY CONDITIONS.
5.3. IN NO CASE SHALL AGENTS, CUSTOMERS OR INTERMEDIARIES OF IMILANI HAVE THE POWER TO REPRESENT IMILANI OR TAKE ANY BINDING OBLIGATIONS ON BEHALF OF IMILANI VIS À VIS THE BUYER OR OTHER THIRD PARTIES. TO THIS END, ANY NOTICE RELATING TO FAULTS OR DEFECTS OF THE PRODUCTS SHALL BE INVALID AND INEFFECTIVE IF MADE TO AGENTS, CUSTOMERS OR INTERMEDIARIES OF IMILANI.

6. PRICES
6.1. THE PRICES OF THE PRODUCTS SHALL BE THOSE SPECIFIED IN THE IMILANI PRICE LIST IN FORCE AT THE TIME THE ORDER IS FINALISED OR, IF THE PRODUCT IS NOT INCLUDED IN THE PRICE LIST OR THE PRICE LIST IS NOT AVAILABLE, THOSE SPECIFIED IN THE ORDER CONFIRMATION.
6.2. UNLESS OTHERWISE AGREED, THE AFOREMENTIONED PRICES SHALL BE CALCULATED EX WORKS (EXW INCOTERMS2010). THESE PRICES DO NOT INCLUDE THE COSTS OF SPECIAL PACKAGING, SHIPPING AND TRANSPORT FROM IMILANI'S PREMISES, WHICH SHALL BE BORNE BY THE BUYER. UNLESS OTHERWISE AGREED, THE BUYER SHALL ALSO BEAR ALL EXPENSES, TAXES OR DUTIES INHERENT IN THE SALE OF THE PRODUCTS, INCLUDING THE COSTS OF ALL CUSTOMS FORMALITIES (AS WELL AS ANY DUTIES, TAXES AND OTHER OFFICIAL CHARGES TO BE PAID FOR EXPORTING THE PRODUCTS).

7. PAYMENT CONDITIONS
7.1. WHERE THE TERMS OF PAYMENT ARE NOT SPECIFIED IN THE ORDER, THE PAYMENT MUST BE MADE WITHIN 30 DAYS FROM THE END OF MONTH INVOICE DATE, BY BANK TRANSFER. THE PAYMENT SHALL BE CONSIDERED PAID MADE WHEN THE SUM BECOMES AVAILABLE TO IMILANI AT ITS BANK IN ITALY.
7.2. IF THE PARTIES AGREED ON AN ADVANCE PAYMENT WITHOUT FURTHER SPECIFICATIONS, IT IS ASSUMED THAT THE ADVANCE PAYMENT REFERS TO THE ENTIRE PRICE OF THE PRODUCTS INCLUDED IN THE SUPPLY ORDER.
7.3. IF THE PARTIES HAVE AGREED ON PAYMENT BY DIRECT REMITTANCE, THIS SHALL BE DONE BY SWIFT TRANSFER – WITH FIXED VALUE DATE IN FAVOUR OF IMILANI ON THE DAY THE PAYMENT IS DUE – AT THE BANK SPECIFIED BY IMILANI.
7.4. IN THE EVENT OF PAYMENT DELAYED UNTIL AFTER THE AGREED DATE, DEFAULT INTEREST AT THE STATUTORY RATE SHALL BE APPLIED TO THE BUYER. IN ADDITION, IMILANI SHALL BE REIMBURSED FOR ANY COSTSINCURRED IN THE RECOVERY OF SUMS NOT PROMPTLY PAID.
7.5. THE BUYER IS NOT AUTHORISED TO MAKE ANY DEDUCTION FROM THE AGREED PRICE (E.G. IN CASE OF ALLEGED PRODUCT DEFECTS), WITHOUT PRIOR WRITTEN AGREEMENT WITH IMILANI.

8. FORCE MAJEURE
8.1. BOTH THE BUYER AND IMILANI MAY SUSPEND THE PERFORMANCE OF THEIR CONTRACTUAL OBLIGATIONS WHEN SUCH PERFORMANCE BECOMES IMPOSSIBLE OR UNREASONABLY BURDENSOME DUE TO AN UNFORESEEABLE IMPEDIMENT NOT UNDER THEIR CONTROL, SUCH AS FOR EXAMPLE, STRIKES, BOYCOTTS, LOCKOUTS, FIRES, WARS, RIOTS AND REVOLUTIONS, REQUISITIONS, EMBARGOES OR INTERRUPTIONS IN ENERGY SUPPLY.
8.2. THE PARTY WISHING TO INVOKE THIS CLAUSE MUST IMMEDIATELY INFORM THE OTHER IN WRITING THAT A FORCE MAJEURE CIRCUMSTANCE HAS OCCURRED AS WELL AS WHEN SUCH CIRCUMSTANCE NO LONGER EXISTS.
8.3. IF THE SUSPENSION DUE TO FORCE MAJEURE LASTS MORE THAN EIGHT WEEKS, EACH PARTY SHALL HAVE THE RIGHT TO TERMINATE THE ORDER, SUBJECT TO 10 DAYS' NOTICE, TO BE CONVEYED TO THE OTHER IN WRITING.

9. CHANGE IN THE BUYER'S FINANCIAL SITUATION
9.1. IMILANI SHALL BE ENTITLED TO SUSPEND THE FULFILMENT OF THE OBLIGATIONS ARISING FROM THE SUPPLY OF THE PRODUCTS IN THE EVENT THAT THE BUYER'S FINANCIAL SITUATION BECOMES SUCH AS TO SERIOUSLY ENDANGER THE BUYER'S PERFORMANCE OF ITS OWN OBLIGATIONS, UNLESS A SUITABLE GUARANTEE IS GIVEN.

10. APPLICABLE LAW AND JURISDICTION
10.1. THE GENERAL TERMS AND CONDITIONS OF SALE AND THE ORDERS ENTERED INTO BETWEEN IMILANI AND THE BUYER SHALL BE GOVERNED BY ITALIAN LAW.
10.2. FOR ANY DISPUTE REGARDING THE INTERPRETATION, PERFORMANCE, BREACH OR TERMINATION OF THESE GENERAL TERMS AND CONDITIONS OF SALE, THE COURT OF VICENZA SHALL HAVE EXCLUSIVE JURISDICTION, INCLUDING IN THE EVENT OF JOINDER OF PROCEEDINGS.

11. FINAL CLAUSES
11.1. SHOULD ONE OF THE PARTIES FAIL TO TAKE LEGAL ACTION OR EXERCISE A RIGHT UNDER THESE GENERAL TERMS AND CONDITIONS OF SALE, SUCH ACQUIESCENT CONDUCT MAY NOT BE INTERPRETED AS A FINAL WAIVER TO TAKE SUCH LEGAL ACTION OR EXERCISE SUCH RIGHTS IN THE FUTURE.
11.2. THE SALE OF PRODUCTS BY IMILANI TO THE BUYER DOES NOT GIVE THE LATTER ANY EXCLUSIVE TERRITORIAL RIGHT NOR DOES IT ALLOW THE BUYER TO TAKE ON THE STATUS OF DISTRIBUTOR OR RESELLER OF IMILANI.
11.3. ANY COMMUNICATION FROM THE BUYER TO IMILANI IN RELATION TO THESE GENERAL TERMS AND CONDITIONS OF SALE MUST BE SENT TO THE FOLLOWING CERTIFIED E-MAIL ADDRESS: IMILANISRL@LEGALMAIL.IT. THE AFOREMENTIONED COMMUNICATIONS SHALL TAKE EFFECT UPON RECEIPT BY THE RECIPIENT.

12. PRIVACY
12.1. IN ACCORDANCE WITH THE PROVISIONS OF LEGISLATIVE DECREE 196/03, BY ACCEPTING THIS CONTRACT, THE BUYER DECLARES THAT IT IS AWARE, AND EXPRESSLY AGREES, THAT ITS "PERSONAL DATA", PROVIDED (ALSO VERBALLY) BY ITSELF OR ACQUIRED DURING SALE TRANSACTIONS, IS KEPT WITH IMILANI IN ITS (PAPER, ELECTRONIC OR TELECOMMUNICATIONS) ARCHIVES AND PROCESSED AS PART OF THE CONDUCT OF BUSINESS ACTIVITIES OF IMILANI FOR MANAGEMENT PURPOSES, THE FULFILMENT OF LEGAL OBLIGATIONS, AND FOR STATISTICAL, COMMERCIAL, MARKETING, PROMOTIONAL AND CREDIT PROTECTION PURPOSES. SUCH DATA MAY ALSO BE: (A) DISCLOSED TO COMPANIES, ENTITIES, CONSORTIA OR ASSOCIATIONS RESPONSIBLE FOR CREDIT PROTECTION, (B) DISCLOSED/DISSEMINATED TO SUBSIDIARIES, PARENT COMPANIES OR ASSOCIATES ENGAGED IN COMMERCIAL, MARKET RESEARCH, MARKETING, MANAGEMENT OR IT MANAGEMENT ACTIVITIES; OR SUCH COMPANIES CAN BE GIVEN ACCESS TO THE AFOREMENTIONED ARCHIVES. IN RELATION TO THE PROCESSING OF SAID DATA, THE BUYER MAY EXERCISE THE RIGHTS INDICATED IN ART. 7 LEGISLATIVE DECREE 196/03 AND IMILANI HAS AN OBLIGATION TO COMMUNICATE WITHOUT DELAY ANY REQUESTS PURSUANT TO THAT ARTICLE. THE DATA CONTROLLER IS IMILANI IN THE PERSON OF ITS PRO-TEMPORE LEGAL REPRESENTATIVE. THE DATA CAN BE PROCESSED AT THE COMPANY'S REGISTERED OFFICES OR AT TAX CONSULTING FIRMS, AS WELL AS AT THE PREMISES OF ANY OTHER PROFESSIONALS THAT HAVE BEEN TASKED WITH PROCESSING THE ACCOUNTS AND ANY OTHER RELEVANT ASSIGNMENTS.

13. COMPLIANCE WITH LAW 231/2001
13.1. THE BUYER ACKNOWLEDGES THAT IMILANI HAS ADOPTED AND IMPLEMENTED AN ORGANISATION, MANAGEMENT AND CONTROL MODEL PURSUANT TO LEGISLATIVE DECREE 231/01, WITH ITS CODE OF ETHICS AND DISCIPLINARY SYSTEM, DETAILS OF WHICH CAN BE VIEWED ON THE COMPANY WEBSITE WWW.IMILANI.IT. THE BUYER ENDORSES THE PRINCIPLES OF THE AFOREMENTIONED ORGANISATION, MANAGEMENT AND CONTROL MODEL AND ITS ANNEXES, AND UNDERTAKES TO COMPLY WITH ITS CONTENTS, PRINCIPLES AND PROCEDURES AND, IN GENERAL, TO REFRAIN FROM ANY CONDUCT THAT MAY CONSTITUTE ANY OF THE OFFENCES SPECIFIED IN ITALIAN LEGISLATIVE DECREE 231/01, AS AMENDED, AND INCLUDED IN THE AFOREMENTIONED ORGANISATION, MANAGEMENT AND CONTROL MODEL. THE BUYER ALSO UNDERTAKES TO COMPLY WITH AND TO ENSURE ITS EMPLOYEES' COMPLIANCE WITH ALL THE PRINCIPLES CONTAINED IN SAID DOCUMENTATION AND BEHAVIOURAL PROTOCOLS PROVIDED BY OUR ORGANISATION IN ACCORDANCE WITH LEGISLATIVE DECREE 231/2001 AND THE ANNEXES TO THIS CONTRACT. ANY BREACH OF THE RULES PROVIDED BY THE AFOREMENTIONED DOCUMENTS SHALL CONSTITUTE A SERIOUS BREACH OF CONTRACT.

IMICUBE2022A4EN

iMilani
innovative italian ideas

iMilani srl

Via Capitano Alessio, 109
36027 Rosà (VI) — Italy

Tel +39 0424 583100
info@imilani.it
www.imilani.com

A brand of: i'M