



iMilani
innovative
italian
ideas



ATHENA



iMiCUBE

A brand of:
i'M



50 YEARS OF EXPERIENCE IN PLASTIC BOXES AND CONTAINERS MOULDING

For 50 years we have been looking for ethical and sustainable solutions for the molding of plastic boxes and containers.



Discover our products



ATHENA

The variety of materials and sizes of the **ATHENA** series of boxes make them suitable for use in all sectors, with optimal adaptability to storage and distribution requirements. They are stackable with and without lids and conform to euro-pallet sizes.

Edges and reinforcements are designed to give the boxes structural strength to withstand the heaviest loads. The bottoms and walls of the boxes can be closed or perforated.

The handles can also be in open or closed mode. The varied composition of these elements permits a wide range of solutions and does not exclude the option of customised solutions.

HANDLES

open handle



closed handle



COLOURS

Colours on request +7%

PP 2X signal yellow RAL 1003	PP 05 yellow RAL 1021	PP 1C melon yellow RAL 1028	PP HE signal orange RAL 2010	PP 24 deep orange RAL 2011
PP 2N carmine RAL 3002	PP 1G ruby red RAL 3003	PP 03 red RAL 3020	PP JV signal purple RAL 4008	PP 3Z tele magenta RAL 4010
PP 04 blue PANTONE 660C	PP XB turquoise PANTONE 2925C	PP 3P aqua blue RAL 5021	PP 27 signal blue RAL 5005	PP IG sapphire blue RAL 5003
PP QD leaf green RAL 6002	PP JW plastic green RAL 6011	PP 43 yellowish green RAL 6018	PP 14 iMilani green PANTONE 382C	PP 02 green RAL 6032
PP 1B signal grey RAL 7004	PP XL anthracite grey RAL 7016	PP 08 light grey RAL 7035	PP 01 gray RAL 7046	PP 07 black RAL 9011

PERSONALISED MARKING

Steel insert integrated into the mould
Embossed marking

Hot foil printing with printing plate



Available in all colours

BOTTOMS


closed bottom




reinforced bottom



perforated bottom



800x600 mm
bottom for accessories



with crossbars



with feet



with wheels



WALLS

closed walls



perforated walls



LONG side wall
with window



SHORT side wall
with window



iMiCUBE

4

ATHENA

iMilani
innovative
italian
ideas

LIDS

hinged



with handles




sliding



iMiCUBE

5



 Use of the lid does not exclude the option of stacking the boxes

CLOSING CLIPS

The lid of the Athena series box in the version with hinges and with handles can be closed with a sliding fastener in nylon.



closing with lead





PARTITIONED BOXES



Partitions offer a systematic way to divide Athena series boxes into two or more compartments, depending on the solution chosen. A handy dust LID is available in transparent polystyrene, fitted with a lifting grip.



COMB DIVIDERS





To organise and protect particularly delicate articles or materials that must not come into contact with other products during handling and storage, the box can be partitioned by means of comb dividers.

They are of plastic or ESD construction and are available in five heights; the dividers feature slots positioned 20 mm apart, allowing the systematic and variable subdivision of the interior space of the boxes according to the user's needs.

Dividers can be made to measure to satisfy any requirement.

INTERMEDIATE SHELF

Made of plastic, the intermediate shelf acts as a separator if the box has to be divided into more than one layer. The side grooves on the lid facilitate gripping and removal.






DOCUMENT HOLDER SPRING

The Document holder spring snaps onto the long or short side of the Athena box and can be used to secure transport notes or other documents.





200 x 150 mm H 150 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €	
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet		
A	AT 2115A 5101	■			■			■		298	24	480		
	AT 2115A 5207	■			■			■		334	24	480		
	AT 2115A 5401	■			■			■		311	24	480		ECOGREEN 

ATHENA 2115

iMiCUBE

8

LOGISTIC





A

Closed bottom
Load capacity 10 kg



DATASHEET

A	
Stacked edge height	139 mm
Usable stacked height / with lid	135 mm
Usable internal dimensions	158 x 109 x 146 H mm
Volume	2,7 L
Pieces per package / pallet	 24  480
Package dimensions	620 x 420 x 448 H mm
Pallet dimensions	1200 x 800 x 2246 H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Closed bottom
Load capacity 15 kg



1



2



3



300 x 200 mm H 120 mm

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
 PP 	AT 3212A 5101	■		■			■		432	16	320	
	AT 3212A 5207	■		■			■		484	16	320	
	AT 3212A 5401	■		■			■		451	16	320	
ACCESSORIES												
 PP 	AT 32HG 5101								150	10	2560	
	AT 32HG 5207								168	10	2560	
	AT 32HG 5401								157	10	2560	
2	SPRING 0099	Document holder spring								10		
3	AT LOCK 8113	Pair closing clips								10		

A	
Stacked edge height	109 mm
Usable stacked height / with lid	105 mm / 107 mm
Usable internal dimensions	259 x 160 x 116 H mm
Volume	5 L
Pieces per package / pallet	16 320
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm
1	
Hinged lid	300 x 200 mm
Pieces per package / dimension	10/300 x 200 x 100 mm
Pieces per pallet / dimension	2560/1200x800x1000 H mm
2	
Document holder spring	
Pieces per package	10
3	
Pair closing clips	
Pieces per package	10

300 x 200 mm H 170 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	AT 3217A 5101	■			■			■		616	12	224	
	AT 3217A 5207	■			■			■		690	12	224	
	AT 3217A 5401	■			■			■		644	12	224	
ACCESSOIRES													
1	AT 32HG 5101									150	10	2560	
	AT 32HG 5207									168	10	2560	
	AT 32HG 5401									157	10	2560	
2	SPRING 0099	Document holder spring									10		
3	AT LOCK 8113	Pair closing clips									10		



ECOOGREEN



ECOOGREEN



A

iMiCUBE

10

Closed bottom
Load capacity 15 kg



1



2



3



DATASHEET

A

Stacked edge height	159 mm
Usable stacked height / with lid	155 mm / 157 mm
Usable internal dimensions	259 x 160 x 166 H mm
Volume	7 L
Pieces per package / pallet	12 224
Package dimensions	620 x 420 x 508 H mm
Pallet dimensions	1200 x 800 x 2387 H mm

1

Hinged lid	300 x 200 mm
Pieces per package / dimension	10/300 x 200 x 100 mm
Pieces per pallet / dimension	2560/1200x800x1000 H mm

2

Document holder spring	
Pieces per package	10

3

Pair closing clips	
Pieces per package	10




iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ATHENA 3217

LOGISTIC

iMilani
innovative
italian
ideas



400 x 300 mm H 55 mm

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
 20	AT 4305A 5101	■		■			■		488	20	400	
 A	AT 4305A 5207	■		■			■		547	20	400	
	AT 4305A 5401	■		■			■		510	20	400	

A

Closed bottom
Load capacity 15 kg



A	
Stacked edge height	44 mm
Usable stacked height / with lid	40 mm / 42 mm
Usable internal dimensions	355 x 255 x 51 H mm
Volume	3,8 L
Pieces per package / pallet	 20  400
Package dimensions	620 x 420 x 471 H mm
Pallet dimensions	1200 x 800 x 2361 H mm

DATASHEET

400 x 300 mm H 55 mm

	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	AT 43SE 5101	■				322	10	480	♻️
	AT 43SE 5207	■				361	10	480	♻️
	AT 43SE 5401	■				336	10	480	♻️ ECOGREEN
2	AT 43HG 5101		■			340	10	640	♻️
	AT 43HG 5207		■			381	10	640	♻️
	AT 43HG 5401		■			355	10	640	♻️ ECOGREEN
3	AT LOCK 8113	Pair closing clips				10			



DATASHEET

1	
Separate lid	400 x 300 mm
Pieces per pack. / dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	480 / 1200 x 800 x 1000 H mm
2	
Hinged lid	400 x 300 mm
Pieces per pack. / dimension	10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	640 / 1200 x 800 x 1000 H mm
3	
Pair closing clips	
Pieces per package	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	AT 4308A5101	■			■			■		516	14	280	
	AT 4308A5207	■			■			■		578	14	280	
	AT 4308A5401	■			■			■		540	14	280	



ECOGREEN

A

Closed bottom
Load capacity 15 kg



A

Stacked edge height	64 mm
Usable stacked height / with lid	60 mm / 62 mm
Usable internal dimensions	355 x 255 x 71 H mm
Volume	6 L
Pieces per package / pallet	14 280
Package dimensions	620 x 420 x 479 H mm
Pallet dimensions	1200 x 800 x 2401 H mm

DATASHEET

400 x 300 mm H 75 mm






	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	AT 43SE 5101	■				322	10	480	♻️
	AT 43SE 5207	■				361	10	480	♻️
	AT 43SE 5401	■				336	10	480	♻️ ECOGREEN
2	AT 43HG 5101		■			340	10	640	♻️
	AT 43HG 5207		■			381	10	640	♻️
	AT 43HG 5401		■			355	10	640	♻️ ECOGREEN
3	AT 43SL 5101			■		328	10	480	♻️
4	SPRING 0099	Document holder spring				10			
5	AT LOCK 8113	Pair closing clips				10			



DATASHEET

1	
Separate lid	400 x 300 mm
Pieces per pack. / dimension	♻️ 10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	♻️ 480 / 1200 x 800 x 1000 H mm
2	
Hinged lid	400 x 300 mm
Pieces per pack. / dimension	♻️ 10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	♻️ 640 / 1200 x 800 x 1000 H mm
3	
Sliding lid	400 x 300 mm
Pieces per pack. / dimension	♻️ 10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	♻️ 480 / 1200 x 800 x 1000 H mm
4	
Document holder spring	
Pieces per package	♻️ 10
5	
Pair closing clips	
Pieces per package	♻️ 10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
<div><div> PP</div><div> A</div><div></div></div>	AT 4312A 5101	■		■			■		782	8	160	
	AT 4312A 5207	■		■			■		876	8	160	
	AT 4312A 5401	■		■			■		817	8	160	
<div><div> PP</div><div> PP</div></div>	C AT 4312C 5101	■				■	■		876	8	160	
	H AT 4312H 5101	■			■		■		736	8	160	

A

Closed bottom
Load capacity 15 kg



C

Reinforced bottom
Load capacity 20 kg





H



Perforated bottom
Load capacity 15 kg





A

Stacked edge height	109 mm
Usable stacked height / with lid	105 mm / 107 mm
Usable internal dimensions	355 x 255 x 116 H mm
Volume	10 L
Pieces per package / pallet	 8  160
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm








C

Stacked edge height	109 mm
Usable stacked height / with lid	92 mm / 96 mm
Usable internal dimensions	355 x 255 x 105 H mm
Volume	10 L
Pieces per package / pallet	 8  160
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

H

Stacked edge height	109 mm
Usable stacked height / with lid	105 mm / 107 mm
Usable internal dimensions	355 x 255 x 116 H mm
Volume	10 L
Pieces per package / pallet	 8  160
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

400 x 300 mm H 120 mm

	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	AT 43SE 5101	■			322	10	480	 
	AT 43SE 5207	■			361	10	480	
	AT 43SE 5401	■			336	10	480	
2	AT 43HG 5101		■		340	10	640	  ECOOGREEN 
	AT 43HG 5207		■		381	10	640	
	AT 43HG 5401		■		355	10	640	
3	AT 43SL 5101			■	328	10	480	 
4	SPRING 0099	Document holder spring				10		
5	AT LOCK 8113	Pair closing clips				10		











ECOOGREEN 







ECOOGREEN 



DATASHEET

1	
Separate lid	400 x 300 mm
Pieces per pack. / dimension	 10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	 480 / 1200x800x1000 H mm
2	
Hinged lid	400 x 300 mm
Pieces per pack. / dimension	 10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	 640 / 1200x800x1000 H mm
3	
Sliding lid	400 x 300 mm
Pieces per pack. / dimension	 10 / 400 x 300 x 100 H mm
Pieces per pallet / dimension	 480 / 1200x800x1000 H mm
4	
Document holder spring	
Pieces per package	 10
5	
Pair closing clips	
Pieces per package	 10

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	AT 4317A 5101	■		■			■		1042	6	112	
	A AT 4317A 5207	■		■			■		1167	6	112	
	AT 4317A 5401	■		■			■		1089	6	112	
	C AT 4317C 5101	■				■	■		1108	6	112	

A

Closed bottom
Load capacity 15 kg





C



Reinforced bottom
Load capacity 20 kg



A

Stacked edge height	159 mm
Usable stacked height / with lid	155 mm / 157 mm
Usable internal dimensions	355 x 255 x 166 H mm
Volume	15 L
Pieces per package / pallet	 6  112
Package dimensions	620 x 420 x 508 H mm
Pallet dimensions	1200 x 800 x 2387 H mm

C

Stacked edge height	159 mm
Usable stacked height / with lid	142 mm / 146 mm
Usable internal dimensions	355 x 255 x 155 H mm
Volume	15 L
Pieces per package / pallet	 6  112
Package dimensions	620 x 420 x 508 H mm
Pallet dimensions	1200 x 800 x 2387 H mm

DATASHEET

400 x 300 mm H 170 mm



	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	AT 43SE 5101	■			322	10	480	
	AT 43SE 5207	■			361	10	480	
	AT 43SE 5401	■			336	10	480	
2	AT 43HG 5101		■		340	10	640	
	AT 43HG 5207		■		381	10	640	
	AT 43HG 5401		■		355	10	640	
3	AT 43SL 5101			■	328	10	480	
4	SPRING 0099	Document holder spring				10		
5	AT LOCK 8113	Pair closing clips				10		
6	AT LH43 5107	Label holders				10		
7	LB 14581 0425	A4 sheet with 4 labels				25		



ECOOGREEN



ECOOGREEN



iMiCUBE

18

LOGISTIC






DATASHEET

	Separate lid	400 x 300 mm
1	Pieces per pack. / dims.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dims.	480 / 1200 x 800 x 1000 H mm
	Hinged lid	400 x 300 mm
2	Pieces per pack. / dims.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dims.	640 / 1200 x 800 x 1000 H mm
	Sliding lid	400 x 300 mm
3	Pieces per pack. / dims.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dims.	480 / 1200 x 800 x 1000 H mm
4	Document holder spring	
	Pieces per package	10
5	Pair closing clips	
	Pieces per package	10
6	Label holders	150 x 85 h mm
	Pieces per package	10
7	A4 sheet with 4 labels	145 x 81 mm
	Pieces per package	25

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

iMilani
innovative
italian
ideas

400 x 300 mm H 220 mm

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
  ECOGREEN	AT 4322A 5101	■		■			■		1284	4	80	
	A AT 4322A 5207	■		■			■		1438	4	80	
	AT 4322A 5401	■		■			■		1342	4	80	
 PP	A AT 4322A 5900	■		■			■		1284	4	80	
 PP	B AT 4322B 5101	■		■				■	1230	4	80	
 PP	D AT 4322D 5101	■				■		■	1330	4	80	

A

Closed bottom
Load capacity 15 kg



B

Closed bottom
Load capacity 15 kg





D

Reinforced bottom
Load capacity 20 kg





A

Stacked edge height	209 mm
Usable stacked height / with lid	205 mm / 207 mm
Usable internal dimensions	355 x 255 x 216 H mm
Volume	20 L
Pieces per package / pallet	 4  80
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

B

Stacked edge height	209 mm
Usable stacked height / with lid	205 mm / 207 mm
Usable internal dimensions	355 x 255 x 216 H mm
Volume	20 L
Pieces per package / pallet	 4  80
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm


D

Stacked edge height	209 mm
Usable stacked height / with lid	192 mm / 196 mm
Usable internal dimensions	355 x 255 x 205 H mm
Volume	20 L
Pieces per package / pallet	 4  80
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

DATASHEET

400 x 300 mm H 220 mm

	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	AT 43SE 5101	■			322	10	480		♻️
	AT 43SE 5207	■			361	10	480		♻️
	AT 43SE 5401	■			336	10	480		♻️ ECOGREEN
2	AT 43HG 5101		■		340	10	640		♻️
	AT 43HG 5207		■		381	10	640		♻️
	AT 43HG 5401		■		355	10	640		♻️ ECOGREEN
	AT 43HG 5900		■		340	10	640		♻️
3	AT 43SL 5101			■	328	10	480		♻️
4	SPRING 0099	Document holder spring				10			
5	AT LOCK 8113	Pair closing clips				10			
6	AT LH43 5107	Label holders				10			
7	LB 14581 0425	A4 sheet with 4 labels				25			



ACCESSORIES

iMiCUBE
20

LOGISTIC

DATASHEET

Separate lid		400 x 300 mm
1	Pieces per pack. / dims.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dims.	480 / 1200 x 800 x 1000 H mm
Hinged lid		400 x 300 mm
2	Pieces per pack. / dims.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dims.	640 / 1200 x 800 x 1000 H mm
Sliding lid		400 x 300 mm
3	Pieces per pack. / dims.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dims.	480 / 1200 x 800 x 1000 H mm
Document holder spring		
4	Pieces per package	10
Pair closing clips		
5	Pieces per package	10
Label holders		150 x 85 h mm
6	Pieces per package	10
A4 sheet with 4 labels		145 x 81 mm
7	Pieces per package	25

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	AT 4332A 5101	■		■			■		1852	2	56	
	AT 4332A 5207	■		■			■		2074	2	56	
	AT 4332A 5401	■		■			■		1935	2	56	
B	AT 4332B 5101	■		■				■	1728	2	56	

A

Closed bottom
Load capacity 15 kg





B



Closed bottom
Load capacity 15 kg



A

Stacked edge height	314 mm
Usable stacked height / with lid	310 mm / 312 mm
Usable internal dimensions	355 x 255 x 321 H mm
Volume	30 L
Pieces per package / pallet	 2  56
Package dimensions	620 x 420 x 345 H mm
Pallet dimensions	1200 x 800 x 2359 H mm

B

Stacked edge height	314 mm
Usable stacked height / with lid	310 mm / 312 mm
Usable internal dimensions	355 x 255 x 321 H mm
Volume	30 L
Pieces per package / pallet	 2  56
Package dimensions	620 x 420 x 345 H mm
Pallet dimensions	1200 x 800 x 2359 H mm

DATASHEET

400 x 300 mm H 325 mm


	ARTICLE	SEPARATE LID	HINGED LID	SLIDING LID	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	AT 43SE 5101	■			322	10	480	
	AT 43SE 5207	■			361	10	480	
	AT 43SE 5401	■			336	10	480	
2	AT 43HG 5101		■		340	10	640	
	AT 43HG 5207		■		381	10	640	
	AT 43HG 5401		■		355	10	640	
3	AT 43SL 5101			■	328	10	480	
4	SPRING 0099	Document holder spring				10		
5	AT LOCK 8113	Pair closing clips				10		
6	AT LH43 5107	Label holders				10		
7	LB 14581 0425	A4 sheet with 4 labels				25		



ECOGREEN





ECOGREEN



DATASHEET

Separate lid		400 x 300 mm
1	Pieces per pack. / dims.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dims.	480 / 1200 x 800 x 1000 H mm
Hinged lid		400 x 300 mm
2	Pieces per pack. / dims.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dims.	640 / 1200 x 800 x 1000 H mm
Sliding lid		400 x 300 mm
3	Pieces per pack. / dims.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dims.	480 / 1200 x 800 x 1000 H mm
Document holder spring		
4	Pieces per package	10
Pair closing clips		
5	Pieces per package	10
Label holders		150 x 85 H mm
6	Pieces per package	10
A4 sheet with 4 labels		145 x 81 mm
7	Pieces per package	25


	ARTICLE	1 PARTITION	2 PARTITIONS	4 PARTITIONS	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
1	AT 43S1 5207	■			246	20	320	
	AT 43S1 5407	■			230	20	320	
2	AT 43S2 5207		■		263	20	320	
	AT 43S2 5407		■		246	20	320	
3	AT 43S4 5207			■	291	20	320	
	AT 43S4 5407			■	272	20	320	
4	AT LID4 6896	Transparent lid			118	20		



1	
Partitioned box 1 partition	256 x 178 x 90 H mm
Pieces per pack / pallet	20 320
Package dimensions	565 x 375 x 460 H mm
Pallet dimensions	1200 x 800 x 1990 H mm
2	
Partitioned box 2 partitions	256 x 178 x 90 H mm
Pieces per pack / pallet	20 320
Package dimensions	565 x 375 x 460 H mm
Pallet dimensions	1200 x 800 x 1990 H mm
3	
Partitioned box 4 partitions	256 x 178 x 90 H mm
Pieces per pack / pallet	20 320
Package dimensions	565 x 375 x 460 H mm
Pallet dimensions	1200 x 800 x 1990 H mm
4	
Transparent polystyrene lid	
Pieces per pack / pallet	20
Package dimensions	265 x 195 x 180 H mm


400 x 300 mm

	ARTICLE	H 45	H 70	H 90	H 120	H 180	H 220	PACKAGING		UNIT PRICE €
								Qty. per pack.	Qty. per pallet	
1	DI 2554524 6801	■						10		
	DI 25545 5207	■						10		▲
	DI 3554524 6801	■						10		
	DI 35545 5207	■						10		▲
2	DI 2557024 6801		■					10		
	DI 25570 5207		■					10		▲
	DI 3557024 6801		■					10		
	DI 35570 5207		■					10		▲
3	DI 2559024 6801			■				10		
	DI 25590 5207			■				10		▲
	DI 3559024 6801			■				10		
	DI 35590 5207			■				10		▲
4	DI 2551224 6801				■			10		
	DI 25512 5207				■			10		▲
	DI 3551224 6801				■			10		
	DI 35512 5207				■			10		▲
5	DI 2551824 6801					■		10		
	DI 25518 5207					■		10		▲
	DI 3551824 6801					■		10		
	DI 35518 5207					■		10		▲
6	DI 2552224 6801						■	10		
	DI 3552224 6801						■	10		
7	DI 43SHT 6801							10		
	DI 43SHT 5207							10		▲





6801

Pitch 24 mm




5207

Pitch 20 mm



1




2




3



4



5



6



7

DATASHEET

1	Comb divider 255 x 45 H mm per box 400 x 300 x 75 H mm	10 items
	Séparateur type peigne 355 x H 45 mm per box 400 x 300 x H 75 mm	10 items
2	Comb divider 255 x 70 H mm per box 400 x 300 x 120 H mm	10 items
	Comb divider 355 x 70 H mm per box 400 x 300 x 120 H mm	10 items
3	Comb divider 255 x 90 H mm per box 400 x 300 x 120 H mm	10 items
	Comb divider 355 x 90 H mm per box 400 x 300 x 120 H mm	10 items
4	Comb divider 255 x 120 H mm per box 400 x 300 x 170 H mm	10 items
	Comb divider 355 x 120 H mm per box 400 x 300 x 170 H mm	10 items
5	Comb divider 255 x 180 H mm per box 400 x 300 x 220 H mm	10 items
	Comb divider 355 x 180 H mm per box 400 x 300 x 220 H mm	10 items
6	Comb divider 255 x 220 H mm per box 400 x 300 x 270 H mm	10 items
	Comb divider 355 x 220 H mm per box 400 x 300 x 270 H mm	10 items
7		
Intermediate partition shelf 355 x 255 mm		10 items

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.





ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
AT 6408A5101	■			■			■		1312	7	140	
AT 6408A5207	■			■			■		1469	7	140	
AT 6408A5401	■			■			■		1371	7	140	
AT 6408A5900	■			■			■		1312	7	140	

A

Closed bottom
Load capacity 20 kg



A

Stacked edge height	64 mm
Usable stacked height / with lid	60 mm / 62 mm
Usable internal dimensions	555 x 355 x 71 H mm
Volume	10 L
Pieces per package / pallet	 7  140
Package dimensions	620 x 420 x 479 H mm
Pallet dimensions	1200 x 800 x 2401 H mm

DATASHEET

600 x 400 mm H 75 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
1	AT 64SE 5101	■		720	10	240		♻️
	AT 64SE 5207	■		806	10	240		♻️
	AT 64SE 5401	■		752	10	240		♻️ ECOGREEN
2	AT 64HG 5101		■	700	10	320		♻️
	AT 64HG 5207		■	784	10	320		♻️
	AT 64HG 5401		■	732	10	320		♻️ ECOGREEN
	AT 64HG 5900		■	700	10	320		♻️ ♻️
3	SPRING 0099	Document holder spring			10			
4	AT LOCK 8113	Pair closing clips			10			



♻️ ECOGREEN



♻️ ECOGREEN



DATASHEET

1	
Separate lid	600 x 400 mm
Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm
2	
Hinged lid	600 x 400 mm
Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H mm
3	
Document holder spring	
Pieces per package	10
4	
Pair closing clips	
Pieces per package	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	AT 6412A 5101	■			■			■		1636	4	80	
	AT 6412A 5207	■			■			■		1832	4	80	
	AT 6412A 5401	■			■			■		1710	4	80	
	AT 6412A 5900	■			■			■		1636	4	80	
C	AT 6412C 5101	■					■	■		1690	4	80	

A

Closed bottom
Load capacity 20 kg





C



Reinforced bottom
Load capacity 30 kg



A

Stacked edge height	109 mm
Usable stacked height / with lid	105 mm / 107 mm
Usable internal dimensions	555 x 355 x 116 H mm
Volume	20 L
Pieces per package / pallet	 4  80
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

C

Stacked edge height	109 mm
Usable stacked height / with lid	92 mm / 96 mm
Usable internal dimensions	555 x 355 x 105 H mm
Volume	20 L
Pieces per package / pallet	 4  80
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

DATASHEET

600 x 400 mm H 120 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
1	AT 64SE 5101	■		720	10	240		♻️
	AT 64SE 5207	■		806	10	240		♻️
	AT 64SE 5401	■		752	10	240		♻️ ECOGREEN
2	AT 64HG 5101		■	700	10	320		♻️
	AT 64HG 5207		■	784	10	320		♻️
	AT 64HG 5401		■	732	10	320		♻️ ECOGREEN
	AT 64HG 5900		■	700	10	320		♻️ ♻️
3	SPRING 0099	Document holder spring			10			
4	AT LOCK 8113	Pair closing clips			10			



♻️ ECOGREEN



♻️ ECOGREEN





DATASHEET

1	
Separate lid	600 x 400 mm
Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dims.	240 / 1200 x 800 x 1000 H mm
2	
Hinged lid	600 x 400 mm
Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dims.	320 / 1200 x 800 x 1000 H m
3	
Document holder spring	
Pieces per package	10
4	
Pair closing clips	
Pieces per package	10



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
 G	AT 6412G 5101		■		■			■		1624	4	80	
 H	AT 6412H 5101		■			■		■		1460	4	80	

G

Closed bottom
Load capacity 20 kg





H


Perforated bottom
Load capacity 15 kg



G

Stacked edge height	109 mm
Usable stacked height / with lid	105 mm / 107 mm
Usable internal dimensions	555 x 355 x 116 H mm
Volume	20 L
Pieces per package / pallet	 4  80
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

H

Stacked edge height	109 mm
Usable stacked height / with lid	105 mm / 107 mm
Usable internal dimensions	555 x 355 x 116 H mm
Volume	20 L
Pieces per package / pallet	 4  80
Package dimensions	620 x 420 x 467 H mm
Pallet dimensions	1200 x 800 x 2341 H mm

DATASHEET

<< CONTINUED ON PREVIOUS PAGE

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 120 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
1	AT 64SE 5101	■		720	10	240	
2	AT 64HG 5101		■	700	10	320	
3	SPRING 0099	Document holder spring			10		
4	AT LOCK 8113	Pair closing clips			10		



DATASHEET

1	
Separate lid	600 x 400 mm
Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	240 / 1200 x 800 x 1000 H mm
2	
Hinged lid	600 x 400 mm
Pieces per pack. / dimens.	10 / 600 x 400 x 100 H mm
Pieces per pallet / dimens.	320 / 1200 x 800 x 1000 H m
3	
Document holder spring	
Pieces per package	10
4	
Pair closing clips	
Pieces per package	10



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	AT 6417A 5101	■			■			■		2134	3	56	
	AT 6417A 5207	■			■			■		2390	3	56	
	AT 6417A 5401	■			■			■		2230	3	56	
C	AT 6417C 5101	■					■	■		2266	3	56	



A

Closed bottom
Load capacity 20 kg



C

Reinforced bottom
Load capacity 30 kg



A

Stacked edge height	159 mm
Usable stacked height / with lid	155 mm / 157 mm
Usable internal dimensions	555 x 355 x 166 H mm
Volume	30 L
Pieces per package / pallet	3 56
Package dimensions	620 x 420 x 508 H mm
Pallet dimensions	1200 x 800 x 2387 H mm

C

Stacked edge height	159 mm
Usable stacked height / with lid	142 mm / 146 mm
Usable internal dimensions	555 x 355 x 155 H mm
Volume	30 L
Pieces per package / pallet	3 56
Package dimensions	620 x 420 x 508 H mm
Pallet dimensions	1200 x 800 x 2387 H mm

DATASHEET

600 x 400 mm H 170 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
1	AT 64SE 5101	■		720	10	240	
	AT 64SE 5207	■		806	10	240	
	AT 64SE 5401	■		752	10	240	
2	AT 64HG 5101		■	700	10	320	
	AT 64HG 5207		■	784	10	320	
	AT 64HG 5401		■	732	10	320	
3	SPRING 0099	Document holder spring			10		
4	AT LOCK 8113	Pair closing clips			10		
5	AT LH64 5107	Label holders			10		
6	LB 21081 0325	A4 sheet with 3 labels			25		
7	AT DI17 0199	Galvanised divider with pair of supports			1		



ECOOGREEN



ECOOGREEN



1




2



3



4



5

6



7

DATASHEET

Separate lid		600 x 400 mm
1	Pieces per pack. / dims.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dims.	240 / 1200 x 800 x 1000 H mm
Hinged lid		600 x 400 mm
2	Pieces per pack. / dims.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dims.	320 / 1200 x 800 x 1000 H mm
Document holder spring		
3	Pieces per package	10
Pair closing clips		
4	Pieces per package	10
Label holders		215 x 85 H mm
5	Pieces per package	10
A4 sheet with 3 labels		210 x 81 H mm
6	Pieces per package	25
Galvanised divider w/pair of supports		145 H mm
7	Pieces per package	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	AT 6422A 5101	■			■			■		2586	2	40	
	AT 6422A 5207	■			■			■		2896	2	40	
	AT 6422A 5401	■			■			■		2702	2	40	
B	AT 6422B 5101	■			■				■	2518	2	40	

A

Closed bottom
Load capacity 20 kg





B



Closed bottom
Load capacity 20 kg



A

Stacked edge height	209 mm
Usable stacked height / with lid	205 mm / 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 L
Pieces per package / pallet	 2  40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

B

Stacked edge height	209 mm
Usable stacked height / with lid	205 mm / 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 L
Pieces per package / pallet	 2  40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

DATASHEET

600 x 400 mm H 220 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
1	AT 64SE 5101	■		720	10	240	
	AT 64SE 5207	■		806	10	240	
	AT 64SE 5401	■		752	10	240	
2	AT 64HG 5101		■	700	10	320	
	AT 64HG 5207		■	784	10	320	
	AT 64HG 5401		■	732	10	320	
3	SPRING 0099	Document holder spring			10		
4	AT LOCK 8113	Pair closing clips			10		
5	AT LH64 5107	Label holders			10		
6	LB 21081 0325	A4 sheet with 3 labels			25		
7	AT DI17 0199	Galvanised divider with pair of supports			1		



ECOOREEN



ECOOREEN



1




2



3



4



5

6



7

DATASHEET

Separate lid		600 x 400 mm
1	Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	240 / 1200 x 800 x 1000 H mm
Hinged lid		600 x 400 mm
2	Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	320 / 1200 x 800 x 1000 H mm
Document holder spring		
3	Pieces per package	10
Pair closing clips		
4	Pieces per package	10
Label holders		215 x 85 H mm
5	Pieces per package	10
A4 sheet with 3 labels		210 x 81 H mm
6	Pieces per package	25
Galvanised divider w/pair of supports		195 H mm
7	Pieces per package	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

D

Reinforced bottom
Load capacity 30 kg





S



Perforated bottom
Load capacity 15 kg





600 x 400 mm H 220 mm

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
 D	AT 6422D 5101	■					■	■		2800	2	40	
 S	AT 6422S 5101		■		■			■		2424	2	40	

D

Stacked edge height	209 mm
Usable stacked height / with lid	192 mm / 196 mm
Usable internal dimensions	555 x 355 x 205 H mm
Volume	40 L
Pieces per package / pallet	 2  40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

S

Stacked edge height	209 mm
Usable stacked height / with lid	205 mm / 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 L
Pieces per package / pallet	 2  40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm



DATASHEET

<< CONTINUED ON PREVIOUS PAGE

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 220 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
1	AT 64SE 5101	■		720	10	240	
2	AT 64HG 5101		■	700	10	320	
3	SPRING 0099	Document holder spring			10		
4	AT LOCK 8113	Pair closing clips			10		
5	AT LH64 5107	Label holders			10		
6	LB 21081 0325	A4 sheet with 3 labels			25		
7	AT DI17 0199	Galvanised divider with pair of supports			1		



iMiCUBE
36




LOGISTIC

DATASHEET

Separate lid		600 x 400 mm
1	Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	240 / 1200 x 800 x 1000 H mm
Hinged lid		600 x 400 mm
2	Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	320 / 1200 x 800 x 1000 H mm
Document holder spring		
3	Pieces per package	10
Pair closing clips		
4	Pieces per package	10
Label holders		215 x 85 H mm
5	Pieces per package	10
A4 sheet with 3 labels		210 x 81 H mm
6	Pieces per package	25
Galvanised divider w/pair of supports		195 H mm
7	Pieces per package	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 280 mm

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
 A	AT 6428A 5101	■		■			■		2866	2	32	
	AT 6428A 5207	■		■			■		3210	2	32	
	AT 6428A 5401	■		■			■		2995	2	32	
 B	AT 6428B 5101	■		■				■	2762	2	32	
 D	AT 6428D 5101	■				■		■	2968	2	32	

A

Closed bottom
Load capacity 20 kg



B

Closed bottom
Load capacity 20 kg





D



Reinforced bottom
Load capacity 30 kg





A

Stacked edge height	269 mm
Usable stacked height / with lid	265 mm / 267 mm
Usable internal dimensions	555 x 355 x 276 H mm
Volume	53 L
Pieces per package / pallet	 2  32
Package dimensions	620 x 420 x 569 H mm
Pallet dimensions	1200 x 800 x 2313 H mm

B

Stacked edge height	269 mm
Usable stacked height / with lid	265 mm / 267 mm
Usable internal dimensions	555 x 355 x 276 H mm
Volume	53 L
Pieces per package / pallet	 2  32
Package dimensions	620 x 420 x 569 H mm
Pallet dimensions	1200 x 800 x 2313 H mm

D

Stacked edge height	269 mm
Usable stacked height / with lid	252 mm / 256 mm
Usable internal dimensions	555 x 355 x 265 H mm
Volume	53 L
Pieces per package / pallet	 2  32
Package dimensions	620 x 420 x 569 H mm
Pallet dimensions	1200 x 800 x 2313 H mm

DATASHEET

600 x 400 mm H 280 mm



	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
1	AT 64SE 5101	■		720	10	240	
	AT 64SE 5207	■		806	10	240	
	AT 64SE 5401	■		752	10	240	
2	AT 64HG 5101		■	700	10	320	
	AT 64HG 5207		■	784	10	320	
	AT 64HG 5401		■	732	10	320	
3	SPRING 0099	Document holder spring			10		
4	AT LOCK 8113	Pair closing clips			10		
5	AT LH64 5107	Label holders			10		
6	LB 21081 0325	A4 sheet with 3 labels			25		
7	AT DI17 0199	Galvanised divider with pair of supports			1		



ECOOREEN



ECOOREEN



DATASHEET

Separate lid		600 x 400 mm
1	Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	240 / 1200 x 800 x 1000 H mm
Hinged lid		600 x 400 mm
2	Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	320 / 1200 x 800 x 1000 H mm
Document holder spring		
3	Pieces per package	10
Pair closing clips		
4	Pieces per package	10
Label holders		215 x 85 H mm
5	Pieces per package	10
A4 sheet with 3 labels		210 x 81 H mm
6	Pieces per package	25

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	AT 6432A 5101	■		■			■		3170	3	40	
	AT 6432A 5207	■		■			■		3550	3	40	
	AT 6432A 5401	■		■			■		3313	3	40	
	AT 6432A 5900	■		■			■		3170	3	40	
B	AT 6432B 5101	■		■				■	3228	3	40	

A

Closed bottom
Load capacity 20 kg




B



Closed bottom
Load capacity 20 kg



A



Stacked edge height	314 mm
Usable stacked height / with lid	310 mm / 312 mm
Usable internal dimensions	555 x 355 x 321 H mm
Volume	60 L
Pieces per package / pallet	 3  40
Package dimensions	620 x 420 x 670 H mm
Pallet dimensions	1200 x 800 x 2410 H mm

B

Stacked edge height	314 mm
Usable stacked height / with lid	310 mm / 312 mm
Usable internal dimensions	555 x 355 x 321 H mm
Volume	60 L
Pieces per package / pallet	 3  40
Package dimensions	620 x 420 x 670 H mm
Pallet dimensions	1200 x 800 x 2410 H mm

600 x 400 mm H 325 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
1	AT 64SE 5101	■		720	10	240		♻️
	AT 64SE 5207	■		806	10	240		♻️
	AT 64SE 5401	■		752	10	240		♻️ ECOGREEN
2	AT 64HG 5101		■	700	10	320		♻️
	AT 64HG 5207		■	784	10	320		♻️
	AT 64HG 5401		■	732	10	320		♻️ ECOGREEN
	AT 64HG 5900		■	700	10	320		♻️
3	SPRING 0099	Document holder spring			10			
4	AT LOCK 8113	Pair closing clips			10			
5	AT LH64 5107	Label holders			10			
6	LB 21081 0325	A4 sheet with 3 labels			25			
7	AT DI17 0199	Galvanised divider with pair of supports			1			



iMiCUBE
40

LOGISTIC



ACCESSORIES

DATASHEET

Separate lid		600 x 400 mm
1	Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	240 / 1200 x 800 x 1000 H mm
Hinged lid		600 x 400 mm
2	Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	320 / 1200 x 800 x 1000 H mm
Document holder spring		
3	Pieces per package	10
Pair closing clips		
4	Pieces per package	10
Label holders		215 x 85 H mm
5	Pieces per package	10
A4 sheet with 3 labels		210 x 81 H mm
6	Pieces per package	25

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

iMilani
innovative
italian
ideas

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
 D	AT 6432D 5101	■					■	■		3500	3	40	
 R	AT 6432R 5101		■		■			■		2968	3	40	

D

Reinforced bottom
Load capacity 30 kg





R



Closed bottom
Load capacity 20 kg



D

Stacked edge height	314 mm
Usable stacked height / with lid	297 mm / 301 mm
Usable internal dimensions	555 x 355 x 310 H mm
Volume	60 L
Pieces per package / pallet	 3  40
Package dimensions	620 x 420 x 670 H mm
Pallet dimensions	1200 x 800 x 2410 H mm

R

Stacked edge height	314 mm
Usable stacked height / with lid	310 mm / 312 mm
Usable internal dimensions	555 x 355 x 321 H mm
Volume	60 L
Pieces per package / pallet	 3  40
Package dimensions	620 x 420 x 670 H mm
Pallet dimensions	1200 x 800 x 2410 H mm


DATASHEET

<< CONTINUED ON PREVIOUS PAGE

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 325 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
1	AT 64SE 5101	■		720	10	240	
2	AT 64HG 5101		■	700	10	320	
3	SPRING 0099	Document holder spring			10		
4	AT LOCK 8113	Pair closing clips			10		
5	AT LH64 5107	Label holders			10		
6	LB 21081 0325	A4 sheet with 3 labels			25		
7	AT DI17 0199	Galvanised divider with pair of supports			1		



DATASHEET

Separate lid		600 x 400 mm
1	Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	240 / 1200 x 800 x 1000 H mm
Hinged lid		600 x 400 mm
2	Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	320 / 1200 x 800 x 1000 H mm
Document holder spring		
3	Pieces per package	10
Pair closing clips		
4	Pieces per package	10
Label holders		215 x 85 h mm
5	Pieces per package	10
A4 sheet with 3 labels		210 x 81 H mm
6	Pieces per package	25

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
B	AT 6443B 5101	■			■				■	3752	1	20	
	AT 6443B 5207	■			■				■	4202	1	20	
R	AT 6443R 5101		■		■				■	3502	1	20	

B

Closed bottom
Load capacity 20 kg



R

Closed bottom
Load capacity 20 kg



B





Stacked edge height	419 mm
Usable stacked height / with lid	415 mm / 417 mm
Usable internal dimensions	555 x 355 x 426 H mm
Volume	90 L
Pieces per package / pallet	1 20
Package dimensions	620 x 450 x 450 H mm
Pallet dimensions	1200 x 800 x 2256 H mm



R

Stacked edge height	419 mm
Usable stacked height / with lid	415 mm / 417 mm
Usable internal dimensions	555 x 355 x 426 H mm
Volume	90 L
Pieces per package / pallet	1 20
Package dimensions	620 x 450 x 450 H mm
Pallet dimensions	1200 x 800 x 2256 H mm









DATASHEET

600 x 400 mm H 430 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
1	AT 64SE 5101	■		720	10	240		 
	AT 64SE 5207	■		806	10	240		
2	AT 64HG 5101		■	700	10	320		 
	AT 64HG 5207		■	784	10	320		
3	SPRING 0099	Document holder spring			10			
4	AT LOCK 8113	Pair closing clips			10			
5	AT LH64 5107	Label holders			10			
6	LB 21081 0325	A4 sheet with 3 labels			25			
7	AT DI17 0199	Galvanised divider with pair of supports			1			



DATASHEET

Separate lid		600 x 400 mm
1	Pieces per pack. / dims.	 10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	 240 / 1200 x 800 x 1000 H mm
Hinged lid		600 x 400 mm
2	Pieces per pack. / dims.	 10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	 320 / 1200 x 800 x 1000 H mm
Document holder spring		
3	Pieces per package	 10
Pair closing clips		
4	Pieces per package	 10
Label holders		215 x 85 H mm
5	Pieces per package	 10
A4 sheet with 3 labels		210 x 81 H mm
6	Pieces per package	 25

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

U

Closed bottom
Load capacity 20 kg





V



Closed bottom
Load capacity 20 kg





600 x 400 mm H 430 mm

		ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €	
			Side window 400 mm		Side window 400 mm	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
	U	AT 6443U5101	■			■				■	3746	1	20	
	V	AT 6443V5101			■	■				■	3626	1	20	

U

Stacked edge height	419 mm
Usable stacked height / with lid	415 mm / 417 mm
Usable internal dimensions	555 x 355 x 426 H mm
Size of the opening	262 mm x 184 H mm
Volume	90 L
Pieces per package / pallet	 1  20
Package dimensions	620 x 450 x 450 H mm
Pallet dimensions	1200 x 800 x 2256 H mm

V

Stacked edge height	419 mm
Usable stacked height / with lid	415 mm / 417 mm
Usable internal dimensions	555 x 355 x 426 H mm
Size of the opening	464 mm x 182 H mm
Volume	90 L
Pieces per package / pallet	 1  20
Package dimensions	620 x 450 x 450 H mm
Pallet dimensions	1200 x 800 x 2256 H mm


DATASHEET

<< CONTINUED ON PREVIOUS PAGE

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm H 430 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
1	AT 64SE 5101	■		720	10	240	
2	AT 64HG 5101		■	700	10	320	
3	SPRING 0099	Document holder spring			10		
4	AT LOCK 8113	Pair closing clips			10		
5	AT LH64 5107	Label holders			10		
6	LB 21081 0325	A4 sheet with 3 labels			25		
7	AT DI17 0199	Galvanised divider with pair of supports			1		











DATASHEET

Separate lid		600 x 400 mm
1	Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	240 / 1200 x 800 x 1000 H mm
Hinged lid		600 x 400 mm
2	Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	320 / 1200 x 800 x 1000 H mm
Document holder spring		
3	Pieces per package	10
Pair closing clips		
4	Pieces per package	10
Label holders		215 x 85 H mm
5	Pieces per package	10
A4 sheet with 3 labels		210 x 81 H mm
6	Pieces per package	25

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

5



		ARTICLE	1 PARTITION	2 PARTITIONS	4 PARTITIONS	GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
 ECOGREEN 	1	AT 64S1 5207	■			459	10	160	
		AT 64S1 5407	■			428	10	160	
 ECOGREEN 	2	AT 64S2 5207		■		493	10	160	
		AT 64S2 5407		■		460	10	160	
 ECOGREEN 	3	AT 64S4 5207			■	524	10	160	
		AT 64S4 5407			■	489	10	160	
 ECOGREEN 	4	AT 64S0 5207	■			322	20	320	
		AT 64S0 5407	■			345	20	320	
5		AT LID6 6896	Transparent lid				20		







Subdivision with 1 and 2 compartments







Subdivision with 1 and 4 compartments


Subdivision with 2 and 4 compartments

1	Partitioned box 1 partition	357 x 278 x 90 H mm
	Pieces per pack / pallet	 10  160
	Package dimensions	565 x 375 x 460 H mm
	Pallet dimensions	1200 x 800 x 1990 H mm

2	Partitioned box 2 partitions	357 x 278 x 90 H mm	
	Pieces per pack / pallet	 10	 160
	Package dimensions	565 x 375 x 460 H mm	
	Pallet dimensions	1200 x 800 x 1990 H mm	

3	Partitioned box 4 partitions	357 x 278 x 90 H mm	
	Pieces per pack / pallet	 10	 160
	Package dimensions	565 x 375 x 460 H mm	
	Pallet dimensions	1200 x 800 x 1990 H mm	

4	Partitioned box 1 partition	277 x 177 x 99 H mm	
	Pieces per pack / pallet	 20	 320
	Package dimensions	565 x 375 x 460 H mm	
	Pallet dimensions	1200 x 800 x 1990 H mm	


Transparent polystyrene lid	
5	<div>Pieces per pack / pallet  20</div> <div>Package dimensions 365 x 295 x 180 H mm</div>

DATASHEET

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


600 x 400 mm

	ARTICLE	H 45	H 70	H 90	H 120	H 180	H 220	PACKAGING		UNIT PRICE €
								Qty. per pack.	Qty. per pallet	
1	DI 3554524 6801	■						10		
	DI 35545 5207	■						10		▲
	DI 5554524 6801	■						10		
	DI 55545 5207	■						10		▲
2	DI 3557024 6801		■					10		
	DI 35570 5207		■					10		▲
	DI 5557024 6801		■					10		
	DI 55570 5207		■					10		▲
3	DI 3559024 6801			■				10		
	DI 35590 5207			■				10		▲
	DI 5559024 6801			■				10		
	DI 55590 5207			■				10		▲
4	DI 3551224 6801				■			10		
	DI 35512 5207				■			10		▲
	DI 5551224 6801				■			10		
	DI 55512 5207				■			10		▲
5	DI 3551824 6801					■		10		
	DI 35518 5207					■		10		▲
	DI 5551824 6801					■		10		
	DI 55518 5207					■		10		▲
6	DI 3552224 6801						■	10		
	DI 5552224 6801						■	10		
7	DI 64SHT 6801							10		
	DI 64SHT 5207							10		▲





6801

Pitch 24 mm



5207


Pitch 20 mm




1




2




3



4



5



6




7

DATASHEET

1	Comb divider 355 x 45 H mm per box 600 x 400 x 75 H mm	10 items
	Comb divider 555 x H 45 mm per box 600 x 400 x H 75 mm	10 items
2	Comb divider 355 x 70 H mm per box 400 x 300 x 120 H mm	10 items
	Comb divider 555 x 70 H mm per box 600 x 400 x 120 H mm	10 items
3	Comb divider 355 x 90 H mm per box 400 x 300 x 120 H mm	10 items
	Comb divider 555 x 90 H mm per box 600 x 400 x 120 H mm	10 items
4	Comb divider 355 x 120 H mm per box 600 x 400 x 170 H mm	10 items
	Comb divider 555 x 120 H mm per box 600 x 400 x 170 H mm	10 items
5	Comb divider 355 x 180 H mm per box 400 x 300 x 220 H mm	10 items
	Comb divider 555 x 180 H mm per box 600 x 400 x 220 H mm	10 items
6	Comb divider 355 x 220 H mm per box 600 x 400 x 280 H mm	10 items
	Comb divider 555 x 220 H mm per box 600 x 400 x 280 H mm	10 items
7		
Intermediate partition shelf 555 x 355 mm		10 items

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Box for non-conforming material



400 x 300 mm H 220 mm
600 x 400 mm H 120 mm
600 x 400 mm H 220 mm
600 x 400 mm H 320 mm

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	AT 4322A ISO	■		■			■			4	80	
B	AT 6412A ISO	■		■			■			4	80	
C	AT 6422A ISO	■		■			■			2	40	
D	AT 6432A ISO	■		■			■			3	40	
ACCESSORIES												
1	AT 43HG ISO									10	640	
2	AT 64HG ISO									10	320	



A

iMiCUBE
50



B

LOGISTIC



C



D



1



2

DATASHEET

A	Dimensions	400 x 300 x 220 H mm
	Pieces per pack. / dims.	4 / 620 x 420 x 449 H mm
	Pieces per pallet / dims.	80 / 1200 x 800 x 2251 H mm
B	Dimensions	600 x 400 x 120 H mm
	Pieces per pack. / dims.	4 / 620 x 420 x 467 H mm
	Pieces per pallet / dims.	80 / 1200 x 800 x 2341 H mm
C	Dimensions	600 x 400 x 220 H mm
	Pieces per pack. / dims.	2 / 620 x 420 x 449 H mm
	Pieces per pallet / dims.	40 / 1200 x 800 x 2251 H mm
D	Dimensions	600 x 400 x 325 H mm
	Pieces per pack. / dims.	3 / 620 x 420 x 670 H mm
	Pieces per pallet / dims.	40 / 1200 x 800 x 2410 H mm
1	Hinged lid	400 x 300 mm
	Pieces per pack. / dims.	10 / 400 x 300 x 100 H mm
	Pieces per pallet / dims.	640 / 1200 x 800 x 1000 H mm
2	Hinged lid	600 x 400 mm
	Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	320 / 1200 x 800 x 1000 H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

iMilani
innovative
italian
ideas

ATHENA ISO


Reinforced bottom
Load capacity 60 kg



C




1



Order 4 feet

2




Order 2 crossbars

3




Order 4 wheels
AT WRCT 100/125
or alternatively those on
the opposite page



 Accessories supplied mounted
When fitted with wheels, the boxes are not stackable

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
C	AT 8612C 5101	■				■	■		3458	4	40	
	AT 8612C 5207	■				■	■		3873	4	40	
	AT 8612C 5401	■				■	■		3614	4	40	
ACCESSORIES												
1	AT FEET 5101	Foot Order 4 pieces							136	1		
	AT FEET 5207								152	1		
	AT FEET 5401								142	1		
2	AT RUNN 5101	Crossbar to be slotted under the feet AT FEET Order 2 pieces							382	1		
	AT RUNN 5207								428	1		
	AT RUNN 5401								400	1		
3	AT WRCT 100	Swivel wheel D. 100 mm in rubber								1		
	AT WRCT 125	Swivel wheel D. 125 mm in rubber								1		

 All accessories include fixing screws when required

C

Stacked edge height	105 mm
Usable stacked height / with lid	86 mm / 93 mm
Usable internal dimensions	755 x 555 x 101 H mm
Volume	49 L
Pieces per package / pallet	 4  40
Package dimensions	820 x 620 x 455 H mm
Pallet dimensions	1200 x 800 x 2265 H mm

1

Feet with fixing screws	100 H mm
Pieces per package	 1


2


Crossbar	25 H mm
Pieces per package	 1

3

Swivel wheel in rubber	diamètre 100/125 mm
Pieces per package	 1




800 x 600 mm H 120 mm

	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5101	■	1978	5	60	 ECOGREEN
	AT 86SE 5207	■	2215	5	60	
	AT 86SE 5401	■	2067	5	60	
2	SPRING 0099	Document holder spring		10		
3	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		
4	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		
5	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		
6	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		
7	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		
8	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		




All accessories include fixing screws when required

DATASHEET

	Separate lid	800 x 600 mm	
1	Pieces per pack / pallet	 5	 60
	Package dimensions	800 x 600 x 150 H mm	
	Pallet dimensions	1200 x 800 x 860 H mm	
2	Document holder spring		
	Pieces per package	 10	
3	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm		
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm		
4	Rubber fixed wheel diameter 100 mm - footprint 128 mm H		
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H		
5	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm		
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm		
6	Fixed wheel in nylon diameter 100 mm footprint 128 mm H		
	Fixed wheel in nylon diameter 125 mm footprint 155 mm H		
7	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm		
8	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm		




iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Reinforced bottom
Load capacity 60 kg

Order 4 feet



Order 2 crossbars

Order 4 wheels
AT WRCT 100/125
or alternatively those on
the opposite page

Accessories supplied mounted

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
C	AT 8617C 5101	■				■	■		3804	3	28	
	AT 8617C 5207	■				■	■		4260	3	28	
	AT 8617C 5401	■				■	■		3975	3	28	
ACCESSORIES												
1	AT FEET 5101	Foot Order 4 pieces							136	1		
	AT FEET 5207								152	1		
	AT FEET 5401								142	1		
2	AT RUNN 5101	Crossbar to be slotted under the feet AT FEET Order 2 pieces							382	1		
	AT RUNN 5207								428	1		
	AT RUNN 5401								400	1		
3	AT WRCT 100	Swivel wheel D. 100 mm in rubber								1		
	AT WRCT 125	Swivel wheel D. 125 mm in rubber								1		

All accessories include fixing screws when required

C

Stacked edge height	155 mm
Usable stacked height / with lid	136 mm / 143 mm
Usable internal dimensions	755 x 555 x 151 H mm
Volume	69 L
Pieces per package / pallet	3 28
Package dimensions	820 x 620 x 500 H mm
Pallet dimensions	1200 x 800 x 2335 H mm

1

Feet with fixing screws	100 H mm
Pieces per package	1


2


Crossbar	25 H mm
Pieces per package	1

3






Swivel wheel in rubber	diamètre 100/125 mm
Pieces per package	1

800 x 600 mm H 170 mm

	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5101	■	1978	5	60	 ECOGREEN
	AT 86SE 5207	■	2215	5	60	
	AT 86SE 5401	■	2067	5	60	
2	SPRING 0099	Document holder spring		10		
3	AT LH64 5107	Label holders		10		
4	LB 21081 0325	A4 sheet with 3 labels		25		
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		
9	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		
10	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		



 All accessories include fixing screws when required

DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	 5  60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per package	 10
3	Label holders	215 x 85 H mm
	Pieces per package	 10
4	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per package	 25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	



ECOGREEN



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


Reinforced bottom
Load capacity 60 kg

1




Order 4 feet

2



Order 2 crossbars

3

Order 4 wheels
AT WRCT 100/125
or alternatively those on
the opposite page

Accessories supplied mounted

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
C	AT 8622C 5101	■				■	■		4588	2	20	
	AT 8622C 5207	■				■	■		5138	2	20	
	AT 8622C 5401	■				■	■		4795	2	20	
ACCESSORIES												
1	AT FEET 5101	Foot Order 4 pieces							136	1		
	AT FEET 5207								152	1		
	AT FEET 5401								142	1		
2	AT RUNN 5101	Crossbar to be slotted under the feet AT FEET Order 2 pieces							382	1		
	AT RUNN 5207								428	1		
	AT RUNN 5401								400	1		
3	AT WRCT 100	Swivel wheel D. 100 mm in rubber								1		
	AT WRCT 125	Swivel wheel D. 125 mm in rubber								1		

All accessories include fixing screws when required

C

Stacked edge height	205 mm
Usable stacked height / with lid	186 mm / 193 mm
Usable internal dimensions	755 x 555 x 201 H mm
Volume	90 L
Pieces per package / pallet	2 20
Package dimensions	820 x 620 x 445h H mm
Pallet dimensions	1200 x 800 x 2215 H mm

1

Feet with fixing screws	100 H mm
Pieces per package	1


2


Crossbar	25 H mm
Pieces per package	1

3






Swivel wheel in rubber	diamètre 100/125 mm
Pieces per package	1

800 x 600 mm H 220 mm

	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5101	■	1978	5	60	 ECOGREEN
	AT 86SE 5207	■	2215	5	60	
	AT 86SE 5401	■	2067	5	60	
2	SPRING 0099	Document holder spring		10		
3	AT LH64 5107	Label holders		10		
4	LB 21081 0325	A4 sheet with 3 labels		25		
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		
9	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		
10	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		




 All accessories include fixing screws when required

DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	 5  60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per package	 10
3	Label holders	215 x 85 H mm
	Pieces per package	 10
4	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per package	 25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	



ECOGREEN



ACCESSORIES


iMiCUBE

56

LOGISTIC

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


iMilani
innovative
italian
ideas

Reinforced bottom
Load capacity 60 kg

Order 4 feet



Order 2 crossbars

Order 4 wheels
AT WRCT 100/125
or alternatively those on
the opposite page

Accessories supplied mounted


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
C	AT 8632C 5101	■				■	■		5422	2	14	
	AT 8632C 5207	■				■	■		6072	2	14	
	AT 8632C 5401	■				■	■		5665	2	14	
ACCESSORIES												
1	AT FEET 5101	Foot Order 4 pieces							136	1		
	AT FEET 5207								152	1		
	AT FEET 5401								142	1		
2	AT RUNN 5101	Crossbar to be slotted under the feet AT FEET Order 2 pieces							382	1		
	AT RUNN 5207								428	1		
	AT RUNN 5401								400	1		
3	AT WRCT 100	Swivel wheel D. 100 mm in rubber								1		
	AT WRCT 125	Swivel wheel D. 125 mm in rubber								1		

All accessories include fixing screws when required






C	
Stacked edge height	310 mm
Usable stacked height / with lid	291 mm / 298 mm
Usable internal dimensions	755 x 555 x 306 H mm
Volume	130 L
Pieces per package / pallet	2 14
Package dimensions	820 x 620 x 655 H mm
Pallet dimensions	1200 x 800 x 2335 H mm
1	
Feet with fixing screws	100 H mm
Pièces par paquet	1
2	
Crossbar	25 H mm
Pieces per package	1
3	
Swivel wheel in rubber	diamètre 100/125 mm
Pièces par paquet	1

800 x 600 mm H 320 mm

	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5101	■	1978	5	60	 ECOGREEN
	AT 86SE 5207	■	2215	5	60	
	AT 86SE 5401	■	2067	5	60	
2	SPRING 0099	Document holder spring		10		
3	AT LH64 5107	Label holders		10		
4	LB 21081 0325	A4 sheet with 3 labels		25		
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		
9	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		
10	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		




 All accessories include fixing screws when required

DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	 5  60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per package	 10
3	Label holders	215 x 85 H mm
	Pieces per package	 10
4	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per package	 25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	



ECOGREEN



ACCESSORIES

iMiCUBE

58

LOGISTIC

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.


iMilani
innovative
italian
ideas

Reinforced bottom
Load capacity 60 kg

C




1




Order 4 feet

2



Order 2 crossbars

3

Order 4 wheels
AT WRCT 100/125
or alternatively those on
the opposite page

Accessories supplied mounted

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
C	AT 8643C5101	■				■	■		6238	1	10	
	AT 8643C5207	■				■	■		6986	1	10	
	AT 8643C5401	■				■	■		6518	1	10	
ACCESSORIES												
1	AT FEET 5101	Foot Order 4 pieces							136	1		
	AT FEET 5207								152	1		
	AT FEET 5401								142	1		
2	AT RUNN 5101	Crossbar to be slotted under the feet AT FEET Order 2 pieces							382	1		
	AT RUNN 5207								428	1		
	AT RUNN 5401								400	1		
3	AT WRCT 100	Swivel wheel D. 100 mm in rubber								1		
	AT WRCT 125	Swivel wheel D. 125 mm in rubber								1		

All accessories include fixing screws when required

C

Stacked edge height	415 mm
Usable stacked height / with lid	396 mm / 403 mm
Usable internal dimensions	755 x 555 x 411 H mm
Volume	175 L
Pieces per package / pallet	1 10
Package dimensions	820 x 620 x 450 H mm
Pallet dimensions	1200 x 800 x 2240 H mm

1

Feet with fixing screws	100 H mm
Pieces per package	1


2


Crossbar	25 H mm
Pieces per package	1

3






Swivel wheel in rubber	diamètre 100/125 mm
Pieces per package	1




800 x 600 mm H 430 mm

	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5101	■	1978	5	60	 ECOGREEN
	AT 86SE 5207	■	2215	5	60	
	AT 86SE 5401	■	2067	5	60	
2	SPRING 0099	Document holder spring		10		
3	AT LH64 5107	Label holders		10		
4	LB 21081 0325	A4 sheet with 3 labels		25		
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		
9	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		
10	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		

 All accessories include fixing screws when required

DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	 5  60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per package	 10
3	Label holders	215 x 85 H mm
	Pieces per package	 10
4	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per package	 25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	




iMiCUBE
60

LOGISTIC

ACCESSORIES

iMilani
innovative
italian
ideas

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



ATHENA LIGHT

The **ATHENA LIGHT** box series has been designed and built in alignment with new techniques for the warehousing and transport of a wide range of materials. Lightweight and manageable, the boxes are available in grey or turquoise polypropylene.

Unlike the Athena series, they are available only in the 600 x 400 x 220H mm size and have larger holes, allowing for greater ventilation and visibility of the product.

HANDLES

open handle



closed handle




WALLS

closed walls



perforated walls




BOTTOMS

closed bottom



perforated bottom



comb dividers
and intermediate shelf



LIDS

hinged



with handle



closing clips



closure with seal



The lid of the Athena Light series box in the version with hinges and with handles can be closed with a sliding fastener in nylon.

Document holder spring



Refer to the Athena section
on page 48

The Document holder spring snaps onto the long or short side of the Athena Light box and can be used to secure transport notes or other documents.

600 x 400 mm H 220 mm

	ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	AL 6422A 5101	■		■			■		1960	2	40	
	AL 6422A 5207	■		■			■		2195	2	40	
B	AL 6422B 5101	■		■				■	1950	2	40	
S	AL 6422S 5101		■		■			■	1476	2	40	

A

Closed bottom
Load capacity 20 kg



B

Closed bottom
Load capacity 20 kg




S



Perforated bottom
Load capacity 15 kg





A

Stacked edge height	206 mm
Usable stacked height / with lid	201 mm / 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 L
Pieces per package / pallet	 2  40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

B

Stacked edge height	206 mm
Usable stacked height / with lid	201 mm / 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 L
Pieces per package / pallet	 2  40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

S


Stacked edge height	206 mm
Usable stacked height / with lid	201 mm / 207 mm
Usable internal dimensions	555 x 355 x 216 H mm
Volume	40 L
Pieces per package / pallet	 2  40
Package dimensions	620 x 420 x 449 H mm
Pallet dimensions	1200 x 800 x 2251 H mm

DATASHEET

600 x 400 mm H 220 mm

	ARTICLE	SEPARATE LID	HINGED LID	GR.	PACKAGING		UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
1	AT 64SE 5101	■		720	10	240		♻️
	AT 64SE 5207	■		806	10	240		♻️
2	AT 64HG 5101		■	700	10	320		♻️
	AT 64HG 5207		■	784	10	320		♻️
3	SPRING 0099	Document holder spring			10			
4	AT LOCK 8113	Pair closing clips			10			

Comb dividers on page 49



DATASHEET

	Separate lid	600 x 400 mm
1	Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	240 / 1200 x 800 x 1000 H mm
	Hinged lid	600 x 400 mm
2	Pieces per pack. / dims.	10 / 600 x 400 x 100 H mm
	Pieces per pallet / dims.	320 / 1200 x 800 x 1000 H mm
	Document holder spring	
3	Pieces per package	10
	Pair closing clips	
4	Pieces per package	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



ATHENA BOX SERIES

LABEL HOLDER WITH SUPPORT



ARTICLE
LH A414 RS

ARTICLE
LH A500 RS

ART. ATHENA	EDGE 1/4 A4		EDGE A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
AT 3212 A	0	2	0	0
AT 3217 A	0	2	0	2
AT 4305 A	0	0	0	0
AT 4308 A	0	0	0	0
AT 4312 A	2	2	0	0
AT 4312 C	2	2	0	0
AT 4312 P	2	2	0	0
AT 4317 A	2	2	2	2
AT 4317 C	2	2	2	2
AT 4322 A	2	2	2	2
AT 4322 B	2	2	2	2
AT 4322 D	2	2	2	2
AT 4332 A	2	2	2	2
AT 4332 B	2	2	2	2
AT 6408 A	0	0	0	0
AT 6412 A	2	2	0	0
AT 6412 C	2	2	0	0
AT 6412 G	2	2	0	0
AT 6412 H	2	2	0	0
AT 6417 A	2	2	2	2
AT 6417 C	2	2	2	2
AT 6422 A	2	2	2	2
AT 6422 B	2	2	2	2
AT 6422 D	2	2	2	2
AT 6422 S	2	2	2	2
AT 6428 A	2	2	2	2
AT 6428 B	2	2	2	2
AT 6428 D	2	2	2	2
AT 6432 A	2	2	2	2
AT 6432 B	2	2	2	2
AT 6432 D	2	2	2	2
AT 6432 R	2	2	2	2
AT 6443 B	2	2	2	2
AT 6443 R	2	2	2	2
AT 6443 V	2	1	2	1
AT 6443 U	1	2	1	2
AT 8612 C	0	0	0	0
AT 8617 C	0	0	0	0
AT 8622 C	0	0	0	0
AT 8632 C	0	0	0	0
AT 8643 W	0	0	0	0

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE
WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE

ATHENA BOX SERIES



LABEL HOLDER WITH ADHESIVE



ART. ATHENA	ARTICLE LH A414 RA		ARTICLE LH A500 RA		ARTICLE LH A700 RA	
	ADHESIVE 1/4 A4		ADHESIVE A5		ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
AT 3212 A	0	0	0	0	0	0
AT 3217 A	0	0	0	0	2	2
AT 4305 A	0	0	0	0	0	0
AT 4308 A	0	0	0	0	0	0
AT 4312 A	0	0	0	0	0	0
AT 4312 C	0	0	0	0	0	0
AT 4312 P	0	0	0	0	0	0
AT 4317 A	0	2	0	0	2	2
AT 4317 C	0	2	0	0	2	2
AT 4322 A	0	2	0	1	2	2
AT 4322 B	0	2	0	1	2	2
AT 4322 D	0	2	0	1	2	2
AT 4332 A	0	2	0	2	2	2
AT 4332 B	0	2	0	2	2	2
AT 6408 A	0	0	0	0	0	0
AT 6412 A	0	0	0	0	0	0
AT 6412 C	0	0	0	0	0	0
AT 6412 G	0	0	0	0	0	0
AT 6412 H	0	0	0	0	0	0
AT 6417 A	1	2	0	0	2	2
AT 6417 C	1	2	0	0	2	2
AT 6422 A	2	2	0	2	2	2
AT 6422 B	2	2	0	2	2	2
AT 6422 D	2	2	0	2	2	2
AT 6422 S	0	0	0	0	0	0
AT 6428 A	2	2	2	2	2	2
AT 6428 B	2	2	2	2	2	2
AT 6428 D	2	2	2	2	2	2
AT 6432 A	2	2	2	2	2	2
AT 6432 B	2	2	2	2	2	2
AT 6432 D	2	2	2	2	2	2
AT 6432 R	0	0	0	0	0	0
AT 6443 B	2	1	2	0	2	2
AT 6443 R	0	0	0	0	0	0
AT 6443 V	2	1	2	0	2	2
AT 6443 U	2	1	1	0	2	2
AT 8612 C	0	0	0	0	0	0
AT 8617 C	2	2	0	0	2	2
AT 8622 C	2	2	0	0	2	2
AT 8632 C	2	2	2	2	2	2
AT 8643 W	2	2	2	2	2	2



ATHENA LIGHT BOX SERIES

LABEL HOLDER WITH SUPPORT



ART. ATHENA LIGHT	ARTICLE LH A414 RS		ARTICLE LH A500 RS	
	EDGE 1/4 A4		EDGE A5	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
	A L 6422 A	2	2	2
A L 6422 B	2	2	2	2
A L 6422 D	2	2	2	2

LABEL HOLDER WITH ADHESIVE



ART. ATHENA LIGHT	ARTICLE LH A414 RA		ARTICLE LH A500 RA		ARTICLE LH A700 RA	
	ADHESIVE 1/4 A4		ADHESIVE A5		ADHESIVE A7	
	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE	SHORT SIDE	LONG SIDE
	A L 6422 A	1	0	0	2	2
A L 6422 B	1	0	0	0	2	2
A L 6422 S	0	0	0	0	0	0

NOT APPLICABLE

NUMBER OF SIDES APPLICABLE
WITHOUT THE USE OF THE HANDLE

NUMBER OF SIDES APPLICABLE

GENERAL TERMS AND CONDITIONS OF SALE FOR IMILANI PRODUCTS

1. DEFINITIONS

- 1.1 WITHIN THIS AGREEMENT, THE TERMS SPECIFIED BELOW SHALL HAVE THE FOLLOWING MEANING:
- A) BUYER: ANY TRADER WHO PURCHASES OR PROPOSES TO PURCHASE FROM IMILANI THE PRODUCTS MARKETED BY IMILANI;
- B) ORDER CONFIRMATION: REFERS TO THE DOCUMENT WITH WHICH IMILANI ACCEPTS A PROPOSAL;
- C) INCOTERMS2010: INCOTERMS OF THE INTERNATIONAL CHAMBER OF COMMERCE, IN THE TEXT IN FORCE AT THE DATE OF FINALISING THE ORDER;
- D) ORDER(S): MEANS THE CONTRACT, FORMED BY THE PROPOSAL SUBMITTED BY THE BUYER AND THE ORDER CONFIRMATION ISSUED BY IMILANI, WHICH REGULATES THE SUPPLY OF PRODUCTS;
- E) PARTS: IMILANI AND THE BUYER;
- F) PRODUCTS: GOODS COVERED BY A SALE OR SALE NEGOTIATION;
- G) PROPOSAL(S): THE REQUEST(S) TO PURCHASE THE PRODUCTS SENT BY THE BUYER TO IMILANI.

2. FIELD OF APPLICATION

- 2.1 THESE CONDITIONS OF SALE (HEREINAFTER THE "CONDITIONS") APPLY BETWEEN IMILANI SRL (HEREINAFTER "IMILANI") AND THE BUYER EVEN WHEN THEY HAVE NOT BEEN AGREED UPON OR REFERRED TO BY THE PARTIES.
- 2.2 ANY EXCEPTIONS SHALL BE VALID ONLY IF CONTAINED IN SEPARATE DOCUMENTS SIGNED BY THE PARTIES.
- 2.3 THE GENERAL TERMS AND CONDITIONS OF SALE ARE AN INTEGRAL PART OF ALL ORDERS, INCLUDING WHEN FINALISED BY TELEPHONE, VERBALLY, BY FAX, EMAIL OR INTERNET.
- 2.4 IN THE EVENT OF DISCREPANCIES BETWEEN THE PROVISIONS REFERRED TO HEREIN AND THOSE CONTAINED IN THE ORDER, THE LATTER SHALL IN ANY CASE PREVAIL.

3. FINALISATION OF THE ORDER

- 3.1 THE BUYER MAY SUBMIT PROPOSALS TO IMILANI EITHER DIRECTLY OR THROUGH AGENTS AND THEIR REPRESENTATIVES. HOWEVER, AN ORDER SHALL BE FINALISED ONLY AFTER AN ORDER CONFIRMATION HAS BEEN SENT BY IMILANI FOR EACH INDIVIDUAL PROPOSAL.
- 3.2 IMILANI EXPRESSLY RESERVES THE RIGHT TO EVALUATE ANY PROPOSAL AND SHALL NOT BE BOUND TO THE ACCEPTANCE THEREOF.
- 3.3 ANY SUPPLY OFFERS FROM IMILANI TO THE BUYER SHALL ONLY BE CONSIDERED FIRM AND IRREVOCABLE IF QUALIFIED AS SUCH IN WRITING BY IMILANI.
- 3.4 THE REGISTERED OFFICES OF IMILANI SHALL ALWAYS BE THE PLACE OF FINALISATION OF THE ORDER, INCLUDING ORDERS THAT ARE FINALISED ELECTRONICALLY.

4. DELIVERY TERMS

- 4.1 IMILANI SHALL DELIVER THE PRODUCTS EX-WORKS (EXW INCOTERMS2010). IF REQUESTED, IMILANI SHALL TAKE CARE OF THE TRANSPORTATION OF THE PRODUCTS, AT THE RISK, COST AND EXPENSE OF THE BUYER. THE PAYMENT OF TRANSPORT COSTS BY IMILANI SHALL NOT AFFECT THE RISKS OF THE SHIPMENT, WHICH SHALL CONTINUE TO BE BORNE BY THE BUYER AT THE LATEST UPON DELIVERY OF THE PRODUCTS TO THE FIRST CARRIER.
- 4.2 THE DELIVERY OF THE PRODUCTS MUST TAKE PLACE BY THE DEADLINE SPECIFIED IN THE ORDER, CALCULATED IN WORKING DAYS. HOWEVER, THE DELIVERY DEADLINE IS PURELY INDICATIVE AND IS NOT AN ESSENTIAL TERM OF THE CONTRACT AND, IN ANY CASE, DOES NOT INCLUDE TRANSPORT TIME.
- 4.3 UPON RECEIPT OF THE NOTICE OF GOODS READY FOR PICK-UP, THE BUYER MUST COLLECT THE PRODUCTS WITHIN A DEADLINE OF 10 (TEN) DAYS. SHOULD THE BUYER DEFAULT, THE PRODUCTS MAY BE STORED OUTDOORS, WITH IMILANI RELEASED FROM ANY LIABILITY, AND ALL GUARANTEES BEING FORFEITED IN FAVOUR OF IMILANI; THE BUYER SHALL BE CHARGED FOR ANY HANDLING AND STORAGE COSTS INCURRED BY IMILANI, WHICH MAY ALSO, AT ITS DISCRETION, HAVE THE PRODUCTS PLACED IN STORAGE AT THE BUYER'S EXPENSE.
- 4.4 IMILANI SHALL BE ENTITLED TO ISSUE A REGULAR INVOICE WITHIN 10 (TEN) DAYS FROM THE NOTICE OF GOODS READY FOR PICK-UP.

5. COMPLAINTS

- 5.1 ANY COMPLAINTS REGARDING THE PACKAGING CONDITION, QUANTITY, NUMBER OR EXTERNAL CHARACTERISTICS OF THE PRODUCTS (APPARENT DEFECTS) MUST BE SUBMITTED TO IMILANI IN WRITING, UNDER PENALTY OF FORFEITURE, WITHIN 8 (EIGHT) BUSINESS DAYS FROM THE DATE OF RECEIPT OF THE PRODUCTS.
- 5.2 ANY COMPLAINTS RELATING TO DEFECTS THAT CANNOT BE IDENTIFIED THROUGH DILIGENT CONTROL UPON RECEIPT (HIDDEN DEFECTS) MUST BE SUBMITTED TO IMILANI, UNDER PENALTY OF FORFEITURE, WITHIN 8 (EIGHT) DAYS FROM THE DATE OF DISCOVERY OF THE DEFECT AND REPORTED TO IMILANI IN THE MANNER PROVIDED UNDER THE WARRANTY CONDITIONS.
- 5.3 IN NO CASE SHALL AGENTS, CUSTOMERS OR INTERMEDIARIES OF IMILANI HAVE THE POWER TO REPRESENT IMILANI OR TAKE ANY BINDING OBLIGATIONS ON BEHALF OF IMILANI VIS À VIS THE BUYER OR OTHER THIRD PARTIES. TO THIS END, ANY NOTICE RELATING TO FAULTS OR DEFECTS OF THE PRODUCTS SHALL BE INVALID AND INEFFECTIVE IF MADE TO AGENTS, CUSTOMERS OR INTERMEDIARIES OF IMILANI.

6. PRICES

- 6.1 THE PRICES OF THE PRODUCTS SHALL BE THOSE SPECIFIED IN THE IMILANI PRICE LIST IN FORCE AT THE TIME THE ORDER IS FINALISED OR, IF THE PRODUCT IS NOT INCLUDED IN THE PRICE LIST OR THE PRICE LIST IS NOT AVAILABLE, THOSE SPECIFIED IN THE ORDER CONFIRMATION.
- 6.2 UNLESS OTHERWISE AGREED, THE AFOREMENTIONED PRICES SHALL BE CALCULATED EX WORKS (EXW INCOTERMS2010). THESE PRICES DO NOT INCLUDE THE COSTS OF SPECIAL PACKAGING, SHIPPING AND TRANSPORT FROM IMILANI'S PREMISES, WHICH SHALL BE BORNE BY THE BUYER. UNLESS OTHERWISE AGREED, THE BUYER SHALL ALSO BEAR ALL EXPENSES, TAXES OR DUTIES INHERENT IN THE SALE OF THE PRODUCTS, INCLUDING THE COSTS OF ALL CUSTOMS FORMALITIES (AS WELL AS ANY DUTIES, TAXES AND OTHER OFFICIAL CHARGES TO BE PAID FOR EXPORTING THE PRODUCTS).

7. PAYMENT CONDITIONS

- 7.1 WHERE THE TERMS OF PAYMENT ARE NOT SPECIFIED IN THE ORDER, THE PAYMENT MUST BE MADE WITHIN 30 DAYS FROM THE END OF MONTH INVOICE DATE, BY BANK TRANSFER. THE PAYMENT SHALL BE CONSIDERED PAID MADE WHEN THE SUM BECOMES AVAILABLE TO IMILANI AT ITS BANK IN ITALY.
- 7.2 IF THE PARTIES AGREED ON AN ADVANCE PAYMENT WITHOUT FURTHER SPECIFICATIONS, IT IS ASSUMED THAT THE ADVANCE PAYMENT REFERS TO THE ENTIRE PRICE OF THE PRODUCTS INCLUDED IN THE SUPPLY ORDER.
- 7.3 IF THE PARTIES HAVE AGREED ON PAYMENT BY DIRECT REMITTANCE, THIS SHALL BE DONE BY SWIFT TRANSFER - WITH FIXED VALUE DATE IN FAVOUR OF IMILANI ON THE DAY THE PAYMENT IS DUE - AT THE BANK SPECIFIED BY IMILANI.
- 7.4 IN THE EVENT OF PAYMENT DELAYED UNTIL AFTER THE AGREED DATE, DEFAULT INTEREST AT THE STATUTORY RATE SHALL BE APPLIED TO THE BUYER. IN ADDITION, IMILANI SHALL BE REIMBURSED FOR ANY COSTS INCURRED IN THE RECOVERY OF SUMS NOT PROMPTLY PAID.
- 7.5 THE BUYER IS NOT AUTHORISED TO MAKE ANY DEDUCTION FROM THE AGREED PRICE (E.G. IN CASE OF ALLEGED PRODUCT DEFECTS), WITHOUT PRIOR WRITTEN AGREEMENT WITH IMILANI.

8. FORCE MAJEURE

- 8.1 BOTH THE BUYER AND IMILANI MAY SUSPEND THE PERFORMANCE OF THEIR CONTRACTUAL OBLIGATIONS WHEN SUCH PERFORMANCE BECOMES IMPOSSIBLE OR UNREASONABLY BURDENSOME DUE TO AN UNFORESEEABLE IMPEDIMENT NOT UNDER THEIR CONTROL, SUCH AS FOR EXAMPLE, STRIKES, BOYCOTTS, LOCKOUTS, FIRES, WARS, RIOTS AND REVOLUTIONS, REQUISITIONS, EMBARGOES OR INTERRUPTIONS IN ENERGY SUPPLY.
- 8.2 THE PARTY WISHING TO INVOKE THIS CLAUSE MUST IMMEDIATELY INFORM THE OTHER IN WRITING THAT A FORCE MAJEURE CIRCUMSTANCE HAS OCCURRED AS WELL AS WHEN SUCH CIRCUMSTANCE NO LONGER EXISTS.
- 8.3 IF THE SUSPENSION DUE TO FORCE MAJEURE LASTS MORE THAN EIGHT WEEKS, EACH PARTY SHALL HAVE THE RIGHT TO TERMINATE THE ORDER, SUBJECT TO 10 DAYS' NOTICE, TO BE CONVEYED TO THE OTHER IN WRITING.

9. CHANGE IN THE BUYER'S FINANCIAL SITUATION

- 9.1 IMILANI SHALL BE ENTITLED TO SUSPEND THE FULFILMENT OF THE OBLIGATIONS ARISING FROM THE SUPPLY OF THE PRODUCTS IN THE EVENT THAT THE BUYER'S FINANCIAL SITUATION BECOMES SUCH AS TO SERIOUSLY ENDANGER THE BUYER'S PERFORMANCE OF ITS OWN OBLIGATIONS, UNLESS A SUITABLE GUARANTEE IS GIVEN.

10. APPLICABLE LAW AND JURISDICTION

- 10.1 THE GENERAL TERMS AND CONDITIONS OF SALE AND THE ORDERS ENTERED INTO BETWEEN IMILANI AND THE BUYER SHALL BE GOVERNED BY ITALIAN LAW.
- 10.2 FOR ANY DISPUTE REGARDING THE INTERPRETATION, PERFORMANCE, BREACH OR TERMINATION OF THESE GENERAL TERMS AND CONDITIONS OF SALE, THE COURT OF VICENZA SHALL HAVE EXCLUSIVE JURISDICTION, INCLUDING IN THE EVENT OF JOINDER OF PROCEEDINGS.

11. FINAL CLAUSES

- 11.1 SHOULD ONE OF THE PARTIES FAIL TO TAKE LEGAL ACTION OR EXERCISE A RIGHT UNDER THESE GENERAL TERMS AND CONDITIONS OF SALE, SUCH ACQUIESCENT CONDUCT MAY NOT BE INTERPRETED AS A FINAL WAIVER TO TAKE SUCH LEGAL ACTION OR EXERCISE SUCH RIGHTS IN THE FUTURE.
- 11.2 THE SALE OF PRODUCTS BY IMILANI TO THE BUYER DOES NOT GIVE THE LATTER ANY EXCLUSIVE TERRITORIAL RIGHT NOR DOES IT ALLOW THE BUYER TO TAKE ON THE STATUS OF DISTRIBUTOR OR RESELLER OF IMILANI.
- 11.3 ANY COMMUNICATION FROM THE BUYER TO IMILANI IN RELATION TO THESE GENERAL TERMS AND CONDITIONS OF SALE MUST BE SENT TO THE FOLLOWING CERTIFIED E-MAIL ADDRESS: IMILANISRL@LEGALMAIL.IT. THE AFOREMENTIONED COMMUNICATIONS SHALL TAKE EFFECT UPON RECEIPT BY THE RECIPIENT.

12. PRIVACY

- 12.1 IN ACCORDANCE WITH THE PROVISIONS OF LEGISLATIVE DECREE 196/03, BY ACCEPTING THIS CONTRACT, THE BUYER DECLARES THAT IT IS AWARE, AND EXPRESSLY AGREES, THAT ITS "PERSONAL DATA", PROVIDED (ALSO VERBALLY) BY ITSELF OR ACQUIRED DURING SALE TRANSACTIONS, IS KEPT WITH IMILANI IN ITS (PAPER, ELECTRONIC OR TELECOMMUNICATIONS) ARCHIVES AND PROCESSED AS PART OF THE CONDUCT OF BUSINESS ACTIVITIES OF IMILANI FOR MANAGEMENT PURPOSES, THE FULFILMENT OF LEGAL OBLIGATIONS, AND FOR STATISTICAL, COMMERCIAL, MARKETING, PROMOTIONAL AND CREDIT PROTECTION PURPOSES. SUCH DATA MAY ALSO BE: (A) DISCLOSED TO COMPANIES, ENTITIES, CONSORTIA OR ASSOCIATIONS RESPONSIBLE FOR CREDIT PROTECTION, (B) DISCLOSED/DISSEMINATED TO SUBSIDIARIES, PARENT COMPANIES OR ASSOCIATES ENGAGED IN COMMERCIAL, MARKET RESEARCH, MARKETING, MANAGEMENT OR IT MANAGEMENT ACTIVITIES; OR SUCH COMPANIES CAN BE GIVEN ACCESS TO THE AFOREMENTIONED ARCHIVES. IN RELATION TO THE PROCESSING OF SAID DATA, THE BUYER MAY EXERCISE THE RIGHTS INDICATED IN ART. 7 LEGISLATIVE DECREE 196/03 AND IMILANI HAS AN OBLIGATION TO COMMUNICATE WITHOUT DELAY ANY REQUESTS PURSUANT TO THAT ARTICLE. THE DATA CONTROLLER IS IMILANI IN THE PERSON OF ITS PRO-TEMPORE LEGAL REPRESENTATIVE. THE DATA CAN BE PROCESSED AT THE COMPANY'S REGISTERED OFFICES OR AT TAX CONSULTING FIRMS, AS WELL AS AT THE PREMISES OF ANY OTHER PROFESSIONALS THAT HAVE BEEN TASKED WITH PROCESSING THE ACCOUNTS AND ANY OTHER RELEVANT ASSIGNMENTS.

13. COMPLIANCE WITH LAW 231/2001

- 13.1 THE BUYER ACKNOWLEDGES THAT IMILANI HAS ADOPTED AND IMPLEMENTED AN ORGANISATION, MANAGEMENT AND CONTROL MODEL PURSUANT TO LEGISLATIVE DECREE 231/01, WITH ITS CODE OF ETHICS AND DISCIPLINARY SYSTEM, DETAILS OF WHICH CAN BE VIEWED ON THE COMPANY WEBSITE WWW.IMILANI.IT. THE BUYER ENDORSES THE PRINCIPLES OF THE AFOREMENTIONED ORGANISATION, MANAGEMENT AND CONTROL MODEL AND ITS ANNEXES, AND UNDERTAKES TO COMPLY WITH ITS CONTENTS, PRINCIPLES AND PROCEDURES AND, IN GENERAL, TO REFRAIN FROM ANY CONDUCT THAT MAY CONSTITUTE ANY OF THE OFFENCES SPECIFIED IN ITALIAN LEGISLATIVE DECREE 231/01, AS AMENDED, AND INCLUDED IN THE AFOREMENTIONED ORGANISATION, MANAGEMENT AND CONTROL MODEL. THE BUYER ALSO UNDERTAKES TO COMPLY WITH AND TO ENSURE ITS EMPLOYEES' COMPLIANCE WITH ALL THE PRINCIPLES CONTAINED IN SAID DOCUMENTATION AND BEHAVIOURAL PROTOCOLS PROVIDED BY OUR ORGANISATION IN ACCORDANCE WITH LEGISLATIVE DECREE 231/2001 AND THE ANNEXES TO THIS CONTRACT. ANY BREACH OF THE RULES PROVIDED BY THE AFOREMENTIONED DOCUMENTS SHALL CONSTITUTE A SERIOUS BREACH OF CONTRACT.

iMilani

innovative
italian
ideas

iMilani srl

Via Capitano Alessio, 109
36027 Rosà (VI) — Italy

Tel +39 0424 583100
info@imilani.it
www.imilani.com